# PROCEEDINGS OF SPIE

# Health Monitoring of Structural and Biological Systems 2017

**Tribikram Kundu** Editor

26–29 March 2017 Portland, Oregon, United States

Sponsored by SPIE

Co-sponsored by OZ Optics, Ltd. (United States) Polytec, Inc. (United States) Fiberguide Industries (United States) Frontiers Media (Switzerland)

Cooperating Organizations Jet Propulsion Laboratory (United States)

Published by SPIE

Volume 10170

Proceedings of SPIE 0277-786X, V. 10170

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *Health Monitoring of Structural and Biological Systems 2017*, edited by Tribikram Kundu, Proceedings of SPIE Vol. 10170 (SPIE, Bellingham, WA, 2017) Seven-digit Article CID Number

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510608252 ISBN: 9781510608269 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org

Copyright © 2017, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/17/\$18.00.

Printed in the United States of America Vm7 i ffUb 5 ggc WUhY gr to Wzi bXY f W bgY Zfca GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



page of the manuscript.

**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each

## Contents

- ix Authors
- xiii Conference Committee
- xvii Introduction

#### PLENARY SESSION

10170 02 **Predictive simulation of guide-wave structural health monitoring (Plenary Paper)** [10170-500]

#### SESSION 1 COMPOSITE MONITORING I

- 10170 04 Infrared thermography to impact damaging of composite materials [10170-2]
- 10170 05 Assessment of delamination in composite beam using infrared thermography, optical sensors and terahertz technique [10170-3]
- 10170 06 Shear sensing in bonded composites with cantilever beam microsensors and dual-plane digital image correlation [10170-4]

#### SESSION 2 COMPOSITE MONITORING II

- 10170 07 Full-field ultrasonic inspection for a composite sandwich plate skin-core debonding detection using laser-based ultrasonics [10170-5]
  10170 08 Assessment of damage in 'green' composites [10170-6]
- 10170 09 A constructive nonlinear array (CNA) method for barely visible impact detection in composite materials [10170-7]
- 10170 0B Evaluation of adhesively bonded composites by nondestructive techniques [10170-9]

#### SESSION 3 METAMATERIAL I

- 10170 OF A disorder-based strategy for tunable, broadband wave attenuation [10170-13]
- 10170 0J Simultaneous life extension and crack monitoring of fatigue-damaged steel members using multifunctional carbon nanotube based composites [10170-128]

### SESSION 4 METAMATERIAL II

### 10170 0M Isotropic transformation acoustics and applications [10170-20]

#### SESSION 5 ADVANCEMENTS IN MODELING

10170 OO	Parametric studies for semi-analytical investigation of plate-mounted resonators [10170-22]			
10170 OP	Application of distributed point source method (DPSM) to wave propagation in anisotropic media [10170-23]			
10170 OQ	Computational wave field modeling in anisotropic plate [10170-24]			
10170 OR	Optimization of multi-scale modelling of CNT/polymer composite strain sensors [10170-25]			
SESSION 6	BIOINSPIRED SHM AND BIOMATERIAL MONITORING			
10170 OT	Dual-frequency transducer with a wideband PVDF receiver for contrast-enhanced, adjustable harmonic imaging [10170-27]			
10170 OV	Development of an aerosol PZT actuator for a scanner system [10170-29]			
10170 OW	Design, analysis, and fabrication of a piezoelectric force plate [10170-30]			
10170 OZ	Development and testing of a multi-transducer system for measuring height of condensed water in steam pipes with steady-state and turbulent flow conditions [10170-35]			
SESSION 7	REAL-TIME SENSING AND TESTING AT EXTREME ENVIRONMENTS			
10170 12	NIR intensity sensor for water pressure monitoring [10170-36]			
10170 14	Development of BS-PT based high temperature ultrasonic transducer [10170-38]			
10170 16	Signal denoising using stochastic resonance and bistable circuit for acoustic emission-based structural health monitoring [10170-17]			
SESSION 8A	METAMATERIAL III			
10170 18	A mechanical power dissipation model for axially loaded metamaterial bars [10170-41]			

10170 1A Nonlinear dynamics of bistable lattices with defects [10170-43]

#### SESSION 8B GUIDED WAVES I: CIVIL INFRASTRUCTURES MONITORING

- 10170 1B Ultrasonic damage imaging of structural components with bulk and guided waves using match coefficients [10170-44]
- 10170 1C Nondestructive assessment of waveguides using an integrated electromechanical impedance and ultrasonic waves approach [10170-45]
- 10170 1D Guided wave attenuation in composite materials [10170-46]
- 10170 1E Guided waves based SHM systems: parameters selection for better identification and localisation of damages in composites stiffened plates [10170-47]

#### SESSION 9A METAMATERIAL IV

- 10170 1F An analytical model for band gap behavior in lumped elastic metamaterials [10170-48]
- 10170 11 Acoustic vortex beam generation using a compact metamaterial aperture [10170-51]
- 10170 1J Analyzing the frequency band gap in functionally graded materials with harmonically varying material properties [10170-52]
- 10170 1K Scattering of longitudinal acoustic phonons in thin silicon membranes [10170-53]
- 10170 1L Smart Kirigami open honeycombs in shape changing actuation and dynamics [10170-54]

#### SESSION 9B GUIDED WAVES II: MEASUREMENT, DAMAGE DETECTION, AND SCATTERING

- 10170 1N Directionality of A<sub>0</sub> Lamb wave mode scattering at defects [10170-56]
- 10170 10 Guided wave scattering by a geometrical or damage feature: application to fatigue crack and machined notch [10170-57]
- 10170 10 Lamb wave interaction at debondings due to impact damage in complex stiffened CFRP structures [10170-59]
- 10170 1S Laser Doppler velocimetry and PZT sensing for the study of guided waves in a stepped aluminum plate [10170-61]
- 10170 1U Nonlinear dispersion effects in elastic plates: numerical modelling and validation [10170-63]

#### SESSION 10A NONLINEAR TECHNIQUES

- 10170 1X A three-dimensional analytical model for interpreting contact acoustic nonlinearity generated by a "breathing" crack [10170-66]
- 10170 1Y Fatigue crack detection by nonlinear spectral correlation with a wideband input [10170-67]

- 10170 1Z Numerical investigation of nonlinear interactions between multimodal guided waves and delamination in composite structures [10170-68]
- 10170 20 Analysis of debonding in single lap joints based on employment of ultrasounds [10170-69]

#### SESSION 10B MODELING FOR METAMATERIAL AND GUIDED WAVES

- 10170 21 Spectral element method implementation on GPU for Lamb wave simulation [10170-70]
- 10170 22 On the assumption of transverse isotropy of a honeycomb sandwich panel for NDT applications [10170-71]
- 10170 23 Local numerical modelling of ultrasonic guided waves in linear and nonlinear media [10170-72]
- 10170 24 Coupled electromechanical modeling of piezoelectric disc transducers for low-frequency ultrasonic collimated beam generation [10170-73]

#### SESSION 11A ACOUSTIC EMISSION

- 10170 27 Reflective SOA-based fiber Bragg grating ultrasonic sensing system with two wave mixing interferometric demodulation [10170-76]
- 10170 28 Acoustic emission source modeling in a plate using buried moment tensors [10170-77]
- 10170 29 Probabilistic location estimation of acoustic emission sources in isotropic plates with one sensor [10170-78]
- 10170 2A Analysis of acoustic emission waveforms from fatigue cracks [10170-79]

#### SESSION 11B GUIDED WAVES III: ADVANCED MATERIAL MONITORING

- 10170 2B High frequency guided wave propagation in monocrystalline silicon wafers [10170-80]
- 10170 2D Combined vibration and guided wave-based approach for composite panels health assessment [10170-82]
- 10170 2E Numerical modeling of the load effect on PZT-induced guided wave for load compensation of damage detection [10170-83]

#### SESSION 12A CIVIL INFRASTRUCTURE I: MEASUREMENT OPTIMIZATION AND APPLICATION

- 10170 2F Optimal sensor placement for parameter estimation of bridges [10170-92]
- 10170 2G An application of prospect theory to a SHM-based decision problem [10170-84]

- 10170 2H Structural damage identification with multi-objective DIRECT algorithm using natural frequencies and single mode shape [10170-85]
- 10170 21 Monitoring progressive changes in cementitious materials using embedded piezo-sensors [10170-87]

#### SESSION 12B OPTICAL AND THERMAL TECHNIQUES FOR CIVIL INFRASTRUCTURE MONITORING

- 10170 2K Application of the normalized curvature ratio to an in-service structure [10170-89]
- 10170 2L Effect of out-of-plane specimen movement on the accuracy of the smallest specimen strain measurable using the digital image correlation technique [10170-90]
- 10170 2M Uncertainty quantification of phase-based motion estimation on noisy sequence of images [10170-91]
- 10170 2N Study on evaluation of corrosion condition of reinforcing bar embedded concrete using infrared thermal imaging camera [10170-93]

#### SESSION 13A CIVIL INFRASTRUCTURE II: MATERIALS AND STRUCTURES

- 10170 2P Monitoring of prestress losses using long-gauge fiber optic sensors [10170-95]
- 10170 2Q System identification of timber masonry walls using shaking table test [10170-96]
- 10170 2R Abnormal behavior detection algorithm of infra-structure using unfamiliarity index [10170-98]
- 10170 28 Comparison of two novel types of sensor to monitor the strain of concrete in F-T tests [10170-99]
- 10170 2U Development of a real-time bridge structural monitoring and warning system: a case study in Thailand [10170-101]
- 10170 2V Experimental validation of a structural damage detection method based on marginal Hilbert spectrum [10170-102]

#### SESSION 13B EMERGING AND FUTURISTIC TECHNIQUES AND ISSUES

- 10170 2W Moisture contamination detection in adhesive layer using embedded fibre Bragg grating sensors [10170-103]
- 10170 2Y Temperature dependence of electromechanical impedance based bond-line integrity monitoring [10170-105]
- 10170 2Z A load identification sensor based on distributed fiber optic technology [10170-106]

I OSIEK SESSION	PC	STER	SESS	ON
-----------------	----	------	------	----

- 10170 32 Fatigue crack monitoring of aerospace structure based on binary tree support vector machines [10170-110]
- 10170 33 Non-destructive monitoring of a prestressed bridge with a data-driven method [10170-111]
- 10170 34 Nuclear power plant prestressed concrete containment vessel structure monitoring during integrated leakage rate test using three kinds of fiber optic sensors [10170-112]
- 10170 37 A novel nonlinear damage resonance intermodulation effect for structural health monitoring [10170-115]
- 10170 38 Numerical simulation on the temperature behavior of the main cable for suspension bridge [10170-116]
- 10170 39 Damage estimation of sewer pipe using subtitles of CCTV inspection video [10170-117]
- 10170 3A Monitoring of impact dynamics on carbon nanotube multiscale glass fiber composites by means of electrical measurements [10170-118]
- 10170 3B **A comparative study on book shelf structure based on different domain modal analysis** [10170-119]
- 10170 3E Performance assessment of engineering structures based on long-gauge FBG sensors: a review [10170-122]
- 10170 3G Automated vehicle counting using image processing and machine learning [10170-124]
- 10170 3H Using LabView for real-time monitoring and tracking of multiple biological objects [10170-125]