PROCEEDINGS OF SPIE

Degraded Environments: Sensing, Processing, and Display 2017

John (Jack) N. Sanders-Reed Jarvis (Trey) J. Arthur III Editors

11–12 April 2017 Anaheim, California, United States

Sponsored and Published by SPIE

Volume 10197

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Degraded Environments: Sensing, Processing, and Display 2017*, edited by John (Jack) N. Sanders-Reed, Jarvis (Trey) J. Arthur III, Proceedings of SPIE Vol. 10197 (SPIE, Bellingham, WA, 2017) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510608955

ISBN: 9781510608962 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445

Copyright © 2017, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/17/\$18.00.

Printed in the United States of America Vm7 i ffUb 5 gpc WJUHY gž & Wži bXY f JW bgY Zfca CD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

Conference Committee

environment [10197-14]

aids (Neon and MONIM) [10197-16]

Authors

vii ix

10197 0C

10197 0D

10197 OE

10197 OF

| SESSION 1 | PHENOMENOLOGY AND PERCEPTION |
|-----------|---|
| 10197 02 | Color vision in the twilight zone: an unsolved problem [10197-1] |
| 10197 02 | Color vision in the twingin zone. an onsolved problem [10197-1] |
| 10197 03 | Human variation in dark adaptation facility [10197-2] |
| 10197 04 | Optical characterization of the Sandia fog facility [10197-3] |
| 10197 05 | Particle distribution variation on linear and circular polarization persistence in fog environments [10197-4] |
| 10197 06 | Engineered micro-spheres for optical filtering [10197-6] |
| SESSION 2 | COMMERCIAL FLIGHT I |
| 10197 08 | Synthetic vision display with integral sonic boom predictions [10197-9] |
| SESSION 3 | COMMERCIAL FLIGHT II |
| 10197 09 | Best practices for cross-platform virtual reality development [10197-10] |
| 10197 0A | Safely enhanced low visibility taxi [10197-11] |
| 10197 OB | Simulation test of a head-worn display with ambient vision display for unusual attitude recovery [10197-12] |
| SESSION 4 | ALGORITHMS AND PROCESSING |

A mmW image-based algorithm on wire recognition for DVE applications [10197-13]

UK met office capabilities in defense meteorology, oceanography and tactical decision

Visibility enhancement of multi-waveband infrared images from degraded visual

Image quality metrics for degraded visual environments [10197-15]

| 10197 0G | Block match denoising for the Integrated Digital Vision System (IDVS) [10197-17] |
|-----------|---|
| 10197 0H | Semantic image segmentation for information presentation in enhanced vision [10197-18] |
| SESSION 5 | INFORMATION INTEGRATION AND PRESENTATION I |
| 10197 OI | Pilot cueing synergies for degraded visual environments [10197-19] |
| 10197 OJ | Integrating DVE, cueing technologies, and pilot performance metrics into a research-grade helicopter simulator [10197-20] |
| SESSION 6 | SENSING |
| 10197 OK | Fusion for degraded visual environment pilotage [10197-38] |
| 10197 OL | Multi-aperture approach to digital color night vision [10197-22] |
| 10197 0M | Strategies for reducing SWAP-C and complexity in DVE sensor systems [10197-23] |
| 10197 ON | Usage of LiDAR in a brownout pilotage system: flight test results on a single ship and chalk 2 scenarios [10197-24] |
| 10197 00 | Evaluation of a steerable 3D laser scanner using a double Risley prism pair [10197-25] |
| 10197 OP | How much is enough? the human factors of field of view in head-mounted displays [10197-26] |
| SESSION 7 | DISPLAYS I |
| 10197 0Q | HMD daylight symbology: color choice and luminance considerations [10197-27] |
| 10197 OR | Review of colored conformal symbology in head-worn displays [10197-28] |
| 10197 OS | HMD distortion characterization and alignment toolset for precision-critical applications [10197-29] |
| SESSION 8 | DISPLAYS II |
| 10197 OT | Optimization of display viewing distance for human observers in the noise-limited case [10197-30] |
| 10197 OU | Holographic imageguide display for situational awareness [10197-31] |
| | |

| SESSION 9 | INFORMATION INTEGRATION AND PRESENTATION II |
|-----------|---|
| 10197 OW | VR and AR environments for virtual cockpit enhancements [10197-33] |
| 10197 0Y | Sensor data/cueing continuum for rotorcraft degraded visual environment operations [10197-35] |
| 10197 OZ | Designing a virtual cockpit for helicopter offshore operations [10197-36] |