PROCEEDINGS OF SPIE

High-Power Diode Laser Technology XVI

Mark S. Zediker Editor

29–30 January 2018 San Francisco, California, United States

Sponsored and Published by SPIE

Volume 10514

Proceedings of SPIE 0277-786X, V. 10514

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *High-Power Diode Laser Technology XVI*, edited by Mark S. Zediker,

Proceedings of SPIE Vol. 10514 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510615137 ISBN: 9781510615144 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb 5 ggc WUhrgz DWZi bXYf Wrbgr Zica GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

- vii Authors
- ix Conference Committee
- xi Introduction

SESSION 1 NEW HIGH POWER WAVELENGTHS

- 1051402 Blue 450nm high power semiconductor continuous wave laser bars exceeding rollover output power of 80W (Invited Paper) [10514-1]
- 10514 03 700 W blue fiber-coupled diode-laser emitting at 450 nm [10514-2]
- 1051404 Recent progress of 638-nm high-power broad area laser diodes in Mitsubishi Electric [10514-3]
- 1051405 Next generation DIRCM for 2.1-2.3 micron wavelength based on direct-diode GaSb technology [10514-4]
- 1051407 Blue laser diode (450 nm) systems for welding copper [10514-6]
- 10514 08 Visible high power fiber coupled diode lasers [10514-7]

SESSION 2 HIGH POWER DIODE LASER TECHNOLOGY I

- 10514 0A Extreme triple asymmetric (ETAS) epitaxial designs for increased efficiency at high powers in 9xx-nm diode lasers [10514-9]
- 10514 0B High polarization purity operation of 99% in 9xx-nm broad stripe laser diodes [10514-10]
- 10514 0D Development of highly efficient laser bars emitting at around 1060 nm for medical applications [10514-12]
- 10514 OE 970-nm ridge waveguide diode laser bars for high power DWBC systems [10514-13]

SESSION 3 HIGH POWER DIODE LASER TECHNOLOGY II

- 10514 OF **Diode lasers optimized in brightness for fiber laser pumping** [10514-14]
- 10514 0G Next generation diode lasers with enhanced brightness [10514-15]
- 10514 0H Advancements of ultra-high peak power laser diode arrays [10514-16]

SESSION 4 HIGH POWER FIBER COUPLED SOURCES

- 10514 0J High-power fiber-coupled pump lasers for fiber lasers [10514-18]
- 10514 0K Efficient pump module coupling >1kW from a compact detachable fiber [10514-19]
- 10514 0L Improvement in reduced-mode (REM) diodes enable 315 W from 105-μm 0.15-NA fibercoupled modules [10514-20]
- 10514 0M **120W**, NA_0.15 fiber coupled LD module with 125-µm clad/NA 0.22 fiber by spatial coupling method [10514-21]
- 10514 0N High brightness KW-class direct diode laser [10514-22]
- 10514 00 Ultracompact hermetic laser diode modules for harsh environment [10514-23]
- 10514 OP Continued advances in high brightness fiber-coupled laser modules for efficient pumping of fiber and solid-state lasers [10514-24]

SESSION 5 WAVELENGTH STABILIZED DEVICES I

10514 0S Auto-locking waveguide amplifier system for lidar and magnetometric applications [10514-27]

SESSION 6 WAVELENGTH STABILIZED DEVICES II

- 10514 0T Coherent combining of high brightness tapered lasers in master oscillator power amplifier configuration [10514-28]
- 10514 0U Improvements to tapered semiconductor MOPA laser design and testing [10514-29]
- 10514 0V Wavelength stabilized DBR high power diode laser using EBL optical confining grating technology [10514-30]
- 10514 0W High-power and brightness laser diode modules using new DBR chips [10514-31]
- 10514 0X Distributed Bragg reflector tapered diode lasers emitting more than 10 W at 1154 nm [10514-32]

SESSION 7 HIGH PERFORMANCE BAR TECHNOLOGY

105140Y Advanced chip designs and novel cooling techniques for brightness scaling of industrial, high power diode laser bars (Invited Paper) [10514-33] 10514 0Z High-resolution smile measurement and control of wavelength-locked QCW and CW laser diode bars [10514-34]

POSTER SESSION

1051415 High power line generating diode lasers [10514-40]