Millimeter, Submillimeter, and Far-Infrared Detectors and Instrumentation for Astronomy IX

Jonas Zmuidzinas Jian-Rong Gao Editors

12–15 June 2018 Austin, Texas, United States

Sponsored by SPIE

Cosponsored by

4D Technology (United States) • Andor Technology, Ltd. (United Kingdom) • Astronomical Consultants & Equipment, Inc. (United States) • Giant Magellan Telescope (Chile) • GPixel, Inc. (China) • Harris Corporation (United States) • Materion Corporation (United States) • Optimax Systems, Inc. (United States) • Princeton Infrared Technologies (United States) • Symétrie (France) • Teledyne Technologies, Inc. (United States) • Thirty Meter Telescope (United States)

Cooperating Organizations

European Space Organisation • National Radio Astronomy Observatory (United States) • Science & Technology Facilities Council (United Kingdom) • Canadian Astronomical Society (Canada) • Canadian Space Association ASC (Canada) • Royal Astronomical Society (United Kingdom) • Association of Universities for Research in Astronomy (United States) • American Astronomical Society (United States) • Australian Astronomical Observatory (Australia) • European Astronomical Society (Switzerland)

Published by SPIE

Volume 10708

Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 10708

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Millimeter, Submillimeter, and* Far-Infrared Detectors and Instrumentation for Astronomy IX, edited by Jonas Zmuidzinas, Jian-Rong Gao, Proceedings of SPIE Vol. 10708 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510619692 ISBN: 9781510619708 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb 5ggc WUHY gz & Wži bXYf"]WY bgY Zfca GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix	Authors
x∨ii	Conference Committee

Part One

	CMB INSTRUMENTS I		
10708 05	BFORE: a CMB balloon payload to measure reionization, neutrino mass, and cosmic inflation [10708-4]		
10708 06	The primordial inflation polarization explorer (PIPER): current status and performance of the first flight [10708-5]		
10708 07	BICEP Array: a multi-frequency degree-scale CMB polarimeter [10708-49]		
	OPTICS I		
10708 0D	Development of large-diameter flat mesh-lenses for millimetre wave instrumentation [10708-11]		
10708 OE	Design and development of a polarization modulator unit based on a continuous rotating half- wave plate for LiteBIRD [10708-12]		
10708 OF	Aerogel scattering filters for cosmic microwave background observations [10708-13]		
10708 0G	Metamaterial-based Toraldo pupils for super-resolution at millimetre wavelengths [10708-14]		
	SUBMM/FIR CAMERAS		
10708 OJ	Optical design of the ToITEC millimeter-wave camera [10708-17]		

- 10708 OKThe SAFARI detector system [10708-18]
- 10708 0L Preflight characterization of the BLAST-TNG receiver and detector arrays [10708-19]
- 10708 0M MUSCAT: the Mexico-UK Sub-Millimetre Camera for AsTronomy [10708-20]

COHERENT DETECTION I

- 10708 0Y Evaluation of controllers for tuning digitizers in the ALMA interferometer [10708-32]
- 10708 0Z **4×2 HEB receiver at 4.7 THz for GUSTO** [10708-33]
- 10708 12 Technical achievements of the ALMA future receiver development program at the National Astronomical Observatory of Japan [10708-36]

COHERENT DETECTION II

- 10708 13 A proposal of a photonic local system for the extended Atacama large millimeter/submillimeter array and advanced radio interferometers [10708-37]
- 10708 14 Planar superconductor-insulator-superconductor mixer array receivers for wide field of view astronomical observation [10708-38]
- 10708 15 GLT receiver commissioning at JCMT and future JCMT instrumentation [10708-39]
- 10708 16 Electronics instrumentation for the Greenland telescope [10708-40]

MULTIPLEXED READOUT

10708 1D Digital frequency multiplexing with sub-Kelvin SQUIDs [10708-47]

CMB INSTRUMENTS II

10708 1G The STRIP instrument of the Large Scale Polarization Explorer: microwave eyes to map the Galactic polarized foregrounds [10708-50]

SUBMM/FIR SPECTROMETERS II

10708 10 The design and characterization of a 300 channel, optimized full-band millimeter filterbank for science with SuperSpec [10708-58]

NEW DEVELOPMENTS

10708 10 Prime-Cam: a first-light instrument for the CCAT-prime telescope [10708-64]

- 10708 1V Development of a robust, efficient process to produce scalable, superconducting kilopixel far-IR detector arrays [10708-65]
- 10708 1W Ultra-low-noise transition edge sensors for far infrared wavelengths: optical design, measurement and stray light control [10708-66]
- 10708 1X Eliminating stray radiation inside large area imaging arrays [10708-67]

POSTER SESSION: CMB DETECTORS I

10708 1Y Design and characterization of the Cosmology Large Angular Scale Surveyor (CLASS) 93 GHz focal plane [10708-68]

POSTER SESSION: CMB INSTRUMENTS I

10708 27	Cooldown strategies and transient thermal simulations for the Simons Observatory [10708-77]
10708 28	The Cosmology Large Angular Scale Surveyor receiver design [10708-78]
10708 29	Simons Observatory large aperture telescope receiver design overview [10708-79]
10708 2A	Design and characterization of a ground-based absolute polarization calibrator for use with polarization sensitive CMB experiments [10708-80]
10708 2B	QUBIC: the Q and U bolometric interferometer for cosmology [10708-81]
10708 2D	BICEP array cryostat and mount design [10708-83]
10708 2E	High-precision scanning water vapor radiometers for cosmic microwave background site characterization and comparison [10708-84]
10708 2F	Preliminary scanning strategy analysis for the LSPE-STRIP instrument [10708-85]

POSTER SESSION: OPTICS I

10708 2G	Design and performance of wide-band corrugated walls for the BICEP Array detector modules at 30/40 GHz [10708-86]
10708 2H	Next generation sub-millimetre wave focal plane array coupling concepts: an ESA TRP project to develop multichroic focal plane pixels for future CMB polarisation experiments [10708-87]
10708 21	Simulations and performance of the QUBIC optical beam combiner [10708-88]

10708 2K Ultra-thin large-aperture vacuum windows for millimeter wavelengths receivers [10708-90]

Part Two

10708 2M	Variable-delay polarization modulators for the CLASS telescopes [10708-92]
10708 2N	2017 upgrade and performance of BICEP3: a 95GHz refracting telescope for degree-scale CMB polarization [10708-93]
10708 2P	SiAl alloy feedhorn arrays: material properties, feedhorn design, and astrophysical applications [10708-146]

POSTER SESSION: COHERENT DETECTION

10708 2R	Analysis techniques for complex field radiation pattern measurements [10708-96]
10708 2S	A VLBI receiving system for the South Pole Telescope [10708-97]
10708 2U	Low-power CMOS digital electronics for radio, mm-wave and sub-mm astrophysics [10708-99]
10708 2V	The new heterodyne receiver system for the ASTE radio telescope: three-cartridge cryostat with two cartridge-type superconducting receivers [10708-100]
10708 2X	Development of a low-power cryogenic MMIC HEMT amplifier for heterodyne array receiver application [10708-102]
10708 32	Q-band single pixel receiver development for the ngVLA and NRC [10708-36]
10708 33	Performance of pre-production band 1 receiver for the Atacama Large Millimeter/submillimeter Array (ALMA) [10708-46]
10708 34	A digital beamformer for the advanced focal array demonstrator (AFAD) [10708-58]
10708 35	The first-light receivers for the Greenland Telescope [10708-149]
10708 36	Progress in the construction and testing of the Tianlai radio interferometers [10708-150]
10708 37	Overview of the East Asia ALMA development program [10708-152]

POSTER SESSION: FIR CAMERAS

10708 38 Latest results and prospects of the ArTeMiS camera on APEX [10708-107]

10708 39 Upgrading SCUBA-2 with a newly designed thermal filter stack [10708-108]

POSTER SESSION: FIR DETECTORS

10708 3C Revisiting the optimization of the SCUBA-2 TES arrays for POL-2 and FTS-2 operations [10708-111]

POSTER SESSION: FIR SPECTROSCOPY

- 10708 3F **TIME millimeter wave grating spectrometer** [10708-114]
- 10708 3G The optical design of a far Infrared spectrometer for SPICA: grating modules evaluation [10708-115]

POSTER SESSION: OPTICS II

- 10708 3H Use of evolutionary computing algorithms in the design of millimetre-wave metamaterial devices [10708-116]
- 10708 3I Fabrication and characterization of a NIR-FIR dichroic for the infrared interferometer BETTII [10708-117]
- 10708 3M Characterizing and reducing the POL-2 instrumental polarization [10708-121]

POSTER SESSION: CMB DETECTORS II

10708 30 Fabrication and characterization of cooled silicon bolometers for mm wave detection [10708-123]

POSTER SESSION: CMB INSTRUMENTS II

- 10708 3U Systematic error cancellation for the PIXIE four-port interferometric polarimeter [10708-129]
- 10708 3V Thermal architecture for the QUBIC cryogenic receiver [10708-130]
- 10708 3W Design and characterization of the POLARBEAR-2b and POLARBEAR-2c cosmic microwave background cryogenic receivers [10708-131]
- 10708 3X Simons Observatory large aperture receiver simulation overview [10708-132]

10708 3Z Studies of sy	stematic uncertainties for Simons	Observatory: detector arra	y effects [10708-134]
------------------------	-----------------------------------	----------------------------	------------------------------

- 10708 40 **Development of calibration strategies for the Simons Observatory** [10708-135]
- **Designs for next generation CMB survey strategies from Chile** [10708-136]
- 10708 42 BoloCalc: a sensitivity calculator for the design of Simons Observatory [10708-137]
- 10708 43 **Broadband anti-reflective coatings for cosmic microwave background experiments** [10708-138]

POSTER SESSION: MULTIPLEXING

- 10708 44 The FDM readout for the LSPE/SWIPE TES bolometers [10708-139]
- 10708 45 Performance of NbSi transition-edge sensors readout with a 128 MUX factor for the QUBIC experiment [10708-140]
- 10708 46 Investigation of magnetic shielding for superconducting readout [10708-141]

POSTER SESSION: OPTICS III

- 10708 47 Prototype design and evaluation of the nine-layer achromatic half-wave plate for the LiteBIRD low frequency telescope [10708-142]
- 10708 49 Cross-polarization systematics due to Mizuguchi-Dragone condition breaking by a continuously rotating half-wave plate at prime focus in the Huan Tran telescope [10708-144]
- 10708 4A Multi-octave anti-reflection coating for polypropylene-based quasi-optical devices [10708-145]
- 10708 4B Feedhorn development and scalability for Simons Observatory and beyond [10708-147]