

# PROCEEDINGS OF SPIE

## ***Young Scientists Forum 2017***

**Kunchi Peng**  
**Jianwei Pan**  
**Junhao Chu**  
*Editors*

**24–26 November 2017**  
**Shanghai, China**

*Sponsored by*

Division of Information and Electronic Engineering of Chinese Academy of Engineering (China)  
Chinese Society for Optical Engineering (CSOE) (China)

*Organized by*

Chinese Society for Optical Engineering (CSOE) (China)  
Photoelectronic Technology Committee, Chinese Society of Astronautics (CSA) (China)

*Published by*  
SPIE

**Volume 10710**

**Part One of Two Parts**

Proceedings of SPIE 0277-786X, V. 10710

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Young Scientists Forum 2017*, edited by Kunchi Peng, Jianwei Pan, Junhao Chu, Proceedings of SPIE Vol. 10710 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510619777

ISBN: 9781510619784 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

[SPIE.org](http://SPIE.org)

Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

xi	<i>Authors</i>
xvii	<i>Conference Committee</i>
xix	<i>Introduction</i>

## Part One

---

### FREE-SPACE QUANTUM COMMUNICATION AND PHOTO DETECTION

---

10710 02	<b>Toward performing angular rotating measure of Heisenberg scaling by using the four-photon Holland-Burnett state [10710-1]</b>
10710 03	<b>Experimental verification of self-calibration radiometer based on spontaneous parametric downconversion [10710-2]</b>
10710 04	<b>A method for optical ground station reduce alignment error in satellite-ground quantum experiments [10710-5]</b>
10710 05	<b>Capacity on wireless quantum cellular communication system [10710-16]</b>
10710 06	<b>The influence of image sensor irradiation damage on the tracking and pointing accuracy of optical communication system [10710-17]</b>
10710 07	<b>Influence of atmospheric turbulence on the quantum polarization state [10710-18]</b>
10710 08	<b>Counter-diabatic driving for Dirac dynamics [10710-26]</b>
10710 09	<b>Novel Filter Back-Projection (FBP) algorithm using the spectral estimation process [10710-27]</b>
10710 0A	<b>Degradation mechanism of dark signal of CCD exposed to 3MeV and 10MeV proton [10710-34]</b>
10710 0B	<b>Speckle imaging techniques of the turbulence degraded images [10710-36]</b>
10710 0C	<b>Low energy proton irradiation effects on InP/InGaAs DHBTs and InP-base frequency dividers [10710-37]</b>
10710 0D	<b>Refractive index sensor based on optical fiber end face using pulse reference-based compensation technique [10710-46]</b>
10710 0E	<b>The application of microwave photonic detection in quantum communication [10710-67]</b>

- 10710 OF **The research based on intelligent night-time elimination of "red explosion" and "white explosion" vehicle license plate capturing and identifying system** [10710-87]
- 10710 OG **Proof-of-principle experiment of measurement-device-independent quantum key distribution with vector vortex beams** [10710-98]
- 10710 OH **Study the performance of star sensor influenced by space radiation damage of image sensor** [10710-103]
- 10710 OI **Changes of photoluminescence of electron beam irradiated self-assembled InAs/GaAs quantum dots** [10710-175]

---

#### PHOTOELECTRIC FUNCTIONAL MATERIAL

---

- 10710 OJ **Optical and mechanical properties of Al-doped GaSe crystals** [10710-6]
- 10710 OK **Ion beam lithography preparation of the transparent conductive film of metal grating** [10710-9]
- 10710 OL **Optical properties of YbF<sub>3</sub>-CaF<sub>2</sub> composite thin films deposited by electron-beam evaporation** [10710-11]
- 10710 OM **The UAV take-off and landing system used for small areas of mobile vehicles** [10710-12]
- 10710 ON **High dynamic range image acquisition based on multiplex cameras** [10710-13]
- 10710 OO **Research progress of VO<sub>2</sub> thin film as laser protecting material** [10710-15]
- 10710 OP **Thermal-depth matching in dynamic scene based on affine projection and feature registration** [10710-19]
- 10710 OQ **Nanopatterned organic semiconductors for visible light communications** [10710-24]
- 10710 OR **Time-resolved photoluminescence spectra of InGaN epilayer** [10710-25]
- 10710 OS **Research on spectrum broadening covering visible light of a fiber femtosecond optical frequency comb for absolute frequency measurement** [10710-28]
- 10710 OT **Ring-shaped active mode-locked tunable laser using quantum-dot semiconductor optical amplifier** [10710-29]
- 10710 OU **Tiny optical fiber temperature sensor based on temperature-dependent refractive index of zinc telluride film** [10710-38]
- 10710 OV **Refractive index sensor based on total scattering of plasmonic nanotube** [10710-108]
- 10710 OW **Improving the performance of the ultraviolet photodetectors based on the ZnO thin film by changing the substrate** [10710-223]
- 10710 OX **ZnO ultraviolet photodetector based metal-semiconductor-metal structure** [10710-224]

## MEASUREMENT AND CONTROL TECHNOLOGY AND INSTRUMENTS

---

- 10710 0Y **Study on environmental test technology of LiDAR used for vehicle** [10710-33]
- 10710 0Z **Numerical simulation of polishing U-tube based on solid-liquid two-phase** [10710-35]
- 10710 10 **High-accuracy consensus algorithm for second-order multi-agent systems** [10710-44]
- 10710 11 **A high-precision velocity measuring system design for projectiles based on S-shaped laser screen** [10710-49]
- 10710 12 **Railway clearance intrusion detection method with binocular stereo vision** [10710-45]
- 10710 13 **Test scheduling optimization for 3D network-on-chip based on cloud evolutionary algorithm of Pareto multi-objective** [10710-57]
- 10710 14 **Atmospheric correction for remote sensing image based on multi-spectral information** [10710-58]
- 10710 15 **Graphene enhanced surface plasmon resonance sensing based on Goos-Hänchen shift** [10710-61]
- 10710 16 **Numerical simulation analysis of four-stage mutation of solid-liquid two-phase grinding** [10710-64]
- 10710 17 **The comparing analysis of simulation of emergent dispatch of cars for intelligent driving autos in crossroads** [10710-66]
- 10710 18 **Investigation on dispersion in the active optical waveguide resonator** [10710-68]
- 10710 19 **Development of induction current acquisition device based on ARM** [10710-73]
- 10710 1A **Application of based on improved wavelet algorithm in fiber temperature sensor** [10710-79]
- 10710 1B **Planetary gearbox fault diagnosis based on PSO-VMD and PMMSE** [10710-96]
- 10710 1C **Design of a self-calibration high precision micro-angle deformation optical monitoring scheme** [10710-99]
- 10710 1D **A micro-vibration generated method for testing the imaging quality on ground of space remote sensing** [10710-101]
- 10710 1E **Design of temperature detection device for drum of belt conveyor** [10710-109]
- 10710 1F **The design and verification of the temperature controllable canister in thermal vacuum environment** [10710-111]
- 10710 1G **A multi points ultrasonic detection method for material flow of belt conveyor** [10710-114]
- 10710 1H **Tomography for two-dimensional gas temperature distribution based on TDLAS** [10710-118]

- 10710 1I **A MAP blind image deconvolution algorithm with bandwidth over-constrained** [10710-119]
- 10710 1J **Research on orbit prediction for solar-based calibration proper satellite** [10710-122]
- 10710 1K **Scale factor measure method without turntable for angular rate gyroscope** [10710-124]
- 10710 1L **Local high precision 3D measurement based on line laser measuring instrument**  
[10710-126]
- 10710 1M **Reusable launch vehicle model uncertainties impact analysis** [10710-127]
- 10710 1N **Determination of the carmine content based on spectrum fluorescence spectral and PSO-SVM** [10710-125]
- 10710 1O **Key technology research of HILS based on real-time operating system** [10710-132]
- 10710 1P **Measurement of remote micro vibration based on laser feedback interference** [10710-133]
- 10710 1Q **A novel method for length of chirped fiber Bragg grating sensor** [10710-140]
- 10710 1R **An AK-LDMeans algorithm based on image clustering** [10710-141]
- 10710 1S **Design of all-weather celestial navigation system** [10710-142]
- 10710 1T **Testability analysis on a hydraulic system in a certain equipment based on simulation model** [10710-145]
- 10710 1V **Research and realization of key technology in HILS interactive system** [10710-152]
- 10710 1W **High-precision binocular measuring method considering three-dimensional distortion**  
[10710-158]
- 10710 1X **Error analysis and experiments of attitude measurement using laser gyroscope** [10710-159]
- 10710 1Y **Equivalent analysis of stacked-core mirrors** [10710-160]
- 10710 1Z **Measurements of aerosol layer height and vertical profiles by lidar over Jinhua City**  
[10710-161]
- 10710 20 **Software design of control system of CCD side-scatter lidar** [10710-162]
- 10710 21 **A system design of data acquisition and processing for side-scatter lidar** [10710-163]
- 10710 22 **Simulation and analysis of tape spring for deployed space structures** [10710-165]
- 10710 23 **Multiple estimation channel decoupling and optimization method based on inverse system**  
[10710-166]
- 10710 24 **Deep convolutional neural network based antenna selection in multiple-input multiple-output system** [10710-167]

- 10710 25 **Analysis of calibration accuracy of cameras with different target sizes for large field of view** [10710-170]
- 10710 27 **Oil leakage detection for electric power equipment based on ultraviolet fluorescence effect** [10710-172]

## **Part Two**

---

### **MEASUREMENT AND CONTROL TECHNOLOGY AND INSTRUMENTS (CONT'D)**

---

- 10710 28 **Phase retrieval for interferometry imaging from microlens array** [10710-174]
- 10710 29 **Influence of sampling points on inspection accuracy of free-form surfaces using coordinate measuring machine** [10710-179]
- 10710 2A **Application of lifting wavelet and random forest in compound fault diagnosis of gearbox** [10710-188]
- 10710 2B **A novel collaborative representation and SCAD based classification method for fibrosis and inflammatory activity analysis of chronic hepatitis C** [10710-190]
- 10710 2D **Development of Raman-Mie lidar system for aerosol and water vapor profiling** [10710-194]
- 10710 2E **The simulation of emergent dispatch of cars for intelligent driving autos** [10710-196]
- 10710 2F **Energy transfer dynamics from individual semiconductor nanoantennae to dye molecules with implication to light-harvesting nanosystems** [10710-198]
- 10710 2G **Recent research in data description of the measurement property resource on common data dictionary** [10710-217]
- 10710 2H **Optimization design of LED heat dissipation structure based on strip fins** [10710-218]
- 10710 2I **Spatial layout optimization design of multi-type LEDs lighting source based on photoelectrothermal coupling theory** [10710-219]
- 10710 2J **Tactile sensor of hardness recognition based on magnetic anomaly detection** [10710-220]
- 10710 2K **Determination of optical parameters of a GRIN lens by intercept measurement** [10710-226]

---

### **OPTICAL MANUFACTURING TECHNOLOGY AND SYSTEMS**

---

- 10710 2M **High-speed railway signal trackside equipment patrol inspection system** [10710-23]
- 10710 2N **Ultrasonic vibration double scratch morphology and scratching force of BK7 glass** [10710-30]
- 10710 2O **Research on high-efficiency polishing technology of photomask substrate** [10710-31]

- 10710 2P **Improving material removal determinacy based on the compensation of tool influence function** [10710-32]
- 10710 2Q **A three-dimensional laser vibration measurement technology realized on five laser beam and its calibration** [10710-39]
- 10710 2R **Optical design of optical synthetic aperture telescope** [10710-40]
- 10710 2S **Numerical simulation analysis of the parts of the fifth-order surge tube** [10710-60]
- 10710 2T **Numerical analysis of special-shaped surface in abrasive flow machining** [10710-63]
- 10710 2U **Optical system design with wide field of view and high resolution based on monocentric multi-scale construction** [10710-71]
- 10710 2V **Adaptive optics based non-null interferometry for optical free form surfaces test** [10710-72]
- 10710 2W **Optimization of IBF parameters based on adaptive tool-path algorithm** [10710-74]
- 10710 2X **Smoothing optimization of supporting quadratic surfaces with Zernike polynomials** [10710-105]
- 10710 2Y **Research on precision grinding technology of large scale and ultra thin optics** [10710-106]
- 10710 2Z **Optical design of multi-multiple expander structure of laser gas analysis and measurement device** [10710-144]
- 10710 30 **Edge effect modeling of small tool polishing in planetary movement** [10710-147]
- 10710 31 **Diffraction analysis of sidelobe characteristics of optical elements with ripple error** [10710-151]
- 10710 32 **Graphene-based ultrasonic detector for photoacoustic imaging** [10710-164]
- 10710 33 **In-situ shape measurement technology during large aperture optical planar continuous polishing process** [10710-186]

---

#### HIGH POWER AND HIGH ENERGY LASER

- 10710 34 **A new method for incoherent combining of far-field laser beams based on multiple faculae recognition** [10710-75]
- 10710 35 **Finite element simulation of the mechanism of laser ultrasound induced pain weapon** [10710-76]
- 10710 36 **SPAD array based TOF SoC design for unmanned vehicle** [10710-77]
- 10710 37 **Propagation of rotational Risley-prism-array-based Gaussian beams in turbulent atmosphere** [10710-81]
- 10710 38 **Analysis of laser pumping and thermal effects based on element analysis** [10710-82]

- 10710 39 **An active-optics image-motion compensation technology application for high-speed searching and infrared detection system** [10710-83]
- 10710 3A **Study on the amplifier experiment of end-pumped long pulse slab laser** [10710-84]
- 10710 3B **High beam quality and high energy short-pulse laser with MOPA** [10710-85]
- 10710 3C **Study on high power ultraviolet laser oil detection system** [10710-86]
- 10710 3D **Theoretical analysis of optical poling and frequency doubling effect based on classical model** [10710-88]
- 10710 3E **Edge-dip air core fiber for improvement of the transmission of higher-order OAM modes** [10710-89]
- 10710 3F **kW-level commercial Yb-doped aluminophosphosilicate ternary laser fiber** [10710-91]
- 10710 3G **Research on the underwater target imaging based on the streak tube laser lidar** [10710-92]
- 10710 3H **Advanced chemical oxygen iodine lasers for novel beam generation** [10710-97]
- 10710 3I **The effect of irradiation process on the optical fiber coating** [10710-104]
- 10710 3J **Partially doped fiber design for suppressing transverse mode instability** [10710-107]
- 10710 3K **High power (2+1) × 1 taper-fused all-fiber side-pumped combiner** [10710-112]
- 10710 3L **Mechanical analysis on magnesium alloy rotating mirror for ultra-high-speed camera** [10710-113]
- 10710 3M **A stabilized optical frequency comb based on an Er-doped fiber femtosecond laser** [10710-115]
- 10710 3O **Two-scale analysis for the optical honeycomb platform** [10710-120]
- 10710 3P **Heat-affected zone microstructure and mechanical properties evolution for laser remanufacturing 35CrMoA axle steel** [10710-121]
- 10710 3Q **Beam shaping by using small-aperture SLM and DM in a high power laser** [10710-130]
- 10710 3R **Research status of large mode area single polarization active fiber** [10710-131]
- 10710 3S **1030 nm high power polarization maintained fiber laser with narrow linewidth and near-diffraction-limited beam quality** [10710-143]
- 10710 3T **Effect of optical path difference on coherent polarization beam combination of ultrashort lasers pulses** [10710-146]
- 10710 3V **Design and fabrication of a high-precision cylinder beam expander** [10710-155]

- 10710 3W **Research on narrow linewidth picosecond pulsed fiber lasers based on graphene saturable absorber** [10710-156]
- 10710 3X **Experimental research on active image motion compensation with high angular velocity searching system** [10710-157]
- 10710 3Z **Review on structured optical field generated from array beams** [10710-182]
- 10710 40 **Investigation on filter method for smoothing spiral phase plate** [10710-185]
- 10710 41 **Simulation of vaporization in low fluence nanosecond laser ablation of aluminum alloy** [10710-187]
- 10710 42 **Research on laser detonation pulse circuit with low-power based on super capacitor** [10710-189]
- 10710 43 **Design of integrated laser initiator** [10710-191]
- 10710 44 **KW-level commercial Ce/Yb Co-doped aluminosilicate fiber** [10710-192]
- 10710 45 **Effect of process parameters on formability of laser melting deposited 12CrNi2 alloy steel** [10710-197]
- 10710 46 **Fabrication and hydrophobic characteristics of micro / nanostructures on polydimethylsiloxane surface prepared by picosecond laser** [10710-200]
- 10710 47 **All-solid-state single longitudinal mode MOPA laser system** [10710-202]
- 10710 48 **Self-pulsing in a 2 km single-mode fiber with the seed source broadened via WNS phase modulation** [10710-204]
- 10710 49 **Review on recent research progress on laser power measurement based on light pressure** [10710-205]
- 10710 4A **Research on the liquid coolant applied in the high repetition rate slab amplifier** [10710-206]
- 10710 4B **3.1 W narrowband blue external cavity diode laser** [10710-210]
- 10710 4C **Theoretical study on the thermal and optical features of a diode side-pumped alkali laser** [10710-212]
- 10710 4D **Study on processing parameters of glass cutting by nanosecond 532 nm fiber laser** [10710-213]
- 10710 4E **Modeling of a diode-pumped thin-disk cesium vapor laser** [10710-214]
- 10710 4F **Modeling of metamaterials optical system** [10710-215]

- 10710 4G **Theoretical and experimental study of a laser-diode-pumped actively Q-switched Yb:NaY(WO<sub>4</sub>)<sub>2</sub> laser with acoustic-optic modulator** [10710-216]
- 10710 4H **Theoretical and experimental research on laser-beam homogenization based on metal gauze** [10710-225]