PROCEEDINGS OF SPIE

Sixth International Conference on Optical and Photonic Engineering (icOPEN 2018)

Yingjie Yu Chao Zuo Kemao Qian Editors

8–11, May 2018 Shanghai, China

Organized by OPSS—Optics and Photonics Society of Singapore (Singapore)

Co-organized by Shanghai University (China) • Xi'an Technological University (China) • Xi'an University of Posts and Telecommunication (China) • Chinese Laser Press (China) • OPSS China (China)

Sponsored by Nanjing University of Science and Technology (China) • Sichuan University (China) • JSEM—Japan Society for Electron Microscopy (Japan) • Orbbec 3D (China) • LIGHTSOFT (China) • CISPES • CIOE—China International Optoelectronic Expo (China)

Published by SPIE

Volume 10827

Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 10827

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Sixth International Conference on Optical and Photonic Engineering* (icOPEN 2018), edited by Yingjie Yu, Chao Zuo, Kemao Qian, Proceedings of SPIE Vol. 10827 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510622562 ISBN: 9781510622579 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb 5 ggc WJUhY gž ⊕Wži bXYf "JW bgY Zica GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

- xiii Authors
- xvii Conference Committee
- xix Introduction

Part One

	HIGH RESOLUTION OPTICAL METROLOGY
10827 02	Phase error correction method for fringe projection profilometry systems while considering random noises and objects' reflectivity [10827-13]
10827 03	Strain analysis of ionic polymer-metal composite cantilever actuator using DIC method [10827-21]
10827 04	Research on the mechanism of atmospheric pressure plasma processing after grinding the fused silica glass [10827-44]
10827 05	Surface measurement through transparent medium using Linnik type white- light spectral interferometer [10827-45]
10827 06	Lens distortion correction for micro-scale digital image correlation [10827-48]
10827 07	Ship-borne MAX-DOAS sailing measurements of marine boundary layer trace gases over the offshore sea area near Huangdao [10827-66]
10827 08	Traffic trace gases measurements by long-path DOAS over a busy urban road in Qingdao [10827-78]
10827 09	Precision adjustment and scanning control method of interferometric imaging spectrometer with a variable gap [10827-89]
10827 0A	An accurate simulation algorithm for focus variation microscopy [10827-90]
10827 OB	Observations of marine aerosol using a scanning micro pulse Lidar in 2015 [10827-91]
10827 OC	A phase unwrapping algorithm based on iterative zonal reconstruction technique [10827-92]
10827 0D	Design research of chromatic lens in chromatic confocal point sensors [10827-99]

10827 OE	Comparison of cylindrical interference stitching methods: global stitching and polynomial fitting [10827-124]
10827 OF	Phase retrieval algorithm for line-scan dispersive interferometry [10827-129]
10827 0G	Analysis of noise reduction characteristics of the diffuser surface roughness on interferometric images [10827-137]
10827 OH	Phase retrieval using multi-grid method based on transport of intensity equation [10827-150]
10827 01	An automatic cavity-length stabilizing and monitoring system for tunable Fabry-Perot filter [10827-160]
10827 OJ	A method of vision localization measurement to assist Fourier ptychographic microscopy [10827-165]
10827 OK	Calibration of tunable diode laser wavelength based on energy centrobaric correction method for discrete spectrum [10827-196]
10827 OL	Experimental study on the in-situ measurement for large optical flats [10827-226]

DIGITAL HOLOGRAPHY AND QUANTITATIVE PHASE IMAGING

- 10827 0M Video-rate quantitative phase microscopy based on Fourier ptychography with annular illuminations [10827-15]
- 10827 0N Imaging quality analysis of phase-only holograms generated by point-based method with different edge-enhancement methods [10827-47]
- 10827 00 Development of two user-friendly commercial digital holographic microscopes and applications [10827-57]
- 10827 0P Simulation of holograms averaging on 2.52THz Gabor inline compressive holographic tomography [10827-67]
- 10827 0Q Simple tilt compensation algorithm for off-axis digital holography [10827-80]
- 10827 OR Wavelength-scanning digital holographic method [10827-118]
- 10827 0S White-light common-path digital holographic microscopy for quantitative phase imaging of living cells [10827-184]
- 10827 0T Tracking object in four dimensions by multi-exposure compressive In-line holography [10827-225]

3D COMPUTER VISION

10827 OU	Localization of transparent objects using signed distance functions [10827-23]
10827 OV	A fast phase unwrapping method based on region-division [10827-28]
10827 OW	A new non-parallel binocular stereo vision ranging system using combinations of linear and nonlinear methods [10827-51]
10827 OX	Improved 3D face reconstruction from stereo images [10827-79]
10827 OY	A new phase retrieve method for phase shifting profilometry with object in motion [10827-119]
10827 OZ	An accurate hand-eye calibration algorithm with global optimization [10827-139]
10827 10	A vison-based spine morphology detection method for patients' daily inspection [10827-147]
10827 10 10827 11	A vison- based spine morphology detection method for patients' daily inspection [10827-147] A statistic method of project nonlinearity correction in multi-frequency phase-shifting fringe projection profilometry [10827-167]
10827 10 10827 11 10827 12	A vison- based spine morphology detection method for patients' daily inspection [10827-147] A statistic method of project nonlinearity correction in multi-frequency phase-shifting fringe projection profilometry [10827-167] 3D pose measurement for industrial parts with complex shape by monocular vision [10827-218]
10827 10 10827 11 10827 12 10827 13	A vison- based spine morphology detection method for patients' daily inspection [10827-147] A statistic method of project nonlinearity correction in multi-frequency phase-shifting fringe projection profilometry [10827-167] 3D pose measurement for industrial parts with complex shape by monocular vision [10827-218] A method for fast 3D fringe projection measurement without phase unwrapping [10827-224]
10827 10 10827 11 10827 12 10827 13 10827 14	A vison- based spine morphology detection method for patients' daily inspection [10827-147] A statistic method of project nonlinearity correction in multi-frequency phase-shifting fringe projection profilometry [10827-167] 3D pose measurement for industrial parts with complex shape by monocular vision [10827-218] A method for fast 3D fringe projection measurement without phase unwrapping [10827-224] Fun with optics: a novel optical engineering kit [10827-230]

IMAGE PROCESSING AND DEEP LEARNING

10827 15	ProNet: an accurate and light-weight CNN model for retail products recognition [10827-16]
10827 16	A method of converting CameraLink into HDMI based on FPGA [10827-35]
10827 17	Distortion correction of photoelectric image acquired by CCD camera [10827-38]
10827 18	Detecting solder balls in full-field ball grid array images using a coarse-to-fine process [10827-58]
10827 19	An improved adaptive edge detection algorithm based on Canny [10827-59]
10827 1A	Pipe tread parameters detection based on machine vision [10827-62]
10827 1B	A defect detection algorithm based on statistical feature of local visual field for complex metal curve surface [10827-64]

10827 1C	Research on automatic identification and focusing algorithm based on the day blind ultraviolet unmanned cruise corona detection system [10827-75]
10827 1D	Online visual inspection method for fuel assemblies in nuclear power plants [10827-76]
10827 1E	External and internal fingerprint extraction based on optical coherence tomography [10827-77]
10827 1F	The dynamic super-resolution phase imaging based on low-cost lensfree system [10827-85]
10827 1G	A turbulence image restoration approach for visual inspection of nuclear power plants [10827-87]
10827 1H	Study and analysis on anomaly detection methods for hyperspectral imagery [10827-103]
10827 11	Multi-camera object tracking via deep metric learning [10827-109]
10827 1J	Autofocus window selection algorithm based on saliency detection [10827-50]
10827 1K	Spherical aberration coefficients identification of spherical aberration interferograms based on deep learning algorithm [10827-151]
10827 1L	Real-time tracking for the moving object using multiple moving cameras and MDNet [10827-152]
10827 1M	Improved iris localization method for iris recognition [10827-208]
10827 1N	Stacked objects segmentation based on depth image [10827-219]
10827 10	Fast object classification in single-pixel imaging [10827-228]

3D IMAGE ACQUISITION AND DISPLAY

10827 1P	Simulation study on improving the spatial resolution of absolute phase map recovered by fringe projection profilometry with the images of different resolutions [10827-5]
10827 1Q	Motion-compensated three-step phase-shifting profilometry [10827-39]
10827 1R	Robust stereo phase unwrapping based on a quad-camera system [10827-49]
10827 15	Modified Fourier transform profilometry based on digital time-multiplexing technique [10827-69]
10827 1T	High-speed three-dimensional shape measurement using improved bi-frequency scheme and number-theoretical phase unwrapping [10827-88]
10827 1U	Real-time binocular stereo vision system based on FPGA [10827-108]

10827 1V	A multiview tableto	o 3D display b	ased on nano-gra	ings [10827-194]
			0	<u> </u>

- 10827 1W Experimental study on acoustic-to-seismic landmine detection based on laser self-mixing interferometer [10827-197]
- 10827 1X Exemplary case studies on movable and immovable cultural heritage investigation using portable system based on digital holographic speckle pattern interferometry [10827-231]

Part Two

	NON-DESTRUCTIVE TESTING AND INSPECTION
10827 1Y	Development of latent fingerprint detection based on UV induced fluorescence [10827-25]
10827 1Z	Primary exploration on water-based magnetic-ultrasonic assisted laser drilling/trepanning technique [10827-54]
10827 20	Calibration of telecentric cameras with distortion center estimation [10827-81]
10827 21	Spatial color-encoded phase-shifting technique for phase measuring deflectometry [10827-93]
10827 22	Simulation of the illuminating scene designed for curved surface defect optical inspection [10827-94]
10827 23	Resolution analysis method of retardance measurement instrument [10827-209]
	PHOTOMECHANICS
10827 24	Determination of the moiré spacing in sampling moiré method based on the generation mechanism of sampling moiré [10827-18]
10827 25	Optical properties of atmospheric aerosol from shipborne multiwavelength lidar measurements during the 2015 Yellow Sea experiment [10827-70]
10827 26	A study on under-matched measurement error in digital image correlation [10827-131]
10827 27	Refractometer with broad refractive index measurement range [10827-138]
	LASER MICRO-NANO PROCESSING AND PATTERNING
10827 28	Research progress in laser processing of vascular stent [10827-41]
10827 29	The study of nano-structure on in-situ UV laser irradiating GaAs(001) substrate [10827-110]

10827 2A Surface modification on InAs wetting layer by in-situ pulsed laser and the effects on quantum dot growth [10827-187]

DIFFRACTIVE AND FREEFORM FABRICATION AND TESTING

- 10827 2B Fabrication of convex blazed grating by native substrate grating mask [10827-162]
- 10827 2C Tolerance analysis of hyper numerical aperture lithography objective with freeform surfaces [10827-163]

OPTICAL COMPONENT AND SYSTEM SIMULATION

- 10827 2D Research and progress of rapid polishing technology for large aperture optics [10827-1]
- 10827 2E Refractive index detection by using an integrated microfluidic device [10827-3]
- 10827 2F Optimal design of illumination field performance relating to scanning slit in step-and-scan lithographic system [10827-6]
- 10827 2G Study on all-optical 2R regeneration at 40 Gbit/s based on SPM [10827-7]
- 10827 2H Study on the highly intelligent uniformity correction and the application for lithography [10827-9]
- 10827 21 Phase erasure and format conversion of PSK to OOK based on phase sensitive amplification [10827-12]
- 10827 2J Broadband tunable mid-infrared metamaterial absorber based on graphene and VO₂ thin film [10827-14]
- 10827 2K Algorithms of light wave reflectivity normal through the interface [10827-19]
- 10827 2L Influence of aberrations and numerical aperture of an illumination microscope objective on the quality of pinhole diffraction wavefront [10827-31]
- 10827 2M Gradient Fresnel lens and its array design based on LED lighting [10827-31]
- 10827 2N Mechanism design and simulation of continuous zoom lens [10827-55]
- 10827 20 Field-compensated tunable Mach-Zehnder interferometer for a multi-mode high-spectralresolution lidar in the application of aerosol measurements [10827-71]
- 10827 2P A large field of view optical system design for space target detection [10827-72]

10827 2Q	Research on the calibration method of reference flat based on gravity deformation [10827-82]
10827 2R	A new method for compact zoom lens design [10827-84]
10827 2S	Photonic crystal line-defect resonator based channel drop filter for CWDM systems [10827-86]
10827 2T	All-optical diode action in one-dimensional photonic crystal with a single Kerr nonlinear layer [10827-95]
10827 2U	Optical phased array antenna with wide steering range using grating array superlattices [10827-96]
10827 2V	Optimal design of cam curves for zoom lens [10827-98]
10827 2W	Tailoring of silicon nitride waveguide with ultra-flat and ultra-wide dispersion [10827-101]
10827 2X	Optical switch with a micro liquid droplet [10827-148]
10827 2Y	Plasmonic-induced absorption based on MIM waveguides with a triple-cavity structure [10827-153]
10827 2Z	Effect of distortions on spectral signal acquisition of the grating imaging spectrometer [10827-189]
10827 30	Analysis and measurement of the stray light in a visible and near-infrared imaging spectrometer [10827-190]
10827 31	Flexible pupil correction technology for photolithography machine [10827-202]
10827 32	An excellent performance optical system for freeform pupil illumination module in immersion photolithography machine [10827-203]
10827 33	Angle position monitoring technology of micro-mirror array for freeform illumination module in immersion lithography [10827-207]
10827 34	Modeling and control of magnetic fluid deformable mirror with dual-layer actuators [10827-214]
10827 35	Magnetic fluid deformable mirror based wavefront sensorless adaptive optics systems [10827-216]
10827 36	The intensity split of tightly focusing radially and azimuthally polarized vortex beam in longitudinal direction [10827-217]
	OPTICAL FUNCTIONAL MATERIALS AND DEVICES

10827 37 Optical filter based on metallic glass MgZnCa micro/nano-structure array [10827-4]

10827 38	The research of the precise aspheric wheeled polishing technology [10827-24]	
10827 39	Thermal radiation characteristics of SiC nanostructures [10827-141]	
10827 3A	Polarization-dependent wide angle reflective filter based on the micro-cavity incorporating a nano-grating [10827-205]	
10827 3B	Sensing properties of optically controlled metamaterials [10827-210]	
	FIBER OPTICS AND SENSING TECHNOLOGY	
10827 3C	Quartz enhanced photoacoustic spectroscopy for the detection of acetone [10827-8]	
10827 3D	Anti-bending long period grating in embedded-core optical fiber [10827-17]	
10827.3E	An improved PGC demodulation algorithm of interferometric sensor for eliminating the intensity	

- 10827 3E An improved PGC demodulation algorithm of interferometric sensor for eliminating the intensity disturbance [10827-40]
- 10827 3F A novel birefringent photonic crystal fiber surface plasmon resonance sensor [10827-74]
- 10827 3G Analysis of bio-aerosol based on laser-induced fluorescence technique [10827-105]
- 10827 3H Analysis on thermal stability of spun fiber wave plate [10827-121]
- 10827 3I The effect of smoke spatial distribution on pulse laser echo characteristics [10827-123]
- 10827 3J Analysis on performance stability of spun fiber wave plate [10827-127]
- 10827 3K Distributed optical fiber disturbance sensing system based on semiconductor laser with optical feedback and ring interferometer [10827-182]
- 10827 3L Wind field monitoring performance analysis of all-fiber coherent wind Lidar in coastal regions [10827-198]
- 10827 3M Analysis on achromatic performance of spun fiber wave plate [10827-201]

BIOMEDICAL OPTICS AND IMAGING

- 10827 3N Optical coherence elastography for viscoelastic properties measurement [10827-97]
- 10827 30 Adaptive denoising method based on iterative process for Fourier ptychographic microscopy [10827-116]

- 10827 3P Effcient quantitative phase imaging for programmable LED light microscopy [10827-140]
- 10827 3Q Neural networks for interferograms recognition [10827-195]

ULTRAFAST LASERS AND APPLICATIONS

- 10827 3R Sapphire face cooling for high-repetition-rate terawatt-class Ti:sapphire amplifier [10827-2]
- 10827 3S Effect of laser intensity on electron accelerated scattering angle in vacuum [10827-83]
- 10827 3T Direct generation of 62-fs pulses in an erbium-doped fiber laser [10827-132]

TERAHERTZ SCIENCE AND TECHNOLOGY

10827 3U De-noising research on terahertz holographic reconstructed image based on weighted nuclear norm minimization and connected domains [10827-56]