

PROCEEDINGS OF SPIE

Photonics Applications in Astronomy, Communications, Industry, and High-Energy Physics Experiments 2018

**Ryszard S. Romaniuk
Maciej Linczuk**
Editors

**3–10 June 2018
Wilga, Poland**

Organized by
Institute of Electronic Systems, Faculty of Electronics and Information Technologies,
Warsaw University of Technology (Poland)

Sponsored by
PSP—Photonics Society of Poland • Committee of Electronics and Telecommunications,
Polish Academy of Sciences • ARIES—Accelerator Research and Innovation for European
Science and Society (CERN, EU H2020) • PKOpto—Polish Committee of Optoelectronics of
SEP—The Association of Polish Electrical Engineers • EuroFusion Collaboration • EuroFusion
Poland

Published by
SPIE

Volume 10808

Part One of Three Parts

Proceedings of SPIE 0277-786X, V. 10808

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Photonics Applications in Astronomy, Communications, Industry, and High-Energy Physics Experiments 2018*, edited by Ryszard S. Romaniuk, Maciej Linczuk, Proceedings of SPIE Vol. 10808 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510622036

ISBN: 9781510622043 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

SPIE.org

Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb '5gg: WJUH g' bWzi bXYf' JWbg' Zica 'GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY

SPIEDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xvii	<i>Authors</i>
xxiii	<i>Conference Committees</i>
xxvii	<i>Introduction</i>

Part One

CONFERENCE OVERVIEW

10808 02	Photonics Applications and Web Engineering: WILGA 2018 (Invited Paper) [10808-1]
----------	---

PHOTONICS APPLICATIONS

10808 03	Channel modeling and characterization for VLC indoor transmission systems based on MMC ray tracing method (Invited Paper) [10808-4]
10808 04	On the modeling of lighting LED dynamic nonlinearity [10808-6]
10808 05	Fiber optic sensor for measuring currents with mains frequencies [10808-8]
10808 06	Facial expressions recognition by animated motion of Candide 3D model (Invited Paper) [10808-9]
10808 07	Personalization of Candide 3D model for human computer interfacing [10808-193]
10808 08	Application of optical fiber connections in low voltage distribution network management systems [10808-12]
10808 09	Deep alignment network: from MIMD to SIMD platform [10808-15]
10808 0A	Automatic detection of outlier data received in multi-parametric capillary sensors of diesel fuels fit for use [10808-19]
10808 0B	Overview of the measuring systems where a continuously altered light source plays a key role: Part I (Invited Paper) [10808-20]

10808 0C	Analysis of feasibility and capabilities of RTLS systems in tourism industry [10808-22]
10808 0D	Texturing method of the full pixel dynamic range [10808-30]
10808 0E	Numerical modeling of transmission in step index polymer optical fibers using matrix exponential method [10808-35]
10808 0F	Autonomic drone landing system based on LEDs pattern and visual markers recognition [10808-59]
10808 0G	Comprehensive analysis of the ability to monitor selected optical network parameters in the physical layer using convolutional neural networks [10808-64]
10808 0H	Mobile robot to create a room map [10808-67]
10808 0I	Stability evaluation of polarization pulling based on stimulated Raman scattering [10808-72]
10808 0J	Color correction by color mapping using color temperature constraints [10808-76]
10808 0K	The method of improving the dynamic range of jitter analyzers in optical-fiber transmission systems [10808-77]
10808 0L	Digital image transmission simulation using the PL-log-MAP turbo decoding algorithm [10808-78]
10808 0M	Absolute calibration of LIBS data [10808-83]
10808 0N	Degree of local depolarization of laser radiation fields sorted by multi-layer birefringence networks of protein crystals [10808-89]
10808 0O	Optical absorption of sandwich structure $(\text{Ag}_3\text{AsS}_3)_{0.6}(\text{As}_2\text{S}_3)_{0.4}$ thin film-gold nanoparticles prepared by pulse laser deposition [10808-95]
10808 0P	Optoelectronic neuron on c-negatron [10808-96]
10808 0Q	Image steganography for increasing security of OTP authentication [10808-114]
10808 0R	Development of the construction sketch of N-channel MOS-phototransistor with bilateral illumination of channel and operation card of its making [10808-120]
10808 0S	Interior lightning system sensors placement optimization [10808-127]
10808 0T	Quality control automation of electric cables using machine vision [10808-129]
10808 0U	Spectroscopic ellipsometry measurements and nanocharacterization of conductive graft copolymer thin films [10808-138]
10808 0V	Technology and characterization of HgCdTe photodiode with a strengthened passivation [10808-145]

10808 0W	The output signal of a digital optoelectronic processor [10808-149]
10808 0X	Realistic stereo visualization system architecture using ray tracing [10808-154]
10808 0Y	Optical method to determine the quantity of water in milk using the visible radiation range [10808-157]
10808 0Z	Multiparametric capillary sensor: stabilization of local heating [10808-166]
10808 10	Precision measurement of coordinates of power center of extended laser path images [10808-176]
10808 11	Colorimetric characterization of the tunable LED-based light source at the output of the homogenizing rod [10808-179]
10808 12	Functionally integrated sensors of thermal quantities based on optocoupler [10808-180]
10808 13	Multifractal spectra classification of flame luminosity waveforms [10808-190]
10808 14	Determining of combustion process state based on optical flow flame image sequences [10808-192]
10808 15	Averaged EMG signal models obtained in cyclic processes (Invited Paper) [10808-196]
10808 16	Design of an automated rice grain sorting system using a vision system [10808-198]
10808 17	Development of an automated quality control system of confectionery using a vision system [10808-200]
10808 18	Application of fiber Bragg gratings for stress analysis of high mobility vehicle frame [10808-205]
10808 19	Data transmission with 1.3um VCSEL [10808-208]
10808 1A	Tuning deep learning algorithms for face alignment and pose estimation [10808-211]
10808 1B	An intelligent system of neural networking recognition of multicolor spot images of laser beam profile [10808-215]
10808 1C	Analytical method for processing digital images of technical objects [10808-219]
10808 1D	Temperature-independent fiber Bragg grating strain sensor system [10808-221]
10808 1E	Automatization of workspace control based on ToF technology [10808-226]
10808 1F	Selected applications of Fourier transform in the diagnostics of the pulverized coal combustion process [10808-227]

- 10808 1G **Evaluation of the possibility of using fractal analysis to study the flame in the co-firing process** [10808-233]
- 10808 1H **Modeling the intensity of scattered light and fog using graphics processing units** [10808-252]

COMPUTATIONAL INTELLIGENCE

- 10808 1I **Some extensions of the Cayley-Hamilton theorem and their applications (Invited Paper)** [10808-2]
- 10808 1J **Integrated visitor support system for tourism industry based on IoT technologies** [10808-5]
- 10808 1K **Application of a statically configured FPGA in the digital control system of the NQR radio spectrometer** [10808-13]
- 10808 1L **Implementation of an expert system based on fuzzy logic to support stock market decisions** [10808-23]
- 10808 1M **Computer implementation of a chosen version of strong belief logic** [10808-24]
- 10808 1N **Methods and techniques for evaluating effectiveness of information technology implementation into business processes** [10808-25]
- 10808 1O **Analysis of parallel computational models for clustering** [10808-31]
- 10808 1P **Correlating software metrics with software defects** [10808-33]
- 10808 1Q **Tracing project development in Scrum model** [10808-38]
- 10808 1R **Anomaly detection in discussion forum posts using global vectors** [10808-40]
- 10808 1S **Differences that make a difference: comparing implementations of selected optimization algorithms in R language** [10808-46]
- 10808 1T **Analysis the conformable fractional derivative and Caputo definitions in the action of an electric circuit containing a supercapacitor** [10808-49]
- 10808 1U **Probabilistic in power engineering** [10808-53]
- 10808 1V **Symmetric block encoder based on reversible circuits** [10808-60]
- 10808 1W **Novel algorithm for symmetric encryption** [10808-61]
- 10808 1X **Instruction trace analysis and enhanced debugging in embedded systems** [10808-68]

- 10808 1Y **Methods and means of processing discrete information in networks with a high level of noise** [10808-79]
- 10808 1Z **Genetic ANFIS for scheduling in telecommunication networks** [10808-80]
- 10808 20 **Implementation complexity analysis of the turbo decoding algorithms on digital signal processor** [10808-81]
- 10808 21 **Neural network modelling by rank configurations** [10808-93]
- 10808 22 **Analysis of computational processes of pyramidal and parallel-hierarchical processing of information** [10808-94]
- 10808 23 **SilentPaths: IoT in the application for moving in silence in urban areas** [10808-100]
- 10808 24 **Model for the analysis and optimization of the efficiency and survivability of an enterprise based on optimal aggregation methodology** [10808-103]

Part Two

- 10808 25 **Software-defined anti-DDoS: Is it the next step?** [10808-107]
- 10808 26 **A new piecewise linear modification to log-map turbo decoding algorithm: comparative analysis, numerical estimations, and simulation** [10808-109]
- 10808 27 **Common CNVs detection by artificial intelligence methods** [10808-116]
- 10808 28 **Automated generation of the design solution of the assembly in instrument engineering** [10808-128]
- 10808 29 **Principles of fast count in modified Fibonacci numerical system** [10808-130]
- 10808 2A **Heuristic hyperparameter optimization for multilayer perceptron with one hidden layer** [10808-131]
- 10808 2B **On the modeling of wave processes in unbounded domains by problem with two-point conditions in time** [10808-132]
- 10808 2C **Method of evaluating the level of confidence based on metrological risks for determining the coverage factor in the concept of uncertainty** [10808-133]
- 10808 2D **Dependability issues of parallel programming in measurement systems** [10808-134]
- 10808 2E **A new approach to assessing the dynamic uncertainty of measuring devices** [10808-135]
- 10808 2F **Solution of travelling salesman problem applied to Wireless Sensor Networks (WSN) through the MST and B&B methods** [10808-136]

10808 2G	Compromising an IoT device based on Harvard architecture microcontroller [10808-137]
10808 2H	Partially homomorphic encryption algorithm based on elliptic curves [10808-139]
10808 2I	Comparison of deep neural network fooling methods on the accuracy of classification [10808-141]
10808 2J	The influence of the characteristics of the measuring instrument on the reliability of decision making in the assessment of conformity [10808-143]
10808 2K	Analysis of the possibilities of using IPSec on a Linux system for wireless networks [10808-151]
10808 2L	Computer theorem proving in some extended logic [10808-152]
10808 2M	Newton binomial in the generalized Cauchy problem as exemplified by electrical systems [10808-153]
10808 2N	Exploiting random perturbations to defend against adversarial attacks [10808-158]
10808 2O	Parallel-hierarchical network as the model of neurocomputing [10808-170]
10808 2P	Indirect measurements of the parameters of inhomogeneous natural media by a multispectral method using fuzzy logic [10808-184]
10808 2Q	The method of multi-criteria ranking of monitoring stations for water discharge in rivers for determining priorities of their location [10808-188]
10808 2R	Estimation of the impact of quality of service parameters on multimedia transmissions [10808-191]
10808 2S	Parametric approximation of electrical circuit responses [10808-194]
10808 2T	Multi-domain model for simulating smart IoT-based theme parks [10808-199]
10808 2U	Multimodal social media video classification with deep neural networks [10808-210]
10808 2V	The automated speaker recognition system of critical use [10808-213]
10808 2W	Concurrent frequent itemsets mining in a shared prefix tree using the Apriori algorithm [10808-216]
10808 2X	Methods of stochastic diagnostic type observers [10808-217]
10808 2Y	Offsetting and blending with perturbation functions [10808-218]
10808 2Z	New method for information hiding in open social networks [10808-258]

BIOMEDICAL APPLICATIONS

10808 30	Flexible humidity sensors impedance modeling [10808-7]
10808 31	Wireless optogenetic modules for mice [10808-10]
10808 32	Thermal and mechanical properties of bioactive glass fibers for nanocomposites [10808-17]
10808 33	Effect of biodegradation on spectroscopic properties of Sm³⁺ doped 45S5 bioglass [10808-18]
10808 34	Comparison of bioinformatics programs for analysis of single nucleotide variants [10808-39]
10808 35	The construction of genomic libraries in BAC and its practical application and bioinformatic usage [10808-42]
10808 36	Application of bioinformatics techniques for protein interaction analysis [10808-43]
10808 37	MAVLink-based communication for air pollution measurement system [10808-45]
10808 38	Low power wearable device for elderly people monitoring [10808-52]
10808 39	Audio style transfer in non-native speech recognition [10808-74]
10808 3A	Scaffolding algorithm using second- and third-generation reads [10808-82]
10808 3B	An approach to determination of the criteria of harmony of biological objects [10808-108]
10808 3C	De Novo DNA assembler for third generation sequencers' reads based on BLASR algorithm [10808-111]
10808 3D	De Novo genome assembly for third generation sequencing data [10808-112]
10808 3E	Fetal phonocardiography signal processing from abdominal records by non-adaptive methods [10808-118]
10808 3F	Quantum effects of electric potential hysteresis in biological macro objects [10808-122]
10808 3G	Means for measuring relative humidity of municipal solid wastes based on the microcontroller Arduino UNO R3 [10808-125]
10808 3H	Information model for the evaluation of the efficiency of osteoplasty performing in case of amputations on below knee [10808-126]
10808 3I	Vital signs monitoring using fuzzy logic rules [10808-140]

10808 3J	Galvanic skin response probe for emotion interpretation in real condition [10808-142]
10808 3K	Multispectral measurement of parameters of particles in heterogeneous biological media [10808-144]
10808 3L	Development of the methodology for the management of the electromobile system and the family house system [10808-146]
10808 3M	Determination of sanitary sewer pipe use in day by audio recording analysis [10808-174]
10808 3N	The using of thermal imaging technique to evaluate the temperature field of hand [10808-175]
10808 3O	Development of automated cage for optogenetic experiments with electromagnetic positioning system [10808-181]
10808 3P	Justification of the electromagnetic impulse method destruction of insect pests in gardens [10808-203]
10808 3Q	Analysis of vertebrae segmentation methods in computed tomography images [10808-207]
10808 3R	Common configurations and challenges in screen-printed enzymatic electrochemical biosensors [10808-231]
10808 3S	Sensors with potential application in artificial skin structure: review [10808-235]
10808 3T	iGAP: Interactive Genomic Analysis Platform [10808-239]

ASTRONOMY, PLASMA, AND HIGH ENERGY PHYSICS

10808 3U	Quasar parallel parametrization [10808-36]
10808 3V	High voltage generator module for high energy physics experiments [10808-51]
10808 3W	The methodology of development of real-time and high-throughput heterogeneous devices for plasma confinement fusion diagnostics [10808-56]
10808 3X	CRI board for CBM experiment: preliminary studies [10808-57]
10808 3Y	VHDL-based parameterized clock manager simulator for FPGA [10808-65]
10808 3Z	Matlab-based modeling of GEM diagnostic data sequencer [10808-66]
10808 40	Prospects for improving top-quark mass measurement precision at future e+e- colliders [10808-69]

10808 41	Data distribution and dispatching software for processing measurement data acquired with SXR GEM-based system [10808-86]
10808 42	Advanced real-time data quality monitoring model for tokamak plasma diagnostics [10808-101]
10808 43	Diagnostic system for video concentration device [10808-123]
10808 44	Hardware JTAG debugger module with ethernet interface for MicroTCA architecture [10808-214]
10808 45	Driver module for quantum computer experiments: Kasli [10808-223]
10808 46	Geant4-based simulations of the x-ray luminescence background in the rotating drum spectrometer/SOLPEX [10808-225]
10808 47	MCORD: MPD cosmic ray detector for NICA [10808-229]
10808 48	Investigation of cosmic ray and solar energetic particle background of STIX using GEANT4 simulation [10808-230]
10808 49	Readout of a prototype CBM-STs silicon sensor module with STS-XYTERv2 ASIC [10808-236]
10808 4A	Study of plasma-wall interactions using pulsed lasers (Invited Paper) [10808-238]
10808 4B	Polish involvement in experimental campaigns at European tokamaks in context of plasma impurity studies (Invited Paper) [10808-240]
10808 4C	Implementation of heapsort in programmable logic with high-level synthesis [10808-245]
10808 4D	Widely parameterizable high-level synthesis [10808-246]
10808 4E	Charge cluster identification for multidimensional GEM detector structures [10808-247]
10808 4F	GEM-based plasma radiation diagnostics development: design aspects affecting its performance [10808-248]

Part Three

MATERIAL ENGINEERING

10808 4G	Effect of alkali content on spectroscopic properties of Er/Ag co-doped antimony-germanate glasses [10808-16]
10808 4H	A new preparation method of rutile-anatase TiO₂ coatings for photocatalytic application [10808-28]
10808 4I	Carbon nanotube fibers doped with iron via Fenton reaction [10808-34]

10808 4J	Graphene nano-flakes and carbon nanotube-based sensors via screen printing technology for acetone gases detection [10808-37]
10808 4K	CuO nanowires sensor of gases [10808-47]
10808 4L	High-speed camera application in the analysis of the chip flow direction [10808-48]
10808 4M	Correlation of cutting forces measurements and high-speed camera registration in the analysis of the chip breaking process [10808-50]
10808 4N	Rapid prototyping in printed electronics [10808-54]
10808 4O	Measurement of wear level of Qubitron II grinding wheels with using 3D vision system [10808-55]
10808 4P	Application of the Monte Carlo method for the optimization of surface roughness during precise turning of NiTi shape memory alloy [10808-58]
10808 4Q	Modeling of dielectric to metal conduction transition in nanocomposites by using high voltage discharge [10808-62]
10808 4R	Determination of nanocapillaries radii statistical distribution in electrotechnical pressboard [10808-63]
10808 4S	Modeling of the materials superplasticity based on damage summation theory [10808-70]
10808 4T	Selection of optimal path of strain rate change in the process of multistage hot deformation under the condition of the equal duration of stages [10808-71]
10808 4U	Temperature distribution in the machining zone during precise turning of NiTi alloy [10808-73]
10808 4V	Aerosol jet printing head for printed microscale electronics [10808-75]
10808 4W	Optical studies of nanocrystalline and amorphous TiO₂ thin films deposited by HiTUS technique [10808-84]
10808 4X	CuO nanowires film for sensors [10808-90]
10808 4Y	Dynamic and mathematical models of the hydraulic-pulse device for deformation strengthening of materials [10808-91]
10808 4Z	Inkjet-printed structures for paper-based packages [10808-98]
10808 50	Automatic system for modeling of working processes in pressure generators of hydraulic vibrating and vibro-impact machines [10808-102]
10808 51	Simulation of burr formation during machining: case study [10808-105]

10808 52	Technology of field effect transistor with DLC layer in gate area [10808-106]
10808 53	The impact of education in 3D product design and printing to primary and high school students [10808-110]
10808 54	Computer aided design and 3D printing for STEAM education: a technical reference guide for teachers (Invited Paper) [10808-256]
10808 55	Function-based interactive editing of decoration and material properties [10808-113]
10808 56	Electrically conductive acrylonitrile butadiene styrene(ABS)/copper composite filament for fused deposition modeling [10808-115]
10808 57	Design and technology of titanium comb capacitor [10808-119]
10808 58	Correction of dynamic characteristics of temperature measuring devices [10808-121]
10808 59	Modeling and simulation of nichrome microheater on polycarbonate substrate [10808-124]
10808 5A	Quality control system of well-bonded coupling fitting onto high pressure gas-main pipelines [10808-148]
10808 5B	The influence of temperature on the AC conductivity of a composite pressboard-synthetic ester-water nanoparticles [10808-160]
10808 5C	Distortion of geometric elements in the transition from the imaginary to the real coordinate system of technological equipment [10808-172]
10808 5D	Temperature transducer based on metal-pyroelectric-semiconductor structure with negative differential resistance [10808-173]
10808 5E	Statement and solution of new problems of deformability theory [10808-183]
10808 5F	New ultrasound approaches to measuring material parameters [10808-185]
10808 5G	The active surface of the sensor at a contact to the technological object [10808-187]
10808 5H	Analysis of the detection of welded joints [10808-189]
10808 5I	Determination and analysis of friction coefficient during turning a cylindrical workpiece made of stainless steel [10808-195]
10808 5J	Current state of tools and methods of control of deformations and mechanical stresses of complex technical systems [10808-201]
10808 5K	AC dielectric properties of SiO₂ thin layers implanted with In and Sb ions [10808-204]
10808 5L	Analysis of the material model to simulation of the machining process [10808-206]

10808 5M	Hoping conductance in nanocomposites $(\text{FeCoZr})_x(\text{SiO}_2)_{(100-x)}$ produced in mixed Ar and O₂ atmosphere [10808-209]
10808 5N	Design and technology of copper comb capacitors [10808-232]
10808 5O	Cheap quartz crystal microbalance humidity sensors based on Nafion as sensing component [10808-237]

ADVANCED APPLICATIONS

10808 5P	Optimization of the selection of partition points in the MV network [10808-3]
10808 5Q	Voltage control methods in LV networks with dispersed generation [10808-11]
10808 5R	The impact of power transformer in a low-voltage network on voltage profiles with a large generation of microsources [10808-21]
10808 5S	Non-invasive method of car wheel rim examination [10808-26]
10808 5T	The ultrasonic converter mathematical model of flow rate of flowing environment [10808-27]
10808 5U	Monoimmittance priority encoder [10808-29]
10808 5V	Experimental testing of the law of conservation and transformation of energy [10808-32]
10808 5W	Evaluating energy consumption in wireless sensor networks [10808-41]
10808 5X	Unmanned aerial vehicle as a measurement tool in engineering and environmental protection [10808-44]
10808 5Y	Transient state features selection method in the non-intrusive load monitoring [10808-85]
10808 5Z	Multifrequency phase method for measuring the radial velocity of targets [10808-88]
10808 60	Automatic system for modeling vibro-impact unloading bulk cargo on vehicles [10808-97]
10808 61	Determining of the optimal parameters for a mechatronic hydraulic drive [10808-99]
10808 62	Study of the dynamic stability of the conveyor belt adaptive drive [10808-104]
10808 63	A hybrid system for an on-site automatic vehicle counting and classification [10808-150]
10808 64	Method of reducing the uniform of the daily graph of electrical load electric grids with renewable sources of energy [10808-155]

10808 65	Transmission loss allocation for a bilateral contract in deregulated electricity market [10808-156]
10808 66	Phase noncontact method and procedure for measurement of axial displacement of electric machine's rotor [10808-161]
10808 67	MEMS inertial sensors measurement errors [10808-162]
10808 68	Improving the method of compensation of output signal temperature drift in optical methane concentration measurer [10808-163]
10808 69	Experimental investigations of the amplitude-frequency meter of the velocity flowing environment [10808-164]
10808 6A	Two parameter active measuring probe for objects setting detection on CNC machines workspace [10808-167]
10808 6B	Fuel cell lab data flows optimization [10808-168]
10808 6C	The physical model of motor vehicle destruction under shock loading for analysis of road traffic accident [10808-169]
10808 6D	Vibration-based diagnostics of existing defects in hydraulic units [10808-171]
10808 6E	Spice simulation of nodes of the impedance type signal converters [10808-178]
10808 6F	The simulation of spice models of functional signal sources for impedance converters [10808-182]
10808 6G	Multi-layers high directivity couplers (Invited Paper) [10808-197]
10808 6H	Resistance-temperature detector based on the RL-diode generator of deterministic-chaotic oscillations [10808-202]
10808 6I	Inverted pendulum model Linear–Quadratic Regulator (LQR) [10808-212]
10808 6J	The functioning of distributed energy sources in the aspects of using cogeneration technology [10808-220]
10808 6K	Distributed cogeneration technology in the aspects of costs and power regulation [10808-222]
10808 6L	The economic aspect of the use of distributed generation and renewable sources in the combined process of energy production [10808-224]
10808 6M	The perspective of optimizing the use of combined heat and power in distributed power industry [10808-228]
10808 6N	UAV node design for communication cluster [10808-249]

- 10808 6O **Adaptive production control system based on optimal aggregation methods** [10808-92]
- 10808 6P **Microelectronic frequency transducers of magnetic field with Hall elements** [10808-177]