PROCEEDINGS OF SPIE

Tenth International Conference on Information Optics and Photonics

Yidong Huang Editor

8–11 July 2018 Beijing, China

Organized by Chinese Laser Press (China) Tsinghua University (China)

Technical Cosponsor The International Society for Optics and Photonics (United States)

Published by SPIE

> Volume 10964 Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 10964

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Tenth International Conference on Information Optics and Photonics, edited by Yidong Huang, Proceedings of SPIE Vol. 10964 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510625792 ISBN: 9781510625808 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb 5ggc WUhYgž bWži bXYf ")WY bgY Zfca GD=9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xv Authors

xxiii Conference Committee

Part One

	THE 10TH INTERNATIONAL CONFERENCE ON INFORMATION OPTICS AND PHOTONICS
10964 03	Performance of active pulse shaping of high power multi-pass ring laser amplifier (Invited Paper) [10964-4]
10964 04	SnS2 nanosheets coated microfiber knot resonator for all-optical control of light functionality with fast response [10964-5]
10964 06	High speed large-field-of-view scanning microscopy imaging technology and system implementation [10964-8]
10964 09	Determination of the characteristic wavelengths of photoacoustic glucose signals based on interval partial least square algorithm [10964-12]
10964 0A	Reliability and manufacturability of 850 nm 50 Gbit/s PAM-4 vertical-cavity surface-emitting lasers [10964-13]
10964 OB	Experimental investigations of quality trapezoidal shape PMMA microchannel prepared by CO2 laser [10964-14]
10964 OC	Discussion and analysis on alignment error model of laser communication [10964-15]
10964 OD	Upconversion of communication band light carrying orbital angular momentum using quasi- phase-matching [10964-16]
10964 OE	The investigation for the influence of the line-width of probe light on the phase noise of phase- sensitive optical time domain reflectometry [10964-17]
10964 OF	Multimode-fiber/scattering-medium computational optical endoscopic imaging based on digital wavefront modulation (Invited Paper) [10964-19]
10964 0G	Tunable hybird optical filter based on a passive cavity for femtosecond lasers [10964-20]
10964 OH	Experimental study on protection performance of the plasma array against the NEMP [10964-21]

10964 01	Theoretical research on new photoelectric mixing technology based on electro-optical modulation [10964-22]
10964 OJ	Fast OMP reconstruction for compressive hyperspectral imaging using joint spatial-spectral sparsity model [10964-25]
10964 OK	Influence of multistage diffraction of grating on imaging quality of a dispersion-compensated polarization Sagnac interferometer [10964-26]
10964 OL	20.38MHz all polarization maintaining figure-of-8 erbium-doped fiber laser based on nonlinear amplifying loop mirror [10964-27]
10964 ON	Nonuniform fringe characteristics of cascaded symmetrically chirped long-period fiber gratings [10964-30]
10964 0O	Polarization changes of beams travelling through anisotropic turbulence for optics transmission [10964-31]
10964 OP	Study on the influence of scanning strategy on the morphology of laser micro-dimple texturing [10964-32]
10964 OQ	Scale adaptive correlation filter tracking based on the autocorrelation matrix [10964-33]
10964 OS	Analysis of three dimensional recovery algorithms' influence on the ranging accuracy of Gm- APD Ladar [10964-35]
10964 OT	Quantitative phase imaging using dual-channel Fresnel bi-prism interference microscope [10964-36]
10964 OU	Design of all solid large mode area and nearly zero flattened dispersion microstructure fiber [10964-37]
10964 OV	QoS based optimization of multi-user selection with criterion of SLNR [10964-38]
10964 OW	A fiber ring laser for temperature sensing based on in-fiber Mach-Zehnder interferometer [10964-39]
10964 OX	Characteristics of the calamine analyzed by terahertz time-domain technology [10964-40]
10964 OY	Characteristics of the lapis chloriti analyzed by the terahertz time-domain technology [10964-41]
10964 10	Cryogenic characteristics of in-fiber Mach-Zehnder interferometers based on EDF and MMF [10964-43]
10964 11	Study on the phase of interference signal in phase extraction based phase-sensitive optical time domain reflectometry [10964-44]
10964 12	Slow light via Stimulated Brillouin Scattering in few-mode fibers [10964-45]

10964 14	Variable bit rate optical communication link between LEO satellite and ground station [10964-47]
10964 15	Recognition for multiple sources of bioluminescence tomography: a comparative study [10964-48]
10964 16	Effect of magnetic field confinement on LIBS spectral enhancement and shape [10964-51]
10964 17	Maskless fabrication of multifocal microlens arrays on silica glass by multi-step laser-tunable wet etching method [10964-52]
10964 18	Ultra-wide and nearly flat-top gain spectrum in asymmetric quantum-well structure for InGaAs tunable lasers [10964-54]
10964 19	Silicon Mach-Zehnder modulator using a highly-efficient L-shape PN junction [10964-55]
10964 1A	Phase-shifting digital holography with vortex lens [10964-56]
10964 1B	Interoperation of 400GBASE-LR8 physical interfaces using CFP8 pluggable modules (Invited Paper) [10964-57]
10964 1C	A new approach to generate the optical millimeter-wave signals using frequency 12-tupling without an optical filter [10964-58]
10964 1D	Shell thickness dependent plasmonic resonances in concentric core-shell nanoparticles [10964-60]
10964 1E	All polarization-maintaining, figure-of-9 dispersion-managed Er: fiber laser [10964-61]
10964 1F	High-Q in-plane channel drop filter based on two-dimensional photonic crystals for dense wavelength division multiplexing [10964-62]
10964 1G	Power coupling characteristics of a single mode optical fiber with a rectangular hole [10964-64]
10964 11	Q-Switched Tm-doped fiber ring laser using Mo _{0.8} W _{0.2} S ₂ saturable absorber [10964-67]
10964 1J	Research on surface plasmon resonance sensor based on wavelength and angular combined modulations [10964-68]
10964 1K	QoS evaluation method of optical network based on optical network alarm mega data [10964-69]
10964 1L	Polarization-controllable structure color based on the one-dimension stacked array with polarized absorption peaks [10964-71]
10964 1M	Low loss negative curvature fiber with circular internally tangent nested tube in elliptical tubes [10964-72]
10964 1O	Angular variation measurement of spheroids using defocused interferometric particle imaging [10964-77]

10964 1P	Optical design of a refractometer with the liquid prism [10964-79]
10964 1R	Analysis of small vessel cochlear blood flow regulation during loud sound exposure in the mouse (Invited Paper) [10964-81]
10964 1T	Electrically controlled liquid-crystal microlens arrays based on plane nonuniform spiral microcoils [10964-83]
10964 1U	Electronically controlled liquid-crystal microlens array with plane swing focus and tunable focal length [10964-84]
10964 1V	Matrix distributed liquid-crystal microlens arrays driven by electrically scanning voltage signals [10964-85]
10964 1W	Reflectance controlling based on surface plasmon polaritons stimulated over the surface of metallic nanostructures [10964-86]
10964 1Y	Study on cascaded stepwise singular value decomposition and its application in laser absorption spectroscopy [10964-88]
10964 1Z	Steady object tracking based on online sample mining [10964-89]
10964 20	Corneal astigmatism axis standard based on toroidal surface design [10964-90]
10964 21	Effect of the ratio of oxidizing agent to reducing agent on the performance of Mg/PTFE/ Pb_3O_4 pyrotechnics [10964-91]
10964 22	Research on cascaded Turbo-STBC coding based on GFDM-ROF system [10964-92]
10964 23	IR reflective characteristics of a periodic nano-pattern array shaped in a metallic film [10964-93]
10964 24	Blind phase noise compensation based on circular quadrature amplitude modulation [10964-94]
10964 25	Non-perturbation calculation for the dynamic problem of quantum many-body systems [10964-95]
10964 26	Electro-optic mode deflection based on a lithium niobate waveguide with microstructured electrodes [10964-96]
10964 27	Low cost and non-hermetic 100-Gb/s CWDM4 TOSA with silica-PLC AWG multiplexer [10964-97]
10964 28	A dynamic bandwidth allocation algorithm based on neural network prediction-correction model and software defined TDM-PON [10964-98]
10964 2B	Research on temperature sensor of double-cone-section cascading interferometer [10964-106]
10964 2C	High-gain amplification of weak signal based on stimulated Brillouin scattering in optical fiber [10964-108]

10964 2D	Ultra-long focusing of microsphere lens via wavefront reconstruction in microsphere [10964-109]
10964 2E	Dual-wavelength Tm, Ho:LLF laser operating at 1895 and 1950 nm [10964-112]
10964 2F	Imaging through highly scattering media based on optical transmission matrix [10964-113]
10964 2G	Large scale and high resolution color fresnel holographic 3D display using RGB LED illumination [10964-114]
10964 2H	A polarization insensitive infrared filter based on a liquid-crystal Fabry-Perot for electrically tunable spectral imaging [10964-115]
10964 21	Fast hologram calculation using wavelet transform (Invited Paper) [10964-116]
10964 2J	Light intensification by ceria on the surface of fused silica [10964-117]
10964 2K	The design of two-lens slit spatial filter for high power laser system [10964-118]
10964 2L	Paint removal based thermal stress with a high repetition pulse fiber laser [10964-119]
10964 2M	Analysis of laser-induced damage in optical thin film based on ANSYS [10964-121]
10964 2N	Infrared small target detection using phase spectrum of quaternion fourier transform [10964-122]
10964 20	Laser cleaning soil rust layer on the surface of ceramic artifacts [10964-123]
10964 2P	Two-step phase retrieval algorithm from single-exposure measurement [10964-124]
10964 2Q	Simulation of different samples size on 2.52THz compressive holographic tomography [10964-125]
10964 2R	Compact waveguide (de)multiplexer based on asymmetric Y-junctions [10964-127]
10964 2S	Broadband light-control-light characteristics of WS2 on microfiber [10964-128]
10964 2T	A large relative aperture and wide-spectrum star sensor optical lens design [10964-129]
10964 2U	Diagnosis of lichen sclerosus based on multiphoton microscopy [10964-130]
10964 2V	Manipulating electromagnetic wave propagation with negative-zero-positive index magnetic metamaterials [10964-131]
10964 2W	Improving accuracy of high precision displacement measurement system with optical pickup head by using differential astigmatism focus error detection [10964-132]

- 10964 2X The ultra-stable microwave based on ultra-stable laser [10964-133]
- 10964 2Z Anisoplanatic imaging of space target based on multilayer phase screens [10964-134]
- 10964 30 Filtering and reduction for 3-dimensional surface modeling of laser line scanning point cloud [10964-135]
- 10964 31 Study of RGB-D point cloud registration method guided by color information [10964-137]
- 10964 32 Image edge detection based on Sparse Autoencoder network [10964-138]
- 10964 33 Quantitative analysis of imaging quality of the segmented planar imaging detector [10964-139]
- 10964 34 Asymmetric electromagnetic wave propagation supported by magnetic metamaterials and graded photonic crystals [10964-140]
- 10964 35 Application of segmentation threshold method and wavelet threshold denoising based on EMD in Φ-OTDR system [10964-141]
- 10964 36 Experimental investigation of laser shock peening on TC17 titanium alloy for thin-wall workpieces [10964-142]
- 10964 37 One dimensional photonic crystal/metal structure hollow fiber refractive index sensor based on Tamm plasmon polariton [10964-144]
- 10964 38 Propagation properties of elliptically polarized light in one dimensional photonic crystal with a magneto-optical defect layer [10964-147]
- 10964 39 A fine-grained recognition model of air targets based on bilayer faster R-CNN with feedback [10964-148]
- 10964 3A High-sensitivity temperature optical sensor based on long-period fiber grating [10964-153]
- 10964 3C **3-Dimensional surface inspection system for pantograph in railway nondestructive testing** based on laser line-scanning [10964-156]
- 10964 3D Application of spectroscopy in prenatal testing [10964-157]
- 10964 3E A blurry low-light image enhancement and deblurring fusion algorithm [10964-158]
- 10964 3F Growth, structure and optical properties of ZnSe:Co thin films [10964-161]
- 10964 3G Identification of specific histological characteristics of glioblastoma based on multiphoton microscopy [10964-162]
- 10964 3H Influence of the evanescent waves on the imaging characteristics of microspheres [10964-164]

Part Two

10964 31	Analysis of fog suppression effect of FMCW laser detection baseline [10964-166]
10964 3J	Fringe pattern generation of three-dimensional shape measurement based on FPGA [10964-167]
10964 3K	Design methods for generating computer hologram based on image quality enhancement (Invited Paper) [10964-168]
10964 3L	The pseudo-diffusive phenomenon in photonic crystals with Dirac cones [10964-169]
10964 3M	A high-precision and small-volume stepping displacement microplatform for focusing ion beam etching of optical antenna [10964-170]
10964 3N	Modified constant modulus algorithm based on constellation matching error with variable weight [10964-171]
10964 3O	A weighted clustering algorithm based on node energy for multi-UAV Ad Hoc networks [10964-172]
10964 3P	Tunable multichannel guided-mode resonance photonic crystal filter [10964-173]
10964 3Q	Time offset measurement of 100 km long fiber link with dual-comb linear optical sampling [10964-174]
10964 3R	Leakage detection and location analysis of tap water pipe based on distributed optical fiber temperature measurement [10964-175]
10964 3S	Air-cooling 60 W Tm:fiber laser and its applications on transparent plastics processing [10964-177]
10964 3T	Optical phase characterization of neuron firing with periodic stimulation [10964-178]
10964 3U	Thin films of high reflectivity for efficient radiative cooling [10964-179]
10964 3V	Study on calibration method of field spectrometer measurement [10964-180]
10964 3W	LIBS spectra automatic baseline correction method based on iterative morphometric weighted penalized least squares [10964-181]
10964 3X	Ultrahigh extinction-ratio circular polarization analyzer with chiral plasmonic lens [10964-182]
10964 3Y	Broad FSR and high sensitivity refractive index sensor using photonic crystal nanobeam cavity with composite lattice cells [10964-183]
10964 3Z	A novel demodulation of chirped fiber Bragg gratings using optical power measurement [10964-188]

10964 40	GPU based real-time enhancement of high resolution image [10964-190]
10964 41	Derivative method for fast phase imaging in simultaneous dual-wavelength off-axis phase- shifting interferometry [10964-191]
10964 42	Study on ablation threshold of fused silica glass by femtosecond laser induced backside wet etching [10964-192]
10964 43	High-repetition-rate cavity dumped Yb:YAG thin disk laser [10964-194]
10964 45	Non-scanning 3D endoscopic imaging through a multimode optical fiber based on monochromatic transmission matrix [10964-199]
10964 46	Separation of variables based method for fast calculation of imaging system in lithographic tools [10964-200]
10964 47	Numerical investigation of scaling of diode pumped metastable rare-gas laser end-pumped, MOPA [10964-202]
10964 48	Effect of temperature on conversion characteristics of segmented PPLN based wavelength converter [10964-203]
10964 49	A dual-wavelength phase retrieval method under the interference microscopy imaging [10964-206]
10964 4B	Liquid-crystal microlens arrays driven addressably by electric-scanning signals [10964-208]
10964 4C	Measurement and compensation for the chromatic aberration of SG-II 5PW laser system [10964-210]
10964 4D	Hugely tunable circular dichroism based on phase-change planar chiral metamaterials [10964-211]
10964 4F	Using blob to analyze image processing method to achieve precision detection of IFU optical fiber microplate [10964-213]
10964 4G	Computer-aided infrared camouflage effectiveness evaluation method based on image saliency [10964-214]
10964 4H	Wave-transition contribution to the Faraday effect and Verdet constant [10964-217]
10964 41	A modulation classification method based on deformable convolutional neural networks for broadband satellite communication systems [10964-218]
10964 4J	A multi-regions electrically tunable liquid crystal microlens array for extending the depth of field [10964-219]
10964 4L	A novel frequency-locked multicarrier generator based on a dual-electrode Mach-Zehnder modulator [10964-221]

10964 4M	Temperature sensing based on phase-to-intensity modulation conversion in fiber Bragg grating [10964-222]
10964 4N	Modeling and simulation of optical micro-nano-antenna for THz radiation [10964-223]
10964 40	Modeling and simulation of electromodulation imaging spectrum based on a MEMS-FP array with a high filling-factor [10964-224]
10964 4P	Measurement of the coherence of multi-transverse-mode optical field based on liquid crystal spatial light modulator [10964-225]
10964 4Q	Enhancement for high-luminance objects by a false-color-depth method [10964-227]
10964 4R	Research on spectral calibration of the hyperspectral irradiance-meter in near-infrared band (900-1700nm) [10964-228]
10964 4S	Application of wavelet threshold denoising in PMD measurement by fixed analyzer method [10964-229]
10964 4T	Depolarization degree of picosecond radially polarized beam induced by non-radially symmetrical pumping during power amplification [10964-230]
10964 4U	Study on cascaded tunable DBR semiconductor laser with wide tuning range and fast switching speed [10964-231]
10964 4V	High-power VCSEL side pumped 2° wedge angle Nd:YAG repetition rate 1kHz four-pulses sequence picosecond regenerative amplifier [10964-232]
10964 4W	A simple wideband digital predistortion system based on improved Powell algorithm [10964-234]
10964 4Y	Femtosecond laser cutting ultra thin fused silica [10964-236]
10964 4Z	Circular optical phased array for 360° constant amplitude scanning [10964-237]
10964 50	Monitoring of fiber grating refractive index modulation [10964-238]
10964 51	High sensitivity temperature sensor based on packaged microdroplet whispering gallery mode resonator [10964-239]
10964 52	Measurement of response bandwidth of photoelectric detector with low cutoff frequency [10964-240]
10964 53	Experimental study of static calibration based on atomic- emission double spectrum line temperature measuring [10964-241]
10964 54	A Brillouin Scattering Spectrum frequency shift extraction based on sparse constrainted cross- correlation iterative model [10964-243]
10964 55	Spectrum effect on output characteristics of wireless energy and data hybrid transmission system using a solar panels [10964-244]

10964 57	Mid-infrared parametric amplification in chalcogenide microstructured fibers [10964-248]
10964 59	Simultaneous dual-wavelength reconstruction based on low rank mixed-state and phase modulation [10964-250]
10964 5A	Research on singular value decomposition denoising algorithm on polarization mode dispersion measurement [10964-251]
10964 5B	Investigation on wall thickness ranges using digital radiography for tangential projection technique [10964-253]
10964 5C	Using multiphoton microscopy to assess pulmonary emphysema in mouse models [10964-255]
10964 5D	Full-field stress measurement based on phase-shifting ptychographic iterative engine [10964-256]
10964 5E	Experiment study of wide range tunable femto-nano joule laser pulse output with flat top profile [10964-257]
10964 5F	A highly sensitive fluorescence sensor for adrenaline detection based on modified carbon quantum dots [10964-258]
10964 5G	Three-dimensional measurement system based on structured light and error correction [10964-259]
10964 5H	Deep fluorescent imaging with large field of view using automatic guide star selection [10964-260]
10964 51	Generating and tuning the Fano resonance by graphene oligomers with different nanostructures [10964-262]
10964 5J	Surface distortion prediction method of KDP frequency converters [10964-263]
10964 5K	Joint compensation of IQ imbalance and phase noise based on extended Kalman filter [10964-265]
10964 5L	Optical frequency transfer over 377 km urban fiber link using EDFAs [10964-267]
10964 5M	Design of a foveated imaging system based on liquid crystal microlens array [10964-268]
10964 5N	Inspection of polyethylene gas pipe defect based on terahertz time domain spectroscopy [10964-269]
10964 50	Feature extraction of Brillouin scattering spectrum based on half-interval search frequency sweep method [10964-270]
10964 5P	Efficient light trapping in ultrathin-crystalline-silicon solar cells using TiO ₂ nanosphere arrays [10964-271]
10964 5Q	Application of BRDF data in stray light analysis [10964-273]

10964 5R	Generation of Hermite-Laguerre-Gaussian beams based on space-variant Pancharatnam Berry phase [10964-274]
10964 5U	Analysis and application of vortex optical characteristics based on Michelson interference [10964-279]
10964 5V	Pilot aided OSNR monitoring in optical Nyquist transmission system [10964-280]
10964 5Y	A 2.2J all-diode-pumped Nd:YAG burst-mode laser at repetition rate of 10kHz [10964-284]
10964 5Z	Tunable ultra-broadband microwave frequency combs generation using semiconductor laser injected by intensity-modulated light [10964-285]
10964 60	Enhancing the performance of BOTDA sensing through introducing additional pre-exhausted wavelength [10964-286]
10964 61	Incoherent digital holography using geometric phase (Invited Paper) [10964-287]
10964 62	Effective improvement of subtraction method for light sheet fluorescence microscopy via tangent-function subtraction coefficient [10964-289]
10964 63	Photonic bandgap properties of integral photonic crystals and photonic crystals with defects in polymer [10964-290]
10964 64	Microwave frequency divider with variable dividing ratio based on a tunable optoelectronic oscillator [10964-291]
10964 65	20 GHz optical pulse generation based on a 10 GHz optoelectronic oscillator [10964-292]
10964 66	Role of nanocone and nanohemisphere arrays in improving light trapping of thin-film solar cells [10964-293]
10964 67	Graphene enhanced phase sensitive D-type fiber optic sensor [10964-294]
10964 69	X-ray phase-contrast imaging using cascade Talbot-Lau interferometers [10964-296]
10964 6A	Experimental study of magneto-acousto-electrical tomography based on laser-generated ultrasound technology [10964-297]
10964 6B	Frequency-resolved photoacoustic viscosity measurement [10964-298]
10964 6C	Low-energy IR780 nanoemulsion for photodynamic therapy [10964-299]
10964 6E	Application of hyperspectral imaging technology in nondestructive testing of fruit quality [10964-304]
10964 6F	Enhanced performance of high-speed IM/DD DMT systems using an EM channel estimation algorithm for short reach optical communication [10964-305]

Cell imaging with squaraine dye based on two-photon excitation fluorescence imaging [10964-306]
Non-reciprocity induced by the nonlinear optical effect in microring structure and its application in optical sensing [10964-308]
Study of the internal hollow structures fabricated with two typical femtosecond laser systems and their respective applications [10964-309]
Hyperspectral imaging of rare-earth doped nanoparticles emitting in near- and short-wave infrared regions [10964-310]
Synthesis and luminescent properties of rare earth doped upconversion nano-fluorapatite [10964-312]
Photonics-based dual-band RF receiver with large crosstalk suppression [10964-313]
Overlapped fingerprint image capture and separation using digital holography and machine learning (Invited Paper) [10964-316]
A biologically inspired solution for allocation problems of branch-cuts [10964-317]
See-through near-eye display using lightguide and transmissive type optical eyepiece: index- matched anisotropic crystal lens [10964-320]
Opto-acousto-fluidic microscopy for three-dimensional imaging of droplets and cells [10964-322]
Enhancement of plasma resonance in a Hi-Bi D-shaped photonic crystal fiber SPR sensor [10964-325]
The study of the intracellular transportation of gold nanoparticles through dark field imaging [10964-331]