

# ***Photons Plus Ultrasound: Imaging and Sensing 2019***

**Alexander A. Oraevsky**

**Lihong V. Wang**

*Editors*

**3–6 February 2019**

**San Francisco, California, United States**

*Sponsored by*

SPIE

*Cosponsored by*

SENO Medical Instruments, Inc. (United States)

*Published by*

SPIE

**Volume 10878**

Proceedings of SPIE, 1605-7422, V. 10878

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Photons Plus Ultrasound: Imaging and Sensing 2019*, edited by Alexander A. Oraevsky, Lihong V. Wang, Proceedings of SPIE Vol. 10878 (SPIE, Bellingham, WA, 2019) Seven-digit Article CID Number.

ISSN: 1605-7422

ISSN: 2410-9045 (electronic)

ISBN: 9781510623989

ISBN: 9781510623996 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

[SPIE.org](http://SPIE.org)

Copyright © 2019, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/19/\$18.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

xi	<i>Authors</i>
xv	<i>Conference Committee</i>
xix	<i>Introduction</i>

---

## CLINICAL IMAGING: IN VIVO, EX VIVO, AND TOWARDS I

---

10878 02	Multiple delay and sum with enveloping beamforming algorithm for photoacoustic imaging [10878-1]
10878 04	Imaging of human peripheral blood vessels during cuff occlusion with a compact LED-based photoacoustic and ultrasound system [10878-3]

---

## CLINICAL IMAGING: IN VIVO, EX VIVO, AND TOWARDS II

---

10878 0C	Photoacoustic monitoring of blood oxygenation during neurosurgical interventions [10878-11]
10878 0E	Intraoperative photoacoustic screening: a breast surgical center experience [10878-13]

---

## OPTICAL SENSING AND GENERATION OF ULTRASOUND II

---

10878 0N	An L-band ultrasonic probe using polymer optical fibre [10878-22]
10878 0Q	On the intuitive understanding of interrogating Fabry-Perot etalon with a focused beam [10878-25]
10878 0R	Quantitative cell nuclear imaging by dual-view optical-resolution photoacoustic microscopy [10878-140]

---

## INSIDE THE BODY: ENDOSCOPY AND INTERVENTION

---

10878 11	Ring PMUT array based miniaturized photoacoustic endoscopy device [10878-35]
10878 12	Frequency-domain differential photoacoustic radar: theory and simulation for ultra-sensitive cholesterol imaging [10878-36]

---

SPECIAL SESSION: BEST PAPER AWARD COMPETITION I

---

- 10878 13 The Twente Photoacoustic Mammoscope 2: 3D vascular network visualization [10878-37]
- 10878 16 Multifocal structured illumination optoacoustic microscopy [10878-40]
- 10878 18 In vivo photoacoustic multi-contrast imaging and detection of protein interactions using a small near-infrared photochromic protein [10878-42]

---

SPECIAL SESSION: BEST PAPER AWARD COMPETITION II

---

- 10878 1B Agent-free high speed localization photoacoustic microscopy [10878-45]
- 10878 1D Robustness of a partially learned photoacoustic reconstruction algorithm [10878-47]

---

IMAGE ENHANCEMENT: ALGORITHM, PROCESSING, MODELING, AND MACHINE LEARNING

---

- 10878 1K Compressed optoacoustic data acquisition based on a cluster of acoustic scatterers [10878-54]
- 10878 1L Novel deep learning architecture for optical fluence dependent photoacoustic target localization [10878-55]
- 10878 1M Multimodal priors reduce acoustic and optical inaccuracies in photoacoustic imaging [10878-56]

---

INTERNATIONAL PHOTOACOUSTIC STANDARDISATION CONSORTIUM

---

- 10878 1P A 3D semi-anthropomorphic photoacoustic breast phantom [10878-59]
- 10878 1Q Characterization of opto-acoustic color mapping for oxygen saturation of blood using biologically relevant phantoms [10878-60]

---

MICROSCOPY AND MULTIMODAL IMAGING: SYSTEM AND APPLICATION I

---

- 10878 1T Multiple direction synthetic aperture focusing technique for acoustic-resolution photoacoustic microscopy [10878-63]
- 10878 1W Model-based optical resolution optoacoustic microscopy [10878-66]

---

MICROSCOPY AND MULTIMODAL IMAGING: SYSTEM AND APPLICATION II

---

- 10878 22 Resolution-enhancement of photoacoustic microscopy by modulation quenching of nanoparticles [10878-72]

---

CONTRAST AGENTS AND MOLECULAR IMAGING

---

- 10878 2B In vivo assessment of heart function under chronic hypoxic stress with volumetric optoacoustic tomography [10878-81]
- 10878 2E Individual nanobubbles detection using acoustic based flow cytometry [10878-84]
- 10878 2G Functional calcium imaging using optical-resolution photoacoustic microscopy in a 3D tumor cell culture [10878-86]

---

QUANTITATIVE ANALYSIS AND IMAGING

---

- 10878 2H Measuring the nucleus-to-cytoplasmic ratio in PC-3 cells using photoacoustic flow cytometry and imaging flow cytometry [10878-87]
- 10878 2K Comparison of breast tumor diameter by intraoperative photoacoustic screening, magnetic resonance imaging and pathology [10878-90]
- 10878 2L Optimal design of combined ultrasound and multispectral photoacoustic deep tissue imaging devices using hybrid simulation platform [10878-91]
- 10878 2M Determining elastic contrast in tissue-mimicking phantoms using frequency resolved photoacoustic imaging [10878-92]

---

MONITORING OF THERAPY

---

- 10878 2R Optoacoustic monitoring of RF ablation lesion progression [10878-97]
- 10878 2T In vivo demonstration of photoacoustic-guided liver surgery [10878-217]

---

POSTER SESSION

---

- 10878 2Y Multifocus optical-resolution photoacoustic microscope for extended depth of field [10878-103]
- 10878 2Z Ultracompact high resolution photoacoustic microscopy of hemorrhagic shock [10878-104]

- 10878 31 Pulsed laser diode based photoacoustic tomography system using multiple acoustic reflector based single element ultrasound transducers [10878-106]
- 10878 32 Photoacoustic monitoring of tissue temperature at high temporal resolution [10878-107]
- 10878 33 Enhancement of photoacoustic signal from contrast agent with pre-illumination [10878-108]
- 10878 34 A study of the effect of PEG-40 surfactant concentration on the stability of microbubbles post-injection through various needle sizes and its ultrasound imaging performance [10878-109]
- 10878 35 A study of blood clots using photoacoustic imaging during sonothrombolysis [10878-110]
- 10878 36 Deep Learning of truncated singular values for limited view photoacoustic tomography [10878-111]
- 10878 37 Learned backprojection for sparse and limited view photoacoustic tomography [10878-112]
- 10878 3B NETT regularization for compressed sensing photoacoustic tomography [10878-117]
- 10878 3D Photoacoustic image reconstruction from full field data in heterogeneous media [10878-119]
- 10878 3E Visualization of skin morphology and microcirculation with high frequency ultrasound and dual-wavelength photoacoustic microscope [10878-120]
- 10878 3G Enhancing photoacoustic visualization of medical devices with elastomeric nanocomposite coatings [10878-122]
- 10878 3K Ultrasound and acoustic resolution photoacoustic microscopy: a novel modality for surveilling human rectal cancer after therapy [10878-126]
- 10878 41 Resonant photoacoustic spectroscopy for a non-invasive blood glucose monitoring: human interface and temperature correction technology [10878-145]
- 10878 43 A commercialized Microelectromechanical Systems (MEMS)-based rapid scanning photoacoustic microscopy system with switchable optical and acoustic resolutions [10878-147]
- 10878 46 Single optical fiber photoacoustic sensing probe [10878-152]
- 10878 4A Low-cost ultrasound and optical gelatin-based phantoms [10878-157]
- 10878 4E Signal-to-noise improvement in LED-based photoacoustic imaging systems using double-stage delay-multiply-and-sum image reconstruction method [10878-161]
- 10878 4H Influence of excitation light pulse characteristics to image quality in LED-based photoacoustic imaging system [10878-164]
- 10878 4K Co-registered photoacoustic and ultrasound real-time imaging of colorectal cancer: ex-vivo studies [10878-167]

- 10878 4L      Ultrasound modulated droplet lasers [10878-168]
- 10878 4M      Comparison of measurements of the nucleus-to-cytoplasmic ratio in MCF-7 cells using ultra-high frequency photoacoustic microscopy and imaging flow cytometry [10878-169]
- 10878 4N      Optimization of image quality in photoacoustic tomography using spatial projection data [10878-170]
- 10878 4O      Combined confocal and photoacoustic microscopy based on probe beam deflection technique [10878-171]
- 10878 4R      Nonlinear photoacoustic generation by pump-probe excitation [10878-174]
- 10878 4Z      Real-time photoacoustic data acquisition with a thousand parallel channels at hundreds frames per second [10878-182]
- 10878 53      Combination of an annular array with a conical acoustic lens for large depth of field photoacoustic macroscopy [10878-186]
- 10878 54      Application of mathematical morphological filter for noise reduction in photoacoustic imaging [10878-187]
- 10878 55      Validation study of a quantitative photoacoustic image reconstruction using Monte Carlo method and linearization [10878-188]
- 10878 56      Analysis of photoacoustic signals of hyperosteogeny and osteoporosis [10878-189]
- 10878 59      Co-registered ultrasound Doppler with ultrasound and photoacoustic imaging to improve delineation of ovarian lesion for photoacoustic imaging [10878-192]
- 10878 5A      Performance validation of improved photoacoustic / ultrasound superposed imaging system for evaluation of diabetic neuropathy [10878-193]
- 10878 5C      OpenACC GPU implementation of double-stage delay-multiply-and-sum algorithm: toward enhanced real-time linear-array photoacoustic tomography [10878-195]
- 10878 5D      An efficient image formation algorithm for real-time linear-array photoacoustic tomography [10878-196]
- 10878 5E      A deep learning-based approach to identify in vivo catheter tips during photoacoustic-guided cardiac interventions [10878-197]
- 10878 5G      Recent updates of real-time clinical photoacoustic and ultrasound imaging system at POSTECH [10878-199]
- 10878 5H      Optimizing light delivery through ball-shaped multimode fiber tips in co-registered photoacoustic and ultrasound endo-cavity imaging: simulation and experimental validation [10878-200]
- 10878 5J      Evaluation of the usefulness of handheld photoacoustic imaging system for quantitative diagnosis of fatty liver [10878-202]

- 10878 5K Techniques to distinguish the ureter from the uterine artery in photoacoustic-guided hysterectomies [10878-203]
- 10878 5L Pilot study for detection of cutaneous melanoma boundary using photoacoustic imaging [10878-204]
- 10878 5M Visualization of custom drill bit tips in a human vertebra for photoacoustic-guided spinal fusion surgeries [10878-205]
- 10878 5N In vivo demonstration of real-time oxygen saturation imaging using a portable and affordable LED-based multispectral photoacoustic and ultrasound imaging system [10878-206]
- 10878 5O Single simulation platform for both optical and radio frequency induced thermoacoustic tomography [10878-207]
- 10878 5P Numerical study on tumor volume detection in the human brain using photoacoustic tomography [10878-208]
- 10878 5S Photoacoustic signal enhancement using a novel adaptive filtering algorithm [10878-211]
- 10878 5U Simultaneous photoacoustic tomography guided diffuse optical tomography: a numerical study [10878-213]
- 10878 5V Low-cost fast photoacoustic computed tomography: phantom study [10878-214]
- 10878 5W Skull's aberration modeling: towards photoacoustic human brain imaging [10878-215]
- 10878 5X Investigation of the thermal properties of biological cells using a frequency domain photoacoustic microscope [10878-216]
- 10878 5Y High frame rate photoacoustic imaging of blood clots [10878-218]
- 10878 60 Identification of MRSA infection in blood using photoacoustic flow cytometry [10878-220]
- 10878 61 Analytic description of photoacoustic signal generation and application for the determination of the fluorescence quantum yield [10878-221]
- 10878 63 In vivo photoacoustic imaging of liver using liver specific targeting conjugates [10878-223]
- 10878 64 Analysis of the photoacoustic signals generated with a tone-burst of nanosecond duration pulses [10878-224]
- 10878 66 Computer assisted photoacoustic imaging guided device for safer percutaneous needle operations [10878-226]
- 10878 68 3D printed kidney phantoms for an LED-based photoacoustic and ultrasound imaging system [10878-228]
- 10878 69 Sub-wavelength convertible Bessel-beam and Gaussian-beam photoacoustic microscope in reflection-mode for in-vivo application [10878-229]



- 10878 6A Virtual parallel-projection model-based photoacoustic reconstruction scheme for flat photoacoustic detector [10878-230]
- 10878 6F A method of further increasing treatment depth in dual thermal therapy [10878-235]
- 10878 6G Genetic algorithm for feedback-based wavefront shaping in optical imaging [10878-236]
- 10878 6K Usefulness verification of handheld photoacoustic imaging system for evaluating hypodermal tissue [10878-237]
- 10878 6L Development of a backward-mode photoacoustic microscope using a Fabry-Pérot sensor [10878-242]
- 10878 6M Artifact reduction using minimum variance-based sparse subarray technique in linear-array photoacoustic tomography [10878-154]
- 10878 6N Delay-multiply-and-standard-deviation weighting factor improves image quality in linear-array photoacoustic tomography [10878-151]
- 10878 6O An advanced sparsity-based photoacoustic image reconstruction algorithm for linear-array transducer scenario [10878-149]
- 10878 6P Application of Demons algorithm in ultrasound elastography using B-mode ultrasound images [10878-129]
- 10878 6Q Towards biochemical sensing with gold nanoparticles through suppression of nonlinear photoacoustic signal generation [10878-241]