PROCEEDINGS OF SPIE

Solid State Lasers XXVIII: Technology and Devices

W. Andrew Clarkson Ramesh K. Shori Editors

5–7 February 2019 San Francisco, California, United States

Sponsored and Published by SPIE

Volume 10896

Proceedings of SPIE 0277-786X, V. 10896

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Solid State Lasers XXVIII: Technology and Devices, edited by W. Andrew Clarkson, Ramesh K. Shori, Proceedings of SPIE Vol. 10896 (SPIE, Bellingham, WA, 2019) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510624344 ISBN: 9781510624351 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org Copyright © 2019, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/19/\$18.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

- vii Authors
- xi Conference Committee

EYE-SAFE AND MID-IR LASERS

- 10896 02Fast tunable Mid-IR source pumped by a picosecond fiber laser [10896-1]
- 10896 03 Er/Yb glass Q-switched lasers with optimized performance [10896-2]
- 10896 04 **1.6-μ Er: YGG waveguide amplifiers** [10896-3]
- 10896 07 Acousto-optically Q-switched diode side-pumped Er: YLF laser generating 50-kW peak power in 70-ns pulses [10896-6]
- 10896 0A Compact efficient Tm:YAP pumped mid-IR OPO (Invited Paper) [10896-9]

UV AND VISIBLE LASERS

10896 OB	Low-threshold blue lasing from fully transparent porous silicon monolithic microcavities infiltrated with a polyfluorene derivative [10896-10]
10896 OE	High-energy quasi-CW 355-nm UV pulses generation from a diode-pumped sub-nanosecond Nd:YAG system [10896-13]
10896 OF	Compact solid state laser to generate 5 mJ at 532-nm [10896-14]

PULSED LASERS

10896 OH	High power ultrafast laser with highly dynamic repetition rate and constant pulse energy from single pulse to 10 MHz [10896-16]
10896 01	Common oscillator multi-leg burst-mode laser systems for interference-free multimodal imaging of reacting flows [10896-17]
10896 OJ	Passively cooled Cr: YAG Q-switched Yb: YAG micro-laser delivering continuously tunable high repetition rate bursts of short pulses [10896-18]

10896 0K **12-ps megawatt peak power pulses out of a single laser oscillator with nonlinear pulse** compression [10896-19]

- 10896 0L
 Development of compact laser system with 1-J, 300-Hz by using high peak power laser-diode pumped Nd:YAG amplifiers for novel laser application [10896-20]
- 10896 0M Development of a 10-J, 10-Hz laser amplifier system with cryo-cooled Yb:YAG ceramics using active-mirror method [10896-21]
- 10896 0N Research on discharge and radiation characteristics of multi-electrode high power pulsed xenon flash lamp [10896-22]

ULTRAFAST LASERS

- 10896 00 High-power 2-micron optical-parametric frequency converter with sub-picosecond pulse duration [10896-23]
- 10896 OP Burst picosecond hybrid fiber/crystal laser for LIPSS processing [10896-24]
- 10896 0Q CPA-free amplification of sub-10-ps pulses in Ho:YLF to the mJ-level at 2-µm wavelength [10896-25]

DISK LASERS

- 10896 0V New compact pump geometry for thin disk lasers with a tilted optical long-pass filter [10896-30]
- 10896 OW Latest advances in high power and high brightness laser technology [10896-31]
- 10896 0X Compact 20-pass thin-disk amplifier insensitive to thermal lensing [10896-32]
- 10896 OY High-energy ultrafast thin-disk amplifiers [10896-72]

NOVEL LASER CONCEPTS

- 1089610 Alexandrite laser in Q-switched single longitudinal mode operation pumped by a fibercoupled diode module [10896-34]
- 10896 11 Dual-wavelength Nd:CALGO laser based on an intracavity birefringent filter [10896-35]
- 1089612 Continuous-wave Nd:YLF laser diode-pumped at 908 nm [10896-36]
- 10896 14 Phase aspect in stimulated and spontaneous emission and the laser linewidth [10896-38]

10896 15	Lasing wavelength in dielectric distributed-feedback lasers with a distributed phase shift
	[10896-39]

- 1089618 A compact, single-frequency, high-power, SBS-free, Yb-doped single-stage fiber amplifier [10896-42]
- 10896 19 High power zig-zag active-mirror laser amplifier with jet impingement cooling [10896-43]

LASER MATERIALS AND CHARACTERIZATION

- 108961D Continuous-wave Yb:YAP laser with high power diode pumping [10896-47]
- 108961E Stress-optic measurements of SCHOTT laser glass [10896-48]
- 108961G Gain dynamics in a highly ytterbium-doped potassium double tungstate thin-film amplifier [10896-50]

AIRBORNE AND SPACE QUALIFIED LASERS

- 108961H Laser system development for the LISA (Laser Interferometer Space Antenna) mission [10896-51]
- 108961J Design and packaging of a compact entangled-photon source for space quantum key distribution [10896-53]

POSTER SESSION

10896 1L	Temperature influence on spectroscopic and laser properties of Er:YLF crystal [10896-55]
10896 1N	Millijoule-level sub-nanosecond green laser system using Nd:YAG microchip laser with polarization-selective grating mirror [10896-57]
10896 1P	Enhancement of saturable absorption performance by modifying MoS2 with polypyrrole [10896-59]
10896 1Q	Intracavity loss measurement in a diode-pumped Yb:CALGO laser [10896-60]
10896 1R	Thermal lensing in Nd:GdVO4 laser with 912-nm diode pumping [10896-61]
10896 15	Comparative studies of high power diode-pumped Yb:CALGO and Yb:KYW lasers [10896-62]
10896 1T	Laser operation of Nd ³⁺ -doped silicates (Gd,Y) ₂ SiO ₅ , (Lu,Y) ₂ SiO ₅ and Lu ₂ SiO ₅ at ~1.36-µm [10896-63]

- **Fe:CdMnTe laser generating 5.4-6 µm radiation** [10896-65]
- 108961W Temperature influence on microchip lasers based on Nd: YAG crystal [10896-66]
- 10896 1Y Opto-mechanical design and verification of the MOMA UV laser source for the ExoMars 2020 mission [10896-68]
- 108961Z
 Zero-phonon line pumped Yb:YAG TRAM laser oscillator with direct jet impingement cooling

 [10896-69]
 [10896-69]
- 10896 20 Hybrid SOA/fibre topology for actively mode-locked laser with extended pulse-shaping capability [10896-70]
- 10896 22 Modeling and design of passive Q-switched Nd:YAG for laser induced breakdown spectroscopy (LIBS) applications [10896-73]