

PROCEEDINGS OF SPIE

***Sensors and Smart Structures
Technologies for Civil, Mechanical,
and Aerospace Systems 2019***

**Jerome P. Lynch
Haiying Huang
Hoon Sohn
Kon-Well Wang**
Editors

**4–7 March 2019
Denver, Colorado, United States**

Sponsored by
SPIE

Cosponsored by
OZ Optics, Ltd. (United States)
Polytec, Inc. (United States)

Cooperating Organizations
Jet Propulsion Laboratory (United States)
Colorado Photonics Industry Association (United States)

Published by
SPIE

Volume 10970
Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 10970

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2019*, edited by Jerome P. Lynch, Haiying Huang, Hoon Sohn, Kon-Well Wang, Proceedings of SPIE Vol. 10970 (SPIE, Bellingham, WA, 2019) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510625952

ISBN: 9781510625969 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2019, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/19/\$18.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY

SPIEDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix	<i>Authors</i>
xv	<i>Conference Committee</i>

Part One

COMPUTER VISION AND AUGMENTED REALITY SOLUTIONS FOR SHM

10970 04	Non-contact modal parameters identification using a K-cluster algorithm [10970-3]
10970 05	An investigation on the relationship between distortions in the motion magnified videos, and the choice of filter bank [10970-4]
10970 07	Vision-based precision localization of UAVs for sensor payload placement and pickup for field monitoring applications [10970-7]

ULTRASOUND/GUIDED WAVES

10970 08	Ultrasonic Lamb wave mode conversion to optical fiber guided mode with varying input conditions [10970-8]
10970 09	Waveguide sensing for structural health monitoring at elevated temperatures: simulating corrosion damage reconstruction [10970-9]
10970 0A	Industrial applications of electro-mechanical impedance technique in novel non-bonded configurations [10970-11]
10970 0B	Improved damage isolation using guided waves based on optimized sensor placement [10970-12]
10970 0D	Wave focusing in pipe-like structures via gradient-index metamaterial lens toward damage detection and localization [10970-15]

MACHINE LEARNING AND DATA ANALYSIS

10970 0F	Addressing sensor drift in a proprioceptive optical foam system [10970-17]
10970 0H	DeepSHM: a deep learning approach for structural health monitoring based on guided Lamb wave technique [10970-19]

10970 0I **Prediction of damage location in composite plates using artificial neural network modeling**
[10970-20]

SMART MATERIALS INTEGRATION FOR SMART SYSTEMS

10970 0J **SpaceSkin: development of aerospace-grade electronic textile for simultaneous protection and high velocity impact characterization** [10970-21]

10970 0K **Performance of a water level sensor using magnetostrictive materials** [10970-22]

10970 0L **A baseline free approach for multiple damage detection in beams** [10970-23]

10970 0M **An analytical model for a shape memory alloy beam accounting for tension-compression stress asymmetry effect** [10970-24]

CASE STUDIES OF SHM IN CIVIL INFRASTRUCTURE SYSTEMS

10970 0N **Sensor data reconstruction and anomaly detection using bidirectional recurrent neural network** [10970-25]

10970 0O **Road vehicle classification using machine learning techniques** [10970-26]

10970 0P **Reidentification of trucks in highway corridors using convolutional neural networks to link truck weights to bridge responses** [10970-27]

10970 0Q **Instrumentation plan verification for damage detection of a vertical lift steel truss bridge**
[10970-28]

10970 0R **Passive extraction of Green's function of solids and application to high-speed rail inspection**
[10970-29]

10970 0S **Securing critical infrastructures with location based authentication blockchain** [10970-30]

10970 0T **Large-scale monitoring of retaining structures: new approaches on the safety assessment of retaining structures using mobile mapping** [10970-31]

POWER HARVESTING FOR SELF-POWERED SENSORS

10970 0U **Modeling contact electrification in triboelectric impact oscillators as energy harvesters**
[10970-32]

10970 0W **Self-charging and self-monitoring smart civil infrastructure systems: current practice and future trends** [10970-34]

10970 0X **Vibration-based energy harvesting circuit using feed-forward control** [10970-35]

10970 0Y **A multistable mechanism to detect thermal limits for structural health monitoring (SHM)**
[10970-36]

ACTUATORS/ADAPTIVE STRUCTURES

10970 0Z **Auto-Gopher-II: an autonomous wireline rotary-hammer ultrasonic drill test results** [10970-37]

10970 10 **Development of synthetic jet actuator array for vortex-flow generation** [10970-38]

10970 11 **Development of a novel actuator for the application of a reconfigurable reflect array antenna**
[10970-39]

10970 12 **Aerodynamics and structure measurement subsystem for a shape memory alloy actuated
adaptive airfoil** [10970-40]

NANOCOMPOSITES AND FLEXIBLE SENSORS

10970 13 **On the transient piezoresistive response of impacted nanofiber-modified epoxy** [10970-41]

10970 14 **Stochastic modeling of composite strain and fatigue sensing elements** [10970-42]

10970 15 **Autonomous structural composites for self-powered strain sensing-enabled damage detection**
[10970-43]

10970 16 **Weatherability improvement of strain imaging sheet to use in real field for infrastructure
inspection technology** [10970-44]

10970 17 **Evaluation of interfacial and micro-damage sensing of composites via Pencil Lead Drawing
Paper Sensor (PLDPS) and Electrical Resistance (ER) mapping** [10970-45]

10970 18 **Development of a flexible piezocomposites surface acoustic wave sensor** [10970-46]

10970 19 **Flexible textile antenna sensor for bio-impedance sensing** [10970-47]

10970 1A **Experimental identification of stress concentrations in piezoresistive nanocomposites via
electrical impedance tomography** [10970-48]

PROXIMITY SENSORS FOR IOT SOLUTIONS

10970 1B **Detecting anomalies in longitudinal elevation of track geometry using train dynamic responses
via a variational autoencoder** [10970-49]

10970 1C **Incentivizing vehicular crowdsensing system for large scale smart city applications** [10970-51]

10970 1D **Sleep monitoring using an infrared thermal array sensor** [10970-53]

- 10970 1E **Monitoring induced floor vibrations: dance performance and bridge engineering** [10970-55]
- 10970 1F **Enhancing the imaging performance of electrical capacitance tomography for monitoring osseointegrated prostheses** [10970-57]

HEALTH MONITORING OF LARGE-SCALE AND COMPLEX SYSTEMS

- 10970 1H **Online prognosis of fatigue crack at welded joints using nonlinear ultrasonic modulation** [10970-50]
- 10970 1I **Quantifying the benefit of SHM: can the Vol be negative?** [10970-52]

Part Two

- 10970 1J **Stress distribution monitoring of ground anchor using optical fiber-embedded strand** [10970-54]
- 10970 1K **Use of bank of Kalman estimators for damage detection of buildings** [10970-56]
- 10970 1L **Advanced sensor for in situ, NDE monitoring of nuclear reactors components integrity** [10970-58]
- 10970 1M **Shape memory alloys for earthquake building protection** [10970-60]

MODELING OF SMART MATERIALS AND SENSOR PERFORMANCE

- 10970 1N **Theoretical model for laminated composite beam consisting of multiple superelastic shape memory alloy layers** [10970-61]
- 10970 1Q **A microscale percolation model for nanocomposite complex impedance** [10970-67]

CONTROL AND ACTUATION OF DYNAMIC SYSTEMS

- 10970 1R **Sensor system benefits and costs in positive train control** [10970-62]
- 10970 1S **Monitoring and control of structures considering diverse uncertainties** [10970-64]
- 10970 1T **Bio-inspired iterative learning technique for more effective control of civil infrastructure** [10970-66]
- 10970 1U **Design and analysis of a shock absorber with both tunable inertance and damping** [10970-68]

OPTICAL FIBER SENSORS

- 10970 1V **Structural health monitoring of solar trackers using distributed fiber optic sensors** [10970-69]
- 10970 1W **Discerning localized thermal impulses using an embedded distributed optical fiber sensor network** [10970-71]
- 10970 1X **Analysis of FBG reflection spectra under uniform and non-uniform transverse loads** [10970-73]
- 10970 1Y **Test results of lateral load insensitive FBGs embedded in composites to suppress spectral distortion** [10970-75]
- 10970 1Z **Simultaneous position and displacement sensing using two fibre Bragg grating sensors** [10970-77]

SHM APPLICATIONS TO CONCRETE STRUCTURES

- 10970 23 **Experimental crack detection in concrete pavement using point strain sensors** [10970-76]
- 10970 24 **Numerical assessment of fatigue life of concrete frame using PZT sensors** [10970-78]

SENSOR DEVELOPMENT AND APPLICATIONS

- 10970 26 **A high sensitivity piezoelectric MEMS accelerometer based on aerosol deposition method** [10970-89]
- 10970 27 **CMUT sensors based on circular membranes array for SHM applications** [10970-83]
- 10970 28 **Analysis of performances of MEMS infrared sensor based on piezoelectric bending resonators** [10970-85]
- 10970 29 **Application of piezoelectric MFC sensors and fiber Bragg grating sensors in structural health monitoring of composite materials** [10970-87]
- 10970 2A **CO₂ sensing characteristics of SAW sensor operated at high temperature** [10970-81]

SKIN-BASED DISTRIBUTED SENSING FOR SHM APPLICATIONS

- 10970 2C **Model-assisted validation of a strain-based dense sensor network** [10970-80]
- 10970 2D **Soft-matter pressure sensors for turbulence detection** [10970-82]

- 10970 2E **Large area distributed strain monitoring using patterned nanocomposite sensing meshes** [10970-86]
- 10970 2F **Feasibility of force detection in 3D printed flexible material using embedded sensors** [10970-88]
- 10970 2G **Sensing sheets based on large area electronics for structural health monitoring of bridges** [10970-90]
- 10970 2H **Piezoresistive type graphene nano platelet sensor for SHM application in structural components** [10970-92]

POSTER SESSION

- 10970 2I **Robot tracking system research basing on optical sensors** [10970-93]
- 10970 2J **Train speed estimation using low-cost GPS receivers** [10970-94]
- 10970 2K **Design and analysis of flexible skin based on zero Poisson's ratio hybrid honeycomb** [10970-95]
- 10970 2L **Active self-tuned mass damper for vibration control and continuous monitoring of civil structures** [10970-96]
- 10970 2M **Design of a new magneto-rheological pressure seal for rotary shaft** [10970-97]
- 10970 2N **A new magneto-rheological skin for controlling pressure of haptic devices** [10970-98]
- 10970 2O **Design of a new magneto-rheological damper featuring a hybrid type of piston for lower limb exoskeleton** [10970-99]
- 10970 2P **Finite element model updating technique oriented to the bearing capacity improvement of bridges** [10970-100]
- 10970 2Q **1 MHz high-sensitivity FBG sensor system to measure low energy impact in droplet experiment** [10970-101]
- 10970 2R **Optimal design of electrodes for an electrical impedance tomography based flexible sensor** [10970-102]
- 10970 2S **Fluid-structure interaction analysis for dynamic intraocular pressure monitoring in the human eye** [10970-103]
- 10970 2T **Fiber-ring laser sensor system using a fiber Fabry-Pérot filter for ultrasound detection** [10970-104]
- 10970 2U **An approach of identifying the parameters of IMFs based on PLF** [10970-105]
- 10970 2W **Detecting underground metallic objects of different sizes using synthetic aperture radar**

[10970-107]

- 10970 2X **Robot welding seam tracking system research basing on image identify** [10970-108]
- 10970 2Y **Fabrication of biased-magnetorheological elastomers (B-MRE) based on magnetized ferromagnetic particles** [10970-109]
- 10970 2Z **Damage detection and localization using random decrement technique on metallic plates** [10970-110]
- 10970 30 **A novel special optical waveguide structure with magneto-optic nonreciprocal phase shift under transversely applied magnetic field** [10970-112]
- 10970 31 **A new type of electromagnetic system for magnetorheological elastomer (MRE)-based base isolation system** [10970-113]
- 10970 32 **On-line response and damage estimation of a shear wall structure tested on a shake table using Bayesian filtering** [10970-114]