### PROCEEDINGS OF SPIE

# Infrared Technology and Applications XLV

Bjørn F. Andresen Gabor F. Fulop Charles M. Hanson Editors

14–18 April 2019 Baltimore, Maryland, United States

Sponsored and Published by SPIE

**Volume 11002** 

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:
Author(s), "Title of Paper," in *Infrared Technology and Applications XLV*, edited by Bjørn F.
Andresen, Gabor F. Fulop, Charles M. Hanson, Proceedings of SPIE Vol. 11002 (SPIE, Bellingham, WA, 2019) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510626690

ISBN: 9781510626706 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445 SPIE.org

Copyright © 2019, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/19/\$18.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

#### Contents

ix xiii	Authors Conference Committee
	CRYOGENIC COOLING OF SENSING DEVICES 2019: COOLER DESIGN
11002 02	FLIR FL-100 miniature linear Stirling cryocooler development summary [11002-1]
11002 03	Low cost cryogenic coolers for commercial infrared imagers [11002-2]
11002 04	Qualification of Northrop Grumman MicroCooler to TRL6 [11002-4]
	CRYOGENIC COOLING OF SENSING DEVICES 2019: COOLER APPLICATIONS
11002 07	Ruggedized Dewar design and construction for rocket launch survival [11002-7]
11002 08	Theoretical and experimental analysis of Dewar thermal properties [11002-8]
11002 09	Update on AIM HOT cooler developments [11002-9]
11002 0A	Optimized tuning of RMs1 for wide range of applications [11002-10]
	T2SL I
11002 OB	ALD-Al $_2O_3$ passivation effects on surface characteristics of InAs/GaSb type-II superlattice infrared photodetectors [11002-11]
11002 0C	Industrialization of type-II superlattice infrared detector technology at Fraunhofer IAF [11002-12]
11002 0D	Resonant-cavity infrared detectors with high quantum efficiency and very thin absorbers at 4.0 $\mu$ m (Invited Paper) [11002-13]
11002 0E	Residual fixed pattern noise and random telegraph signal noise of a MWIR T2SL focal plane array [11002-14]
11002 OF	The emergence of InAs/InAsSb type-II strained layer superlattice barrier infrared detectors (Invited Paper) [11002-15]

11002 0G	Antimonite-based gap-engineered type-II superlattice materials grown by MBE and MOCVD for the third generation of infrared imagers (Invited Paper) [11002-16]
	T2SL II
11002 0M	GaSb-based infrared photodetector structures grown on Ge-Si substrates via metamorphic buffers (Invited Paper) [11002-22]
11002 ON	T2SL mid- and long-wave infrared photodetector structures grown on (211)B and (311)A GaSb substrates (Invited Paper) [11002-23]
11002 00	Increasing throughput and quality of large area GaSb substrates used in infrared focal plane array production [11002-24]
11002 0P	Chemomechanical polishing methods and surface metrology of cadmium zinc telluride substrates suitable for IRFPA production [11002-25]
	MONDAY PLENARY SESSION
11002 0Q	Clinical virtual reality in mental health and rehabilitation: A brief review of the future! (Plenary Paper) [11002-300]
	нот і
11002 OT	Ultra-thin super absorbing photon trapping materials for high-performance infrared detection [11002-28]
11002 0U	Type II superlattices: HOT MWIR production and development at IRnova [11002-30]
	HOT II
11002 OW	Recombination processes in InAs/InAsSb type II strained layer superlattice MWIR nBn detectors (Invited Paper) [11002-31]
11002 0X	GaSb grass as a novel antireflective surface for infrared detectors [11002-32]
	NIR / SWIR
11002 10	Color discrimination of a short wave colorimeter [11002-36]
11002 11	InGaAs SWIR photodetectors for night vision [11002-37]

11002 12	MCT SWIR modules for active imaging [11002-38]
11002 13	Mesa pixel isolation with low dark current for improved MTF performance in SWIR photodiode array applications [11002-39]
11002 14	Low-capacitance InGaAs detectors for high-speed, wide field-of-view sensing applications [11002-40]
11002 15	The lowest cost and smallest footprint VGA SWIR detector with high performance [11002-41]
	HGCDTE
11002 16	Improved high performance MCT MWIR and LWIR modules [11002-42]
11002 17	Discovering the difference: bispectral MCT-based detectors by AIM [11002-43]
11002 18	Dual waveband infrared detectors using MOVPE grown MCT [11002-44]
11002 19	Image quality improvement against the backdrop of SWAP and pitch reduction [11002-45]
11002 1A	The status of LWIR MCT detector development at ASELSAN [11002-46]
11002 1B	Comparing II-VI and III-V infrared detectors for space applications [11002-47]
11002 1C	7.5µm and 5µm pitch IRFPA developments in MWIR at CEA-LETI [11002-101]
	IR IMAGING FOR AUTONOMOUS VEHICLES I
11002 1D	Development of far-infrared camera system for automotive (Invited Paper) [11002-48]
	IR IMAGING FOR AUTONOMOUS VEHICLES II
11002 1F	Automotive sensing: assessing the impact of fog on LWIR, MWIR, SWIR, visible, and lidar performance [11002-50]
11002 1G	True 3D, angle resolved, ultrasensitive IR laser sensor for autonomous vehicles (Invited Paper) [11002-51]
11002 1H	Thermal imaging for safer autonomous vehicles [11002-52]
11002 1J	Shutterless far-infrared thermal camera for improving human identification robustness [11002-54]

## **UNCOOLED FPAS AND APPLICATIONS**

11002 1K	Elimination of unwanted modes in wavelength-selective uncooled infrared sensors using plasmonic metamaterial absorbers [11002-55]
11002 1N	A novel approach to pyroelectric imaging [11002-58]
11002 10	ULIS bolometer improvements for fast imaging applications [11002-59]
11002 1Q	A 160×120 LWIR-band CMOS Infrared (CIR) microbolometer [11002-61]
	SELECT APPLICATIONS
11002 1T	Molecular dynamics simulation of nerve agent-sorbent binding [11002-64]
11002 1U	Mid-wavelength infrared resonant cavity enhanced photodiodes for infrared spectroscopic sensing of chemicals and other narrow-band optical signals [11002-65]
	VARIOUS ADVANCED DETECTOR DEVELOPMENTS I
11002 1W	Low SWaP video core for MWIR imaging [11002-74]
11002 1X	High resolution SXGA InSb detector for long range sights [11002-66]
11002 1Y	QWIPs are keeping their promises [11002-67]
	VARIOUS ADVANCED DETECTOR DEVELOPMENTS II
11002 21	Subwavelength antimonide infrared detector coupled with dielectric resonator antenna [11002-70]
11002 22	Development of sub-10µm pitch HgCdTe infrared detectors [11002-100]
11002 23	High-responsivity graphene infrared photodetectors using photo-gating effect [11002-71]
11002 24	Multispectral graphene infrared photodetectors using plasmonic metasurfaces [11002-72]
11002 25	Novel photodetector design using open circuit voltage for mid-wave infrared imagers [11002-73]

#### **SMART PROCESSING** 11002 27 Infrared small target detection based on local contrast vector and signed normalization [11002-76] IR-FPA to miniaturized cameras: configurable chip implementing analog and digital data-11002 28 processing blocks [11002-77] **POSTER SESSION** 11002 2A Graphene-based Salisbury screen metasurfaces at infrared wavelengths [11002-79] 11002 2B A uniform micro-bump formation method using electroplating [11002-80] Development of shutter-less SOI diode uncooled IRFPA for compact size and low power 11002 2C **consumption** [11002-81] 11002 2E Barrier InAsSb/B-AlSb LWIR detector for FSO: theoretical assessment [11002-83] 11002 2F Fabrication of high aspect ratio bumps for focal plane arrays applications [11002-84] 11002 2G Detector characterization of a near-infrared discrete avalanche photodiode 5×5 array for astrophysical observations [11002-85] 11002 2H Algorithm for image stitching in the infrared [11002-86] 11002 21 Low frequency noise of mid-wavelength interband cascade photodetectors up to 300 K [11002-87] 11002 2K Ricor's new development of HOT cryocoolers: compact cost-effective linear model [11002-89]

Ricor's advanced rotary cryocooler for HOT IR detectors [11002-91]

11002 2M