## PROCEEDINGS OF SPIE

# Seventh European Workshop on Optical Fibre Sensors

Kyriacos Kalli Gilberto Brambilla Sinéad O'Keeffe Editors

1–4 October 2019 Limassol, Cyprus

Organized by Cyprus University of Technology (Cyprus)

Sponsored by OZ Optics Ltd. (Canada)

Cooperating Organization and Publisher SPIE

Volume 11199

Proceedings of SPIE 0277-786X, V. 11199

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Seventh European Workshop on Optical Fibre Sensors (EWOFS 2019), edited by Kyriacos Kalli, Gilberto Brambilla, Sinead O. O'Keeffe, Proceedings of SPIE Vol. 11199 (SPIE, Bellingham, WA, 2019) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510631236 ISBN: 9781510631243 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2019, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/19/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

### Contents

- xi Authors
- xvii Conference Committees
- xxi Introduction
- xxiii Plenary and Invited Speakers

#### PHYSICAL, MECHANICAL, AND RADIATION SENSORS

- 11199 02 Ground vibration testing of a helicopter rotor blade using optical fibre sensors [11199-5]
- 11199 03 Temperature independent heterodyne monitoring of strain induced picometer scale shifts in Bragg grating sensors [11199-11]
- 11199 04 Compensation methods of the temperature dependence of glass ring type optical current sensors [11199-13]
- 11199 05 **Temperature-insensitive 2D inclinometer based on pendulum-assisted fiber Bragg gratings** [11199-17]
- 11199 06 Force sensitivity of regenerated fiber Bragg gratings in the temperature range from room temperature to 400°C [11199-20]
- 11199 07 Interferometric optical fiber sensor set for angular velocity recording: Allan variance analysis in practice [11199-23]
- 11199 08 Optical fibre temperature sensor based on thermochromic liquid crystal [11199-26]
- 11199 09 **Polarimetric sensitivity to torsion and temperature in highly birefringent spun side-hole fibers** [11199-27]
- 11199 0A Strain sensing in rapidly rotating mechanical structures [11199-30]
- 11199 OB **Response of long period gratings to gamma and neutron-gamma radiations** [11199-36]
- 11199 OC Practical temperature-insensitive pressure sensor based on reflective birefringence fiber interferometer [11199-42]
- 11199 0D High temperature, high radiation strain sensors, and thermal compensators for ITER vacuum vessel [11199-43]
- 11199 OE High temperature annealing of type I and type IA FBGs [11199-53]

11199 OF	Fibre Bragg gratings wavelength evolution and thermal sensitivity under gamma irradiation [11199-55]
11199 0G	Alternating strain response of fibre Bragg grating sensors embedded into carbon fibre composites for wind blade health monitoring [11199-74]
11199 OH	Opto-mechanical lab-on-fiber accelerometers [11199-81]
11199 OI	Innovative lab on fiber dosimeters for ionizing radiation monitoring at ultra-high doses [11199-82]
11199 OJ	Design and field testing of a fiber optic pressure sensor for underground water level monitoring [11199-95]
11199 OK	Deflection monitoring method for two-dimensional structure based on fiber Bragg grating sensors measurements [11199-101]
11199 OL	A fiber optic sensors system for load monitoring on aircraft landing gears [11199-105]
11199 OM	FBG two-dimensional vibration sensor for power transformers [11199-110]
11199 ON	Performance enhancement of YAG:Ce-phosphor scintillator optical fibre radiation sensors with high temporal resolution based on improvements in high sensitivity detection techniques [11199-123]
11199 OO	Determination of the hydrodynamic performance of marine propellers using fibre Bragg gratings [11199-125]
11199 OP	Multimode CYTOP fiber interferometer: an experimental study [11199-126]
11199 OQ	Multimode fiber interferometer with embedded long period grating [11199-127]
11199 OR	Proof-of-concept of a carpet-embedded heterogeneous optical fiber sensor system for gait analysis [11199-130]
11199 OS	Smart non-woven textiles with implemented FBG sensors for critical infrastructure protection [11199-142]
11199 OT	Advances in optical gyroscopes (Invited Paper) [11199-148]
11199 OU	A method for determining the position of FBG sensors accurately [11199-149]
11199 OV	Offshore field validation of a FBG based pressure/temperature sensor during a wireline intervention [11199-151]
	CHEMICAL, ENVIRONMENTAL, BIOLOGICAL, AND MEDICAL SENSORS

Fiber-optic probes for biomedical optoacoustic imaging, monitoring, and sensing [11199-14] 11199 OW

11199 OX	2D stiffness mapping for localizing osteoarthritic degenerated cartilage by using a fast indentation system based on fiber Bragg gratings [11199-16]
11199 OY	Extrinsic plasmonic optical fiber sensors based on POFs and bacterial cellulose slab waveguides [11199-18]
11199 OZ	A fiber-optic localized surface plasmon resonance (LSPR) sensor anchored with metal organic framework (HKUST-1) film for acetone sensing [11199-21]
11199 10	Photopolymer coating of tapered optical fiber for chemical sensors [11199-25]
11199 11	POF-based specklegram sensor post processing comparative: methods for extracting breath and heart rate [11199-28]
11199 12	Fiber Bragg grating optical sensors for fast dynamic strain measurements in a gasoline direct injector [11199-35]
11199 13	Graphene oxide-functionalized long period grating for biosensing applications [11199-38]
11199 14	Carbon dioxide and carbon monoxide concentration monitoring for improved carbon capture and storage: from laboratory to a field test in a cement plant [11199-41]
11199 15	Flow measurement inside a zinc-nickel flow cell battery using FBG based sensor system [11199-49]
11199 16	Fiber-optics: a new route towards ultra-low detection limit label-free biosensing [11199-62]
11199 17	Fiber Bragg gratings designed for application in a microscanner dedicated to endoscopic polarimetric imaging for medical diagnosis [11199-69]
11199 18	Photothermal anemometer based on carbon nanotube-coated highly tilted fiber Bragg grating-assisted SPR sensor [11199-71]
11199 19	<b>Optical fiber SERS probe achieved by colloidal photonic crystal and gold nano-particles</b> [11199-77]
11199 1A	Continuous counting, sizing and refractive index measurement of airborne particles in hollow-core photonic crystal fibre [11199-85]
11199 1B	Fabry-Perot cavity for curvature measurement in a medical needle [11199-87]
11199 1C	Lab-on-fiber SERS substrates for biomolecular recognition [11199-89]
11199 1D	Refractive index sensor based on a combination of optical frequency comb with intracavity multi-mode interference fiber sensor [11199-94]
11199 1E	Combined optical and electrochemical analysis of protein binding with ITO-coated lossy-mode resonance sensor [11199-96]
11199 1F	Multiresponsive microgels integration onto lab-on-fiber devices [11199-102]

11199 1G	Ultra-sensitive detection of heavy metal using a fiber grating-assisted plasmonic
	electrochemical sensor [11199-106]

- 11199 1H **Raman probe on chip** [11199-108]
- 11199 11 Fused silica capillary interferometer with a layer-by-layer functional coating for the analysis of chemicals content in aqueous solutions [11199-111]
- 11199 1J **Exploring the stability and repeatability of a hollow core fibre Raman gas sensor** [11199-128]
- 11199 1K Wearable POF-based heart-rate monitor [11199-129]
- 11199 1L Extruded optical fiber triplets for 3D shape sensing for minimally invasive surgery [11199-131]
- 11199 1M Ground-water monitoring using polymer optical fibre Bragg gratings [11199-132]
- 11199 1N A turn-on fluorescence-based fibre optic sensor for the detection of cadmium [11199-133]
- 11199 10 **Optical fiber lossy-mode resonance sensors with doped tin oxides for optical working** electrode monitoring in electrochemical systems [11199-141]
- 11199 1P Monitoring of multi-material structures for offshore applications with fiber optic sensors [11199-143]
- 11199 1Q Tilted FBGs coated with ZnO nano coatings for the development of VOC sensor [11199-147]

#### DISTRIBUTED SENSING, MULTIPLEXING, AND SENSOR NETWORKING

11199 1R	Improvement of the measurement accuracy of distributed Brillouin sensing via radio frequency filtering [11199-3]
11199 1S	Measurement accuracy enhancement of distributed Brillouin sensors based on gain spectrum engineering [11199-9]
11199 1T	Distributed clad mode sensor in unmodified standard single-mode fiber with 8 centimeters resolution [11199-24]
11199 1U	Strain monitoring using distributed Rayleigh sensing [11199-29]
11199 1V	Investigation on the working point of slope-assisted dynamic Brillouin distributed fiber sensing [11199-34]
11199 1W	Boosting the spatial resolution in chirped pulse $\Phi$ -OTDR using sub-band processing [11199-37]
11199 1X	Investigation of bare and tight-buffered optical fibers towards distributed humidity sensing [11199-44]

11199 1Y	An optical fibre cable for distributed pressure sensing: a proof of concept [11199-45]
11199 1Z	Distributed optical fiber strain and temperature sensing system performances: Brillouin vs Rayleigh [11199-47]
11199 20	Real-time distributed temperature gradient sensing using amplitude-based C-OTDR and sensing fiber with inscribed scattering dots [11199-51]
11199 21	Teleseisms monitoring using chirped-pulse φOTDR [11199-54]
11199 22	A kilometre-range distributed relative humidity sensor [11199-61]
11199 23	Distributed forward stimulated Brillouin scattering measurement using broadband BOTDR [11199-64]
11199 24	Low-noise wavelength-locked Brillouin ring laser for Brillouin sensing [11199-76]
11199 25	Multiplexing optical fiber Fabry-Perot interferometers based on air-microcavities [11199-78]
11199 26	Optical fiber cables for Brillouin distributed sensing [11199-83]
11199 27	Brillouin sensing in optically heated Co2+-doped fibers [11199-84]
11199 28	High spatial resolution and intrinsically strain-insensitive distributed temperature sensing based on stimulated Brillouin scattering in gas [11199-91]
11199 28 11199 29	
	on stimulated Brillouin scattering in gas [11199-91] Distributed detection of quadratic Kerr effect in silica fibers using chirped-pulse φOTDR
11199 29	on stimulated Brillouin scattering in gas [11199-91] Distributed detection of quadratic Kerr effect in silica fibers using chirped-pulse φOTDR [11199-92] Characterization and modelling of induced virtual perturbations in chirped pulse φ-OTDR
11199 29 11199 2A	on stimulated Brillouin scattering in gas [11199-91] Distributed detection of quadratic Kerr effect in silica fibers using chirped-pulse φOTDR [11199-92] Characterization and modelling of induced virtual perturbations in chirped pulse φ-OTDR [11199-93]
11199 29 11199 2A 11199 2B	on stimulated Brillouin scattering in gas [11199-91] Distributed detection of quadratic Kerr effect in silica fibers using chirped-pulse φOTDR [11199-92] Characterization and modelling of induced virtual perturbations in chirped pulse φ-OTDR [11199-93] Short spatial resolutions retrieval from a long pulse BOTDA trace [11199-98]
11199 29 11199 2A 11199 2B 11199 2C	on stimulated Brillouin scattering in gas [11199-91] Distributed detection of quadratic Kerr effect in silica fibers using chirped-pulse φOTDR [11199-92] Characterization and modelling of induced virtual perturbations in chirped pulse φ-OTDR [11199-93] Short spatial resolutions retrieval from a long pulse BOTDA trace [11199-98] Optimizing the signal-to-noise ratio for direct-detection BOTDA [11199-99]
11199 29 11199 2A 11199 2B 11199 2C 11199 2D	on stimulated Brillouin scattering in gas [11199-91] Distributed detection of quadratic Kerr effect in silica fibers using chirped-pulse φOTDR [11199-92] Characterization and modelling of induced virtual perturbations in chirped pulse φ-OTDR [11199-93] Short spatial resolutions retrieval from a long pulse BOTDA trace [11199-98] Optimizing the signal-to-noise ratio for direct-detection BOTDA [11199-99] Optimization of first-order phase noise cancellation in CP-φOTDR [11199-103]
11199 29 11199 2A 11199 2B 11199 2C 11199 2D 11199 2E	on stimulated Brillouin scattering in gas [11199-91] Distributed detection of quadratic Kerr effect in silica fibers using chirped-pulse φOTDR [11199-92] Characterization and modelling of induced virtual perturbations in chirped pulse φ-OTDR [11199-93] Short spatial resolutions retrieval from a long pulse BOTDA trace [11199-98] Optimizing the signal-to-noise ratio for direct-detection BOTDA [11199-99] Optimization of first-order phase noise cancellation in CP-φOTDR [11199-103] How sensitive is distributed acoustic sensing? (Invited Paper) [11199-115] Utilizing the sparsity of quasi-distributed sensing systems for sub-Nyquist signal reconstruction

#### 11199 21 Spectrally-resolved distributed optical fibre bolometry [11199-138]

- 11199 2J **Performance analysis of the differential pulse-width pair Brillouin optical time domain analysis using the log normalized and linearly normalized gain** [11199-139]
- 11199 2K Weaved distributed fiber optic sensor system (DIFOS) for global strain measurements in parachute broadcloth fabrics [11199-144]
- 11199 2L Millimeter-resolution distributed strain sensing of concrete structures (Invited Paper) [11199-150]

### NEW CONCEPTS AND ADVANCED WAVEGUIDING STRUCTURES FOR PHOTONICS; SMART STRUCTURES AND MATERIALS

- 11199 2M Reflected power-based 2D bending sensor using femtosecond laser FBG inscription in multicore fiber [11199-4]
- 11199 2N **Hybrid Mach-Zehnder interferometer manufactured by femtosecond laser multiscan technique** [11199-6]
- 11199 20 Characterization of FBGs inscribed in silica/silicone hybrid microstructured optical fibers [11199-7]
- 11199 2P Omnidirectional vibration sensor based on fiber Bragg gratings in a seven-core fiber [11199-8]
- 11199 2Q Measurement uncertainty of 7-core multicore fiber shape sensors [11199-22]
- 11199 2R Micro-drilled optical fiber for enhanced laser strain sensors [11199-39]
- 11199 2S **PAS-WRAP:** a new approach to photoacoustic sensing, a new opportunity for the optical fiber sensor community [11199-40]
- 11199 2T Astigmatism compensation for waveguide inscription in optical fiber by femtosecond lasers [11199-46]
- 11199 20 High-resolution strain and temperature Fabry-Pérot interferometer sensor based on Vernier effect and produced by a femtosecond laser [11199-52]
- 11199 2V Enhanced electric field sensing with metallic nanoparticles-doped photonic liquid crystal fibers [11199-58]
- 11199 2W Mode transition in uncoated long period gratings [11199-59]
- 11199 2X Reflective type optical fiber sensors' transducer based on a photopolymer microtip [11199-67]
- 11199 2Y Spectral interferometry for high-finesse Fabry-Perot sensors: Cramer-Rao bound of cavity length resolution [11199-68]

11199 2Z	Carbon coated FBGs inscribed using the plane-by-plane femtosecond laser inscription method [11199-79]
11199 30	Fibre cladding interferometers and Bragg gratings made via plane by plane femtosecond laser inscription [11199-80]
11199 31	Multi-core optical fibre shape sensing with femtosecond laser inscribed bridging cladding waveguides [11199-86]
11199 32	High-voltage fiber sensor based on fiber Bragg grating in poled fiber [11199-88]
11199 33	Large stimulated Brillouin scattering amplification in gases [11199-90]
11199 34	Femtosecond point-by-point inscription of 3D FBG arrays in 7-core fibers with straight and twisted cores [11199-97]
11199 35	Optofluidic microstructured fibers: a platform to detect freely diffusing nano-objects (Invited Paper) [11199-100]
11199 36	Fs FBGs as probes to monitor thermal regeneration mechanisms [11199-109]
11199 37	Measurement of optical losses of metal-coated optical fibers at different wavelengths [11199-112]
11199 38	Cost-effective high rate interrogation architecture for Fabry-Perot interferometric sensors [11199-114]
11199 39	Measurement of the intensity profile of the high-power laser radiation using the matrix of the copper-coated optical fibers [11199-116]
11199 3A	Narrow linewidth short-cavity random fiber laser with a $\pi$ -phase shift grating [11199-118]
11199 3B	Using random fiber laser to suppress the noise in an interferometric optical fiber sensing system [11199-120]
11199 3C	Highly sensitive strain sensor based on a hollow-core fibre embedded SMS fibre structure [11199-124]
11199 3D	Towards a better understanding of the ROGUE [11199-137]
11199 3E	Utilising thermal annealing for multiplexing and sensitivity enhancement of polymer optical fibre sensors [11199-145]
11199 3F	Evaluation of effective elastic modulus of optical fiber by using FBG sensor [11199-153]
11199 3H	Measuring water residue in olive oil by means of a smartphone-connected pocket spectrometer and artificial intelligence [11199-72]
11199 31	Enhanced performance low-noise Brillouin ring laser for Brillouin sensing [11199-57]