# PROCEEDINGS OF SPIE

# Photonics Applications in Astronomy, Communications, Industry, and High-Energy Physics Experiments 2019

**Ryszard S. Romaniuk Maciej Linczuk** Editors

26 May – 2 June 2019 Wilga, Poland

Organized by Institute of Electronic Systems, Faculty of Electronics and Information Technologies, Warsaw University of Technology (Poland)

Sponsored by

PSP—Photonics Society of Poland • Committee of Electronics and Telecommunications, Polish Academy of Sciences • ARIES—Accelerator Research and Innovation for European Science and Society (CERN, EU H2020) • PKOpto—Polish Committee of Optoelectronics of SEP—The Association of Polish Electrical Engineers • EuroFusion Collaboration • EuroFusion Poland

Published by SPIE

Volume 11176

Part One of Three Parts

Proceedings of SPIE 0277-786X, V. 11176

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Photonics Applications in Astronomy, Communications, Industry, and High-Energy Physics Experiments 2019, edited by Ryszard S. Romaniuk, Maciej Linczuk, Proceedings of SPIE Vol. 11176 (SPIE, Bellingham, WA, 2019) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510630659 ISBN: 9781510630666 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2019, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/19/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

- xvii Authors
- xxiii Conference Committee
- xxvii Introduction

### Part One

	CONFERENCE OVERVIEW
11176 02	Photonics applications and web engineering: WILGA 2019 (Invited Paper) [11176-1]
	PHOTONICS APPLICATIONS
11176 03	CIR fast approximation for closed space VLC transmission with the use of a trained artificial neural network [11176-3]
11176 04	Pre-equalization versus post-equalization of the VLC LEDs (Invited Paper) [11176-5]
11176 05	Overview of the measuring systems where a continuously altered light source plays a key role: Part II (Invited Paper) [11176-11]
11176 06	Jones matrix mapping of polycrystalline networks of layers of main types of amino acids [11176-16]
11176 07	Expansion of the operating spectral range of the optical processor [11176-18]
11176 08	Stochastic deterministic methods for processing signals and images in optical electronic systems [11176-51]
11176 09	Neurocomputer architecture based on spiking neural network and its optoelectronic implementation [11176-53]
11176 0A	Improved x-ray fluorescent wavelength dispersive spectrometer [11176-55]
11176 OB	Application of evolutionary algorithms to DWDM optical networks design [11176-64]
11176 OC	Application of infrared and high-speed cameras in diagnostics of CNC milling machines: case study [11176-69]

11176 0D	Interference systems as photonic crystals [11176-74]
11176 OE	Machine vision system for quality control of molded plastic packaging [11176-77]
11176 OF	The approach for improvement of knowledge bases organization in optical data networks cluster [11176-78]
11176 0G	The use of optically controlled transparent and blockchain technology for the processing of large-scale data arrays [11176-79]
11176 OH	Deep learning for rectification of radial distortion image [11176-81]
11176 OI	Exploitation of PLC controller to maintain the illuminance of outdoor lighting in the work place at the required level [11176-86]
11176 OJ	Acceleration of heavy ions to multi-GeV energies by an ultra-intense laser (Invited Paper) [11176-87]
11176 OK	From face identification to emotion recognition [11176-88]
11176 OL	3D imaging methods in quality inspection systems (Invited Paper) [11176-91]
11176 OM	The information technology for image filtering and storing obtained under low light conditions [11176-96]
11176 ON	A sensing device for color immediate detection of medium-distant objects on the horizon [11176-99]
11176 0O	Research of optoimmittance logical elements [11176-100]
11176 OP	Optical force and optical torque action in birefringent medium under the total internal reflection [11176-102]
11176 0Q	The impact of rain on performance of visible light communication [11176-116]
11176 OR	Spectrometric data analysis of a capillary sensor of fuel photo-stability working with high power light emitting diode at 365 nm [11176-118]
11176 OS	The visualization quality improvement method of x-ray images with locally concentrated features (IMRI-method) [11176-126]
11176 OT	Forming thermal imaging system field of view with afocal lens cap [11176-130]
11176 OU	Optimization analysis for image-based steganography using generative adversarial networks (Invited Paper) [11176-134]
11176 0V	The impact of fog on performance of visible light communication [11176-136]
11176 OW	Evaluation of the possibility of using RGB image analysis to co-firing process [11176-142]

- 11176 0X Optoimmittance logic elements [11176-147]
- 11176 0Y Road lighting control options [11176-152]
- 11176 0Z The use of 3D imaging to determine the orientation and location of the object based on the CAD model [11176-158]
- 11176 10 Grounds for mechatronic system development of the optical devices position dynamic stabilization of a mobile terrestrial robotic system [11176-160]
- 11176 11 Development and research of a radio measuring device with a frequency output signal based on a pyroelectric primary converter [11176-162]
- 11176 12 Structural organization of video informative systems on light-emitting diodes [11176-169]
- 11176 13 Distributed optoelectronic system of environmental monitoring in a real-time mode [11176-170]
- 11176 14 Visualization of measurements in the Microsoft Visual Studio environment [11176-172]
- 11176 15 Experimental research of hydroluminescence in the cavitating flow of mineral oil [11176-173]
- 11176 16 Fiber optic interface channels for united data and power supply transmission for neutral interaction application in signal transmission networks [11176-175]
- 11176 17 Calibration of vision systems [11176-176]
- 11176 18 Robotic station for vision inspection of product quality [11176-180]
- 11176 19 Defect detection in steel materials using sensors based on fiber Bragg gratings [11176-191]
- 11176 1A Adaptive oriented filtration of digital images in the spatial domain [11176-212]
- 11176 1B Elaboration of pyramidal methods applying computation technique "rough-fine" image identification [11176-216]
- 11176 1C Analysis of the properties of measuring elongation systems using uniform Bragg gratings as measuring transducers [11176-221]
- 11176 1D Criterion of spatial resolution of imaging system [11176-223]
- 11176 1E Double-sided self-apodization effect in chirped tapered fiber Bragg gratings [11176-264]
- 11176 1F Analysis of the inscription imperfections and its influence on the Bragg grating spectral responses [11176-265]
- 11176 1G Numerical analysis of the spectral response of Fibonacci-like phase-shifted fiber Bragg gratings [11176-266]

11176 1H	Superstructure FBGs induction through applying of the pressing force [11176-267]
11176 11	Theory of photoreactive effect in bipolar and MOSFET transistors [11176-270]
11176 1J	Video signals integrator: configuration database (Invited Paper) [11176-271]
11176 1K	Simultaneous monitoring of the phenomena of CD, Crosstalk, and OSNR in the physical layer of the optical network with the use of convolutional neural networks [11176-275]
	COMPUTATIONAL INTELLIGENCE
11176 1L	Computationally efficient index generation unit using a Bloom filter [11176-4]
11176 1M	Paraphrase generation and evaluation: a view from the trenches [11176-9]
11176 1N	Neural network approach to numeric array sorting [11176-12]
11176 10	Analysis and specification of consistency rules for UML diagrams [11176-26]
11176 1P	The new C++ serialization library supporting backward and forward compatibility [11176-27]
11176 1Q	Widget detection on screenshots using computer vision and machine learning algorithms [11176-28]
11176 1R	Analysis of electrical patterns activity in artificial multi-stable neural networks [11176-39]
11176 1S	DDoS-attack detection using artificial neural networks in Matlab [11176-42]
11176 1T	Computer modeling of dissemination of informational influences in social networks with different strategies of information distributors [11176-44]
11176 1U	Machine learning models for predicting customer decision in motor claims settlement (Invited Paper) [11176-48]
11176 1V	ESD problems in embedded systems [11176-59]
11176 1W	The efficient algorithm for mapping next generation sequencing reads to reference genome [11176-61]
11176 1X	Parallel multiple blocked methods of Bickart type [11176-117]
11176 1Y	Method of data anomaly detection in the process of mobile applications installation [11176-144]
11176 1Z	Applying artificial intelligence for cellular networks optimization [11176-146]

11176 20	Improvement of the learning process of the automated speaker recognition system for critical use with HMM-DNN component [11176-153]
11176 21	Reliable frequent itemsets mining with actor-based Apriori algorithm [11176-168]
11176 22	Transformation of polygonal description of objects into functional specification based on three- dimensional patches of free forms [11176-198]
11176 23	Information technology for creation of semantic structure of educational materials [11176-200]
11176 24	Method for defining conceptual classes in the description of use cases [11176-203]
11176 25	Information technology for evaluation of innovation indicators influence and investment activity on competitiveness of the region [11176-205]
11176 26	Optimization of web-application performance [11176-210]
11176 27	Information technology in creating intelligent chatbots [11176-246]
11176 28	Method and algorithm of the piecewise-hyperplane clusterization using tools of pseudo- inverse matrices [11176-247]

## Part Two

#### **BIOMEDICAL APPLICATIONS**

11176 29	The model and simulations of device generating the electromagnetic field in measurements monitoring the vital functions of cultured cells [11176-15]
11176 2A	Information model for forecasting of violation reparative osteogenesis of long bonds [11176-21]
11176 2B	Determination of the time of occurrence of superficial damage to human biological tissues on the basis of colorimetry and fuzzy estimates of color types [11176-30]
11176 2C	Formation of information medical environment in different levels [11176-31]
11176 2D	Information model of individual rehabilitation program efficacy in disabled persons with cardiovascular diseases [11176-32]
11176 2E	Methodology for flight crew psycho-physiological status forecasting [11176-33]
11176 2F	Possibility of determining the cause of the snore by instrumental methods [11176-34]
11176 2G	An approach to quality evaluation of embryos based on their geometrical parameters [11176-35]

- 11176 2H Biometric hand tremor identification on graphics tablet [11176-36]
- 11176 21 Peculiarities of red blood cells motion under the action of vertical spin of evanescent wave [11176-37]
- 11176 2J Non-native speech recognition using audio style transfer [11176-49]
- 11176 2K Automatic liver detection algorithm on CT images [11176-50]
- 11176 2L Quality analysis of dermatoscopic images thresholding with malignant melanoma [11176-67]
- 11176 2M Influence of probe pressure on human skin spectrophotometric measurements [11176-68]
- 11176 2N Modular control system for behavioral experiments [11176-71]
- 11176 20 Design of portable optoelectronic devices for optogenetic research of mice brain [11176-105]
- 11176 2P Selection of metals in biomems applications [11176-112]
- 11176 20 Method of indicators forecasting of biomedical images using a parallel-hierarchical network [11176-122]
- 11176 2R Multispectral environmental monitoring of phytoplankton pigment parameters in aquatic environments [11176-123]
- 11176 2S Objective EMG signal models comparison for gait diagnostics [11176-132]
- 11176 2T The mathematical model of frequency gas transducer based on transistor structure with NDR for diagnosis of helicobacter pylori strains [11176-140]
- 11176 2U Assessment of adaptive algorithms effectiveness for suppression of powerline harmonics in EEG signals [11176-179]
- 11176 2V Acetylcholinesterase-based biosensing solutions for the detection of organophosphorus pesticides [11176-183]
- 11176 2W Multi-objective noisy-based deep feature loss for speech enhancement [11176-184]
- 11176 2X Formalization of the stages of diagnostic and therapeutic measures in decision support systems in medicine [11176-186]
- 11176 2Y Visualisation of biological tissues with the use of LED source illumination [11176-187]
- 11176 22 Singular approach to the analysis of Jones matrix images of biological crystals networks [11176-214]
- 11176 30 Methods and means of "single-point" phasometry of microscopic images of optical-anisotropic biological objects [11176-215]

# 11176 31 Method for determination of laminar boundary layer of airflow in the upper respiratory tract [11176-234]

- 11176 32 Application of EMG-signal phase portraits for differentiation of musculoskeletal system diseases [11176-235]
- 11176 33 **Prognosis of efficacy of medical and social rehabilitation in disabled individuals with** respiratory diseases [11176-237]
- 11176 34 Model of electronic public health management on the example of the territorial community of Vinnytsia region [11176-249]

#### ASTRONOMY, PLANETARY GEODESY, AND SPACE ENGINEERING

- 11176 35 One class SVM for building detection on Sentinel-2 images [11176-6]
- 11176 36 Quasar clustering based on their parameterization data [11176-7]
- 11176 37 **Optimization of quasar parametrization using genetic algorithms** [11176-8]
- 11176 38 Comparison of mathematical morphology with the local multifractal description applied to the image samples processing [11176-29]
- 11176 39 Analysis of cloudiness by intensity segmentation and clustering [11176-43]
- 11176 3A A passive sensing device for a cloud on the skyline detection (Invited Paper) [11176-57]
- 11176 3B Modelling of soft fault propagation in sequential circuits by fuzzy-logic simulations (Invited Paper) [11176-73]
- 11176 3C Simulation of CubeSat caliber particle detector "MiRA\_ep" response to energetic electrons and protons using GEANT4 package (Invited Paper) [11176-94]
- 11176 3D Creation of training dataset for Sentinel-2 land cover classification [11176-106]
- 11176 3E Design of fine guidance system (FGS) for ARIEL mission (Invited Paper) [11176-119]
- 11176 3F Design of the MERTIS pointing unit for BEPI COLOMBO mission [11176-121]
- 11176 3G Concept of an SDR radio transceiver for HyperSat microsatellite platform [11176-193]
- 11176 3H Space robot equipped with compliant linear actuator on end effector: simulations results [11176-219]
- 11176 3 Analysis of relativistic effects in GNSS measurements based on calculation of metric tensor components and comparison with existing models [11176-220]

- 11176 3J STIX IDPU: very efficient and reliable controller for a scientific instrument (Invited Paper) [11176-229]
- 11176 3K Design of DPU and PSU for ESA JUICE Submillimeter Wave Instrument (SWI) [11176-230]
- 11176 3L Utilization of design features of the particle telescope STEP-F and solar x-ray spectrophotometer SphinX for exploration of the Earth's radiation belt properties [11176-231]
- 11176 3M Post-processing tools for land cover classification of Sentinel-2 [11176-232]
- 11176 3N Regional warning centre of Warsaw in heliogeophysical prediction service laboratory: space weather service in Poland (Invited Paper) [11176-238]
- 11176 30 Space weather usage of LOFAR PL610 station [11176-239]
- 11176 3P On the legality of appropriation of space resources [11176-240]
- 11176 3Q Design and development of scientific satellite instrumentation according to Space 4.0 approach: the advantages and dangers (Invited Paper) [11176-241]
- 11176 3R Design and test of magnetorquer in PCB technology for nanosatellites [11176-244]
- 11176 3S Electronic box structural analyses for a space flight [11176-251]
- 11176 3T Trial as a pragmatic and systematic approach for assessing new solutions in crisis management and rescue operations [11176-253]
- 11176 3U Design of the radiator for detection part of the Submillimeter Wave Instrument (SWI) of JUICE mission [11176-255]
- 11176 3V Microgravity testbed for the development of space robot control systems and the demonstration of orbital maneuvers [11176-256]
- 11176 3W Concept of the platform architecture for data integration from the Border Guard observation systems [11176-257]
- 11176 3X Planetary penetrator control electronics design concept [11176-259]
- 11176 3Y Planetary penetrator electromagnetic drive design concept [11176-260]
- 11176 3Z Design and tests of sunsensor based on 2D position sensitive detector [11176-261]
- 11176 40 Optimization of angular rotation control for high accuracy and repeatability mirror positioning system of space hyperspectral spectrometer DESIS [11176-262]

### Part Three

	NUCLEAR FUSION AND HIGH ENERGY PHYSICS
11176 41	Implementation of OMIF trigger algorithm with high-level synthesis (Invited Paper) [11176-22]
11176 42	Automatic management of local bus address space in complex FPGA-implemented hierarchical systems [11176-23]
11176 43	Geometry and dynamics in heavy-ion collisions seen by the femtoscopy method (Invited Paper) [11176-75]
11176 44	IPbus bus functional model in universal VHDL verification methodology [11176-76]
11176 45	Preliminary dynamic analysis of the forces on the COMPASS-U tokamak foundations [11176-89]
11176 46	Synchronization between computation and acquisition parts in the GEM detector-based measurement system [11176-108]
11176 47	Detecting nuclear debris with the forward proton detectors at the LHC [11176-110]
11176 48	Extracting the top-quark mass and Yukawa coupling from the threshold scan at CLIC [11176-148]
11176 49	Preliminary mechanical analysis of the COMPASS-U central solenoid [11176-150]
11176 4A	Communication model for multi-level control, management, and acquisition firmware-software implementations for tokamak plasma diagnostics systems [11176-155]
11176 4B	Pion-kaon femtoscopy in Therminator 2 model [11176-166]
11176 4C	Kaon femtoscopy in STAR [11176-167]
11176 4D	GEM detector charge signals sequencer implementation for WEST experiment [11176-194]
11176 4E	GEM-based technology for plasma diagnostic application [11176-250]
11176 4F	Design and development of soft x-ray diagnostics based on GEM detectors at IPPLM (Invited Paper) [11176-252]
11176 4G	Basics of numerical simulations of the signals from GEM detector [11176-254]
11176 4H	Tracking with deep neural networks [11176-268]
11176 41	On the exclusive jet measurements at the LHC [11176-277]

### 11176 4J Using ALFA detectors for the LHC beam background measurements [11176-278]

### MATERIAL ENGINEERING

11176 4K	Towards increasing of lateral dimension of Molybdenum disulphide MoS <sub>2</sub> [11176-2]
11176 4L	Screen printed graphene electrodes for voltammetric dopamine determination [11176-10]
11176 4M	Photoluminescence properties of ZnSe:AI, ZnSe:Cu nanoparticles obtained by chemical synthesis [11176-19]
11176 4N	Nanostructure with periodic position dependent electron effective mass [11176-20]
11176 4O	Preparation of n-CuO nanostructural films by thermal oxidation/PVD method [11176-24]
11176 4P	Angles between matrices and between polynomials in analysis of electrical circuits (Invited Paper) [11176-40]
11176 4Q	Photocatalytic properties of nanosilver-doped TiO <sub>2</sub> powders [11176-58]
11176 4R	Influence of annealing on electronic properties of thin AIN films deposited by magnetron sputtering method on silicon substrates [11176-60]
11176 4S	Determination of the activation energy of the relaxation time of the composite cellulose: synthetic ester with a high water content [11176-63]
11176 4T	Characterization of CuO nanorods [11176-65]
11176 4U	Influence of high temperature annealing on AC electric properties of $SiO_2$ thin layers implanted with In and Sb ions [11176-66]
11176 4V	Analysis of metrological properties of the measurement system to study changes in the resistance of nanocomposite carbon-palladium thin films under the influence of hydrogen [11176-70]
11176 4W	Modeling of the percolation phenomenon of disordered two-dimensional systems [11176-90]
11176 4X	Technology and characterization of ISFET structures with graphene membrane [11176-93]
11176 4Y	Prediction method of input parameters impacting of dimensional accuracy of high aspect ratio holes obtained by using EDD [11176-95]
11176 4Z	AIGaN/GaN HEMTs for the purposes of electronic applications [11176-97]
11176 50	Cutting force prediction in ball-end milling of Ni-Ti alloy [11176-101]

11176 51	The application of high-speed camera registration for analysis of the chip breaking methods in the machining of nickel-based alloys [11176-104]
11176 52	AC conductivity activation energy of composite cellulose-synthetic ester MIDEL 7131-water nanodrops [11176-107]
11176 53	The numerical analysis of the electric field distribution behind the three-layer wall [11176-114]
11176 54	Thin film capacitors made of various metals for impedance sensing technique [11176-115]
11176 55	The investigation of transparent electrodes made with ultrasonic spray coater [11176-120]
11176 56	Preparation of MoS <sub>2</sub> films for sensor applications [11176-125]
11176 57	Modeling of burrs during drilling of titanium alloy [11176-127]
11176 58	Fabrication antennas with 2D and 3D printing technologies: review [11176-129]
11176 59	Utilizing sugar-based material in additive manufacturing [11176-131]
11176 5A	Optimization of cutting data of nickel-based sintered materials turning [11176-133]
11176 5B	Mechanical and thermal properties of ABS/iron composite for fused deposition modeling [11176-135]
11176 5C	Manufacturing stretchable conductive interconnects on fabric substrates: development of a technology [11176-145]
11176 5D	Analysis of the creation process of the chip during the orthogonal turning of pure titanium using a high-speed camera [11176-149]
11176 5E	Analysis of the material model of C45 steel for the simulation of the machining process [11176-157]
11176 5F	Manufacturing methods and challenges in structural electronics [11176-177]
11176 5G	Effect of sonication process and solvent type on ageing of silver ink for aerosol jet printing [11176-182]
11176 5H	Controlling of gold nanoparticles by the help of transverse spin momentum of evanescent waves in biomedical applications [11176-190]

11176 51 Screen-printed ion-selective electrode for potassium determination [11176-263]

#### ADVANCED APPLICATIONS AND MEASUREMENTS

11176 5J	The analysis of sensitivity and nonlinearity parameters of selected signal conditioners for resistance measurement [11176-41]
11176 5K	Distributed measurement data collecting system with mobile packet transmission [11176-46]
11176 5L	Multi-channel temperature measurement system with remote dashboard for electric vehicle [11176-47]
11176 5M	Influence of RES sources on the location of distribution points in the MV network [11176-54]
11176 5N	Development of a non-standard system of microwave quadripoles parameters [11176-80]
11176 50	The role of equipotential bondings as a measure of protection against electric shock by the example of special installations [11176-83]
11176 5P	An indoor tracking system and pattern recognition algorithms as key components of IoT-based entertainment industry [11176-85]
11176 5Q	Automatization of measurements in the stability and linearity tests of direct current-current transducer (DCCT) [11176-113]
11176 5R	Acoustic sensor optimization for SMART technologies [11176-128]
11176 5S	Comparative analysis of packet scheduling algorithms in IPv4 and IPv6 networks [11176-137]
11176 5T	Analysis of wireless network security for data transmission performance [11176-138]
11176 5U	Strain gauge sensor for the Internet of Things [11176-151]
11176 5V	Generalized model of optimal development of the production system based on optimal aggregation methodology [11176-154]
11176 5W	High speed buffer devices on the base of push-pull current amplifiers [11176-159]
11176 5X	High directivity microstrip couplers for impedance transforming [11176-165]
11176 5Y	Numerical method for processing frequency measuring signals from microelectronic sensors based on transistor structures with negative differential resistance [11176-171]
11176 5Z	Forecasting and evaluation of voltage conditions in a low-voltage power grid with a large share of prosumer installations [11176-188]
11176 60	Logic correctness of control algorithms for mechatronic discrete systems with parallel processes [11176-206]

- 11176 61 Comparison of high-level programming languages efficiency in embedded systems [11176-208]
- 11176 62 Selection of the calculus system base for ADC and DAC with weight redundancy [11176-218]
- 11176 63 Correlation method for calculation of weight coefficients of artificial neural-like networking hydraulic units' diagnostic systems [11176-224]
- 11176 64 Mobile distribution point architecture concept of ICT infrastructure [11176-258]