

# ***Optical Biopsy XVIII: Toward Real-Time Spectroscopic Imaging and Diagnosis***

**Robert R. Alfano  
Stavros G. Demos  
Angela B. Seddon**  
*Editors*

**2-5 February 2020  
San Francisco, California, United States**

*Sponsored by*  
SPIE

*Cosponsored by*  
Hamamatsu Corporation (United States)  
Thorlabs (United States)  
Spectra-Physics (United States)  
NKT Photonics A/S (Denmark)  
Pavilion Integration Corporation (United States)  
Corning Incorporated (United States)  
Intuitive Surgical (United States)  
Coherent, Inc. (United States)

*Published by*  
SPIE

**Volume 11234**

Proceedings of SPIE, 1605-7422, V. 11234

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Optical Biopsy XVIII: Toward Real-Time Spectroscopic Imaging and Diagnosis*, edited by Robert R. Alfano, Stavros G. Demos, Angela B. Seddon, Proceedings of SPIE Vol. 11234 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 1605-7422  
ISSN: 2410-9045 (electronic)

ISBN: 9781510632318  
ISBN: 9781510632325 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA  
Telephone +1 360 676 3290 (Pacific Time): Fax +1 360 647 1445

[SPIE.org](http://SPIE.org)

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL  
LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

vii	<i>Authors</i>
ix	<i>Conference Committee</i>

---

## SUPERCONTINUUM IN BIOMEDICAL SCIENCE: INTRODUCTION

---

11234 06	<b>Wavelength dependence of ultrahigh resolution optical coherence tomography using supercontinuum</b> [11234-5]
----------	--

---

## CUTTING EDGE SUPERCONTINUUM AND BIOMEDICAL SCIENCE

---

11234 07	<b>Brain metabolism monitoring through CCO measurements using all-fiber-integrated super-continuum source</b> [11234-64]
----------	--

---

## SPECTRAL IMAGING

---

11234 0G	<b>Molecular oxygen mapping in biological samples by time-correlated single photon counting technique and Ir(III)-based complexes</b> [11234-24]
----------	--

---

## NOVEL TECHNIQUES

---

11234 0L	<b>Generalized special functions are Majorana-like photons</b> [11234-18]
11234 0M	<b>The use of Stokes-Mueller polarimetry for assessment of amyloid-<math>\beta</math> progression in a mouse model of Alzheimer's disease</b> [11234-19]

---

## SPECTROSCOPIC METHODS I

---

11234 0P	<b>A time-resolved near-infrared spectroscopy based on CMOS image sensor</b> [11234-23]
----------	---

---

## SPECTROSCOPIC METHODS II

---

11234 0R	<b>Fast and label-free optical detection of dysplastic and tumour brain tissues</b> [11234-25]
----------	--

- 11234 0V **Scattering spectra from trace particles actively illuminated by a mid-infrared supercontinuum FTIR sensor** [11234-29]
- 11234 0W **Stand-off non-destructive determination of protein level in wheat flour with a super-continuum laser** [11234-30]
- 11234 0Y **S<sub>2</sub> state optical property enhancement of indocyanine green due to optical exposure** [11234-31]

---

**OPTICAL HISTOLOGY I**

---

- 11234 0Z **Optical virtual skin biopsy using two-color ultrafast fiber laser (Invited Paper)** [11234-32]

---

**OPTICAL HISTOLOGY III**

---

- 11234 1A **Optical access to the brain through a transparent cranial implant (Invited Paper)** [11234-44]

---

**OPTICAL BIOASSAY PLATFORMS**

---

- 11234 1D **Correlation of metabolites in saliva and in vivo tissue of oral cancer patients based on fluorescence spectral deconvolution** [11234-47]
- 11234 1E **Brain metabolism changes in cases of impaired breathing or blood circulation in rodents evaluated by optical spectroscopy methods** [11234-6]

---

**POSTER SESSION**

---

- 11234 1H **SWIR windows as an adjunctive to biopsy for distinguishing and monitoring benign and malignant tissues** [11234-50]
- 11234 1I **In vivo detection of glioblastoma through multimodal fibre-probe spectroscopy** [11234-52]
- 11234 1J **Improving temporal resolution of fNIRS-DOT by the guidance of data-reduced pre-OT** [11234-53]
- 11234 1K **A multi-channel diffuse correlation spectroscopy system for dynamic topography of blood flow index in deep tissues** [11234-54]
- 11234 1L **A lock-in photon-counting based single pixel imaging toward real-time multi-wavelength SFD-DOT** [11234-55]

11234 1P **Abnormal tryptophan metabolism in Alzheimer's disease (ALZ): label-free spectroscopy suggests an alternative theory of ALZ causation [11234-59]**