## PROCEEDINGS OF SPIE

## Nonlinear Frequency Generation and Conversion: Materials and Devices XIX

Peter G. Schunemann Kenneth L. Schepler Editors

3–5 February 2020 San Francisco, California, United States

Sponsored and Published by SPIE

**Volume 11264** 

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Nonlinear Frequency Generation and Conversion: Materials and Devices XIX, edited by Peter G. Schunemann, Kenneth L. Schepler, Proceedings of SPIE Vol. 11264 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510632912

ISBN: 9781510632929 (electronic)

Published by

SPIF

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE ora

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

## Contents

vii ix	Authors Conference Committee
	FREQUENCY COMBS
11264 04	Milliwatt midinfrared from intrapulse difference frequency with a single erbium fiber laser [11264-3]
11264 06	High repetition rate sub-picosecond pulse generation through compression of adaptively optimised frequency combs based on phase-modulated continuous wave lasers [11264-5]
	SUPERCONTINUUM GENERATION
11264 07	Multi-octave infrared femtosecond continuum generation in Cr:ZnS-GaSe and Cr:ZnS-ZGP tandems (Invited Paper) [11264-6]
11264 09	2-10 $\mu m$ mid-infrared supercontinuum generation in cascaded optical fibers: experiment and modelling [11264-8]
11264 OA	Demonstration of mid-IR supercontinuum generation using all-normal dispersion engineered tapered chalcogenide fiber $[11264-9]$
	OPTICAL PARAMETRIC DEVICES AND APPLICATIONS I
11264 OB	Back-conversion suppressed parametric frequency conversion for ultrawide bandwidth and ultrahigh efficiency devices (Invited Paper) [11264-10]
11264 OC	Widely-tunable single fiber laser OPO for multimodal microscopy [11264-11]
11264 OE	Ultra-broadband spontaneous parametric downconversion in periodically poled lithium niobate and electro-optic tuning of the optical parametric oscillation [11264-13]
	INFRARED GENERATION
11264 OF	Progress in ultrafast, mid-infrared optical parametric chirped pulse amplifiers pumped at 1 µm (Invited Paper) [11264-14]
11264 OG	Electronically tunable, broadband middle infrared picosecond pulse generation via $\chi^{(3)}$ interaction [11264-15]

11264 OH	Recent advances in high-power 2 $\mu m$ fiber lasers for frequency conversion into the mid-IR [11264-16]
	NEW NONLINEAR MATERIALS
11264 OX	Measurement of laser damage threshold of CdSiP2 at 1064 nm and 1550 nm [11264-32]
11264 OY	Midwave infrared ultrashort pulse laser frequency conversion in single crystal, polycrystalline, and amorphous optical materials $[1126433]$
	VISIBLE-UV GENERATION
11264 12	High-efficiency single-pass >100mW continuous-wave UV-355nm generation by focusing optimization of 1064nm cascaded third harmonic generation in periodically poled lithium niobate crystals [11264-38]
11264 13	Shaping of picosecond laser pulses by second harmonic generation with time predelay [11264-39]
11264 14	Generating kW laser light at 532 nm via second harmonic generation of a high power Yb-doped fiber amplifier $[11264\text{-}40]$
11264 15	Dual-channel laser system with gap-less tuning from 250-1300 nm at megahertz repetition rates for time-resolved photoelectron-emission microscopy and spectroscopy [11264-41]
	THZ GENERATION AND DETECTION
11264 16	Robust optimization of single-cycle THz setups based on phase-matching via tilted pulse fronts using an incident-fluence metric [11264-42]
	OPTICAL PARAMETRIC DEVICES AND APPLICATIONS II
11264 19	Continuous-wave optical parametric oscillators for mid-infrared spectroscopy (Invited Paper) [11264-45]
112641A	Mid-IR upconversion imaging: theory and applications [11264-46]
11264 1B	An experimental demonstration of coherent combining applied to optical parametric oscillators [11264-47]
11264 1D	Nonlinear interferometers for broadband mid-infrared spectroscopy [11264-49]

## STIMULATED RAMAN AND BRILLOUIN PROCESSES

11264 1F	Polarization of Brillouin scattered light in silica nanofibers [11264-51]
11264 11	Watt level pulsed Tm:YLF / KGW Raman laser operating at near-IR wavelengths [11264-54]
11264 1J	Frequency doubling of graded-index fiber Raman lasers with multimode diode pumping [11264-55]
11264 1K	Hollow-core fiber enhanced CW CARS of gases [11264-56]
11264 1L	Conception and reproducibility study of efficient evanescent Raman converters based a nanofiber immersed in a liquid [11264-57]
11264 1M	Enhancement of stimulated Brillouin scattering thresholds of high power narrow-linewidth fiber lasers through a simple line-broadening scheme using a combination of sinusoidal and white noise phase modulation $[11264\text{-}66]$
	POSTER SESSION
11264 1N	New thermo-optic dispersion formula for AgGaSe <sub>2</sub> [11264-58]
11264 1Q	Compact broadband femtosecond MIR source for hybrid sum frequency generation spectroscopy systems [11264-61]
11264 1R	Periodically poled LiNbO $_3$ wavelength converter with buried waveguide in telecommunication wavelength [11264-62]
11264 IT	Mid-infrared supercontinuum generation in an all-solid hybrid microstructured optical fiber [11264-64]
11264 1U	Gain equalizable optical parametric amplifiers using few-mode fiber [11264-65]
11264 1W	Phase-matching properties of Liln( $S_xSe_{1-x}$ ) <sub>2</sub> [11264-69]
11264 1Y	Suspended-core fluoride fiber for broadband supercontinuum generation [11264-71]
11264 17	Supermode supercontinuum generation in the cladding of a photonic crystal fiber [11264-72]
11264 20	Modeling of intermodal couplings in large-mode area Yb-doped double-cladding fibers applied in continuous-wave high power fiber lasers [11264-73]
11264 22	LBO grown crystals habitus modification by the heat field configuration [11264-76]

11264 23	Nonlinear cross-polarization generation of optical wave propagating through a nanorods-based hyperbolic metamaterial [11264-77]
11264 25	Tunable, CW visible laser sources by frequency doubling of broadly tunable Raman fiber lasers [11264-79]
11264 26	Cascaded nonlinearity influence to high power femtosecond optical parametric oscillator [11264-81]