

SOCIETY OF PETROLEUM ENGINEERS

SPE INTERNATIONAL IMPROVED OIL RECOVERY CONFERENCE IN ASIA PACIFIC 2005

Held December 5 – 6, 2005
Kuala Lumpur, Malaysia

Printed from CD-ROM with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

© 2005 SPE. All rights reserved.

Copyright and Use Restrictions

Copyright 2005, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE-copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2005 SPE International Improved Oil Recovery Conference in Asia Pacific was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office, attention Technical Paper Administrator.

USE OF MATERIALS LIMITATIONS

All materials contained in these *Proceedings* are copyrighted to the Society of Petroleum Engineers. Papers on this CD are for your personal non-commercial use and may not be copied, distributed electronically or in print, or reproduced in whole or in part, in any form without the expressed written permission of the Society of Petroleum Engineers.

2005 SPE INTERNATIONAL IMPROVED OIL RECOVERY CONFERENCE IN ASIA PACIFIC

5–6 December 2005 • Kuala Lumpur, Malaysia

TABLE OF CONTENTS

- 1** SPE 95535 [Interpretation of Multi-Hydraulically Fractured Horizontal Wells in Naturally Fractured Reservoirs](#)
Y. Bettam, Sonatrach PED; D. Tiab, Oklahoma U.; and A. Zerzar, Sonatrach HMD
- 9** SPE 95896 [Slimhole Drilling With Expandable Sand Screens for Low-Cost, High-Deliverability Wells at Bhit Gas Field in Pakistan](#)
A. Mehmood, R. Mazzoni, and J. Ahmed, Eni Pakistan Ltd., and A. Arshad, G. Egge, and J. Montagna, Baker Oil Tools
- 24** SPE 95931 [Enhanced Oil Recovery in Malaysia: Making It a Reality \(Part II\)](#)
Y. Samsudin, N. Darman, and D. Husain, PETRONAS, and M.K. Hamdan, PETRONAS Carigali Sdn. Bhd.
- 31** SPE 97358 [Next Generation Parallel Computing for Large-Scale Reservoir Simulation](#)
P.A. Fjerstad, A.S. Sikandar, H. Cao, and J. Liu, Schlumberger, and W. Da Sie, Chevron
- 40** SPE/IADC 97363 [Dynamic Underbalanced Perforating System Increases Productivity and Reduces Cost in East Kalimantan Gas Field: A Case Study](#)
D. Minto, P. Falxa, D. Manalu, M. Simatupang, Total E&P Indonésie, and L.A. Behrmann and A. Kusumadjaja, Schlumberger
- 48** SPE 97411 [A Simulator for Predicting Thermal Recovery Behavior Based on Streamline Method](#)
U. Pasarai and N. Arihara, Waseda U.
- 60** SPE 97469 [The Mechanism and Application of MEOR by *Brevibacillus Brevis* and *Bacillus Cereus* in Daqing Oilfield](#)
Z. Hou, X. Wu, Z. Wang, P. Han, Y. Wang, Y. Xu, and R. Jin, Daqing Oilfield Co. Ltd.
- 69** SPE 97481 [Evaluation of Air Injection as an IOR Method for the Giant Ekofisk Chalk Field](#)
S. Stokka, RF-Rogaland Research; A. Oesthus, ConocoPhillips; and J. Frangeul, TOTAL
- 83** SPE 97488 [Thermal Techniques for the Recovery of Heavy Oil and Bitumen](#)
T.N. Nasr and O.R. Ayodele, Alberta Research Council
- 98** SPE 97489 [Quantifying Remaining Oil by Use of Slimhole Resistivity Measurement in Mixed Salinity Environments - A Pilot Field Test](#)
A.H. Al-Sunbul, S.M. Ma, and A.A. Al-Hajari, Saudi Aramco, and A. Srivastava and R. Ramamoorthy, Schlumberger

- 107** SPE 97500 [Field Pilots of an Innovative Real-time Testing Technique for Separate-layer Water Distribution](#)
Z. Wang, Q. Wang, G. He, H. Zhang, N. Li, and H. Zhang, Daqing Oilfield Co. Ltd.
- 111** SPE 97507 [Gas Injection Programs in Pertamina West Java To Obtain Better Recovery: Field Screening, Laboratory and a Simulation Study](#)
B. Gunadi and I.P. Suarana, PT Pertamina (Persero), and T. Marhaendrajana, Inst. Technology Bandung
- 127** SPE 97519 [An Innovative Application To Reduce Petrophysical Uncertainty in Reservoir Monitoring: Case Studies From Giant Saudi Arabian Fields](#)
R.Y. Eyvazzadeh, O. Kelder, C. Phillips, and A.A. Hajari, Saudi Aramco
- 135** SPE 97520 [Redevelopment of Matured Multilayered Carbonate Offshore Field Through High Technology Horizontal and Multilateral Wells](#)
R. Kumar, S. Ramanan, and J.L. Narasimham, Oil & Natural Gas Corp. Ltd.
- 142** SPE 97526 [Water Flooding Efficiency in a Scenario of Multiple Induced Fractures: An Applied Geomechanical Study](#)
J.C. Chavez, Helix RDS; J. Carruthers, Addax Petroleum; and P. McCurdy, Helix RDS
- 158** SPE 97528 [Proper Cleanup and Improved Re-Acidization Quadruples Productivity Index in a HP/HT Horizontal Well Heavily Damaged With High-Weight Mud](#)
E.C. Reji, F. Al-Medhadi, and M.B.A. Mater, Kuwait Oil Co., and T. Stretch, A. Ali, and M. Jassim, Schlumberger Oilfield Services
- 162** SPE 97530 [Investigation of a High Temperature Organic Water Shutoff Gel: Reaction Mechanisms](#)
G.A. Al-Muntasheri, Delft U. of Technology and Saudi Aramco; H.A. Nasr-El-Din, Saudi Aramco; and J.A. Peters and P.L.J. Zitha, Delft U. of Technology
- 171** SPE 97536 [An Investigation of Minimum Miscibility Pressure for CO₂ - Rich Injection Gases With Pentanes-Plus Fraction](#)
J. Bon and H.K. Sarma, U. of Adelaide, and A.M. Theophilos, Santos Ltd.
- 181** SPE 97542 [High-Permeability Carbonate Zones \(Super-K\) in Ghawar Field \(Saudi Arabia\): Identified, Characterized, and Evaluated for Gel Treatments](#)
A.M. Al-Dhafeeri, Saudi Aramco; R.S. Seright, New Mexico Petroleum Recovery Research Center; H.A. Nasr-El-Din, Saudi Aramco; and R.D. Sydansk, Sydansk Consulting Services LLC
- 190** SPE 97545 [Gelled Oil: New Chemistry Using Surfactants](#)
M. Samuel, Schlumberger Well Services; H.A. Nasr-El-Din, Saudi Aramco; and M. Jemmali, Schlumberger Well Services
- 197** SPE 97552 [Carbon Dioxide Foam Rheology in Porous Media: A CT Scan Study](#)
D. Du, P.L.J. Zitha, and M.G.H. Uijttenhout, Delft U. of Technology

- 206** SPE 97557 [Exploring Dispersion Effects and Crossflow Mechanisms in the Nearly Miscible Gas Drives](#)
A.A. Hossein, Delft U. of Technology; T.E.H. Esmail, Delft U. of Technology and Kuwait Inst. for Scientific Research; and C.P.J.W. van Kruijsdijk, Delft U. of Technology
- 215** SPE 97613 [Gas Injection Feasibility Study of the Baram Delta Fields, Malaysia](#)
A.N.M. Zain and S. Sudirman, PETRONAS, and R. Valdez, P.H. Doe, F. Ray, and C.F. Chai, Shell Intl. E&P Inc.
- 227** SPE 97614 [Integration of New Open Hole Zonal Isolation Technology Contributes to Improved Reserves Recovery and Revision in Industry Best Practices](#)
K.H. Henriksen, J. Augustine, and E. Wood, Baker Oil Tools
- 233** SPE 97624 [Umm Gudair Production Plateau Extension: The Applicability of Full-Field Dumpflood Injection To Maintain Reservoir Pressure and Extend Production Plateau](#)
R. Quttainah and E. Al-Maraghi, Kuwait Oil Co.
- 239** SPE 97628 [An Assessment of Economic and Environmental Drivers of Sour-Gas Management by Injection](#)
A.S. Abou-Sayed, C. Summers, and K. Zaki, Advantek Intl. Corp.
- 250** SPE 97635 [Microscopic Rock Characterization and Influence of Slug Size on Oil Recovery by CO₂ Miscible Flooding in Carbonate Oil Reservoir](#)
S.A. Shedid, R.A. Almehaideb, and A.Y. Zekri, UAE University
- 262** SPE 97639 [Initial Results of WAG CO₂ IOR Pilot Project Implementation in Croatia](#)
D. Novosel, INA-Naftaplin
- 269** SPE 97640 [Rejuvenation of a Mature Oilfield Involving Polymer Flooding by Successful Tapping of Undrained/Unswept Oil: A Case Study](#)
S. Yomdo and B.N. Talukdar, Oil India Ltd.
- 278** SPE 97643 [Field Experiences in Application of a Novel Relative Permeability Modifier Gel in North Sea Operations](#)
J.J. Wylde and G.D. Williams, Clariant Oil Services, and C. Shields, BP Exploration and Operating Co. Ltd.
- 289** SPE 97645 [Dykstra Parsons Water Flood Theory Adapted to Chemical Flood Modelling](#)
G.R. Morrison, Flood-Out (U.K.) Ltd.
- 298** SPE 97649 [Improved Heavy Oil Recovery From Thin Reservoirs Through Horizontal Well Placement and Intelligent Perforations](#)
R.D. Tewari and M. Malik, GNPOC, and A. Husen Akbar Ali and S. Naganathan, Schlumberger

- 311** SPE 97650 [Methodology for Miscible Gas Injection EOR Screening](#)
G.F. Teletzke, P.D. Patel, and A.L. Chen, ExxonMobil Upstream Research
- 322** SPE 97655 [Health, Safety and Environmental Risk Mitigation for a Thermal Oil Recovery Pilot Facility in Trinidad](#)
F. Khan, B. Sinanan, R. Johhoo, F. Innis, and V. Ramlogan, Petrotrin
- 330** SPE 97659 [Controlling Formation Fines at Their Sources To Maintain Well Productivity](#)
P.D. Nguyen, J.D. Weaver, R.D. Rickman, R.G. Dusterhoft, and M.A. Parker, Halliburton
- 349** SPE 97668 [Disposable Wells: A Monobore One Trip Case Study](#)
W. Chapman, Baker Oil Tools
- 355** SPE 97669 [Optimizing the Blowdown of Wizard Lake](#)
P.G. Cook, Imperial Oil Resources
- 362** SPE 97671 [High Mobility Ratio Water Flood Performance Prediction: Challenges and New Insights](#)
M. Kumar, V. Hoang, and C. Satik, Chevron Energy Technology Co., and D.H. Rojas, Stanford U.
- 376** SPE 97677 [Evaluating Permanently Installed Fiber-Optic Distributed Temperature Measurements Using Temperature-Step Resolution](#)
M.R. Hadley, G.A. Brown, and G. Naldrett, Schlumberger
- 382** SPE 97682 [New Ultra-lightweight, Ultra-high Temperature Slurry Design Provided the Required Resilience for Steam Injection Work in Kuwait](#)
D. Kulakofsky, K. Armstrong, and M. Szymanski, Halliburton, and G. Raabe, ChevronTexaco
- 387** SPE 97687 [Numerical Studies of Oil Production from Initially Oil-Wet Fracture Blocks by Surfactant Brine Imbibition](#)
B. Adibhatla, X. Sun, and K.K. Mohanty, U. of Houston
- 402** SPE 97692 [Initiatives for Improving Oil Recovery at Guntong](#)
S.R.M. Kueh, W.N.W. Mohamad, and C.-H. Sim, ExxonMobil E&P Malaysia Inc.
- 415** SPE 97693 [Application of Improved and Enhanced Oil Recovery Strategies in the Tapis Field](#)
W-N. Wan-Mohamad, M.A.Y. Abdullah, S. Selamat, and M.R. Elias, ExxonMobil E&P Malaysia Inc.
- 426** SPE 97694 [Improving Hydrocarbon Production Rates Through the Use of Formate Fluids - A Review](#)
J.D. Downs, Cabot Specialty Fluids Ltd.; S.K. Howard; and A. Carnegie, Cabot Specialty Fluids Ltd.

- 437** SPE 97704 [Development and Application of a Radioactive Sulfur Tracer for Use in Waterflood Studies](#)
R.M. Moreira and A.M.F. Pinto, National Nuclear Commission Energy of Brazil
- 447** SPE 97745 [Opportunity Generation in a 96% Depleted Billion Barrel Oilfield](#)
P.J. Burnett, Esso Australia Pty. Ltd.
- 458** SPE 97792 [Multiple Application of Image Log Data to EOR Operation in the Cooper Basin, Australia](#)
S. Mildren, JRS Petroleum Research; J. Burgess, Santos Ltd.; and J. Meyer, JRS Petroleum Research