

Society of Petroleum Engineers

International Thermal Operations and Heavy Oil Symposium

ITOHOS 2008

“Heavy Oil: Integrating the Pieces”

October 20-23, 2008
Calgary, Alberta, Canada

Volume 1 of 2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60560-676-7

Some format issues inherent in the e-media version may also appear in this print version.

Copyright © 2008 by the Society of Petroleum Engineers

All rights reserved.

For permission requests, please contact the Society of Petroleum Engineers at the address below.

Society of Petroleum Engineers
P.O. Box 833836
Richardson, Texas 75083-3836

Phone: 800-456-6863

Fax: 972-952-9435

books@spe.org

TABLE OF CONTENTS

Volume 1

Successful Field Application of Novel, Non-Silicone Antifoam Chemistries for High Foaming Heavy Oil Storage Tanks in Northern Alberta	1
<i>J.J. Wylde</i>	
A Case History of Heavy Oil Separation in Northern Alberta: A Singular Challenge of Demulsifier Optimization and Application	11
<i>J.J. Wylde, S. Coscio, V. Barbu</i>	
Successful Field Application in Continuous DTS Monitoring Under Harsh Environment of SAGD Wells Using Improved Optical Fiber Technology	19
<i>J. Kaura, J. Sierra</i>	
Design and Implementation of a Caustic Flooding EOR Pilot at Court Bakken Heavy Oil Reservoir	30
<i>J. Xie, B. Chung, L. Leung</i>	
Development of a Higher-order Finite Volume Method for Simulation of Thermal Oil Recovery Process Using Moving Mesh Strategy	37
<i>M. Ahmadi</i>	
Thermal Efficiency and Acceleration Benefits of Cross SAGD (XSAGD)	58
<i>J.L. Stalder</i>	
Reservoir Characterization and Monitoring of Cold and Thermal Heavy Oil Production Using Multi-Transient EM	68
<i>F. Engelmark</i>	
Case Study in Venezuela: Performance of Multiphase Meter in Extra Heavy Oil	76
<i>A. Marin, O. Bornia, B. Pinguet</i>	
A New Flooding Scheme by Horizontal Well in Thin Heavy Oil Reservoirs	89
<i>H. Liu, H. Zhang, Z. Wang, M. Wang</i>	
Numerical Simulation in Steam Injection Process by a Mechanistic Approach	95
<i>J.C. de Souza Jr., W. Campos, D. Lopes, L.S.S. Moura</i>	
Effect of Ultrasonic Intensity and Frequency on Oil/Heavy-Oil Recovery from Different Wettability Rocks	106
<i>K. Naderi, T. Babadagli</i>	
Injection of Multi-Azimuth Permeable Planes in Weakly Cemented Formations for Enhanced Heavy Oil-Recovery	121
<i>G. Hocking, T. Cavender, R.L. Schultz</i>	
Increasing Oil Recovery from Heavy Oil Waterfloods	133
<i>B.W. Brice, G. Renouf</i>	
Utilizing Natural Gas Huff and Puff to Enhance Production in Heavy Oil Reservoir	146
<i>G. Wenlong, W. Shuhong, Z. Jian, Z. Xialin, L. Jinzhong, M. Xiao</i>	
Ultra High-Temperature Solids-Free Insulating Packer Fluid for Oil and Gas Production, Steam Injection and Geothermal Wells	156
<i>R.G. Ezell, D.J. Harrison</i>	
Investigating the Effect of Steam, CO₂, and Surfactant on the Recovery of Heavy Oil Reservoirs	162
<i>S. Tian, S. He, L. Qu</i>	

A New Analytical Model for Conduction Heating during the SAGD Circulation Phase	174
<i>A.N. Duong, T.A. Tomberlin, M. Cyrot</i>	
Thermal Transient Analysis Applied to Horizontal Wells	183
<i>A.N. Duong</i>	
Adaptive Implicit Method for Thermal Compositional Reservoir Simulation	196
<i>A. Agarwal, H.A. Tchelepi</i>	
Considerations When Ranking Stochastically Modeled Oil Sands Resource Models for Mining Applications	210
<i>E.L. Etris, Y. Idris, A.C. Hunter</i>	
An Approach for Characterization and Lumping of Plus Fractions of Heavy Oil	230
<i>I. Rodriguez, A.A. Hamouda</i>	
Well Performance Relationships in Heavy Foamy Oil Reservoirs	250
<i>R. Kumar, J. Mahadevan</i>	
Hot Rock Energy Projects - Australian Context	271
<i>B.A Goldstein, A.J. Hill, M. Malavazos, J. Coda, A.R.Budd, F.L. Holgate</i>	
Integrated 3D Geology Modeling Constrained by Facies and Horizontal Well Data for Block M of the Orinoco Heavy Oil Belt	279
<i>M. Longxin, X. Baojun, Z. Shancheng, H. Guoqing</i>	
Electro-Thermal Dynamic Stripping Process	292
<i>B. McGee, C.W. McDonald, L. Little</i>	
Production – Log Base Model for Carbonate Permeability Distribution and Steam Flood Optimization	300
<i>S.F. Ahamed, M.A. Choudhry, J.B. Abdulbaqi</i>	
Dynamic Pore Network Simulator for Modelling Buoyancy-Driven Migration during Depressurisation of Heavy-Oil Systems	312
<i>C.C. Ezeuko, S.R. McDougall, I. Bondino, G. Hamon</i>	
Electromagnetic Heating Method To Improve Steam Assisted Gravity Drainage	327
<i>M. Koolman, N. Huber, D. Diehl, B. Wacker</i>	
Passive Seismic Data Management and Processing to Monitor Heavy Oil Steaming Operations	339
<i>J.R. Bailey, R.J. Smith, C.M. Keith, K.H. Searles, L. Wang</i>	
Mechanical Evaluation of a New Sand Control Screen for SAGD Applications	349
<i>G. Woiceshyn, E. Toffanin, J. Xie, B. Wagg, C. Fan</i>	
SAGD Gas Lift Completions and Optimization: A Field Case Study at Surmont	364
<i>T.C. Handfield, T. Nations, S.G. Noonan</i>	
Quest to Validate and Define Performance for the High Volume Metallic Stator PCP at 250 C	372
<i>S.G. Noonan, W. Klaczek, K. Piers, L. Seince, S. Jahn</i>	
Maximizing Heavy-Oil Recovery by Containing Steam through Optimized Cementing	381
<i>K. Ravi, B. Hunter, D. Kulakofsky</i>	
An Integrated Approach to Permeability Modeling Using Micro-Models	388
<i>A.H. Hosseini, O. Leuangthong, C.V. Deutsch</i>	

The Progressing Cavity Pump Operating Envelope: You Cannot Expand What You Don't Understand	398
<i>S.G. Noonan</i>	
Reduction of Light Oil Usage as Power Fluid for Jet Pumping in Deep Heavy Oil Reservoirs	405
<i>S. Chen, H. Li, D. Yang, Q. Zhang, J. He</i>	
Examination of Oil Sands Projects: Gasification, CO₂ Emissions and Supply Costs	416
<i>K. Elliott</i>	
Practical Considerations of Reservoir Heterogeneities on SAGD Projects	435
<i>R. Baker, C. Fong, T. Li, C. Bowes, M. Toews</i>	
Asphaltene Precipitation and Its Effects on the Vapour Extraction (VAPEX) Heavy Oil Recovery Process	452
<i>P. Luo, X. Wang, Y. Gu, H. Zhang, S. Moghadam</i>	
Enhancing Oil Rate in Solvent Vapour Extraction Processes Through Tee-Well Pattern	461
<i>F. Zeng, K.D. Knorr, R.R. Wilton</i>	
The Slender Bubble Model for Very Slow Degassing in Porous Media and Cold Production	477
<i>M. Chraibi, S. Zaleski, F. Franco</i>	
The Influence of Diffusion and Dispersion on Heavy Oil Recovery by VAPEX	486
<i>A. Alkindi, A. Muggerridge, Y. Al-Wahaibi</i>	
A New Water Treatment Scheme for Thermal Development: The SIBE Process	498
<i>P. Pedenaud</i>	
Methodology of Calibration for Nucleonic Multiphase Meter Technology for SAGD Extra Heavy Oil	506
<i>B. Pinguet, P. Pechard, E. Guerra, V. Arendo, M. Shaffer, J. Contreras</i>	
Pre-electrocoalescer Unit Adapted to the Extra-heavy Oil Characteristics	529
<i>C. Noik, C. Dalmazzone, P. Glenat</i>	
Expanding Solvent SAGD in Heavy Oil Reservoirs	541
<i>P.A. Govind, S. Das, S. Srinivasan, T.J. Wheeler</i>	

Volume 2

Combined Reservoir Simulation and Seismic Technology, A New Approach for Modeling CHOPS	555
<i>H. Aghabarati, C. Dumitrescu, L. Lines, A. Settari</i>	
Conventional OTSG Development for Heavy Liquid Fuel Firing in Thermal Applications	569
<i>W.P. Setchfield, J.N. Roset, M. Schaffer, D. O'Connor, K. Kense</i>	
Successful Field Implementation of Novel Cementing Solution for ISC Wells: Case Histories	581
<i>R.K.Meher, K.M. Suyan, D. Dasgupta, S. Deodhar, V. Sharma, V.K. Jain</i>	
Mitigating In Situ Oil Sands Carbon Costs	590
<i>D.J. Theriault, J. Peterson, H. Heinrichs</i>	

The Integrated CO₂ Pilot in the SW of France (Oxycombustion and Geological Storage): A Potential Answer to CO₂ Mitigation in Bitumen Production	598
<i>N. Aimard, C. Prebende, D. Cieutat, I. Sanchez-Molinero, R. Tsiava</i>	
In Situ Upgrading of Heavy Oil Under Steam Injection with Tetralin and Catalyst	607
<i>A.A. Mohammad, D.D. Mamora</i>	
Enhanced Heavy Oil Recovery on Depleted Long Core System by CH₄ and CO₂	618
<i>R. Shi, A. Kantzas</i>	
Providing Floating Capabilities in Latest-Generation Sand Screens	632
<i>E.G. Bowen, M.P. Coronado, B. Hughes</i>	
Applicability and Optimization of SAGD in Eastern Venezuela Reservoirs.....	638
<i>J.A.Pina, J.L. Bashbush, E.A. Fernandez</i>	
Heavy-Oil Recovery in Naturally Fractured Reservoirs with Varying Wettability by Steam Solvent Co-Injection	652
<i>A.A. Bahlani, T. Babadagli</i>	
Feasibility Study of the In-Situ Combustion in Shallow, Thin, and Multi-Layered Heavy Oil Reservoir	665
<i>Z. Liguó, Y. Di, W. Ping, L. Changbao</i>	
Design and Optimization of Hybrid Ex Situ / In Situ Steam Generation Recovery Processes for Heavy Oil and Bitumen.....	674
<i>X. Yang, S.R. Larter, I.D. Gates</i>	
Experimental Study of Heavy Oil-Water Flow Structure Effects on Relative Permeabilities in a Fracture Filled with Heavy Oil.....	690
<i>S. Shad, I.D. Gates, B.B. Maini</i>	
How In-Situ Combustion Process Works in a Fractured System: Two-Dimensional, Core and Block Scale Simulation	702
<i>H. Fadaei, M. Quintard, G. Debenest, G. Renard, A.M. Kamp</i>	
NCG Behavior in SAGD - A Numerical Simulation Analysis	718
<i>C. Heron, H. Thimm, L. Sullivan, I. Atkinson</i>	
Improved Heavy Oil Recovery by Low Rate Waterflooding.....	727
<i>A. Mai, A. Kantzas</i>	
Improved Recovery Potential in Mature Heavy Oil Fields by Alkali-Surfactant Flooding.....	739
<i>J. Bryan, A. Kantzas</i>	
Experimental and Numerical Modeling of Heavy-Oil Recovery by Electrical Heating	755
<i>B. Hascakir, T. Babadagli, S. Akin</i>	
Visualization of Viscous Coupling Effects in Heavy Oil Reservoirs.....	769
<i>J.D. Ortiz-Arango, A. Kantzas</i>	
Bitumen Extraction from Oil Sands Ore-Water Slurry Using CaO (Lime) and/or Ozone	783
<i>T. Babadagli, Z. Burkus, B. Ozum</i>	
Risk Assessment for SAGD Well Blowouts	791
<i>D.J. Worth, S. Crepin, F. Alhanati, M. Lastiwka</i>	
Simulation of a SAGD Well Blowout Using a Reservoir/Wellbore Coupled Simulator.....	809
<i>J.W. Vanegas, L.B. Cunha, D.J. Worth, S. Crepin</i>	

Feasibility of using Electrical Downhole Heaters in Faja Heavy Oil Reservoirs	823
<i>R. Rodríguez, J.L. Bashbush, A. Rincon</i>	
In-Situ Combustion with Solvent Injection	834
<i>J. D'Silva, G. Kakade</i>	
Geomechanics for Interpreting SAGD Monitoring Using Micro-Seismicity and Surface Tiltmeters	845
<i>H. de Pater, J. de Koning, S. Maxwell, D. Walters</i>	
Horizontal Alternating Steam Drive Process for the Orinoco Heavy Oil Belt in Eastern Venezuela	865
<i>E.A. Fernandez, J.L. Bashbush</i>	
Electro-Magnetic Heating in Viscous Oil Reservoir	878
<i>S. Das</i>	
Distribution of Multi-Component Solvents in Solvent Vapor Extraction Chamber	889
<i>S. Das</i>	
In-situ Water Vaporization Improves Bitumen Production During Electrothermal Processes	899
<i>J. Wang, B. McGee, A. Kantzas</i>	
Effects of Well Placement and Intelligent Completions on SAGD in a Full-Field Thermal-Numerical Model for Athabasca Oil Sands	907
<i>F. Akram</i>	
A Singular Methodology to Design Cement Sheath Integrity Exposed to Steam Stimulation	915
<i>A. Garnier, J. Saint-Marc, A.P. Bois, Y. Kermanach</i>	
A Novel Process for Heavy Residue Hydroconversion Using a Recoverable Pseudo-homogeneous Catalyst (PHC) System	930
<i>S.M. Romocki, W.G. Rhodey</i>	
Increase Oil Recovery of Heavy Oil in Combustion Tube Using a New Catalyst based Nickel Ionic Solution	937
<i>M.A. Ramirez-Garnica, J.R. Hernandez-Perez, M.C. Cabrera-Reyes, P. Schacht-Hernandez, D.D. Mamora</i>	
Preconditioning Methods to Improve SAGD Performance in Heavy Oil and Bitumen Reservoirs with Variable Oil Phase Viscosity	948
<i>I.D. Gates, S.R. Larter, J.J. Adams, L. Snowdon, C. Jiang</i>	
Investigation of Low Pressure ES-SAGD	958
<i>J. Ivory, R. Zheng, T. Nasr, X. Deng, G. Beaulieu, G. Heck</i>	
Accurate Numerical Simulation of Reaction-Diffusion Processes for Heavy Oil Recovery	975
<i>P.A. Govind, S. Srinivasan</i>	
Integrated Petrophysical Approach for Determining Reserves and Reservoir Characterization to Optimize Production of Oil Sands in Northeastern Alberta	993
<i>A. Anderson, J. Koch</i>	
Evaluation of SAGD Performance in a Deltaic Environment	1003
<i>M. Caplan, C. Heron, L. Sullivan, E. Herle, J. Keith, A. Bernal, I. Atkinson</i>	
Potential Use of Produced Oil Sample Analysis to Monitor SAGD Performance	1011
<i>Z. Li, C. Wollen, P. Yang, M. Fustic</i>	
Production of High Quality Water for Oil Sands Application	1027
<i>C. Beaudette-Hodsman, B. Macleod, R. Venkatadri</i>	

Cost Reducing Factors in Effective Pipeline Piling Structure Design and Construction in Alberta’s Thermal SAGD Gathering Pipeline Systems.....	1035
<i>M. A. Farrokhzad</i>	
Improved Simulation Design Factors for Unconventional Crude Vacuum Units: Cracked Gas Make & Stripping Section Performance	1044
<i>D. Remesat</i>	
Optimization of SAGD Wellbore Completions: Short Production Tubing String Sensitivities	1050
<i>M. Cokar, J. Graham</i>	
Applicability of CO₂-Based Vapex Process to Recover Athabasca Bitumen	1066
<i>A. Badamchi-Zadeh, B.B. Maini, H.W. Yarranton</i>	
Flexible Cement Improves Wellbore Integrity for Steam Assisted Gravity Drainage (SAGD) Wells	1079
<i>G. DeBruijn, C. Siso, D. Reinheimer, S. Whitton, D. Redekopp</i>	

Author Index