

Fullerine Nano Materials

(Symposium of IUMRS-IEA 2008)

Journal of Physics: Conference Series Volume 159

**Nagoya, Japan
9-13 December 2008**

ISBN: 978-1-61738-375-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (200:) by the Institute of Physics
All rights reserved.

Printed by Curran Associates, Inc. (2010)

For permission requests, please contact the Institute of Physics
at the address below.

Institute of Physics
Dirac House, Temple Back
Bristol BS1 6BE UK

Phone: 44 1 17 929 7481
Fax: 44 1 17 920 0979

techtracking@iop.org

TABLE OF CONTENTS

INVITED TALKS

Current Standardization Activities for the Measurement and Characterization of Nanomaterials and Structures	1
<i>Shingo Ichimura, Hiroshi Itoh, Toshiyuki Fujimoto</i>	
Standardization of Nanomaterials Characterization by Scanning Probe Microscopy for Societal Acceptance	9
<i>Daisuke Fujita, Keiko Onishi, Mingsheng Xu</i>	
Biological Activities of Water-Soluble Fullerene Derivatives	15
<i>S Nakamura, T Mashino</i>	
Field-Effect-Transistor Characteristics of Solvate C₆₀ Fullerene Nanowhiskers	23
<i>Y Ochiai, K Ogawa, N Aoki, J P Bird</i>	
Hierarchically Organized Soft-Materials Based on Fullerenes	28
<i>Takashi Nakanishi</i>	
Mechanical Characterization of C₆₀ Whiskers by MEMS Bend Testing	36
<i>M P Larsson, S Lucyszyn</i>	

CONTRIBUTED TALKS

Fullerene Nanowhiskers and Related Fullerene Nanomaterials	44
<i>K Miyazawa, R Kato, K Saito, T Kizuka, T Mashino, S Nakamura</i>	
Observation of Phagocytosis of Fullerene Nanowhiskers by PMA-Treated THP-1 Cells	50
<i>S Nudajima, K Miyazawa, J Okuda-Shimazaki, A Taniguchi</i>	
Formation and Structures of C₆₀ Nanowhiskers with High Strength and Large Elasticity	56
<i>Mami Watanabe, Takahiro Yamamoto, Kenichi Kojima, Makoto Tanimura, Masaru Tachibana</i>	
GC-MS Analysis of the Solvents Contained in C₆₀ Nanowhiskers	62
<i>M Watanabe, K Hotta, K Miyazawa, M Tachibana</i>	
Tree-shaped C₆₀/C₆₀-Ferrocene Crystals by Kinetically Controlled LLIP Process	68
<i>S I Cha, D Y Lee, K Miyazawa, T Wakahara</i>	
Growth Mechanism of Vertically Aligned Fullerene Micro Tubes Prepared by the Liquid-Liquid Interfacial Precipitation Method	74
<i>S Toita, K Miyazawa, K Hotta, M Tachibana</i>	
Adsorption Characteristics of Heat-treated Fullerene Nanowhiskers	80
<i>Z-M Wang, R Kato, K Hotta, K Miyazawa</i>	
Carrier Injection Property of C₆₀ Thin Film Transistor via Displacement Current Measurement	86
<i>N Aoki, Y Chiba, S-R Chen, H Tsuji, M Ueno, K Ogawa, J P Bird, Y Ochiai</i>	

POSTERS

Molecular Dynamics of Fullerene-Nanowhiskers Studied by Solid State NMR	91
<i>H Ogata, S Motohashi, S Tsuchida</i>	
Self-assembling Fullerene Derivatives for Energy Transfer in Molecular Gel System	97
<i>N Watanabe, H Jintoku, T Sagawa, M Takafuji, T Sawada, H Ihara</i>	
Electronic Transport Properties of Photo-irradiated C₆₀	103
<i>Y Chiba, S-R Chen, H Tsuji, M Ueno, N Aoki, Y Ochiai</i>	
Structural Characterization of Mg-doped C₆₀ Thin Films	107
<i>N Kojima, M Natori, H Suzuki, M Yamaguchi</i>	
Photopolymerization of C₆₀ Crystal Synthesized from Organic Solution	112
<i>Y Iio, K Kurihara, F Matsuyama, R Nokariya, N Iwata, H Yamamoto</i>	
Crystallinity and Properties of C₆₀ Nanotubes Improved by Annealing and Alcohol-soaking	118
<i>K Naito, K Matsuishi</i>	
Synthesis and Growth Investigation of C₆₀ Fullerene Nanowhiskers	124
<i>K Hotta, K Miyazawa</i>	

Molecular Dynamics and Structural Phase Transition in C₆₀ Nanowhiskers	128
<i>Hideaki Kitazawa, Kenjiro Hashi, Tuerxun Wuernisha, Kayoko Hotta, Cherry L Ringor, Takao Furubayashi, Atsushi Goto, Tadashi Shimizu, Kun'ichi Miyazawa</i>	
Improved Fullerene Nanofiber Electrodes Used in Direct Methanol Fuel Cells	134
<i>Q Wang, Y Zhang, K Miyazawa, R Kato, K Hotta, T Wakahara</i>	
High-resolution Transmission Electron Microscopy of Heat-treated C₆₀ Nanotubes	139
<i>R Kato, K Miyazawa, T Nishimura, Z M Wang</i>	
Auger Investigation of Fullerene Nanowhiskers Heat-treated at 400-800 Degrees Centigrade	145
<i>M Harada, D Fujita</i>	

Author Index