4th International Workshop on Semantic Evaluations 2007

(SemEval 2007)

Held in conjunction with ACL 2007

Prague, Czech Republic
23-24 June 2007

ISBN: 978-1-61738-517-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2007) by the Association for Computational Linguistics
All rights reserved.

Printed by Curran Associates, Inc. (2010)

For permission requests, please contact the Association for Computational Linguistics
at the address below.

Association for Computational Linguistics
209 N. Eighth Street
Stroudsburg, Pennsylvania 18360

Phone: 1-570-476-8006
Fax: 1-570-476-0860

acl@aclweb.org

Table of Contents

Task description papers

SemEval-2007 Task 01: Evaluating WSD on Cross-Language Information Retrieval
Eneko Agirre, Bernardo Magnini, Oier Lopez de Lacalle, Arantxa Otegi, German Rigau and Piek Vossen 1

SemEval-2007 Task 02: Evaluating Word Sense Induction and Discrimination Systems
Eneko Agirre and Aitor Soroa 7

SemEval-2007 Task 04: Classification of Semantic Relations between Nominals
Roxana Girju, Preslav Nakov, Vivi Nastase, Stan Szpakowicz, Peter Turney and Deniz Yuret 13

SemEval-2007 Task 05: Multilingual Chinese-English Lexical Sample
Peng Jin, Yunfang Wu and Shiwen Yu 19

SemEval-2007 Task 06: Word-Sense Disambiguation of Prepositions
Kenneth C. Litkowski and Orin Hargraves 24

SemEval-2007 Task 07: Coarse-Grained English All-Words Task
Roberto Navigli, Kenneth C. Litkowski and Orin Hargraves 30

SemEval-2007 Task 08: Metonymy Resolution at SemEval-2007
Katja Markert and Malvina Nissim 36

SemEval-2007 Task 09: Multilevel Semantic Annotation of Catalan and Spanish
Lluís Màrquez, Lluis Villarejo, M. A. Martí and Mariona Taulé 42

SemEval-2007 Task 10: English Lexical Substitution Task
Diana McCarthy and Roberto Navigli 48

SemEval-2007 Task 11: English Lexical Sample Task via English-Chinese Parallel Text
Hwee Tou Ng and Yee Seng Chan 54

SemEval-2007 Task 12: Turkish Lexical Sample Task
Zeynep Orhan, Emine Çelik and Demirgüç Neslihan 59

The SemEval-2007 WePS Evaluation: Establishing a benchmark for the Web People Search Task
Javier Artiles, Julio Gonzalo and Satoshi Sekine 64

SemEval-2007 Task 14: Affective Text
Carlo Strapparava and Rada Mihalcea 70

SemEval-2007 Task 15: TempEval Temporal Relation Identification
Marc Verhagen, Robert Gaizauskas, Frank Schilder, Mark Hepple, Graham Katz and James Pustejovsky 75

SemEval-2007 Task 16: Evaluation of Wide Coverage Knowledge Resources
Montse Cuadros and German Rigau 81

SemEval-2007 Task-17: English Lexical Sample, SRL and All Words
Sameer Pradhan, Edward Loper, Dmitriy Dligach and Martha Palmer 87

SemEval-2007 Task 18: Arabic Semantic Labeling
Mona Diab, Musa Alkhalifa, Sabry ElKateb, Christiane Fellbaum, Aous Mansouri and Martha Palmer 93

SemEval-2007 Task 19: Frame Semantic Structure Extraction
Collin Baker, Michael Ellsworth and Katrin Erk 99

System description papers

AUG: A combined classification and clustering approach for web people disambiguation
Els Lefever, Véronique Hoste and Timur Fayruzov 105

CITYU-HIF: WSD with Human-Informed Feature Preference
Oi Yee Kwong 109

CLR: Integration of FrameNet in a Text Representation System
Kenneth C. Litkowski 113

CLaC and CLaC-NB: Knowledge-based and corpus-based approaches to sentiment tagging
Alina Andreevskaia and Sabine Bergler 117

CMU-AT: Semantic Distance and Background Knowledge for Identifying Semantic Relations
Alicia Tribble and Scott E. Fahlman 121

CU-COMSEM: Exploring Rich Features for Unsupervised Web Personal Name Disambiguation
Ying Chen and James H. Martin 125

CU-TMP: Temporal Relation Classification Using Syntactic and Semantic Features
Steven Bethard and James H. Martin 129

CUNIT: A Semantic Role Labeling System for Modern Standard Arabic
Mona Diab, Alessandro Moschitti and Daniele Pighin 133

DFKI2: An Information Extraction Based Approach to People Disambiguation
Andrea Heyl and Günter Neumann 137

FBK-IRST: Kernel Methods for Semantic Relation Extraction
Claudio Giuliano, Alberto Lavelli, Daniele Pighin and Lorenza Romano 141

FBK-irst: Lexical Substitution Task Exploiting Domain and Syntagmatic Coherence
Claudio Giuliano, Alfio Gliozzo and Carlo Strapparava 145

FICO: Web Person Disambiguation Via Weighted Similarity of Entity Contexts
Paul Kalmar and Matthias Blume 149

FUH (FernUniversität in Hagen): Metonymy Recognition Using Different Kinds of Context for a Memory-Based Learner
Johannes Leveling 153

GPLSI: Word Coarse-grained Disambiguation aided by Basic Level Concepts
Rubén Izquierdo, Armando Suárez and German Rigau 157

GYDER: Maxent Metonymy Resolution
Richárd Farkas, Eszter Simon, György Szarvas and Dániel Varga 161

HIT-IR-WSD: A WSD System for English Lexical Sample Task
Yuhang Guo, Wanxiang Che, Yuxuan Hu, Wei Zhang and Ting Liu 165

HIT-WSD: Using Search Engine for Multilingual Chinese-English Lexical Sample Task
PengYuan Liu, TieJun Zhao and MuYun Yang 169

HIT: Web based Scoring Method for English Lexical Substitution
Shiqi Zhao, Lin Zhao, Yu Zhang, Ting Liu and Sheng Li 173

I2R: Three Systems for Word Sense Discrimination, Chinese Word Sense Disambiguation, and English Word Sense Disambiguation
Zheng-Yu Niu, Dong-Hong Ji and Chew-Lim Tan 177

ILK2: Semantic Role Labeling of Catalan and Spanish using TiMBL
Roser Morante and Bertjan Busser 183

ILK: Machine learning of semantic relations with shallow features and almost no data
Iris Hendrickx, Roser Morante, Caroline Sporleder and Antal van den Bosch 187

IRST-BP: Preposition Disambiguation based on Chain Clarifying Relationships Contexts
Octavian Popescu, Sara Tonelli and Emanuele Pianta 191

IRST-BP: Web People Search Using Name Entities
Octavian Popescu and Bernardo Magnini 195

JHU1 : An Unsupervised Approach to Person Name Disambiguation using Web Snippets
Delip Rao, Nikesh Garera and David Yarowsky 199

JU-SKNSB: Extended WordNet Based WSD on the English All-Words Task at SemEval-1
Sudip Kumar Naskar and Sivaji Bandyopadhyay 203

KU: Word Sense Disambiguation by Substitution
Deniz Yuret 207

LCC-SRN: LCC's SRN System for SemEval 2007 Task 4
Adriana Badulescu and Munirathnam Srikanth 215

LCC-TE: A Hybrid Approach to Temporal Relation Identification in News Text
Congmin Min, Munirathnam Srikanth and Abraham Fowler 219

LCC-WSD: System Description for English Coarse Grained All Words Task at SemEval 2007
Adrian Novischi, Muirathnam Srikanth and Andrew Bennett 223

LTH: Semantic Structure Extraction using Nonprojective Dependency Trees
Richard Johansson and Pierre Nugues 227

MELB-KB: Nominal Classification as Noun Compound Interpretation
Su Nam Kim and Timothy Baldwin 231

MELB-MKB: Lexical Substitution system based on Relatives in Context
David Martinez, Su Nam Kim and Timothy Baldwin 237

MELB-YB: Preposition Sense Disambiguation Using Rich Semantic Features
Patrick Ye and Timothy Baldwin 241

NAIST.Japan: Temporal Relation Identification Using Dependency Parsed Tree
Yuchang Cheng, Masayuki Asahara and Yuji Matsumoto 245

NUS-ML:Improving Word Sense Disambiguation Using Topic Features
Jun Fu Cai, Wee Sun Lee and Yee Whye Teh 249

NUS-PT: Exploiting Parallel Texts for Word Sense Disambiguation in the English All-Words Tasks
Yee Seng Chan, Hwee Tou Ng and Zhi Zhong 253

OE: WSD Using Optimal Ensembling (OE) Method
Harri M. T. Saarikoski 257

PKU: Combining Supervised Classifiers with Features Selection
Peng Jin, Danqing Zhu, Fuxin Li and Yunfang Wu 261

PNNL: A Supervised Maximum Entropy Approach to Word Sense Disambiguation
Stephen Tratz, Antonio Sanfilippo, Michelle Gregory, Alan Chappell,
Christian Posse and Paul Whitney 264

PSNUS: Web People Name Disambiguation by Simple Clustering with Rich Features
Ergin Elmacioglu, Yee Fan Tan, Su Yan, Min-Yen Kan and Dongwon Lee 268

PU-BCD: Exponential Family Models for the Coarse- and Fine-Grained All-Words Tasks
Jonathan Chang, Miroslav Dudik and David Blei 272

PUTOP: Turning Predominant Senses into a Topic Model for Word Sense Disambiguation
Jordan Boyd-Graber and David Blei 277

RACAI: Meaning Affinity Models
Radu Ion and Dan Tufiş 282

RTV: Tree Kernels for Thematic Role Classification
Daniele Pighin, Alessandro Moschitti and Roberto Basili 288

SHEF: Semantic Tagging and Summarization Techniques Applied to Cross-document Coreference
Horacio Saggion 292

SICS: Valence annotation based on seeds in word space
Magnus Sahlgren, Jussi Karlgren and Gunnar Eriksson 296

SRCB-WSD: Supervised Chinese Word Sense Disambiguation with Key Features
Yun Xing 300

SW-AG: Local Context Matching for English Lexical Substitution
George Dahl, Anne-Marie Frassica and Richard Wicentowski 304

SWAT-MP:The SemEval-2007 Systems for Task 5 and Task 14
Phil Katz, Matt Singleton and Richard Wicentowski 308

Sussx: WSD using Automatically Acquired Predominant Senses
Rob Koeling and Diana McCarthy 314

TITPI: Web People Search Task Using Semi-Supervised Clustering Approach
Kazunari Sugiyama and Manabu Okumura 318

TKB-UO: Using Sense Clustering for WSD
Henry Anaya-Sánchez, Aurora Pons-Porrata and Rafael Berlanga-Llavori 322

Tor, TorMd: Distributional Profiles of Concepts for Unsupervised Word Sense Disambiguation
Saif Mohammad, Graeme Hirst and Philip Resnik 326

UA-ZBSA: A Headline Emotion Classification through Web Information
Zornitsa Kozareva, Borja Navarro, Sonia Vazquez and Andres Montoyo 334

UA-ZSA: Web Page Clustering on the basis of Name Disambiguation
Zornitsa Kozareva, Sonia Vazquez and Andres Montoyo 338

UBC-ALM: Combining k-NN with SVD for WSD
Eneko Agirre and Oier Lopez de Lacalle 342

UBC-AS: A Graph Based Unsupervised System for Induction and Classification
Eneko Agirre and Aitor Soroa 346

UBC-UMB: Combining unsupervised and supervised systems for all-words WSD
David Martinez, Timothy Baldwin, Eneko Agirre and Oier Lopez de Lacalle 350

UBC-UPC: Sequential SRL Using Selectional Preferences. An approach with Maximum Entropy Markov Models
Beñat Zapirain, Eneko Agirre and Lluís Màrquez 354

UBC-ZAS: A k-NN based Multiclassifier System to perform WSD in a Reduced Dimensional Vector Space
Ana Zelaia, Olatz Arregi and Basilio Sierra 358

UC3M_13: Disambiguation of Person Names Based on the Composition of Simple Bags of Typed Terms
David del Valle-Agudo, César de Pablo-Sánchez and María Teresa Vicente-Díez 362

UCB: System Description for SemEval Task #4
Preslav Nakov and Marti Hearst 366

UCD-FC: Deducing semantic relations using WordNet senses that occur frequently in a database of noun-noun compounds
Fintan J. Costello 370

UCD-PN: Classification of Semantic Relations Between Nominals using WordNet and Web Counts
Paul Nulty 374

UCD-S1: A hybrid model for detecting semantic relations between noun pairs in text
Cristina Butnariu and Tony Veale 378

UCM3: Classification of Semantic Relations between Nominals using Sequential Minimal Optimization
Isabel Segura Bedmar, Doaa Samy and Jose L. Martinez 382

UIUC: A Knowledge-rich Approach to Identifying Semantic Relations between Nominals
Brandon Beamer, Suma Bhat, Brant Chee, Andrew Fister, Alla Rozovskaya and Roxana Girju 386

UMND1: Unsupervised Word Sense Disambiguation Using Contextual Semantic Relatedness
Siddharth Patwardhan, Satanjeev Banerjee and Ted Pedersen 390

UMND2 : SenseClusters Applied to the Sense Induction Task of Senseval-4
Ted Pedersen 394

UNIBA: JIGSAW algorithm for Word Sense Disambiguation
Pierpaolo Basile, Marco de Gemmis, Anna Lisa Gentile, Pasquale Lops and Giovanni Semeraro 398

UNN-WePS: Web Person Search using co-Present Names and Lexical Chains
Jeremy Ellman and Gary Emery 402

UNT-Yahoo: SuperSenseLearner: Combining SenseLearner with SuperSense and other Coarse Semantic Features
Rada Mihalcea, Andras Csomai and Massimiliano Ciaramita 406

UNT: SubFinder: Combining Knowledge Sources for Automatic Lexical Substitution
Samer Hassan, Andras Csomai, Carmen Banea, Ravi Sinha and Rada Mihalcea 410

UOY: A Hypergraph Model For Word Sense Induction & Disambiguation
Ioannis Klapaftis and Suresh Manandhar 414

UP13: Knowledge-poor Methods (Sometimes) Perform Poorly
Thierry Poibeau 418

UPAR7: A knowledge-based system for headline sentiment tagging
François-Régis Chaumartin 422

UPC: Experiments with Joint Learning within SemEval Task 9
Lluís Màrquez, Lluís Padró, Mihai Surdeanu and Luis Villarejo 426

UPV-SI: Word Sense Induction using Self Term Expansion
David Pinto, Paolo Rosso and Héctor Jiménez-Salazar 430

UPV-WSD : Combining different WSD Methods by means of Fuzzy Borda Voting
Davide Buscaldi and Paolo Rosso 434

USFD: Preliminary Exploration of Features and Classifiers for the TempEval-2007 Task
Mark Hepple, Andrea Setzer and Robert Gaizauskas 438

USP-IBM-1 and USP-IBM-2: The ILP-based Systems for Lexical Sample WSD in SemEval-2007
Lucia Specia, Maria das Graças, Volpe Nunes, Ashwin Srinivasan and
Ganesh Ramakrishnan 442

USYD: WSD and Lexical Substitution using the Web1T corpus
Tobias Hawker 446

UTD-HLT-CG: Semantic Architecture for Metonymy Resolution and Classification of Nominal Relations
Cristina Nicolae, Gabriel Nicolae and Sanda Harabagiu 454

UTD-SRL: A Pipeline Architecture for Extracting Frame Semantic Structures
Cosmin Adrian Bejan and Chris Hathaway 460

UTH: SVM-based Semantic Relation Classification using Physical Sizes
Eiji Aramaki, Takeshi Imai, Kengo Miyo and Kazuhiko Ohe 464

UVA: Language Modeling Techniques for Web People Search
Krisztian Balog, Leif Azzopardi and Maarten de Rijke 468

UVAVU: WordNet Similarity and Lexical Patterns for Semantic Relation Classification
Willem Robert van Hage and Sophia Katrenko 472

UofL: Word Sense Disambiguation Using Lexical Cohesion
Yllias Chali and Shafiq R. Joty 476

WIT: Web People Search Disambiguation using Random Walks
José Iria, Lei Xia and Ziqi Zhang 480

WVALI: Temporal Relation Identification by Syntactico-Semantic Analysis
Georgiana Puşcaşu 484

XRCE-M: A Hybrid System for Named Entity Metonymy Resolution
Brun Caroline, Ehrmann Maud and Jacquet Guillaume 488

XRCE-T: XIP Temporal Module for TempEval campaign.
Caroline Hagège and Xavier Tannier 492

Indices

Author Index

Task and System Index