

# **Workshop on Surface Modifications and Functionalization of Materials for Biomedical Applications**

**(BIO-COAT 2010)**

**Journal of Physics: Conference Series Xqmw g'474**

**Saragossa, Spain  
24 June 2010**

**ISBN: 978-1-61782/127-1  
ISSN: 1742-6588**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2010) by the Institute of Physics  
All rights reserved.

Printed by Curran Associates, Inc. (2010)

For permission requests, please contact the Institute of Physics  
at the address below.

Institute of Physics  
Dirac House, Temple Back  
Bristol BS1 6BE UK

Phone: 44 1 17 929 7481  
Fax: 44 1 17 920 0979

[techtracking@iop.org](mailto:techtracking@iop.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

## TABLE OF CONTENTS

|  |     |
|--|-----|
| <b>Plasma Processes and Applications in Nanobiotechnology .....</b>  | 1   |
| <i>F Rossi, P Colpo</i>  |     |
| <b>Honeycomb Structured Porous Interfaces As Templates for Protein Adhesion .....</b>  | 9   |
| <i>J Rodríguez-Hernández, A Muñoz-Bonilla, E Ibarboure, V Bordegé, M Fernández-García</i>  |     |
| <b>Design and Rapid Prototyping of DLC Coated Fractal Surfaces for Tissue Engineering Applications.....</b>  | 16  |
| <i>A Díaz-Lantada, A Mosquera, J L Endrino, P Lafont</i>   |     |
| <b>Computer Simulation of Scaffold Degradation.....</b>  | 24  |
| <i>G Erkizia, A Rainer, E M De Juan-Pardo, J Aldazabal</i>   |     |
| <b>Beneficial Silver: Antibacterial Nanocomposite Ag-DLC Coating to Reduce Osteolysis of Orthopaedic Implants.....</b>   | 32  |
| <i>J L Endrino, J C Sánchez-López, R Escobar Galindo, D Horwat, A Anders</i>   |     |
| <b>Tribological Performance of DLC Coatings on UHMWPE .....</b>  | 39  |
| <i>V Martínez-Nogués, F J Medel, M D Mariscal, J L Endrino, J Krzanowski, F Yubero, J A Puértolas</i>  |     |
| <b>Multifunctional Sol-gel Derived Thin Film Based on Nanocrystalline Hydroxyapatite Powders .....</b>   | 47  |
| <i>A A El hadad, V Barranco, A Jiménez-Morales, E Peón, J C Galván</i>   |     |
| <b>Laser Produced Coatings and Surface Modifications for Medical Implants.....</b>   | 55  |
| <i>B León</i>  |     |
| <b>Biofunctionalization of Titanium Surfaces for Osseointegration Process Improvement.....</b>   | 59  |
| <i>P Sevilla, M Godoy, E Salvagni, D Rodríguez, F J Gil</i>  |     |
| <b>Evaluation of Magnesium Alloys with Alternative Surface Finishing for the Proliferation and Chondro-differentiation of Human Mesenchymal Stem Cells .....</b> | 65  |
| <i>J Trinidad, G Arruebarrena, E Sáenz De Argandoña, G Ruiz De Eguino, A Infante, C I Rodríguez</i>  |     |
| <b>Bacterial Adherence to Anodized Titanium Alloy .....</b>  | 72  |
| <i>C Pérez-Jorge Peremach, R Pérez Tanoira, M A Arenas, E Matykina, A Conde, J J De Damborenea, E Gómez Barrena, J Esteban</i>                                   |     |
| <b>Antibacterial Efficacy of Advanced Silver-amorphous Carbon Coatings Deposited Using the Pulsed Dual Cathodic Arc Technique .....</b>                          | 80  |
| <i>J L Endrino, A Anders, J M Albella, J A Horton, T H Horton, P R Ayyalasomayajula, M Allen</i>   |     |
| <b>Bacterial Adherence on Fluorinated Carbon Based Coatings Deposited on Polyethylene Surfaces.....</b>  | 88  |
| <i>A Terriza, G Del Prado, A Ortiz Pérez, M J Martínez, J A Puértolas, D Molina Manso, A R González-Elipe, F Yubero, E Gómez Barrena, J Esteban</i>              |     |
| <b>Bacterial Adherence on UHMWPE Doped with Vitamin E: an In Vitro Study.....</b>  | N/A |
| <i>D Molina-Manso, E Gómez-Barrena, J Esteban, H Adames, MJ Martínez, J Cordero, R Fernández-Roblas, JA Puértolas</i>  |     |
| <b>Antibacterial Properties of Biomedical Surfaces Containing Micrometric Silver Islands .....</b>   | 94  |
| <i>R Pérez-Tanoira, C Pérez-Jorge, J L Endrino, E Gómez-Barrena, D Horwat, J F Pierson, J Esteban</i>  |     |
| <b>Evaluation of the Effect of Vitamin E Doped UHMWPE on Biofilm Development and Infection Using an in Vivo Experimental Model.....</b>                          | 102 |
| <i>D Molina-Manso, E Gómez-Barrena, N Alonso-Rodríguez, E Sandoval, J Cordero, R Fernández-Roblas, JA Puértolas, J Esteban</i>                                   |     |
| <b>Si+ Ion Implantation Reduces the Bacterial Accumulation on the Ti6Al4V Surface .....</b>  | 106 |
| <i>A M Gallardo-Moreno, M A Pacha-Olivenza, J Perera-Núñez, J L González-Carrasco, M L González-Martín</i>   |     |
| <b>Author Index</b>  |     |