

45th Annual Loss Prevention Symposium 2011

(LPS)

**Topical Conference at the 2011 AIChE Spring Meeting and
7th Global Congress on Process Safety**

**Chicago, Illinois, USA
13 – 17 March 2011**

ISBN: 978-1-61782-889-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2011) by AIChE
All rights reserved.

Printed by Curran Associates, Inc. (2011)

For permission requests, please contact AIChE
at the address below.

AIChE
3 Park Avenue
New York, NY 10016-5991

Phone: (203) 702-7660
Fax: (203) 775-5177

www.aiche.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

HSE: A Strategic Issue	1
<i>J. Azevedo</i>	
Kinetic Modeling of the Reactions involved in the T2 Explosion	2
<i>R. Willey, H. Fogler, M. Cutlip</i>	
Safety Studies for Reformatsky Chemistry In a Meso-Scale Continuous Process System	13
<i>G. Loh, S. Shaik, L. Wong, P. Sharratt</i>	
Inherently Safer Reactor Design for Complex Reactions Based on Calorimetry Studies	14
<i>A. Pineda-Solano, L. Saenz-Noval, M. Papadaki, V. Carreto-Vazquez, S. Waldram, S. Nayak, J. Gao, W. Rogers, M. Mannan</i>	
Comparison of the Results from Six Calorimeters in the Determination of the Thermokinetics of a Model Reaction	26
<i>W. Benaïssa, D. Carson</i>	
Improvement of BLEVE Overpressure Method Using Historical Data	40
<i>F. Chen, E. Lutostansky, J. Schork</i>	
Ignition Behavior of Methane-Oxygen Mixtures at Elevated Conditions	59
<i>N. Holst, T. Khakpour, K. Holtappels, J. Steinbach</i>	
Comparison of Deflagration to Detonation Transition (DDT) Criteria for With Test Data from Unconfined Ethylene-Air Vapor Cloud Explosion	69
<i>J. Thomas, J. Geng, C. Eastwood</i>	
Limited Applicability of Gas Explosion Venting Due to Turbulence Generation	75
<i>M. Poli, R. Gratz, V. Schroder</i>	
On The Potential Of Mitigating Vapour Cloud Explosions Using Flame Inhibitors	87
<i>K. Wingerden, P. Hoorelbeke</i>	
Ignition Of Dust Layers By Mechanical Sparks	102
<i>K. Wingerden, I. Hesby, R. Eckhoff</i>	
Effect Of Physical Properties Of Particulates On Dust Explosions And Fires	117
<i>K. Manjunath</i>	
Combustible-Dust Handling: Methods For Precluding The Existence Of A Dust-Explosion Hazard	132
<i>R. Prugh</i>	
Secondary Dust Explosions: How to Prevent them or Mitigate their Effects?	145
<i>J. Taveau</i>	
A New Strawman Methodology to Predict Combustible Dust Entrainment from Layers	179
<i>E. Ural</i>	
Application of the NFPA 654 Dust Layer Thickness Criteria - Recognizing the Hazard	193
<i>S. Rodgers</i>	
Flashing Two-Phase Releases from the Desert Tortoise and Jack Rabbit Tests	213
<i>T. Spicer</i>	
The Buncefield Explosion: Were the Resulting Overpressures Really Unforeseeable?	230
<i>J. Taveau</i>	
Two-Phase Jet Releases And Droplet Dispersion: Rainout Experiments And Model Validation	231
<i>H. Witlox, M. Harper, R. Bettis, S. Jagger, P. Bowen</i>	
CFD Modeling of Hydrogen Releases and Explosions	243
<i>F. Gavelli, S. Davis, P. Hinze, O. Hansen</i>	
Loss Prevention Issues in Implementing New Hydrogen Technologies	262
<i>C. Rivkin, C. Blake</i>	
The Fire Hazard of an Ethanol Process Facility	279
<i>B. Ditch</i>	
The Need for Process Safety in the Biofuels Industry	289
<i>L. Nara</i>	
Guidelines for Identifying and Mitigating Thermal Hazards of Sustainable Materials	298
<i>D. Morrison, R. Hart</i>	
Oxidation Properties of "Solar Salt"	315
<i>W. Benaïssa, D. Carson</i>	
Utilizing Quantified Risk Assessment in the Offshore Oil & Gas Industry to Support the Principles of Inherent Safety and Continuous Risk Reduction	328
<i>D. Carter, A. Warwick</i>	

Initiation of Energetic and Flammable Material by Adiabatic Compression	329
<i>A. Kashani, C. Dahn</i>	
A Process Engineering View of Safe Automation	343
<i>A. Summers</i>	
Thermal Hazard Evaluation for Process Buildings Using CFD Analysis Techniques	352
<i>A. Chakrabarty, M. Edel, A. Raibagkar, A. Aloqaily</i>	
Using Integrated Toxic Release Consequences Analysis Tool For Inherently Safer Design Of Process Plant At Preliminary Design Stage	380
<i>A. Shariff, D. Zaini</i>	
Experimental Study of Ignition of Bulk Storage by Hot Points	381
<i>A. Janes, J. Chaineaux, D. Carson, W. Benaissa</i>	
Transient Reservoir Conditions and Leak Flow Rate for a Choked Orifice: Basic Principles, Estimation and Applications	389
<i>C. Barrera, K. Hosseini, A. Kemal</i>	
Preparing for An OSHA Combustible Dust NEP Inspection In Food Processing and NFPAÆ 61 Prescriptive Compliance: Timelines, Recommendations and Pitfalls	404
<i>C. Howat III</i>	
Inherently Safer Design KPI Incorporated In Kuwait Oil Company's Performance Review	405
<i>C. Rezaei, A. Abbas</i>	
Challenges In Applying Inherent Safety for Chemical Security	406
<i>D. Moore</i>	
Hydrogen Disposal Flare System Hazard Identification and Mitigation Analysis	407
<i>C. McGrath, A. Sutton, L. Goudie, J. Standen</i>	
Safety Lifecycle For A Separator / Desalter Plant - Lessons Learnt	408
<i>C. Seethepalli</i>	
Distillation Columns Risk Assessment: When the Regular HAZOP Evaluation Is Not Enough	410
<i>C. Marengo, P. Metropolo, N. Serra, F. Tedeschi, C. Takase, D. Rita, I. Mantovani</i>	
Evaluating Combustible Dust Hazards and Implementing a Risk Reduction Program	411
<i>F. Davis</i>	
Probability of Initial Failure for Spring Operated Pressure Relief Valves	425
<i>J. Bukowski, R. Gross, W. Goble</i>	
A HAZOP-Like Risk Analysis Method for Intensified and Multi-Scale Processes	426
<i>D. Carson, W. Benaissa</i>	
100% Adiabaticity: Realized with the Differential Accelerating Rate Calorimeter	427
<i>F. Wu, G. Li, K. Huang</i>	
The Use Of Risk Criteria In Comparing Transport Modalities	429
<i>H. Boot</i>	
Applying PSM to Ammonia Refrigeration Systems - A Practical Approach	440
<i>J. Herber</i>	
QRA and Its Role In Managing the Risks to Personnel within Occupied Buildings From Flammable Hazards	441
<i>N. Cavanagh</i>	
Process Quality Issues as Warning Signs for Future Catastrophes	442
<i>J. Herber</i>	
From SEMP to SEMS: The New Offshore Regulatory Regime	443
<i>I. Sutton</i>	
The Study Of Vulnerability Assessment And COI Classification Algorithm Of Toxic Chemicals In Korea	444
<i>J. Park, Y. Lee, Y. Yoon, C. Park, I. Moon</i>	
Dynamic Nonlinear Finite Element Analysis of Modular Metal Buildings in Petrochemical Facilities	445
<i>J. Florek, M. Edel</i>	
Management of Process Safety Barriers - A Methodology to Guarantee the Integrity of the Protection Barriers -	460
<i>M. Machado, M. Bittencourt</i>	
Process Safety Considerations During Railcar Loading and Unloading	467
<i>M. Viz</i>	
The Value of Subjective vs. Objective Risk Analysis to Expedite Ranking of Functional Systems and Assets	468
<i>M. Yarlott</i>	
Learning from Experience Enhancing the Effectiveness of Safety Systems in Process Plant Construction	479
<i>K. Sen</i>	

Risk - Based Inspection (RBI), a Real Benefit?	483
<i>I. Aguilar</i>	
Stretch In Inherent Safety Technology In Offshore Facilities	492
<i>Q. Wang, M. Larraoaga</i>	
Benefits of CFD for Onshore Facility Explosion Studies	493
<i>O. Hansen, S. Davis, K. Wingerden</i>	
An Evaluation of Denser than Air Dispersion Models	494
<i>S. Garcia, F. Munoz, A. Rodriguez</i>	
An Investigation of Fire and Explosion Accident in the Drainage System Related to Process Industries	514
<i>M. El-Harbawi, S. Shaaran, F. Ahmad, M. Wahi</i>	
Uncertainty In LOPA Studies	533
<i>R. Freeman</i>	
Quantitative Risk Assessment Of HF Handling Unit	534
<i>P. Bhupathi, D. Chaukade, S. Godbole, A. Bhavsar, P. Ghosh</i>	
Sensitivity Analysis of Atmospheric Dispersion Modeling In Emergency Situation	549
<i>S. Pagnon, A. Bony-Dandrieux, J. Tixier, G. Dusserre, B. Debray, F. Fontaine</i>	
Safe Scale Up of Chemical Processes: Integration of Safety Testing in the Product Life Cycle	568
<i>S. Umbrajkar, S. Rowe</i>	
Accident/Incident Scenarios based on Life Stages Across the Complete Chemical/Product Life Cycle	581
<i>T. Nakarai, S. Yoshino, I. Nishimaru, M. Kutsumi, A. Miyake</i>	
Importance of Engineering Standards	591
<i>M. Norsworthy</i>	
Managing Data for Critical Indicators and Metrics	592
<i>T. Drake</i>	
A Simplified, Graphical Representation of Process Safety Competency Development	593
<i>C. Young</i>	
Criticality Analysis for Hazardous Materials Transportation	601
<i>M. Bardy, K. Oliveira</i>	
Paradigm Shift in the Regulatory Application of Safety Management Systems to Offshore Facilities	602
<i>S. Maher, C. Cheek, E. Brawley-Roehl, G. Long</i>	
Exploration of Offshore Safety Case with An Example	623
<i>Y. Guo, I. Alme, M. Mannan</i>	
Quantitative Risk Assessment Comparison of Heater Burner System Designs	624
<i>S. Maher, K. Hockett, G. Kaiser</i>	
A Statistical Review of Experimental PV Burst Data Available In the Literature	625
<i>F. Chen, E. Lutostansky, S. Mehta, J. Schork</i>	
Risk Management and Prevention Program to avoid Loss of Process (LP3) based on Human Reliability, Practical Application and Measurement	626
<i>S. Avila, A. Santos, F. Pessoa, J. Andrade</i>	
Experimental study of CH₄/O₂/CO₂ Mixtures Flammability	640
<i>A. Janes, J. Chaineaux, G. Marlair, D. Carson, W. Benaissa, B. Tribouilloy</i>	
A Comprehensive Correlation for Evaporation from the Liquid Pool into Ambient	646
<i>S. Khajehnajafi, R. Pourdarvish</i>	
Explosion Hazards Related to Hydrogen Releases in Ventilated Rooms	663
<i>J. Taveau</i>	
Fuels Transportation Network Design: Minimization Of Risk Associated To Hazardous Materials Transportation	674
<i>J. Lizarazo, C. Cardenas, F. Munoz, E. Gutierrez</i>	
Evaluation Of Equilibrium Toxicity Hazards Using "Infinite Points"	692
<i>R. Prugh</i>	
A Physico-Chemical Basis For "Explosibility Index" and Application To Electrical Classification And Explosion Hazard Evaluation	708
<i>R. Prugh</i>	
Experimental Results from Heavy Gas Dispersions (R134a)	713
<i>C. Rauchegger, B. Schalaus, D. Schmidt, V. Lohse, V. Schroder, D. Thevenin</i>	
Risk Based Design For A Gas Oil Separation Plant An Industrial Case Study	725
<i>F. Tallone, T. Barbaresi</i>	
A Systematic Approach to Implementing Operator Training Simulators	744
<i>D. Glaser</i>	
Dependent Layer Of Operation Decision Analyzes (LODA) To Calculate Human Factor, A Simulated Case With LPG Event	752
<i>S. Avila</i>	

Analysing and Preventing the Recurrent Human Causes of Process Accidents: Application to Deepwater Horizon and Other Significant Incidents	772
<i>D. Embrey</i>	
Calculating the Explosion Energy of a BLEVE Using Exergy Analysis	773
<i>R. Ogle, J. Ramirez, S. Smyth</i>	
The First Functional Safety Management System TUV Certified In Americas	782
<i>G. Leanza</i>	
Evaporation From Liquid Spillages: State of the Art and Improvements	794
<i>S. Forestier, F. Heymes, L. Aprin, L. Munier, G. Dusserre, C. Legallic</i>	
Likelihood Of Ignition Of Released Flammables	795
<i>M. Moosemiller, A. Sepeda</i>	
QRA Method for Land-Use Planning around Onshore Natural Gas Production Sites	811
<i>E. Kooi, M. Spoelstra</i>	
Benefits of Risk-Based Design through Probabilistic Consequence Modeling	830
<i>S. Davis, O. Hansen, L. Rogstadkjernet, A. Bratteteig, I. Berthelsen, T. Davidsen, J. Holm</i>	
What to Do When Nothing Has Happened?	849
<i>R. Freeman</i>	
Risk Assessment of a Propane Storage Sphere: Maintain or Decommission?	867
<i>A. Carpenter, R. Ogle, J. Ramirez</i>	
A Frequency Based Approach to Hole Size Selection for Consequence Analysis	879
<i>M. Stahl, K. Kenady</i>	
Management Walks Arounds: Lessons From the Gulf of Mexico Oil Well Blowout	885
<i>A. Hopkins</i>	
Gas Fired Oven Explosion	886
<i>Q. Baker, D. Benac, D. Olson</i>	
Addressing Human Error in Systemic Failures: A Case Study Combining Incident Investigation Approaches	894
<i>B. Vaughn, T. Muschara</i>	
Lessons Learned From Inspection of 25,000 Upstream Oil and Gas Wells and Associated Plants	907
<i>P. Schubert, D. Scott</i>	
Acid Release from Catalyst Tanks	923
<i>R. Garland</i>	
Fatal Explosion Caused by an Intermittently Used Fuel Gas Piping System	928
<i>R. Ogle, S. Dillon, A. Carpenter</i>	
Author Index	