2011 IEEE 33rd International Telecommunications Energy Conference

(INTELEC 2011)

Amsterdam, Netherlands
9 – 13 October 2011

Pages 1-570

IEEE Catalog Number: CFP11INT-PRT
ISBN: 978-1-4577-1249-4

TABLE OF CONTENTS

Lithium-ion Batteries in Telecom Hybrid Power Systems 1
Stephen S. Eaves, Stanley Mlyniec

The Development of Thin Plate, Pure Lead VRLA Batteries for Telecommunications Applications in Challenging Environments 4
Shawn Peng, Fang Yuan

Change of Paradigm in Power Electronic Converters Used in Renewable Energy Applications 9
T. Suntio, J. Puukko, L. Nousiainen, T. Messo, J. Huusari

Nickel-Iron This all but forgotten technology has a very important place to occupy with users that desire very long life and the ability to suffer abuse in their battery systems 18
Peter J. Demar

A Novel Voltage Balancer for EDLCs by Cockcroft-Walton Circuit Having Zeta Converter 23
Keiju Matsui, Takumi Nakashima, Masaru Hasegawa

Power Quality with Green Energy, DDC, and Inductively Powered EV's 29
John T. Boys, Josh R. Lee

New Coupled-inductor SEPIC Converter with Very High Conversion Ratio and Reduced Voltage Stress on the Switches 37
B. Axelrod, Y. Berkovich

Fuel Cell Systems Provide Clean Backup Power in Telecom Applications Worldwide 44
Richard Romer

Stationary Lead-Acid Batteries Remote Monitoring System 46
M. Fátima, N. C. Rosolem, Gilcinea Rangel Pessenti, Raul Fernando Bec, Glauco Ribeiro Dos Santos

Lithium-ion Batteries Evaluation for Telecommunication's Stationary Applications 53
M. Fátima N. C. Rosolem, Alexandre Pinhel Soares, Raul Fernando Beck, Glauco Ribeiro Dos Santos, Vitor Torquato Arioli, Kaue Tebaldi Miranda, Rodrigo Samuel Nazari, Marcos Roberto Dos Santos, Luiz Eduardo F. Dias

Earthquake Performance of Telecommunications Infrastructure in Christchurch 2010 / 2011 60
Colin Foster

Ecoefficiency of Universal Power Supplies for customer premises equipment 65
Flavio Cucchietti, Luca Giacomello, Patrizia Vaccarone, Sara Rollino

A Single-Stage Bridgeless Power-Factor-Correction Rectifier Based on Flyback Topology 71
K. T. Mok, Y. M. Lai, K. H. Loo

Wireless Charging Technology Using Magneticall Coupled Resonators 77
Y. H. Kim, S. Y. Kang, S. Cheon, M. L. Lee, T. Zyung

True Bridgeless PFC – Stages with Advanced Current Measuring Circuit 80
Manfred Reddig, Wenqi Zhou, Manfred Schlenk

Design of Power Sharing System Between Supercapacitors and Battery in an Uninterruptible Power Supply 86
Aminne Lahyani, Pascal Venet, Alaa Troudi

Thermal Model for Data Centre Cooling 93
S. Le Masson, D. Nörtershäuser, B. Deddy, P. Glouannec

A Novel Reduction Strategy of Standby Power Loss in the Multi-Oscillated Current Resonant DC-DC Converter Considering Acoustic Noise Compatibility 99
Tadahiko Sato, Hirofumi Matsuo, Hiroyuki Ota

Pre Roll-out Field Test of 400 VDC Power Supply: The nNew Alliance of Edison and Tesla Towards Energy Efficiency 104
Didier Marquet, Olivier Foucault, Jaqueline Acheen, Jean Francois Turc, Marek Szpek, Joel Brunarie

PUE: The Green Grid Metric for Evaluating the Energy Efficiency in DC (Data Center). Measurement Method Using the Power Demand 112
Enrique Jaureguialzo

Renewable Energy (Green ICT) Support for Mobile Communications in Africa 120
Kenneth K Tsivor

Accelerated Ageing Testing and Cycle Life Prediction of Supercapacitors for Alternative Battery Applications 126
Masatoshi Uno, Koji Tanaka

Single-Switch Cell Voltage Equalizer Based on Multi-Stacked SEPICs for Series-Connected Energy Storage Cells 132
Masatoshi Uno, Koji Tanaka

Reliability Improvement of FB inverter in HID Lamp Ballast using UniFET™ II MOSFET family 139
Won-Seok Kang, Jae-Eul Yeon, Hee-Jun Kim, Tae-Young Ahn
Stability and Transient Performance Assessment in a COTS-Module-Based Distributed DC/DC System 144
S. Vesti, J. A. Oliver, R. Prieto, J. A. Cobos, T. Suntio
Boost and Buck Topology Based Single Phasse AC-DC Converters with Low THD and High Power Factor 151
A. Kabir, A. Hasan Abedin, D. Rahman, R. Binta Mustafiz, M. A. Choudhury
DC Microgrids in Buildings and Data Centers 158
Dustin J. Becker, B. J. Sonnenberg
Series-Parallel Connected 10W/cm3 Dc-dc Converter for Advanced High-Density Converter Design 165
Yusuke Hayashi, Masato Mino
Development of Fault Detection System in PV System 171
Toyonari Shimakage, Kojiro Nishioka, Hiroshi Yamane, Masashi Nagura, Mitsuru Kudo
Application of Model-Based Design in Development of Micro-Grid System 176
Hitoshi Kidokoro, Masatoshi Nakahara, Soichiro Nakamura
Analysis of Inrush Currents for DC Powered IT Equipment 183
Brian Davies
Battery Management for Fuel Cell/Battery Hybrid Power Supply System 187
Katsuyuki Sato, Toshiaki Yachi, Akira Takeuchi, Tadatoshi Babasaki
Development of PDC and PDU with Semiconductor Breakers 194
Kensuke Murai, Toshimitsu Tanaka, Tadatoshi Babasaki, Yousuke Nozaki
Coordinated System for controlling ICT Equipment and CRAC Loads in Data Centers 202
Keigo Matsuo, Masato Maruyama, Toshihiro Hayashi, Akira Takeuchi, Ryota Nakamura, Kazuhiro Matsuda, Tetsuya Tominaga
Development of Large Capacity Stationary Lithium-ion Battery System for ICT backup system 209
Takashi Matsushita, Riichi Kitano, Kaho Yabuta, Tomonobu Tsujikawa, Takefumi Isobe, Masayasu Arakawa, Takashi Kofuse
Detection of a Metal Obstacle in Wireless Power Transfer Via Magnetic Resonance 214
Hiroki Kudo, Kenichiro Ogawa, Noriaki Oodachi, Noritaka Deguchi, Hiroki Shoki
Basic Experimental Study on Effect of Bentonite to Efficiency of Wireless Power Transfer Using Magnetic Resonance Coupling Method 220
Vissuta Jiwariyavej, Takehiro Imura, Takuya Koyanagi, Yusuke Moriwaki, Yoichi Hori, Chiaki Nagai, Kenichi Ando, Kazuya Watanabe, Masao Uyama
Flexible Two-Phase Thermosyphon for Power Electronic Cooling 224
Francesco Agostini, Bruno Agostini
Basic Study on Reduction of Reflected Power Using DC/DC Converters in Wireless Power Transfer System via Magnetic Resonant Coupling 230
Yusuke Moriwaki, Takehiro Imura, Yoichi Hori
A Novel Mult-Input DC-DC Converter with High Power Efficiency 235
M. Suetomi, H. Matsuo, K. Hirakida, R. Nakashim, R. Hamaguchi, Y. Isizuka, W. Lin
A Novel Output Voltage Regulation Strategy for Primary Side of Flyback Converter 240
M. Suetomi, S. Inada, T. Kuriaki, Y. Ishizuka, M. Jinno, W. Lin, H. Matsuo
A Novel Bidirectional DC-DC Converter with High Power Efficiency for Isolation in High Voltage DC Power Feeding Systems 244
M. Suetomi, D. Imamichi, S. Matsumoto, D. Ueda, J. R. Yang, Y. Ishizuka, W. Lin, H. Matsuo
Power Efficiency Improvement of the Full Bridge Current Resonant DC-DC Converter 248
H. Kato, H. Matsuo, T. Ito, S. Kawazu, D. Kawahara, S. Motomura, R. Hamaguchi
The Control Method of 3-Phase PWM Converter for 3-Phase 3-Wired Imbalanced AC Voltages 253
Takayanagi Atsushi, Yuzurihara Itsuo, Okano Tsuyoshi
Novel Total Site Management Concept Improves Radio Base Station Site Energy Efficiency 261
Mervi Suni, Jaakko Aho
Grounding Concept Considerations and Recommendations for 400VDC Distribution System 266
Keiichi Hirose, Toshimitsu Tanaka, Tadatoshi Babasaki, Sylvain Person, Olivier Foucault, B. J. Sonnenberg, Marek Szpek
Smart Energy Solutions Using Fuel Cells 274
J. Blanchard
Open Series Fault Comparison in AC & DC Micro-grid Architectures 282
H. B. Estes, A. Kwasinski, R. E. Hebner, F. M. Uriarte, A. L. Gattozzi
Zero Voltage Switching Isolated Boost Converter Topology 288
C. Donovan Davidson
380/400V DC Powering Option An Independent Review 296
Frank Bodi, Ee Hui Lim

Telepower Cost Benefit Model 304
A. Ecker, F. Bodi
10-MHz DC/DC Converter Based on GaN HEMT for RF Applications 312
F. Gamand, V. Di Giacomo, C. Gaquiere
Environmental Benefits of a Universal Mobile Charger and Energy-Aware Survey on Current Products 316
Flavio Cucchietti, Luca Giacomello, Gianluca Griffa, Patrizia Vaccarone, Paolo Tecchio, Raffaele Bolla, Roberto Bruschi, Luca D'Agostino
Energy and Carbon Pay Back Times for Renewable Power Supply Systems for Italian RBS Off–Grid Sites 325
Claudio Bianco, Aristide Torrelli, Valter Squizzato, Anders S. G. Andrae, Paolo Gemma
Lithium-Ion (Li-Ion) Battery Technology Evolves to Serve an Extended Range of Telecom Applications 331
Joel Brunarie, Saft Bagnolet
Effect of Minimizing Input Capacitance in VSI-Based Renewable Energy Source Converters 340
J. Puukko, L. Nousiainen, T. Suntio
High Efficiency Telecom Rectifier Designed for Wireless Communication Networks 349
Boning Huang, Grover Torrico, Xiangmin Ma, Yongtao Liang
Appearance of a RHP-Zero in VSI-Based Photovoltaic Converter Control Dynamics 355
L. Nousiainen, J. Puukko, T. Suntio
Standardization for Interoperable Autonomous Smart Sensores in the Future Energy Grid Systems 363
J. Higuera, J. Polo
An Effective Method to Evaluate the Battery Life Under Unreliable Mains Associated with Rigorous High Temperature 372
Qiangxin An, Jie Li, Xiangmin Ma, Guangchun Bi, Sen Bian Chin
Wind Experience from Tanzania 375
Kent Westergren, Lars E Humla
Estimation of Membrane Hydration Status for Standby Proton Exchange Membrane Fuel Cell Systems by Impedance Measurement: First Results on Cell Characterization 379
Benoit Bidoggia, Soren Knudsen Kar
Novell Photovoltaic DC/DC Converter 386
Sergey Ryvkin, Felix A. Himmelstoss
Optimal Design of Renewable Hybrid Power Supply Systems 393
Krzysztof Puczko
A Genetic Algorithm Based Battery Model for Stand QAlone Radio Base Stations Powering 399
G. Fabbri, M. Paschero, A. J. M. Cardoso, C. Boccaletti, F. M. Frattale Mascioli
Evaluation of the Environmental Aspects to Operate off-grid, Stand Alone Telecommunications Systems 407
Manuel Nitze, Hans-Peter Glauser
The New Electric Shielding Scheme with Comb-shaped Wire and its Applications in SMPS 415
Qingbin Chen, Wei Chen
Control and Optimisation of Power Consumption in Radio Base Stations 422
G. Fabbri, A. J. M. Cardoso, C. Boccaletti, A. Girimonte
Low loss micro grid for RBS sites 428
Lars Efraimsson, Johan Åhman, Håkan Bringsell
Energy from Biogas, Renewables for Supplying Telecommunications in Remote, Rural Areas 431
Balázs Rakos, Péter Stumpf, István Nagy
Significantly Extending the Operational Range of Free Cooling in Radio Base Station Indoor Shelters 438
Domhnaill Hernon, Pedro Silvestre-Castillo, Peter Hayden
The Energy Saving Evaluation of Green DSL While Infield Mass Implementation 445
Claudio Bianco, Gianluca Griffa, Nickle Lee, Paolo Gemma, Zhu Bin
Design of dc-dc Converter with Phase Shift and Duty Cycle Control for Full Range Soft Switching 453
Hamid Daneshpajooh, Alireza Bakhshai, Praveen Jain
Variable Position Wireless Power Transmitter through Multiple Cooperative Flux Generators 459
J. Schwannecke, A. E. Umenei, T. Leppien, D. Baarman
Overview and Design Aspects of Data- and Telecommunication Power System to Meet Latest Efficiency and Power Saving Standards and Regulations 463
Rais Miftakhutdinov
An Optimal Control Strategy for Digitally Controlled Single-Phase Power Factor Correction AC-DC Boost Converter 472
Majid Pahlevaninehzad, Pritam Das, Suzan Eren, Alireza Bakhshai, Praveen Jain

Control of Three-Phase Voltage Source Inverter for Renewable Energy Applications 477
Suzan Eren, Alireza Bakhshai, Praveen Jain
Analysis and Design of a Novel Three-Phase Single- Stage Rectifier 481
Mehdi Narimani, Gerry Moschopoulos
An Investigation into the use of Active Snubbers to Improve Light-Load Converter Efficiency 488
Mohammadjavad Baei, Gerry Moschopoulos
Topology Characteristics Analysis and Performance Comparison for Optimal Design of High Efficiency PFC Circuit for Telecom 495
Yun-Sung Kim, Byoung-Kuk Lee, Julian W. Lee
Efficient Design of Boost Converters for Fuel Cells 502
Damian Giaouris, Fotis Stergiopoulos, Chrysovalantou Ziogou, Simira Papadopoulou, Spyros Voutetakis
Modeling, Control and Power Management of Inverter Interfaced Sources in a Microgrid 506
Manohar Chamana, Stephen B. Bayne
Wireless Energy Transfer Efficiency Enhancement for Mobile Receiver Devices 513
Hatef Dabbaghian Moqadam, Sina Abedini Dereshgi, Ali Pour Mohammad Qoli Vafa, Aslan Nouri Moqadam
Buck-Boost Converter Controlled by Hysteretic PWM Method with Input Voltage Feedforward 518
Tomonori Watanabe, Takashi Nabeshima, Terukazu Sato, Kimihiro Nishijima
Single Carrier Wave Comparison PWM for Vienna Rectifier and Consideration for DC-Link Voltage Unbalance of Offset Voltage Effects 524
Hag-Wone Kim, Byung-Chul Yoon, Kwan-Yuhl Cho, Byung-Kuk Lim, Soon-Sang Hwang
Power Conditioning and Energy Management in a Renewable Energy Based Hybrid System for Telecommunications 530
E. Ribeiro, A. J. M. Cardoso, C. Boccaletti
A High Efficiency High Power Density AC-DC Converter with Holdup Time Extension Capability 539
Masaya Takahashi, Kimihiro Nishijima, Michihiko Nagao, Terukazu Sato, Takashi Nabeshima
Feasibility Study Of Wind Potential for Murchehkhort-Isfahan in Iran 546
Hossein Bungypoorfard, Arash Hadadian, Mohamed Amini, Mojtaba Ezheian
A Practical Circuit-based Model for Li-ion Battery Cells in Electric Vehicle Applications 551
Long Lam, Pavol Bauer, Erik Kelder
Development of a 1.5kW Digital Controlled DC-DC Converter for Mild Hybrids 560
Chan-Ho Kang, Kyung-Man Kim, Kyung-Ho Lee, Hee-Jun Kim
Analysis and Design Considerations for a Contactless Power Transfer System 565
S. Chopra, P. Bauer
Drive Circuit for 2-stage Converter Combined with Coupling Capacitor 571
Yuki Watanabe, Terukazu Sato, Kimihiro Nishijima, Takashi Nabeshima, Masaoki Sekine
Comparative Analysis of Full Bridge and Half Bridge Current Resonant DC-DC Converter 577
H. Kato, H. Matsuo, T. Ito, S. Kawazu, D. Kawahara, S. Motomura, R. Hamaguchie
Effects of Notable Natural Disasters from 2005 to 2011 on Telecommunications Infrastructure:Lessons from on-site Damage Assessments 583
Alexis Kwasinski
A Comparison Between Bond Graphs Switching Modelling Techniques Implemented on a Boost DC-DC Converter 592
Antonios Markakis, William Holderbaum, Ben Potter
Incorporating Experts Knowledge in RTU Placement Procedure Using Fuzzy Sets Theory- A Practical Approach 599
Payman Dehghanian, Ali Asghar Razi Kazemi, Ghasem Karami
Sub-agent Elements for Control Methods in Multi-agent Energy Management System 609
Timur Yunusov, William Holderbaum, Ben Potter
A Probabilistic Approach for Remote Terminal Unit Placement in Power Distribution Systems 616
Ali Asghar Razi Kazemi, Payman Dehghanian, Ghasem Karami
Building Energy Management System based on Smart Grid 623
Kyunggyu Park, Yoonkee Kim, Seonmi Kim, Kwangho Kim, Wookhyun Lee, Hwachoon Park
Flatness-based Feed-forward Control of an HVDC Power Transmission Network 627
C. Schmuck, F. Woittennek, A. Gensior, J. Rudolph
Sodium-Nickel Batteries for Telecom Applications: Design, Performance and Field Operational Overview 633
Silvio Restello, Giuseppe Lodi, Emiliano Paolin
High Speed Series Resonant Converter (SRC) Using Multilayered Coreless Printed Circuit Board (PCB) Step-Down Power Transformer 639
Hari Babu Kotte, Radhika Ambatipudi, Kent Bertilsson
Contactless Battery Charger with High Relative Separation Distance and Improved Efficiency 648
Hugo Marques, Beatriz V. Borges

Energy Saving using Location Aware Sensor Networks 656
Eoin Hurrell, Alan F. Smeaton
The Nonlinear Control of Tapped Inductor Buck Converter Based on Port-controlled Hamiltonian Model 660
Xiaojun Guo, Chao Huang, Yuzhen Xu, Weiming Lin
A New Quick Transient Response Digital Control DC-DC Converter with Smart Bias Function 668
Fujio Kurokawa, Junya Sakemi, Akihiro Yamanishi, Hiroyuki Osuga
Design of a Distortion-Free PFC/CC AC Power Supply Having Variable Capacitance Devices 675
A. Katsuki, Y. Sugimoto
Switching of Green Energy – Reliable Switching and Protection of 400 V DC Systems Sustainably Powered by Photovoltaic Systems 681
Frank Gerdinand, Reinhold Gümpelein
Verification of 380 Vdc Distribution System Availability Based on Demonstration Tests 688
Masatoshi Noritake, Tomohito Ushirokawa, Keiichi Hirose, Masato Mino
Transient Response of Novel P-I-D Digital Control Switching Power Supply for HVDC System 694
Fujio Kurokawa, Ryuya Yoshida, Koji Murata, Yuichiro Shibata, Yoshihiko Yamabe, Kazuma Hamawaki, Tsukasa Takahashi, Kouta Bansho, Toru Tanaka, Keiichi Hirose
Contactless Charging Systems 700
Tomio Yasuda, Isami Norigoe, Shigeru Abe, Yasuyoshi Kaneko
Current Distortion in Variable Capacitance Device for the Use in AC Power Converters 707
Akihiko Katsuki, Takuya Oki
Optimization using Transmitting Circuit of Multiple Receiving Antennas for Wireless Power Transfer via Magnetic Resonance Coupling 715
Takehiro Imura, Yoichi Hori
A Novel Fast Response Current-Mode DC-DC Converter Using ICO 719
Fujio Kurokawa, Kazuhiro Kajiwara
Smart Communication Networks Standards for Smart Energy Management 726
Monontši Nthontho, S. P. Chowdhury, Simon Winberg
Modified Parallel SSHI AC-DC Converter for Piezoelectric Energy Harvesting Power Supplies 735
Loreto Mateu, Lars Lühmann, Henrik Zessin, Peter Spies
Digital Fuzzy Logic and PI Control of Phase-Shifted Full-Bridge Current-Doubler Converter 742
Lajos Torok, Stig Munk-Nielsen
DC Power and the Christchurch Earthquakes 749
Simon Sloane
Local Smart Micro-grids 754
Ali Moallem, Alireza Bakhshai, Praveen Jain
Generation of New Nonisolated High Voltage Gain DC-DC Converters 762
R. P. Torrico-Bascope, L. F. Costa, G. V. Torrico-Bascope
Single-Phase Five-Level Inverter with Less Number of Power Elements 770
Maha G. Elsheikh, Mahrous E. Ahmed, Emad Abdelkarem, Mohamed Orabi
Multi-state Commutation Cells to Increase Current Capacity of Multi-Level Inverters 778
René P. T. Bascopé, João A. F. Neto, Grover V. T. Bascopé
Single-Cell Photovoltaic with Integrated Converter 787
A. Hassan, E. Abdelkarem, M. E. Ahmed, M. Orabi, Y. Jiang, J. A. A. Qahouq
How to Get the Best Performance from Lithium Cells in Telecommunications Battery Module 796
Luca Fulimeni, Luigi D'Apolito, Paolo Bellesi, Mauro Pecorari, Roberto Ficcadenti, Roberto Isidori
An Experimental Study of An Efficient Supercapacitor Stacking Scheme to Power Mobile Phones 804
Jose Monteiro, Nuno Garrido, Ricardo Fonseca
A Novel Linear-Nonlinear Technique for Fast Transient Buck Converter 809
Mohamed Saad, Mohamed Orabi
New Converter Circuitry for High Voltage Applicaitons using Switched Inductor Multilevel Converter 815
M. Mousa, M. E. Ahmed, M. Orabi
The Non Ideality Effect of Optimizing the P&O MPPT Algorithm for PV Battery Charger Applications 823
Hamdy Radwan, Emad Abdelkarem, Mahrous Ahmed, Mohamed Orabi
Application of Geometric Algebra for Power Factor Improvement 831
Adolfo Chaves Jimenez, Dimitri Jeltsema, Jacob Van Der Woude
The First Thousand Optimized Solar BTS Stations of Orange Group A Very Positive Experience Full of Learning 837
Didier Marquet, Marc Aubrée, Stephane Le Masson, Alain Ringnet, Paul Mesguich, Michel Kirtz

Current Technique Applied In Single Phase PFC Boost Converter Based On Discrete-Time One Cycle Control 846
Tiago Kommers Jappe, Samir Ahmad Mussa
New ASIC Architecture Development for Energy Harvesting 851
D. Reddy, N. S. Beniwal, S. B. Bayne
Grid-Connected PV-Wind-Fuel Cell Hybrid System Employing a Supercapacitor Bank as Storage Device to Supply a Critical DC Load 858
Roberto Francisco Coelho, Lenon Schimtz, Denizar Cruz Martins
Design and Experimental Results of Improved Dynamic MPPT Performance by EN50530 867
Byunggyu Yu, Gwonjong Yu, Youngroc Kim
Sodium-Metal Halide Batteries in Diesel-Battery Hybrid Telecom Applications 871
Job Rijssenbeek, Herman Wiegman, David Hall, Christopher Chuah, Ganesh Balasubramanian, Conor Brady
Realization and Comparison of a New Push-pull Direct-Connected Multiple-input Converter Family for Distributed Generation Applications 875
Sheng-Yang Yu, Alexis Kwasinski
Implementation of Space Vector Modulation for FPGA Based Frequency Converter 883
P. Agarwal, A. Agarwal, V. Agarwal
Simulating the EMI Characteristics of Flyback DC/DC Converters 887
Andreas Karvonen, Torbjorn Thiringer
Frequency Control of Standalone Wind Turbine with Supercapacitor: An Alternative Energy for Telecomunication Facilites in Rural and Offshore Area 894
Rahmat Suryana
A Modified Forward Converter with a Capacitive Output Filter for Isolated LED Lighting Applications 902
Myungbok Kim, Daeyoung Im
Design of Power Conversion System for Stirling Engine Micro-CHP Integrated into DC Power Distribution Network 907
Se-Kyo Chung, Yujin Song
Optimum Battery Size Selection in Standalone Renewable Energy Systems 915
Hossein Delavaripour, Hamid R. Karshenas, Alireza Bakhshai, Praveen Jain
Transient Droop Control Strategy for Parallel Operation of Voltage Source Converters in an Islanded Mode Microgrid 922
Mohammad Hassanzahraee, Alireza Bakhshai
Mutual Boost Converter for Single Cell Photovoltaic Energy System 931
Dodi Garinto
Affects of TCSC Usages on Distance Protection and Voltage Profile of a System; A Novelq 936
S. Jahdi, L. L. Lai
Modeling and Simulation of MEMS Energy Harvester 945
V. Rajendran, P. Sukumar, L. Sujatha
Energy Efficient Fine-grained Approach for Solar Photovoltaic Management System 951
Yuncong Jiang, Jaber A. Abu Qahouq, Ahmed Hassan, Mahrous E. Ahmed, Mohamed Orabi
Carbon Nanotube-Based Power Diode 955
Omar F. Mousa, Jaber A. Abu Qahouq
Multiple Solar Panels Maximum Power Point Tracking Using the Output Current 960
Yuncong Jiang, Jaber A. Abu Qahouq
Telecom Hybrid Power Battery Management in Full and Partial State of Charge 965
Gery Bonduelle, Mick Pope
Patented Low-Power Technology For Cooling of Central Offices Applied On A Data Center Established In 1985 with 30% Reduction of Total Electricity Consumption 971
Svante Enlund, Dag Lundén
The Teliasonera Green Room Concept for High and Mid Density ICT Equipment 975
Svante Enlund, Dag Lundén
Photovoltaic - Mixed Rewards but Still Worthwhile: What are the Pittfalls? 980
D. McMenamin
A Novel Edge Resonant Switched Capacitor Modular-assisted Soft Switching PWM Boost DC–DC Converter for Telecommunications Energy 988
Tomokazu Mishima, Yujiro Takeuchi, Mutsuo Nakaoka
Ultrahigh Speed Induction Generators Applied in Disperse Power Plants 997
Zoltan Varga, Rafael K. Jardan, Istvan Nagy
Risk Assessment of Scheduled Outage and Total Power Revolution of NTT 1004
Yukihiro Morooka, Kazuaki Ikeda, Satoshi Iwai, Masayoshi Ootsubo, Masanaka Makino, Kimio Nakamura

The Restoration of Telecom Powre Damages by The Great East Japan Earthquake 1009
T. Adachi, Y. Ishiyama, Y. Asakura, K. Nakamura
Various Approaches to Powering Telecom Sites 1014
Arthur D. Sams
Tuning Techniques for Kinetic MEMS Energy Harvesters 1022
Georgi Todorov, Todor Todorov, Ivan Ivanov, Stanimir Valtchev, Ben Klaassens
An Instantaneous Regulation for the Wired and Wireless Super-Resonant Converters 1028
Stanimir Valtchev, Rui Medeiros, Svilen Valtchev
Datacenter Power Architecture: IBA versus FPA System Engineering and Analysis on Central-Office Datacenter Power 1036
Maurizio Salato
Practical use of DC/DC-Converters RECOM Electronic GmbH on behalf of Rutronik 1040
Florian Boess
From Battery Modeling to Battery Management 1044
P. H. L. Notten, D. Danilov
Module-Level DC/DC Conversion for Photovoltaic Systems 1052
H. J. Bergveld, D. Buthker, C. Castello, T. S. Doorn, A. De Jong, R. Van Otten, K. De Waal
Smart Grids - Intelligence for Sustainable Electrical Power Systems 1061
J. G. Slootweg, C. E. P. Jordán Córdova, C. Montes Portela, J. Morren
Stand-alone Microgrids 1069
P. Bauer, Leake E. Weldemariam, Evert Raijen
The Essence of Three-Phase PFC Rectifier Systems 1079
Johann W. Kolar, Thomas Friedli
Lithium Ion Batteries as Key Component for Energy Storage in Automotive and Stationary Applications 1106
Martin Winter, Stefano Passerini
Wireless Power for Mobile Devices 1109
Eberhard Waffenschmidt
Advances Towards Fully Integrated, Single Chip Power Management 1118
Ashraf W. Lotfi
Inductive Components in Power Electronics 1123
Alex Van Den Bossche
PEM Fuel Cells for Telecom Applications From Backup to Continuous Power 1134
Frank De Bruijn, Pieter Veltman
Author Index