

# **Eurosensor XXIV Conference 2010**

**Procedia Engineering Volume 5**

**Linz, Austria  
5-8 September 2010**

**Volume 1 of 2**

**Editors:**

**B. Jakoby  
M. J. Vellekoop**

**ISBN: 978-1-62748-551-7  
ISSN: 1877-7058**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2010) by Elsevier B.V.  
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact Elsevier B.V.  
at the address below.

Elsevier B.V.  
Radarweg 29  
Amsterdam 1043 NX  
The Netherlands

Phone: +31 20 485 3911  
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# TABLE OF CONTENTS

Volume 1

|   |    |
|---|----|
| <b>INNOVATION FOR COMMERCIAL SENSORS: FROM STEPPING INTO AN OPPORTUNITY GAP TO CONTINUOUS INNOVATION</b> .....  | 1  |
| <i>Felix Mayer</i>  |    |
| <b>AUTOMOTIVE REQUIREMENTS FOR SENSORS USING AIR QUALITY GAS SENSORS AS AN EXAMPLE</b> .....  | 5  |
| <i>Thomas Tille</i>   |    |
| <b>ON THE ORIGIN OF SENSING PROPERTIES OF THE NANODISPERSED LAYERS OF SEMICONDUCTING METAL OXIDE MATERIALS</b> .....  | 9  |
| <i>N. P. Zaretskiy, L. I. Menshikov, A. A. Vasiliev, P. L. Menshikov</i>  |    |
| <b>GATE PULSED READOUT OF FLOATING GATE FET GAS SENSORS</b> .....   | 13 |
| <i>R. Pohle, O. Von Sicard, M. Fleischer, H.-P. Frerichs, Ch. Wilbertz, I. Freund</i>   |    |
| <b>REAL-TIME DETECTION OF CO BY EUKARYOTIC CELLS</b> .....  | 17 |
| <i>U. Bohrn, E. Stütz, M. Fleischer, M. Schöning, P. Wagner</i>   |    |
| <b>POLYMER-BASED GAS SENSOR ON A THERMALLY STABLE MICRO-CANTILEVER</b> .....  | 21 |
| <i>T. A. Emadi, C. Shafai, D. J. Thomson, M. S. Freund, N. D. G. White, D. S. Jayas</i>   |    |
| <b>GAS SENSOR ARRAY SYSTEM INSPIRED ON THE SENSORY DIVERSITY AND REDUNDANCY OF THE OLFACTORY EPITHELIUM</b> .....   | 25 |
| <i>L. Fernandez, A. Gutierrez-Galvez, S. Marco</i>  |    |
| <b>A MICRO GAS CHROMATOGRAPHY CHIP WITH AN EMBEDDED NON-CASCADED THERMAL CONDUCTIVITY DETECTOR</b> .....  | 29 |
| <i>Shree Narayanan, Bassam Alfeeli, Masoud Agah</i>   |    |
| <b>MICRO AND NANO-PLATFORMS FOR BIOLOGICAL CELL ANALYSIS</b> .....  | 33 |
| <i>W. E. Svendsen, J. Castillo-Leon, J. M. Lange, L. Sasso, M. H. Olsen, L. Andresen, S. Levinsen, M. Dimaki</i>  |    |
| <b>MULTIPLE-FREQUENCY IMPEDANCE MEASUREMENTS IN CONTINUOUS FLOW FOR THE EVALUATION OF ELECTRICAL LYSIS OF YEAST CELLS</b> .....   | 37 |
| <i>G. Mernier, W. Hasenkamp, N. Piacentini, P. Renaud</i>   |    |
| <b>CONTINUOUS SEPARATION OF VIABLE CELLS BY TRAVELLING WAVE DIELECTROPHORESIS</b> .....   | 41 |
| <i>Sander Van Den Driesche, Vivek Rao, Dietmar Puchberger-Enengl, Wojciech Witariski, Michael J. Vellekoop</i>  |    |
| <b>AN ENHANCED PLATFORM FOR CELL ELECTROPORATION: CONTROLLED DELIVERY AND ELECTRODES FUNCTIONALIZATION</b> .....  | 45 |
| <i>L. Odorizzi, C. Ress, C. Collini, E. Morganti, L. Lorenzelli, N. Coppedé, A. B. Alabi, S. Iannotta, L. Vidalino, P. Macchi</i>   |    |
| <b>A HIGH DENSITY MICROFLUIDIC DEVICE FOR CELL PAIRING AND ELECTROFUSION</b> .....  | 49 |
| <i>Nhat Pham Van, Julien Villemejeane, Ferial Hamdi, Guillaume Mottet, Claire Dalmay, Marion Woytasik, Emile Martincic, Elisabeth Dufour-Gergam, Olivier Fransais, Lluís M. Mir, Bruno Le Pioufle</i> |    |
| <b>A PROGRAMMABLE SENSOR CONDITIONING INTERFACE FOR LOW-POWER APPLICATIONS</b> .....  | 53 |
| <i>A. Bayo, N. Medrano, B. Calvo, S. Celma</i>  |    |
| <b>ANALOG COMPENSATION OF PARASITIC SENSOR SIGNALS IN A SUBSAMPLING IMPEDANCE ANALYZER CIRCUIT FOR RESONATING SENSORS</b> .....   | 57 |
| <i>A. O. Niedermayer, J. Sell, B. Jakoby</i>  |    |
| <b>A NOVEL PLL-BASED SENSOR INTERFACE FOR RESISTIVE PRESSURE SENSORS</b> .....  | 62 |
| <i>Hans Danneels, Francois Piette, Georges Gielen</i>   |    |
| <b>A TEMPERATURE-COMPENSATED DIFFERENTIAL VFC IN 1.8 V–0.18 <math>\mu</math>M CMOS</b> .....  | 66 |
| <i>M. R. Valero, S. Celma, B. Calvo, N. Medrano</i>   |    |
| <b>AN FPGA-BASED FLEXIBLE DEMO-BOARD FOR ENDOSCOPIC CAPSULE DESIGN OPTIMIZATION</b> .....   | 70 |
| <i>C. Cavallotti, P. Merlino, E. Susilo, M. Vatteroni, P. Valdastrì, A. Abramo, A. Menciassi, P. Dario</i>  |    |
| <b>A COMPLETE LOW VOLTAGE ANALOG LOCK-IN AMPLIFIER TO RECOVER SENSOR SIGNALS BURIED IN NOISE FOR EMBEDDED APPLICATIONS</b> .....  | 74 |
| <i>M. Gabal, N. Medrano, B. Calvo, P. A. Martínez, S. Celma, M. R. Valero</i>   |    |
| <b>MACROMODEL-BASED SIMULATION AND MEASUREMENT OF THE DYNAMIC PULL-IN OF VISCOUSLY DAMPED RF-MEMS SWITCHES</b> .....  | 78 |
| <i>M. Niessner, J. Iannacci, A. Peller, G. Schrag, G. Wachutka</i>  |    |

|   |            |
|---|------------|
| <b>MODELING OF A PIEZOELECTRIC FLUID SENSOR EXCITED BY LATERAL FIELDS USING A SPECTRAL DOMAIN APPROACH.....</b>   | <b>82</b>  |
| <i>Thomas Voglhuber-Brunnmaier, Bernhard Jakoby</i>   |            |
| <b>MODELING AND MEASUREMENT OF HYSTERESIS OF FERROELECTRIC ACTUATORS CONSIDERING TIME-DEPENDENT BEHAVIOR.....</b>   | <b>87</b>  |
| <i>F. Wolf, A. Sutor, S. J. Rupitsch, R. Lerch</i>  |            |
| <b>ANALYTICAL AND NUMERICAL MODELING OF ALGAN/GAN/ALN HETEROSTRUCTURE BASED CANTILEVERS FOR MECHANICAL SENSING IN HARSH ENVIRONMENTS.....</b>                                   | <b>91</b>  |
| <i>S. Vittoz, L. Rüfer, G. Rehder, U. Heinle, P. Benkart</i>  |            |
| <b>ON THE QUALITY-FACTOR OF MICRO-RESONATORS.....</b>   | <b>95</b>  |
| <i>Michael Lerman, David Elata</i>  |            |
| <b>COMPARATIVE FINITE ELEMENT ANALYSES OF PIEZOELECTRIC CERAMICS AND POLYMERS AT HIGH FREQUENCY FOR UNDERWATER WIRELESS COMMUNICATIONS.....</b>                                 | <b>99</b>  |
| <i>M. S. Martins, V. Correia, S. Lanceros-Mendez, J. M. Cabral, J. G. Rocha</i>   |            |
| <b>ZEOLITES AS TRANSFORMATION ELEMENTS IN DISCRIMINATING SEMICONDUCTOR METAL OXIDE SENSORS.....</b>   | <b>103</b> |
| <i>A. Afonja, R. Binions, S. Dungey, I. P. Parkin, D. W. Lewis, D. E. Williams</i>  |            |
| <b>BATI<sub>0,95</sub>RH<sub>0,05</sub>O<sub>3</sub> CATALYTIC FILTER LAYER - A PROMISING CANDIDATE FOR THE SELECTIVE DETECTION OF CO IN THE PRESENCE OF H<sub>2</sub>.....</b> | <b>107</b> |
| <i>M. Hübner, A. Yucec, G. C. Mondragón Rodríguez, B. Saruhan, N. Barsan, U. Weimar</i>   |            |
| <b>SELECTIVITY PROBLEM OF METAL OXIDE BASED SENSORS IN THE PRESENCE OF WATER VAPORS.....</b>  | <b>111</b> |
| <i>R. G. Pavelko, A. A. Vasiliev, E. Llobet, X. Vilanova, V. G. Sevastyanov, N. T. Kuznetsov</i>  |            |
| <b>DETECTION OF O<sub>3</sub> AND NH<sub>3</sub> USING TIN DIOXIDE/CARBON NANOTUBES BASED SENSORS: INFLUENCE OF CARBON NANOTUBES PROPERTIES ONTO SENSOR'S SENSITIVITY.....</b>  | <b>115</b> |
| <i>B. Ghaddab, F. Berger, J. B. Sanchez, C. Mavon</i>   |            |
| <b>OPERANDO DRIFT MEASUREMENTS ON A TIN DIOXIDE BASED GAS SENSOR.....</b>   | <b>119</b> |
| <i>Katharina Großmann, Nicolae Barsan, Udo Weimar</i>   |            |
| <b>A HIGHLY SENSITIVE CATALYTIC GAS SENSOR FOR HYDROGEN DETECTION BASED ON SPUTTERED NANOPOROUS PLATINUM.....</b>   | <b>123</b> |
| <i>H. Sturm, E. Brauns, T. Seemann, V. Zoellmer, W. Lang</i>  |            |
| <b>GAS SENSITIVITY OF HYBRID NANOSTRUCTURED FILMS BASED ON POLYOXOMETALATES.....</b>  | <b>127</b> |
| <i>O. Ivanova, S. Krutovertsev, L. Krutovertseva, A. Tarasova</i>   |            |
| <b>CHARACTERIZATION AND GAS SENSING PROPERTIES OF INTRINSIC AND AU-DOPED WO<sub>3</sub> NANOSTRUCTURES DEPOSITED BY AACVD TECHNIQUE.....</b>                                    | <b>131</b> |
| <i>T. Stoycheva, S. Vallejos, J. Calderer, I. Parkin, C. Blackman, X. Correig</i>   |            |
| <b>OPTIMIZATION OF OPERATING CONDITIONS OF A MINI FUEL CELL FOR THE DETECTION OF LOW OR HIGH LEVELS OF CO IN THE REFORMATE GAS.....</b>   | <b>135</b> |
| <i>C. Pijolat, G. Tournier, J. P. Viricelle, N. Guillet</i>   |            |
| <b>RARE EARTH OXYCARBONATES AS A MATERIAL CLASS FOR CHEMORESISTIVE CO<sub>2</sub> GAS SENSORS.....</b>  | <b>139</b> |
| <i>A. Haensch, D. Koziej, M. Niederberger, N. Barsan, U. Weimar</i>   |            |
| <b>LOW POWER HYDROGEN SENSORS USING ELECTRODEPOSITED PDNI-SI SCHOTTKY DIODES.....</b>   | <b>143</b> |
| <i>A. R. Usgaocar, C. H. De Groot, Cedric Boulart, Alain Castillo, Valérie Chavagnac</i>  |            |
| <b>HYDROGEN GAS SENSING PROPERTIES OF PT/TA<sub>2</sub>O<sub>5</sub> SCHOTTKY DIODES BASED ON SI AND SIC SUBSTRATES.....</b>  | <b>147</b> |
| <i>J. Yu, G. Chen, C. X. Li, M. Shafiei, J. Ou, J. Du Plessis, K. Kalantar-Zadeh, P. T. Lai, W. Wlodarski</i>   |            |
| <b>ALGAN/GAN BASED SAW-HEMT STRUCTURES FOR CHEMICAL GAS SENSORS.....</b>  | <b>152</b> |
| <i>T. Lalinský, I. Rýger, G. Vanko, M. Tomáška, I. Kostic, S. Haščík, M. Vallo</i>  |            |
| <b>SELF-ADAPTIVE THERMAL MODULATION OF GAS SENSORS.....</b>   | <b>156</b> |
| <i>D. Polese, E. Martinelli, A. Catini, A. D'Amico, C. Di Natale</i>  |            |
| <b>SENSITIVITY OF COWO<sub>4</sub> THIN FILMS TO CO.....</b>  | <b>160</b> |
| <i>Irina Kärkkäinen, Margus Kodu, Tea Avarmaa, Jelena Kozlova, Leonard Matisen, Hugo Mändar, Agu Saar, Väino Sammelselg, Raivo Jaaniso</i>                                      |            |
| <b>EFFECT OF NANOSTRUCTURED WO<sub>3</sub> LAYERS IN THE SENSITIVITY TO NITROGEN OXIDE IN YSZ-BASED ELECTROCHEMICAL SENSORS FOR AUTOMOTIVE APPLICATIONS.....</b>                | <b>164</b> |
| <i>Carlos López-Gándara, Josep M. Fernández-Sanjuán, Francisco M. Ramos, Albert Cirera</i>  |            |

|  |     |
|--|-----|
| <b>CONCENTRATION SPECIFIC DETECTION OF HYDROGEN AT ROOM TEMPERATURE USING PALLADIUM NANOPARTICLES-NAFION FILM</b> .....                          | 168 |
| <i>Sunil K. Arya, S. Krishnan, K. McGrath, F. Rinaldi, S. Bhansali</i>   |     |
| <b>QUASI 2D-ZNO THIN FILM FOR CO SENSING AT ROOM TEMPERATURE</b> .....   | 172 |
| <i>V. A. T. Dam, M. A. Blauw, S. H. Brongersma, M. Crego-Calama</i>  |     |
| <b>A DUO-TYPE SMART GAS SENSOR ASIC CHIP FOR USE WITH RESISTIVE NANOMATERIALS</b> .....  | 176 |
| <i>Jesús García-Guzmán, Julian W. Gardner, Marina Cole</i>   |     |
| <b>PREPARATION OF HIGHLY SELECTIVE, SENSITIVE AND STABLE HYDROGEN SENSORS BASED ON PD-DOPED TUNGSTEN TRIOXIDE</b> .....                          | 180 |
| <i>A. Boudiba, C. Zhang, C. Navio, C. Bittencourt, R. Snyders, M. Debliquy</i>   |     |
| <b>ULTRA LOW POWER TEMPERATURE COMPENSATION METHOD FOR PALLADIUM NANOWIRE GRID</b> .....   | 184 |
| <i>J. F. Van Der Bent, C. J. M. Van Rijn, E. Puik</i>  |     |
| <b>A PHASE-BASED AMPLITUDE REGULATION FOR GYROSCOPE DRIVE LOOPS</b> .....  | 188 |
| <i>T. Northemann, M. Maurer, A. Ziegler, Y. Manoli</i>   |     |
| <b>A COVERAGE-GUARANTEED ALGORITHM TO IMPROVE NETWORK LIFETIME OF WIRELESS SENSOR NETWORKS</b> .....   | 192 |
| <i>Chia-Pang Chen, Cheng-Long Chuang, Tzu-Shiang Lin, Chia-Yen Lee, Joe-Air Jiang</i>  |     |
| <b>IMPLEMENTATION OF AN ULTRASONIC DISTANCE MEASURING SYSTEM WITH KALMAN FILTERING IN WIRELESS SENSOR NETWORKS FOR TRANSPORT LOGISTICS</b> ..... | 196 |
| <i>Ole Bischoff, Xinwei Wang, Nils Heidmann, Rainer Laur, Steffen Paul</i>   |     |
| <b>ANALOG AUTOMATIC LOCK-IN AMPLIFIER FOR VERY LOW GAS CONCENTRATION DETECTION</b> .....   | 200 |
| <i>A. De Marcellis, A. Di Giansante, G. Ferri, C. Di Natale, E. Martinelli, A. D'Amico</i>   |     |
| <b>DIGITAL PHASE-LOCKED LOOP CIRCUIT FOR DRIVING RESONANT SENSORS</b> .....  | 204 |
| <i>J. K. Sell, A. O. Niedermayer, B. Jakoby</i>  |     |
| <b>AN EFFICIENT HARDWARE-OPTIMIZED COMPRESSION ALGORITHM FOR WIRELESS CAPSULE ENDOSCOPY IMAGE TRANSMISSION</b> .....                             | 208 |
| <i>Jef Thoné, Jeroen Verlinden, Robert Puers</i>   |     |
| <b>MONITORING AND TROUBLESHOOTING WIRELESS SENSOR NODES BY MEASURING THE SUPPLY CURRENT WAVEFORM</b> .....                                       | 212 |
| <i>Mitko Tanevski, Alexis Boegli, Pierre-André Farine</i>  |     |
| <b>WIRELESS INTERROGATION TECHNIQUES FOR SENSORS UTILIZING INDUCTIVELY COUPLED RESONANCE CIRCUITS</b> .....                                      | 216 |
| <i>Timo Salpavaara, Jarmo Verho, Pekka Kumpulainen, Jukka Lekkala</i>  |     |
| <b>DYNAMIC INDOOR LOCALIZATION USING MULTILATERATION WITH RSSI IN WIRELESS SENSOR NETWORKS FOR TRANSPORT LOGISTICS</b> .....                     | 220 |
| <i>Alexander Wessels, Xinwei Wang, Rainer Laur, Walter Lang</i>  |     |
| <b>APPLICATIONS OF WIRELESS SAW SENSING IN THE STEEL INDUSTRY</b> .....  | 224 |
| <i>R. Fachberger, A. Erlacher</i>  |     |
| <b>HARDWARE AND SOFTWARE SYSTEM-LEVEL SIMULATOR FOR WIRELESS SENSOR NETWORKS</b> .....   | 228 |
| <i>D. Navarro, W. Du, F. Mieyeville, L. Carrel</i>   |     |
| <b>DIRECT COLOR SENSOR, OPTICAL AMPLIFIER AND DEMUX DEVICE INTEGRATED ON A SINGLE MONOLITHIC SIC PHOTODETECTOR</b> .....                         | 232 |
| <i>M. Vieira, P. Louro, M. A. Vieira, J. Costa, M. Fernandes</i>   |     |
| <b>MEASURING YARN DIAMETER USING INEXPENSIVE OPTICAL SENSORS</b> .....   | 236 |
| <i>M. Tresanchez, T. Pallejà, M. Teixidó, J. Palacín</i>   |     |
| <b>A COMPUTER MOUSE BASED ON HIGHLY SENSITIVE MICROMACHINED FLOW SENSORS</b> .....   | 240 |
| <i>S. Cerimovic, M. Forstner, F. Kohl, A. Talic, F. Keplinger</i>  |     |
| <b>NITRIC OXIDE MONITORING SYSTEM BASED ON ZNO SENSORS FOR EXHALED AIR</b> .....   | 244 |
| <i>S. Krutovertsev, M. Chuprin, O. Ivanova, A. Pisyakov, A. Shevchenko, V. Kononov, V. Kalinovskiy</i>   |     |
| <b>EARLY DETECTION AND MONITORING OF FOREST FIRE WITH A WIRELESS SENSOR NETWORK SYSTEM</b> .....   | 248 |
| <i>A. Bayo, D. Antolín, N. Medrano, B. Calvo, S. Celma</i>   |     |
| <b>A HIGH-DENSITY TERNARY BARCODE DETECTION SYSTEM WITH A FIXED-PERIOD DELAY METHOD</b> .....  | 252 |
| <i>Hiroo Wakaumi</i>   |     |

|  |     |
|--|-----|
| <b>PRECISION FRICTION MEASUREMENT BETWEEN ULTRATHIN WIRE AND MICROPROBE BY A SPECIAL MICROFORCE SENSOR</b> .....                     | 256 |
| <i>M. A. Salam Akanda, H. Tohmyoh, M. Saka</i>   |     |
| <b>MEMS BASED COLOR-VGA MICRO-PROJECTOR SYSTEM</b> .....   | 260 |
| <i>D. Rabout, T. Barras, F. Lo Conte, L. Fabre, L. Kilcher, F. Kechana, N. Abelé, M. Kayal</i>                                       |     |
| <b>REALIZATION OF A CALORIMETRIC GAS SENSOR ON POLYIMIDE FOIL FOR APPLICATIONS IN ASEPTIC FOOD INDUSTRY</b> .....                    | 264 |
| <i>P. Kirchner, J. Oberländer, P. Friedrich, J. Berger, G. Rysstad, M. Keusgen, M. J. Schöning</i>                                   |     |
| <b>ACOUSTO-CAPACITIVE TOMOGRAPHY OF LIQUID MULTIPHASE SYSTEMS</b> .....  | 268 |
| <i>Sebastian Wöckel, Ulrike Hempel, Jörg Auge</i>  |     |
| <b>DEVELOPMENT OF FLEXIBLE PRESSURE SENSING POLYMER FOILS BASED ON EMBEDDED FIBRE BRAGG GRATING SENSORS</b> .....                    | 272 |
| <i>C. Yan, E. Ferraris, T. Geernaert, F. Berghmans, D. Reynaerts</i>   |     |
| <b>POSITION SENSING SYSTEM FOR EDDY-CURRENT MINE IMAGER</b> .....  | 276 |
| <i>P. Ripka, P. Nováček, M. Reinštein, J. Rohác</i>  |     |
| <b>DEPTH ESTIMATION OF METAL OBJECTS</b> .....   | 280 |
| <i>P. Ripka, M. Janošek, P. Nováček</i>  |     |
| <b>A MOBILE MEASUREMENT SYSTEM FOR URBAN IMMISSION-MONITORING USING SATELLITE NAVIGATION</b> .....                                   | 284 |
| <i>J. Wöllenstein, S. Rademacher, A. Eberhardt, M. Henning, W. Schönewolf</i>  |     |
| <b>USING THE MICRO-ARRAY ELECTRODE CHIP AND AC SIGNALS TO GENERATE THE ELECTRIC FIELD EFFECT ON CELL MIGRATION</b> .....             | 287 |
| <i>C. H. Yeh, P. Y. Tu, Y. C. Lin</i>  |     |
| <b>3D RAPID PROTOTYPING TECHNOLOGY (RPT) AS A POWERFUL TOOL IN MICROFLUIDIC DEVELOPMENT</b> .....                                    | 291 |
| <i>Attila Bonyár, Hunor Sántha, Balázs Ring, Máté Varga, József Gábor Kovács, Gábor Harsányi</i>                                     |     |
| <b>FLEXIBLE LARGE AREA PHOTODETECTORS FOR HUMAN MACHINE INTERFACES</b> .....   | 295 |
| <i>P. Bartu, R. Koeppe, A. Neulinger, S. Isikatanlar, S. Bauer</i>   |     |
| <b>DETERMINATION OF NANOMETER VIBRATION AMPLITUDES BY USING A HOMODYNE PHOTOREFRACTIVE CRYSTAL INTERFEROMETER</b> .....              | 299 |
| <i>Saeid Zamiri, Bernhard Reitingner, Thomas Berer, Siegfried Bauer, Peter Burgholzer</i>  |     |
| <b>NDIR CO<sub>2</sub> GAS SENSOR WITH IMPROVED TEMPERATURE COMPENSATION</b> .....   | 303 |
| <i>Jongseon Park, Heechan Cho, Seunghwan Yi</i>  |     |
| <b>PORTABLE LTCC GAS VISCOMETER FOR DETERMINING WOBBE NUMBER</b> .....   | 307 |
| <i>Conor Slater, Thomas Maeder, Peter Ryser</i>  |     |
| <b>UPGRADE OF A COMPUTER-WRITING TOOL WITH MEMS INERTIAL SENSORS</b> .....   | 311 |
| <i>Jurij Žumer, Dominiek Reynaerts, Miha Boltežara</i>   |     |
| <b>A PCB-EMBEDDED PRESSURE SENSOR FOR WIRELESS WIND SAIL MONITORING</b> .....  | 315 |
| <i>A. Rossetti, R. Codeluppi, A. Golfarelli, M. Zagnoni, A. Talamell, M. Tartagni</i>  |     |
| <b>CHARACTERIZATION AND TESTING OF A SHOCK ABSORBER EMBEDDED SENSOR</b> .....  | 319 |
| <i>C. Ferreira, P. Ventura, C. Grinde, R. Morais, A. Valente, C. Neves, M. Reis</i>  |     |
| <b>MICROLAMP FOR IN-SITU TISSUE SPECTROSCOPY FOR THE DOSIMETRY OF PHOTODYNAMIC THERAPY</b> .....                                     | 323 |
| <i>J. Amor Río, E. Margallo-Balbás, B. Song, G. Pandraud, D. Subbaiyan, F. V. Zaane, D. J. Robinson, H. Zandbergen, P. J. French</i> |     |
| <b>PERMITTIVITY OF LTCC SUBSTRATES POROUSIFIED WITH A WET CHEMICAL ETCHING PROCESS</b> .....   | 327 |
| <i>Achim Bittner, Ulrich Schmid</i>  |     |
| <b>A MASKLESS EXPOSURE DEVICE FOR RAPID PHOTOLITHOGRAPHIC PROTOTYPING OF SENSOR AND MICROSTRUCTURE LAYOUTS</b> .....                 | 331 |
| <i>Dhanesh Kattipparambil Rajan, Jukka Lekkala</i>   |     |
| <b>REVERSED PROCESSING OF DRY PHOTORESIST: APPLICATION TO THE ENCAPSULATION OF CHEMICAL SENSORS</b> .....                            | 335 |
| <i>J. Courbat, D. Briand, N. F. De Rooij</i>   |     |
| <b>ELECTRODEPOSITION OF COPPER NANO-CLUSTERS AT A PLATINUM MICROELECTRODE FOR TRACE NITRATE DETERMINATION</b> .....                  | 339 |
| <i>Yang Li, Jizhou Sun, Chao Bian, Jianhua Tong, Shanhong Xia</i>  |     |
| <b>PLD-GROWN WO<sub>3</sub> NANOSTRUCTURES WITH E-PHASE FOR GAS SENSOR APPLICATIONS</b> .....  | 343 |
| <i>J. Lappalainen, R. Viter, J. Puustinen, D. Gornostayev, V. Smyntyna</i>   |     |
| <b>DISPOSABLE POLYMERIC MICRO-CANTILEVER ARRAYS FOR SENSING</b> .....  | 347 |
| <i>Prabitha Urwyler, Oskar Häfeli, Helmut Schiff, Jens Gobrecht, Felice Battiston, Bert Müller</i>                                   |     |

|  |     |
|--|-----|
| <b>SILICON NANOWIRES SYNTHESIS FOR CHEMICAL SENSOR APPLICATIONS</b> .....  | 351 |
| <i>F. Demami, L. Ni, R. Rogel, A. C. Salaun, L. Pichon</i>   |     |
| <b>FLIP CHIP MEMS MICROPHONE PACKAGE WITH LARGE ACOUSTIC REFERENCE VOLUME</b> .....  | 355 |
| <i>Gregor Feiertag, Wolfgang Pahl, Matthias Winter, Anton Leidl, Stefan Seitz, Christian Siegel, Andreas Beer</i>  |     |
| <b>NEG THIN FILMS FOR UNDER CONTROLLED ATMOSPHERE MEMS PACKAGING</b> .....   | 359 |
| <i>Lionel Tenchine, Xavier Baillin, Christel Faure, Pierre Nicolas, Eugénie Martinez</i>   |     |
| <b>BIOSENSOR PACKAGING — ADAPTATION OF THE SURFACE MODIFICATION PROCEDURE</b> .....  | 363 |
| <i>Friederike J. Gruhl, Bastian E. Rapp, Michael Rapp, Kerstin Länge</i>   |     |
| <b>DISPENSING AND HERMETIC SEALING RB IN A MINIATURE REFERENCE CELL FOR INTEGRATED ATOMIC CLOCKS</b> .....   | 367 |
| <i>Fabrizio Vecchio, Vinu Venkatraman, Herbert Shea, Thomas Maeder, Peter Rysler</i>   |     |
| <b>MOLECULARLY IMPRINTED POLYMERS (MIP) BASED ELECTROCHEMICAL SENSOR FOR DETECTION OF UREA AND CREATININE</b> .....  | 371 |
| <i>Basma Khadro, Corinne Sanglar, Anne Bonhomme, Abdelhamid Errachid, Nicole Jaffrezic-Renault</i>   |     |
| <b>NEW RECEPTORS FOR THE DETECTION OF ORGANIC CONTAMINANTS IN SEA WATER</b> .....  | 375 |
| <i>M. Koetke, S. Hubo, C. Vargas, M. Fonka, H. Rosenfeld, B. Niemeyer</i>  |     |
| <b>ARTIFICIAL RECEPTOR LAYERS FOR DETECTING CHEMICAL AND BIOLOGICAL THREATS</b> .....  | 381 |
| <i>Peter A. Lieberzeit, Anna Findeisen, Judith Mähner, Renata Samardzic, J. Pitkänen, O. Anttalainen, F. L. Dickert</i>  |     |
| <b>SELECTIVE DETECTION OF BENZENE TRACES AT ROOM TEMPERATURE USING METAL DECORATED CARBON NANOTUBES</b> .....  | 385 |
| <i>R. Leghrib, A. Felten, F. Demoisson, F. Reniers, J. J. Pireaux, E. Llobet</i>   |     |
| <b>FAST ALGORITHM FOR CALCULATING THE SURFACE CONCENTRATION OF SPHERICAL PARTICLES FOR LITHIUM-ION BATTERY SIMULATIONS</b> .....   | 389 |
| <i>M. S. Sommer, D. Hrach, B. Schweighofer, M. Cifrain</i>   |     |
| <b>CAPACITIVE SENSORS UNCOVERED: MEASUREMENT, DETECTION AND CLASSIFICATION IN OPEN ENVIRONMENTS</b> .....  | 393 |
| <i>Hubert Zangl</i>  |     |
| <b>MODELLING THE CAPACITIVE COUPLING OF SENSORS APPLIED TO THE CONTACTLESS INSPECTION OF PLANAR ELECTRONICS</b> .....  | 400 |
| <i>M. Koerdel, F. Alatas, A. Schick, S. J. Rupitsch, R. Lerch</i>  |     |
| <b>CAPACITIVE FLEXIBLE FORCE SENSOR</b> .....  | 404 |
| <i>Jagoda A. Dobrzynska, Martin A. M. Gijs</i>   |     |
| <b>A MICROFLUIDIC CAPACITANCE SENSOR FOR FLUID DISCRIMINATION AND CHARACTERIZATION</b> .....   | 408 |
| <i>Marco Demori, Vittorio Ferrari, Pietro Poesio</i>   |     |
| <b>A TECHNIQUE FOR DRIFT COMPENSATION OF AN AREA-VARYING CAPACITIVE DISPLACEMENT SENSOR FOR NANO-METROLOGY</b> .....   | 412 |
| <i>Daesil Kang, Wongoo Lee, Wonkyu Moon</i>  |     |
| <b>AN UV LINEAR VARIABLE OPTICAL FILTER-BASED MICRO-SPECTROMETER</b> .....   | 416 |
| <i>Arvin Emadi, H. Wu, G. De Graaf, K. Hedsten, P. Enoksson, J. H. Correia, R. F. Wolffenbuttel</i>  |     |
| <b>HYBRID OPTICAL MEMS VIBRATION SENSOR</b> .....  | 420 |
| <i>W. Hortschitz, H. Steiner, M. Sachse, F. Kohl, J. Schalko, F. Keplinger</i>   |     |
| <b>MECHANICAL TUNING OF OPTICAL RACE-TRACK RING RESONATORS</b> .....   | 424 |
| <i>S. M. Chakkalakkal Abdulla, L. J. Kauppinen, M. Dijkstra, M. J. De Boer, J. W. Berenschot, R. M. De Ridder, G. J. M. Krijnen</i>  |     |
| <b>TECHNOLOGY PLATFORM FOR HYBRID INTEGRATION OF MOEMS ON RECONFIGURABLE SILICON MICRO-OPTICAL TABLE</b> .....   | 428 |
| <i>S. Bargiel, K. Rabenoroosa, J-P. Mascaro, C. Clévy, C. Gorecki, P. Lutz</i>   |     |
| <b>VARIFOCAL LIQUID LENSES WITH INTEGRATED ACTUATOR, HIGH FOCUSING POWER AND LOW OPERATING VOLTAGE FABRICATED ON 200 MM WAFERS</b> .....   | 432 |
| <i>Arnaud Pouydebasque, Claudine Bridoux, Fabrice Jacquet, Stéphane Moreau, Damien Saint-Patrice, Christophe Bouvier, Christophe Kopp, Gilles Marchand, Sébastien Bolis, Nicolas Sillon, Emmanuelle Vigier-Blanc</i> |     |
| <b>1D AND 2D PHONONIC CRYSTAL SENSORS</b> .....  | 436 |
| <i>R. Lucklum, J. Li, M. Zubtsov</i>   |     |
| <b>CHARACTERIZATION OF AN ON-CHIP RECONFIGURABLE 3D OPTOFLUIDIC MICROLENS BY CONFOCAL LASER SCANNING MICROSCOPY</b> .....  | 440 |
| <i>Michael Rosenauer, Michael J. Vellekoop</i>   |     |

|  |            |
|--|------------|
| <b>LAB-ON-A-CHIP SOLUTIONS DESIGNED FOR BEING OPERATED ON STANDARD LABORATORY INSTRUMENTS.....</b>   | <b>444</b> |
| <i>D. Mark, M. Focke, S. Lutz, J. Burger, M. Müller, L. Riegger, M. Rombach, J. Hoffmann, G. Roth, O. Piepenburg, Y. Park, R. Zengerle, F. Von Stetten</i>         |            |
| <b>SMART SU-8 PILLARS IMPLEMENTED IN A MICROFLUIDIC BIOREACTOR FOR CONTINUOUS MEASUREMENT OF GLUCOSE.....</b>  | <b>448</b> |
| <i>S. Talaei, O. Frey, S. Psoma, P. D. Van Der Wal, N. F. De Rooij</i>   |            |
| <b>OPTOFLUIDIC MICROSYSTEM FOR ON-CHIP L2-WAVEGUIDE MODULATION FEATURING FLOW STABILIZATION AND A NOVEL INPUT COUPLING REGION.....</b>                             | <b>452</b> |
| <i>Emanuel Weber, Michael Rosenauer, Peter D. E. M. Verhaert, Michael J. Vellekoop</i>   |            |
| <b>OXYGEN IMAGING IN MICROFLUIDIC DEVICES WITH OPTICAL SENSORS APPLYING COLOR CAMERAS .....</b>  | <b>456</b> |
| <i>Birgit Ungerböck, Günter Mistlberger, Verena Charwat, Peter Ertl, Torsten Mayr</i>  |            |
| <b>NORLAND OPTICAL ADHESIVE (NOA81) MICROCHANNELS WITH ADJUSTABLE SURFACE PROPERTIES AND HIGH CHEMICAL RESISTANCE AGAINST IR-TRANSPARENT ORGANIC SOLVENTS.....</b> | <b>460</b> |
| <i>Philip Wägli, Alexandra Homsy, Nico F. De Rooij</i>   |            |
| <b>MICRO-SENSORS FOR ANALYSIS EQUIPMENT: RESEARCH AND INNOVATION.....</b>  | <b>464</b> |
| <i>Sander Van Herwaarden</i>   |            |
| <b>PIEZOELECTRIC MICROELECTROMECHANICAL SYSTEMS — CHALLENGES AND OPPORTUNITIES .....</b>   | <b>468</b> |
| <i>Srinivas Tadigadapa</i>   |            |
| <b>DETECTION OF EXPLOSIVES VAPOURS USING A MULTI-QUARTZ CRYSTAL MICROBALANCE SYSTEM .....</b>  | <b>472</b> |
| <i>Christelle Barthet, Pierre Montméat, Nathalie Eloy, Philippe Prené</i>  |            |
| <b>COMPLEX LOADING AND SIMULATION OF ACOUSTIC THICKNESS SHEAR MODE RESONATOR.....</b>  | <b>476</b> |
| <i>Raimund Brüning, Manfred Weihnacht, Glen Guhr, Hagen Schmidt</i>  |            |
| <b>SYSTEMATIC STUDIES ON GLOBULAR PROTEINS USING MICROMACHINED HIGH FREQUENCY BULK ACOUSTIC WAVE RESONATORS .....</b>  | <b>480</b> |
| <i>Ping Kao, Matthew P. Chang, David Allara, Srinivas Tadigadapa</i>   |            |
| <b>COPD DIAGNOSIS BY A GAS SENSOR ARRAY .....</b>  | <b>484</b> |
| <i>R. Capuano, M. Santonico, E. Martinelli, G. Pennazza, R. Paolesse, A. Bergamini, M. Cazzola, C. Ciapri, C. Di Natale, A. D'Amico</i>                            |            |
| <b>NON-INVASIVE OPTICAL REAL-TIME MEASUREMENT OF TOTAL HEMOGLOBIN CONTENT .....</b>  | <b>488</b> |
| <i>U. Timm, G. Leen, E. Lewis, D. McGrath, J. Kraitl, H. Ewald</i>   |            |
| <b>A REAL-TIME MONITORING SYSTEM FOR ADHERENTLY GROWN CELLS.....</b>   | <b>492</b> |
| <i>Nicola Moscelli, Sander Van Den Driesche, Wojciech Witariski, Filippo Iuliano, Michael J. Vellekoop</i>   |            |
| <b>DEVELOPMENT OF A HUMAN BLOOD TYPE DETECTION AUTOMATIC SYSTEM.....</b>   | <b>496</b> |
| <i>A. Ferraz, V. Carvalho, F. Soares</i>   |            |
| <b>A MIDDLE EAR MICROPHONE DESIGN BASED ON THE PHYSIOLOGY OF THE EAR.....</b>  | <b>500</b> |
| <i>M. Sachse, W. Hortschütz, F. Kohl, J. Schalko, F. Keplinger</i>   |            |
| <b>SPECTRAL MEASUREMENT WITH A LINEAR VARIABLE FILTER USING A LMS ALGORITHM .....</b>  | <b>504</b> |
| <i>Arvin Emadi, S. Grabarnik, H. Wu, G. De Graaf, R. F. Wolffenbuttel</i>  |            |
| <b>MATLAB/SIMULINK MODEL OF A MEMS ACCELEROMETER READ-OUT CIRCUIT.....</b>   | <b>508</b> |
| <i>S. Strache, R. Wunderlich, D. Droste, S. Heinen</i>   |            |
| <b>COMPARATIVE STUDY OF MULTI STAGE NOISE SHAPING AND SINGLE LOOP SIGMA-DELTA MODULATORS FOR MEMS ACCELEROMETERS.....</b>  | <b>512</b> |
| <i>Bader Almutairi, Michael Kraft</i>  |            |
| <b>MINIATURIZED CHEMICAL IMAGING SENSOR SYSTEM USING AN OLED DISPLAY PANEL .....</b>   | <b>516</b> |
| <i>Ko-Ichiro Miyamoto, Kazumi Kaneko, Akira Matsuo, Torsten Wagner, Shin'Ichiro Kanoha, Michael J. Schöning, Tatsuo Yoshinobu</i>                                  |            |
| <b>NOVEL COMBINATION OF DIGITAL LIGHT PROCESSING (DLP) AND LIGHT-ADDRESSABLE POTENTIOMETRIC SENSORS (LAPS) FOR FLEXIBLE CHEMICAL IMAGING .....</b>                 | <b>520</b> |
| <i>Torsten Wagner, Ko-Ichiro Miyamoto, Michael J. Schöning, Tatsuo Yoshinobu</i>   |            |
| <b>RESPONSE TIME OF THERMAL FLOW SENSORS.....</b>  | <b>524</b> |
| <i>C. Sosna, T. Walter, W. Lang</i>  |            |



|  |     |
|--|-----|
| <b>HIGHLY SENSITIVE SMART FLOW SENSOR WITH FREQUENCY AND DUTY CYCLE OUTPUT</b> .....                                     | 528 |
| <i>S. Dalola, S. Cerimovic, F. Kohl, J. Schalko, V. Ferrari, D. Marioli, F. Keplinger</i>                                |     |
| <b>ULTRA-LOW PRESSURE SENSOR FOR NEONATAL RESUSCITATOR</b> .....   | 532 |
| <i>C. Jacq, T. Maeder, E. Haemmerle, N. Craquelin, P. Ryser</i>  |     |
| <b>A SINGLE CHIP, OFFSET COMPENSATED MULTI-CHANNEL FLOW SENSOR WITH INTEGRATED READOUT INTERFACE</b> .....               | 536 |
| <i>M. Piotto, M. Dei, F. Butti, P. Bruschi</i>   |     |
| <b>ULTRA LOW POWER FLOW-TO-FREQUENCY SOI MEMS TRANSDUCER</b> .....   | 540 |
| <i>N. André, B. Rue, D. Van Vynckt, L. A. Francis, D. Flandre, J.-P. Raskin</i>  |     |
| <b>A CAPILLARY PH ELECTRODE FOR EVALUATING LONG TERM CULTURING OF NEURAL CELL POPULATIONS</b> .....                      | 544 |
| <i>Kirsi Nurminen, Laura Ylä-Outinen, Susanna Narkilahti, Jukka Leikkala</i>   |     |
| <b>PH ELECTRODE BASED ON ALD DEPOSITED IRIIDIUM OXIDE</b> .....  | 548 |
| <i>Tomi Ryyänen, Kirsi Nurminen, Jani Hämäläinen, Markku Leskelä, Jukka Leikkala</i>                                     |     |
| <b>GLASS MICROPROBE WITH MULTI-ELECTRODE STYLES IMPLEMENTED BY SILICON VIA STRUCTURE</b> .....                           | 552 |
| <i>Yu-Tao Lee, Chiung-Wen Lin, Yen-Chung Chang, Weileun Fang</i>   |     |
| <b>DUAL-INLET MICRO-CALORIMETER FOR BIO-CHEMICAL STUDIES OF MICROLITER LIQUID SAMPLES</b> .....                          | 556 |
| <i>Teresa Adrega, Sander Van Herwaarden</i>  |     |
| <b>IN-SITU HEAT INPUT AND HIGH RESOLUTION THERMAL EXPANSION SENSING IN A MINIATURIZED SIDE-PUMPED DPSS LASER</b> .....   | 560 |
| <i>M. Baumgart, C. Glassl, A. Tortschanoff, G. Kroupa</i>  |     |
| <b>MILLIMETER WAVE DETECTION BY THERMOPILE ANTENNA</b> .....   | 564 |
| <i>Béla Szentpáli, Péter Basa, Péter Fürjes, Gábor Battistig, István Bársony, Gergely Károlyi, Tibor Berceli</i>         |     |
| <b>EXPERIMENTAL RESEARCH ON TEMPERATURE CHARACTERISTICS OF TWO-DIMENSIONAL MICRO SCANNER</b> .....                       | 568 |
| <i>Chi Zhang, Hu Huang, Zheng You</i>  |     |
| <b>A WIRELESS POWERING SYSTEM FOR A VIBRATORY-ACTUATED ENDOSCOPIC CAPSULE</b> .....                                      | 572 |
| <i>R. Carta, N. Pateromichelakis, J. Thoné, M. Sfakiotakis, D. P. Tsakiris, R. Puers</i>                                 |     |
| <b>A FAST AND ROBUST ALGORITHM TO ASSESS RESPIRATORY FREQUENCY IN REAL-TIME</b> .....                                    | 576 |
| <i>P. Dupuis, N. André, P. Gérard, D. Flandre, J.-P. Raskin, L. A. Francis</i>   |     |
| <b>INSTRUMENTED WEARABLE BELT FOR WIRELESS HEALTH MONITORING</b> .....   | 580 |
| <i>E. Sardini, M. Serpelloni</i>   |     |
| <b>MOBILE PHONE ANALYSIS OF NT-PROBNP USING HIGH DYNAMIC RANGE (HDR) IMAGING</b> .....                                   | 584 |
| <i>P. Preechaburana, S. Macken, A. Suska, D. Filippini</i>   |     |
| <b>A WSN SMART MEDICATION SYSTEM</b> .....   | 588 |
| <i>Wei-Chih Hsu, Chi-Wei Kuo, Wen-Wei Chang, Jhe-Jhao Chang, Yi-Ting Hou, Yi-Chung Lan, Tung-Jung Sung, Yao-Joe Yang</i> |     |
| <b>REQUIREMENTS AND DESIGN CONSIDERATIONS FOR THE MEASUREMENT OF HAPTIC OBJECT PROPERTIES</b> .....                      | 592 |
| <i>Thorsten A. Kern</i>  |     |
| <b>ADVANCED SIMULATION TOOL FOR THE DESIGN OF SENSORS AND ACTUATORS</b> .....  | 597 |
| <i>M. Kaltenbacher</i>   |     |
| <b>PRESSURE PROPAGATION IN ENCAPSULATED PRESSURE SENSOR SYSTEMS</b> .....  | 601 |
| <i>H. Fassbender, W. Thiel, W. Mokwa</i>   |     |
| <b>TEXTURE SENSOR FOR A PROSTHETIC HAND</b> .....  | 605 |
| <i>N. Muridan, P. H. Chappell, A. Cranny, N. M. White</i>  |     |
| <b>FABRICATION AND CHARACTERIZATION OF A SiC/SiO<sub>2</sub>/Si PIEZORESISTIVE PRESSURE SENSOR</b> .....                 | 609 |
| <i>M. A. Fraga, H. Furlan, M. Massia, I. C. Oliveiraa, L. L. Koberstein</i>  |     |
| <b>A 3-D MEMS VOA USING TRANSLATIONAL ATTENUATION MECHANISM BASED ON PIEZOELECTRIC PZT THIN FILM ACTUATORS</b> .....     | 613 |
| <i>Kah How Koh, Chengkuo Leea, Takeshi Kobayashi</i>   |     |
| <b>A NOVEL PARALLEL-FIELD DOUBLE-HALL MICROSENSOR WITH SELF-REDUCED OFFSET AND TEMPERATURE DRIFT</b> .....               | 617 |
| <i>Siya Lozanova, Chavdar Roumenin</i>   |     |

|   |     |
|---|-----|
| <b>CANTILEVER ARRAYS WITH INTEGRATED ACTUATION AND SENSING FOR PARALLEL SPM</b> .....   | 621 |
| <i>Thomas Sulzbach, Wolfgang Engl, Reinhard Maier, Jörg Diebel, Denis Dontsov, Enrico Langlotz, Walter Schott</i>             |     |
| <b>LIGHT ADDRESSABLE POTENTIOMETRIC SENSOR ARRAY: A NEW APPROACH FOR LIGHT BEAM POSITIONING</b> .....                         | 625 |
| <i>Andrey Ipatov, Kirill Zinoviev, Natalia Abramova, Andrei Bratov</i>  |     |
| <b>HIGH-SENSITIVE PYROELECTRIC DETECTORS WITH INTERNAL THERMAL AMPLIFICATION</b> .....  | 629 |
| <i>Y. Querner, A. Schulze, V. Norkus, G. Gerlach</i>  |     |
| <b>OPTICAL PERFORMANCE OF B-LAYER ULTRA-SHALLOW-JUNCTION SILICON PHOTODIODES IN THE VUV SPECTRAL RANGE</b> .....              | 633 |
| <i>L. Shi, F. Sarubbi, L. K. Nanver, U. Kroth, A. Gottwald, S. Nihtianov</i>  |     |
| <b>REALIZATION OF PRESSURE SENSORS USING FET DETECTION ON A THIN SI MEMBRANE</b> .....  | 637 |
| <i>O. De Sagazan, E. Jacques, T. Mohammed-Brahim</i>  |     |
| <b>LOW COST PRESSURE SENSORS FOR IMPACT DETECTION IN COMPOSITE STRUCTURES</b> .....   | 641 |
| <i>Haritz Macicior, Estibalitz Ochoteco, German Cabañero, Hans Grande, Oliver Schwarzhaupt, Martin Lehmann, Andreas Büter</i> |     |
| <b>A BIPOLAR PIN PHOTOTRANSISTOR WITH MODULATED PIN BASE DOPING</b> .....   | 645 |
| <i>A. Marchlewski, K. Schneider-Hornstein, H. Zimmermann, G. Meinhardt, I. Jonakauer, E. Wachmann</i>                         |     |
| <b>LATERAL DISPLACEMENT MEMS SENSOR</b> .....   | 649 |
| <i>V. Stavrov, E. Tomerov, G. Stavreva, C. Hardalov, A. Shulev</i>  |     |
| <b>SENSING PROPERTIES OF ITO COATED OPTICAL FIBERS TO DIVERSE VOCS</b> .....  | 653 |
| <i>C. R. Zamarreño, M. Hernaez, I. Del Villar, I. R. Matias, F. J. Arregui</i>  |     |
| <b>OPTICAL DEMULTIPLEXER DEVICE OPERATING IN THE VISIBLE SPECTRUM</b> .....   | 657 |
| <i>P. Louro, M. Vieira, M. A. Vieira, S. Amaral, J. Costa, M. Fernandes</i>   |     |
| <b>PHASE STABILITY COMPARISON OF SAW SENSOR EVALUATION WITH VARIOUS CW TYPE RADARS</b> .....                                  | 661 |
| <i>Alfred Binder, René Fachberger, Martin Lenzhofer</i>   |     |
| <b>EFFECT OF THE THICKNESS - RATIO OF THE PIEZORESISTIVE COMPOSITE ELEMENT FOR MEASURING HIGH - PRESSURE</b> .....            | 665 |
| <i>Patrick Heinicke, Roland Werthschützky</i>   |     |
| <b>DESIGN AND CHARACTERIZATION OF THE IMMERSION-TYPE CAPACITIVE ULTRASONIC SENSORS FABRICATED IN A CMOS PROCESS</b> .....     | 669 |
| <i>Po-Kai Tang, Po-Hsun Wang, Meng-Lin Li, Michael S.-C. Lu</i>   |     |
| <b>BIOLOGICALLY INSPIRED AUTONOMOUS AGENT NAVIGATION USING AN INTEGRATED POLARIZATION ANALYZING CMOS IMAGE SENSOR</b> .....   | 673 |
| <i>Mukul Sarkar, David San Segundo Bello, Chris Van Hoof, Albert Theuwissen</i>   |     |
| <b>COMPARISON BETWEEN TECHNOLOGIES FOR APDS FABRICATION IN PARTICLE DETECTORS</b> .....                                       | 677 |
| <i>A. Arbat, A. Comerma, J. Trenado, D. Gascon, A. Vilà, L. Garrido, A. Diéguez</i>   |     |
| <b>A 3MM ENDOSCOPIC PROBE WITH INTEGRATED MEMS MICROMIRROR FOR OPTICAL COHERENCE TOMOGRAPHY BIOIMAGING</b> .....              | 681 |
| <i>X. J. Mu, G. Y. Zhou, H. H. Feng, Y. S. Xu, A. B. Yu, C. W. Tan, K. W. S. Chen, J. Xie, F. S. Chau</i>                     |     |
| <b>PYROELECTRIC EFFECT IN PZT THICK FILMS FOR THERMAL ENERGY HARVESTING IN LOW-POWER SENSORS</b> .....                        | 685 |
| <i>Simone Dalola, Vittorio Ferrari, Daniele Marioli</i>   |     |
| <b>POSITION FEEDBACK AND PHASE CONTROL OF RESONANT MOEMS-MIRRORS WITH ONE AND TWO AXES</b> .....                              | 689 |
| <i>A. Tortschanoff, A. Frank, M. Wildenhain, T. Sandner, H. Schenk, A. Kenda</i>  |     |
| <b>LOW-COST APPROACH FOR INTEGRATED LONG-WAVELENGTH INFRARED SENSOR ARRAYS</b> .....  | 693 |
| <i>I. Herrmann, K.-F. Reinhart, T. Pirk, A. Feyh, D. Oshinubi, M. Eckardt, E. Sommer, U. Kunz, V. Krüger, F. Freund</i>       |     |
| <b>SEM/FIB FOR CHARACTERIZATION OF NANOSIZED IMAGERS</b> .....  | 697 |
| <i>A. Vilà, A. Comerma, J. Trenado, A. Arbat, D. Gascon, L. Garrido, A. Diéguez</i>   |     |
| <b>A SIMPLE HUMIDITY SENSOR WITH THIN FILM POROUS ALUMINA AND INTEGRATED HEATING</b> .....                                    | 701 |
| <i>László Juhász, János Mizsei</i>  |     |
| <b>NOVEL DESIGN FOR AN ULTRA HIGH PRECISION 3D MICRO PROBE FOR CMM APPLICATIONS</b> .....                                     | 705 |
| <i>S. Bueteftisch, G. Dai, H.-U. Danzebrink, L. Koenders, F. Solzbacher, M. P. Orthner</i>                                    |     |

|  |     |
|--|-----|
| <b>ACCELERATION SENSORS BASED ON POLYMER-ELECTRONIC MATERIALS</b> .....  | 713 |
| <i>Andreas Hense, Carsten Fromm, Dirk Zielke</i>   |     |
| <b>HETEROPOLAR FERROELECTRETS FOR ULTRATHIN FLEXIBLE KEYBOARDS AND TACTILE SENSORS</b> .....   | 717 |
| <i>A. Kogler, G. Buchberger, S. Bauer, R. Schwödiauer</i>  |     |
| <b>MEMS CAESIUM VAPOUR CELL FOR EUROPEAN MICRO-ATOMIC-CLOCK</b> .....  | 721 |
| <i>Pawel Knapkiewicz, Jan Dziuban, Rafal Walczak, Luca Mauri, Piotr Dziuban, Cristophe Gorecki</i>   |     |
| <b>FULLY PRINTED, FLEXIBLE, LARGE AREA ORGANIC OPTOTHERMAL SENSORS FOR HUMAN-MACHINE-INTERFACES</b> .....  | 725 |
| <i>M. Zirkl, G. Scheipl, B. Stadlober, A. Haase, L. Kuna, J. Magnien, G. Jakopic, J. R. Krenn, A. Sawatdee, P. Bodö, P. Andersson</i>            |     |
| <b>FORCE SENSOR CLIP FOR ORTHOPEDIC APPLICATIONS</b> .....   | 730 |
| <i>Ulrich Nolten, Harry Kempf, Ursula Mattes, Wilfried Mokwa</i>   |     |
| <b>EXPERIMENTAL INVESTIGATION ON THE EXPLOITATION OF AN ACTIVE MECHANISM TO RESTORE THE OPERABILITY OF MALFUNCTIONING RF-MEMS SWITCHES</b> ..... | 734 |
| <i>J. Iannacci, A. Repchankova, A. Faes, A. Tazzoli, G. Meneghesso, M. Niessner</i>  |     |
| <b>LOW LOSS STS BASED SPDT FOR X — BAND APPLICATIONS</b> .....   | 738 |
| <i>K. Maninder, A. Sharma, Dinesh Kumar, Surinder Singh, K. Rangra</i>   |     |
| <b>DESIGN AND CHARACTERIZATION OF A CMOS COMPATIBLE POLY-SIGE LOW-G CAPACITIVE ACCELEROMETER</b> .....   | 742 |
| <i>L. Wen, L. Haspeslagh, J. De Coster, A. Witvrouw, R. Puers</i>  |     |
| <b>FEM AND MEASUREMENT ANALYSIS FOR FLOW SENSOR FEATURING THREE DIFFERENT OPERATING MODES</b> .....  | 746 |
| <i>A. Talic, S. Cerimovic, F. Kohl, R. Beigelbeck, J. Schalko, F. Keplinger</i>  |     |

## Volume 2

|   |     |
|---|-----|
| <b>VACUUM PRESSURE AND GAS DETECTION WITH A SILICON BASED MICROMECHANICAL SQUEEZE FILM SENSOR</b> .....                                     | 750 |
| <i>P. Schwarz, D. Feili, R. Engel, N. Pagel, H. Seidel</i>  |     |
| <b>GHOST SUPPRESSION IN ULTRASONIC MEASUREMENT WITH A SPARSE PHASED ARRAY BY USING FREQUENCY TUNING OF PIEZOELECTRIC MICROSENSORS</b> ..... | 754 |
| <i>K. Yamashita, K. Tomiyama, K. Yoshikawa, M. Noda</i>   |     |
| <b>A LINNIK SCANNING WHITE-LIGHT INTERFEROMETRY SYSTEM USING A MEMS DIGITAL-TO-ANALOG CONVERTER</b> .....                                   | 758 |
| <i>Hsin-Hung Liao, Yao-Joe Yang</i>   |     |
| <b>ELECTROSTATICALLY DRIVEN OPTICAL Z-AXIS SCANNER WITH THERMALLY BONDED GLASS MICROLENS</b> .....  | 762 |
| <i>S. Bargiel, C. Gorecki, T. Verdot, K. Laszczyk, J. Albero, L. El Fissi</i>   |     |
| <b>PERMANENT MAGNET VIBRATION POWER GENERATOR AS AN EMBEDDED MECHANISM FOR SMART HIP PROSTHESIS</b> .....                                   | 766 |
| <i>R. Morais, N. Silva, P. Santos, C. Frias, J. Ferreira, A. Ramos, J. Simõesd, J. Baptista, M. Reis</i>                                    |     |
| <b>MINI PIEZOELECTRIC POWER GENERATOR WITH MULTI-FREQUENCY RESPONSE</b> .....   | 770 |
| <i>S. C. Ko, C. H. Je, C. H. Jun</i>  |     |
| <b>SELECTIVE ELECTRET CHARGING METHOD FOR ENERGY HARVESTERS USING BIASED ELECTRODE</b> .....  | 774 |
| <i>Takayuki Fujita, Tomohiko Toyonaga, Keisuke Nakade, Kensuke Kanda, Kohei Higuchi, Kazusuke Maenaka</i>                                   |     |
| <b>INTEGRATED SOLID-STATE FILM LITHIUM BATTERY</b> .....  | 778 |
| <i>L. M. Goncalves, J. F. Ribeiro, M. F. Silva, M. M. Silva, J. H. Correia</i>  |     |
| <b>A SCALABLE MICRO-POWER CONVERTER FOR MULTI-SOURCE PIEZOELECTRIC ENERGY HARVESTING APPLICATIONS</b> .....                                 | 782 |
| <i>Aldo Romani, Rudi P. Paganelli, Marco Tartagni</i>   |     |
| <b>HUMAN OLFACTORY RECEPTORS IMMOBILIZATION ON A MIXED SELF ASSEMBLED MONOLAYER FOR THE DEVELOPMENT OF A BIOELECTRONIC NOSE</b> .....       | 786 |
| <i>M. Sanmartí, P. Iavicoli, E. Pajot-Augy, G. Gomila, J. Samitier</i>  |     |
| <b>PERFORMANCE OF DIFFERENT CATHODE CATALYSTS IN MICROBIAL FUEL CELL TRANSDUCERS FOR THE DETERMINATION OF MICROBIAL ACTIVITY</b> .....      | 790 |
| <i>Narao Uría, David Sánchez, Roser Mas, Olga Sánchez, Francesc Xavier Muñoz, Jordi Mas</i>   |     |
| <b>A RUPTURE DETECTION ALGORITHM FOR THE DNA TRANSLOCATION DETECTION THROUGH BIOLOGICAL NANOPORE</b> .....                                  | 796 |
| <i>T. Osaki, J. P. Barbot, R. Kawano, H. Sasaki, O. Français, B. Le Pioufle, S. Takeuchi</i>  |     |

|   |            |
|---|------------|
| <b>INTERFEROMETRIC DETECTION OF PROSTATE SPECIFIC ANTIGEN BASED ON ENZYME IMMUNOASSAY .....</b>   | <b>800</b> |
| <i>Hyun-Woo Song, Yo Han Choi, Hyeon-Bong Pyo, Kwang-Hyo Chung, Dae-Sik Lee, Moon-Youn Jung, Seon Hee Park</i>  |            |
| <b>ANTIBODY MODIFIED GOLD MICRO ARRAY ELECTRODE BASED ELECTROCHEMICAL IMMUNOSENSOR FOR ULTRASENSITIVE DETECTION OF CORTISOL IN SALIVA AND ISF .....</b> | <b>804</b> |
| <i>Sunil K. Arya, Ganna Chornokur, Manju Venugopal, Shekhar Bhansali</i>  |            |
| <b>CARBON NANOTUBE ELECTRODES FOR ELECTROCHEMILUMINESCENCE BIOSENSORS.....</b>  | <b>808</b> |
| <i>A. Sanginario, D. Demarchi, P. Civera, M. Giorcelli, M. Castellino, A. Tagliaferro</i>   |            |
| <b>A HIGHLY-SENSITIVE LEAKAGE CURRENT MICROSENSOR BY USING DENATURANT: DETECTION OF TARGET PROTEIN BY DPPC LIPOSOME.....</b>                            | <b>812</b> |
| <i>P. Lorchrachoonkul, T. Shimanouchi, K. Yamashita, H. Umakoshi, R. Kuboi, M. Noda</i>   |            |
| <b>AN AUTOMATIC OFFSET CORRECTION PLATFORM FOR HIGH-THROUGHPUT ION-CHANNEL ELECTROPHYSIOLOGY .....</b>  | <b>816</b> |
| <i>F. Thei, M. Rossi, M. Bennati, M. Crescentini, M. Tartagni</i>   |            |
| <b>EVALUATION OF PSEUDOMONAS AERUGINOSA BIOFILM FORMATION USING PIEZOELECTRIC TUNING FORKS MASS SENSORS.....</b>  | <b>820</b> |
| <i>K. Waszczuk, G. Gula, M. Swiatkowski, J. Olszewski, Z. Drulis-Kawa, J. Gutowicz, T. Gotszalk</i>   |            |
| <b>BIOSENSING UTILIZING THE MOTION OF MAGNETIC MICROPARTICLES IN A MICROFLUIDIC SYSTEM.....</b>   | <b>824</b> |
| <i>Ioanna Giouroudi, Sander Van Den Driesche, Jürgen Kosel</i>  |            |
| <b>LABEL-FREE DETECTION OF CARDIAC BIOMARKER USING APTAMER BASED CAPACITIVE BIOSENSOR.....</b>  | <b>828</b> |
| <i>Anjum Qureshi, Yasar Gurbuz, Javed H. Niazi</i>  |            |
| <b>LOVE WAVE BIOSENSOR FOR REAL-TIME DETECTION OF OKADAIC ACID AS DSP PHYCOTOXIN.....</b>   | <b>831</b> |
| <i>F. Fournel, E. Baco, M. Mamani-Matsuda, M. Degueil, B. Bennetau, D. Moynet, D. Mossalayi, L. Vellutini, J.-P. Pillot, C. Dejous, D. Rebiere</i>      |            |
| <b>HIGH FREQUENCY QCM BASED SENSOR SYSTEM FOR SENSITIVE DETECTION OF DISSOLVED ANALYTES.....</b>  | <b>835</b> |
| <i>B. P. Stehrer, R. Schwödiauer, S. Bauer, I. M. Graz, P. D. Pollheimer, H. J. Gruber</i>  |            |
| <b>THE SPRING CONSTANT CALIBRATION OF THE PIEZORESISTIVE CANTILEVER BASED BIOSENSOR.....</b>  | <b>838</b> |
| <i>G. Józwiak, D. Kopiec, P. Zawieruch, T. Gotszalk, P. Janus, P. Grabiec, I. W. Rangelow</i>   |            |
| <b>QUANTITATIVE IMPEDANCE ANALYSIS OF NANOWIRES AND CANCER CELLS.....</b>   | <b>842</b> |
| <i>Frank Alexander Jr., Eric Huey, Dorielle T. Price, Shekhar Bhansali</i>  |            |
| <b>PHASE-SENSITIVE AND FAST-SCANNING LASER PROBE SYSTEM FOR DIAGNOSIS OF HIGH FREQUENCY ACOUSTIC WAVE DEVICES .....</b>                                 | <b>846</b> |
| <i>Ken-Ya Hashimoto, Nan Wu, Tatsuya Omori, Masatsune Yamaguchi</i>   |            |
| <b>A FULL WAFER DICING FREE DRY RELEASE PROCESS FOR MEMS DEVICES .....</b>  | <b>850</b> |
| <i>I. Sari, I. Zeimpekis, M. Kraft</i>  |            |
| <b>EMBEDDED DOUBLE-LAYERED MICROCHANNEL FABRICATION FOR MICROFLUIDIC DEVICES USING DEVELOPER PERMEABILITY OF NEGATIVE THICK-FILM RESISTS.....</b>       | <b>854</b> |
| <i>Y. Hirai, Y. Nakai, K. Sugano, T. Tsuchiya, O. Tabata</i>  |            |
| <b>DETAIL STUDY ON THE REAR 45 MICROMIRROR SMOOTHNESS ON (100) SI SUBSTRATES .....</b>  | <b>858</b> |
| <i>Yi Wei Xu, Aron Michael, Chee Yee Kwok, Gang Ding Peng</i>   |            |
| <b>PVDF AND EMFI SENSOR MATERIALS — A COMPARATIVE STUDY .....</b>   | <b>862</b> |
| <i>Satu Rajala, Jukka Lekkala</i>   |            |
| <b>SYNTHESIS AND APPLICATION OF PHOTO CURABLE PERFLUOROPOLYETHERS AS NEW MATERIAL FOR MICROFLUIDICS.....</b>  | <b>866</b> |
| <i>C. Hannig, M. Dirschka, K. Länge, S. Neumaier, B. E. Rapp</i>  |            |
| <b>FAST PROTOTYPING OF MONOLITHICMICRO-SYSTEM ON EPI-FLUORESCENT MICROSCOPES .....</b>  | <b>870</b> |
| <i>P. Preechaburana, D. Filippini</i>   |            |
| <b>FABRICATION OF POLYMER-BASED MICRO DEVICES: FORMULATION AND STUDY OF THE PASTE.....</b>  | <b>874</b> |
| <i>Nathalie Serra, Thomas Maeder, Olivier Gentsch, Peter Ryser</i>  |            |
| <b>COMBINED TESTING FOR MEMS CHARACTERIZATION .....</b>   | <b>878</b> |
| <i>A. Schifferle, A. Neels, O. Papes, A. Dommann, E. Mazza</i>  |            |

|  |     |
|--|-----|
| <b>DESIGN AND FABRICATION OF A TUNING FORK SHAPED VOLTAGE CONTROLLED RESONATOR WITH ADDITIONAL TUNING ELECTRODES FOR LOW-VOLTAGE APPLICATIONS</b> .....      | 882 |
| <i>N. Chekurov, L. Aaltonen, J. Gronicz, M. Kosunen, I. Tittonen</i>   |     |
| <b>INFLUENCE OF SEED LAYER ON CRYSTALLINITY AND ORIENTATION OF PULSED — DC SPUTTERED ALN THIN-FILMS FOR PIEZOELECTRIC ACTUATORS</b> .....                    | 886 |
| <i>A. T. Tran, H. Schellevis, H. T. M. Pham, C. Shen, P. M. Sarro</i>  |     |
| <b>CU BASED PATCH ANTENNA ON POLYMER SUBSTRATE FOR FLEXIBLE WIRELESS SENSOR SYSTEMS APPLICATIONS</b> .....   | 890 |
| <i>D. Feili, N. Pagel, V. L. Ngo, P. Schwarz, H. Seidel</i>  |     |
| <b>A TRI-AXIAL ACCELEROMETER WITH STRUCTURE-BASED VOLTAGE OPERATION BY USING SERIES-CONNECTED PIEZOELECTRIC ELEMENTS</b> .....                               | 894 |
| <i>Kensuke Kanda, Yuki Iga, Junya Matsuoka, Yonggang Jiang, Takayuki Fujita, Kohei Higuchi, Kazusuke Maenaka</i>   |     |
| <b>ADVANCED STRUCTURES FOR HEAT TRANSFER STUDIES ON DIAPHRAGMS</b> .....   | 898 |
| <i>F. Kohl, R. Beigelbeck, J. Kuntner, J. Schalko, A. Talic, S. Cerimovic</i>  |     |
| <b>HYBRID LOW TEMPERATURE WAFER BONDING AND DIRECT ELECTRICAL INTERCONNECTION OF 3D MEMS</b> .....   | 902 |
| <i>S. Kühne, Ch. Hierold</i>   |     |
| <b>LABEL-FREE DETECTION OF H1N1 VIRUS FOR POINT OF CARE TESTING</b> .....  | 906 |
| <i>Barbara Schwarz, Nina Schweizer, Florian Pörrl, Günther Proll, Günter Gauglitz</i>  |     |
| <b>A NOVEL METHOD FOR SIMULTANEOUS READOUT OF STATIC BENDING AND MULTIMODE RESONANCE-FREQUENCY OF MICROCANTILEVER-BASED BIOCHEMICAL SENSORS</b> .....        | 910 |
| <i>Konrad Nieradka, Teodor Pawel Gotszalk, Grzegorz Marek Schroeder</i>  |     |
| <b>LABEL-FREE DETECTION OF BREAST CANCER MARKER HER-2/NEU WITH AN ACOUSTIC BIOSENSOR</b> .....   | 914 |
| <i>Friederike J. Gruhl, Michael Rapp, Kerstin Länge</i>  |     |
| <b>LABEL-FREE DNA HYBRIDIZATION AND DENATURATION DETECTION BY MEANS OF FIELD-EFFECT NANOPATE SOI CAPACITORS FUNCTIONALIZED WITH GOLD NANOPARTICLES</b> ..... | 918 |
| <i>M. H. Abouzar, A. M. Pedraza, M. J. Schöning, A. Poghossian</i>   |     |
| <b>CELL TOXICITY AND PREPARATION OF STREPTAVIDIN-MODIFIED IRON NANOPARTICLES AND GLUTATHIONE-MODIFIED CADMIUM-BASED QUANTUM DOTS</b> .....                   | 922 |
| <i>Jana Chomoucka, Jana Drbohlavova, Petr Babula, Vojtech Adam, Jaromir Hubalek, Ivo Provaznik, Rene Kizek</i>   |     |
| <b>SELF-ASSEMBLED MOLECULAR GATE FIELD EFFECT TRANSISTOR FOR LABEL FREE SIALIC ACID DETECTION AT CELL MEMBRANE</b> .....                                     | 926 |
| <i>Akira Matsumoto, Naoko Sato, Horacio Cabral, Kazunori Kataoka, Yuji Miyahara</i>  |     |
| <b>SMART TEMPERATURE SENSORS IN STANDARD CMOS</b> .....  | 930 |
| <i>K. A. A. Makinwa</i>  |     |
| <b>MINIATURIZED CERAMIC DIFFERENTIAL SCANNING CALORIMETER WITH INTEGRATED OVEN AND CRUCIBLE IN LTCC TECHNOLOGY</b> .....                                     | 940 |
| <i>W. Missal, J. Kita, E. Wappler, F. Gora, A. Kipka, T. Barnitzek, F. Bechtold, D. Schabbel, B. Pawlowski, R. Moos</i>                                      |     |
| <b>THERMAL EFFECTS TO ENHANCE THE RESPONSIVITY OF PYROELECTRIC INFRARED DETECTORS</b> .....  | 944 |
| <i>V. Norkus, A. Schulze, Y. Querner, G. Gerlach</i>   |     |
| <b>TEMPERATURE DEPENDENCE OF THE RESONANCE FREQUENCY OF THERMOGRAVIMETRIC DEVICES</b> .....  | 948 |
| <i>E. Iervolino, M. Riccio, A. W. Van Herwaarden, A. Irace, G. Breglio, W. Van Der Vlist, P. M. Sarroc</i>   |     |
| <b>ROOM TEMPERATURE INFRARED IMAGING ARRAY FABRICATED USING HETEROGENEOUS INTEGRATION METHODS</b> .....  | 952 |
| <i>Marcelo B. Pisani, Kailiang Ren, Ping Kao, Srinivas Tadigadapa</i>  |     |
| <b>TIME-RESOLVED MAPPING OF NEUROTRANSMITTER FLUCTUATIONS BY ARRAYS OF NANOCAVITY REDOX-CYCLING SENSORS</b> .....  | 956 |
| <i>E. Kätelhön, B. Hofmann, M. Banzet, A. Offenhäusser, B. Wolfrum</i>   |     |
| <b>AN ELECTROWETTING ON DIELECTRICS BASED LAB-ON-A-CHIP UTILIZING AN INTEGRATED HIGH FUNDAMENTAL FREQUENCY QUARTZ CRYSTAL RESONATOR AS A BIOSENSOR</b> ..... | 959 |
| <i>Thomas Lederer, Brigitte P. Stehrer, Siegfried Bauer, Bernhard Jakoby, Wolfgang Hilber</i>  |     |
| <b>SOPC DESIGN OF AN IMPEDANCE ANALYSER WITHOUT CURRENT MEASUREMENT</b> .....  | 965 |
| <i>A. Hamed, E. Tisserand, P. Schweitzer, Y. Berviller</i>   |     |
| <b>MEMS SILICON-BASED MICRO-EVAPORATOR WITH DIAMOND-SHAPED FINS</b> .....  | 969 |
| <i>M. Mihailovic, C. Rops, J. F. Creemer, P. M. Sarro</i>  |     |

|   |      |
|---|------|
| <b>MICROFABRICATED GAS CHROMATOGRAPH FOR SUB-PPB DETERMINATIONS OF TCE IN VAPOR INTRUSION INVESTIGATIONS</b> .....                      | 973  |
| <i>Hungwei Chang, Sun Kyu Kim, Thitiporn Sukaew, Forest Bohrer, Edward T. Zellers</i>   |      |
| <b>VARIATION IN MICRONEEDLE GEOMETRY TO INCREASE SHEAR STRENGTH</b> .....   | 977  |
| <i>Puneet Khann, Hayde Silv, Shekhar Bhansali</i>   |      |
| <b>SPATIALLY RESOLVED MEASUREMENT OF MAGNETIC FLUX DENSITY USING A CMOS-INTEGRATED HALL SENSOR ARRAY</b> .....                          | 981  |
| <i>J. M. Stephan, P. Gieschke, O. Paul, P. Ruther</i>   |      |
| <b>MAGNETIC MICROWIRES FOR ORTHOGONAL FLUXGATES ELECTROPLATED WITH PULSE CURRENT</b> .....  | 985  |
| <i>Mattia Butta, Pavel Ripka, Germán Infante, Manuel Vazquez, Oscar De Abril</i>  |      |
| <b>ULTRASENSITIVE CORE FOR MAGNETOOPTICAL FLUXGATE MAGNETOMETER WITH HIGH SPACE RESOLUTION</b> .....                                    | 989  |
| <i>Vladimir Skidanov, Petr Vetoshko</i>   |      |
| <b>HARMONIC FREQUENCY CHARACTERISATIONS OF A CMOS MICRO FLUXGATE SENSOR FOR LOW MAGNETIC FIELD DETECTION</b> .....                      | 993  |
| <i>Weng-Sheng Huang, Jen-Tzong Jeng, Chih-Cheng Lu</i>  |      |
| <b>FERROMAGNETIC AND PERMANENT MAGNETIC SPHERES AS PLATFORM FOR SINGLE- AND DUAL-ANALYTE OPTICAL SENSORS</b> .....                      | 997  |
| <i>Klaus Koren, Günter Mistlberger, Sergey M. Borisov, Ingo Klimant</i>   |      |
| <b>TUNABLE MID-IR LASERS: A NEW AVENUE TO ROBUST AND VERSATILE PHYSICAL CHEMOSENSORS</b> .....  | 1001 |
| <i>Markus Brandstetter, Andreas Genner, Kresimir Anic, Bernhard Lendl</i>   |      |
| <b>AN OPTICAL SENSOR ARRAY ON A FLEXIBLE SUBSTRATE WITH INTEGRATED ORGANIC OPTO-ELECTRIC DEVICES</b> .....                              | 1005 |
| <i>T. Mayr, T. Abel, E. Kraker, S. Köstler, A. Haase, C. Konrad, M. Tscherner, B. Lamprecht</i>   |      |
| <b>REAL-TIME DETECTION OF FORMALDEHYDE BY A FLUORESCENCE-BASED SENSOR</b> .....   | 1009 |
| <i>M. N. Descamps, T. Bordy, J. Hue, S. Mariano, G. Nonglaton, E. Schultz, T. H. Tran-Thi, S. Vignoud-Despond</i>                       |      |
| <b>IMPROVEMENT OF AN EVANESCENT FIELD IR-ABSORPTION SENSOR BY UTILIZING A PHOTONIC TAPER STRUCTURE</b> .....                            | 1013 |
| <i>Jürgen Kasberger, Ahmad Saeed, Bernhard Jakoby, Kurt Hingerl</i>   |      |
| <b>MAGNETIC NANOPARTICLE-ENHANCED SPR BIOSENSOR</b> .....   | 1017 |
| <i>Yi Wang, Jakub Dostalek, Wolfgang Knoll</i>  |      |
| <b>UNCONVENTIONAL USES OF CANTILEVERS FOR CHEMICAL SENSING IN GAS AND LIQUID ENVIRONMENTS</b> .....                                     | 1021 |
| <i>I. Dufour, F. Josse, S. Heinrich, C. Lucat, C. Ayela, F. Ménil, O. Brand</i>   |      |
| <b>INTEGRATED PIEZORESISTIVE GAUGE IN A PIEZOELECTRIC CANTILEVER</b> .....  | 1027 |
| <i>M. Cueff, E. Defay, G. Le Rhun, P. Perruchot, A. Suhm, M. Aid</i>  |      |
| <b>CONTACTLESS ELECTROMAGNETIC SWITCHED INTERROGATION OF MICROMECHANICAL CANTILEVER RESONATORS</b> .....                                | 1031 |
| <i>Marco Baiù, Vittorio Ferrari, Daniele Marioli, Emanuele Tonoli</i>   |      |
| <b>A STRAIGHTFORWARD DETERMINATION OF FLUID VISCOSITY AND DENSITY USING MICROCANTILEVERS: ANALYTICAL AND EXPERIMENTAL STUDIES</b> ..... | 1035 |
| <i>M. Youssry, N. Belmiloud, B. Caillard, C. Ayela, C. Pellet, I. Dufour</i>  |      |
| <b>GAAS SPIN INJECTOR MICROCANTILEVER PROBE ASSEMBLY VIA A RELEASABLE “EPITAXIAL PATCH TECHNOLOGY”</b> .....                            | 1039 |
| <i>Steve Arscott, Emilien Peytavit, Duong Vu, Alistair C. H. Rowe, Daniel Paget</i>   |      |
| <b>SWCNTS MODIFIED WITH PORPHYRIN UNITS FOR CHEMICAL SENSING APPLICATIONS</b> .....   | 1043 |
| <i>L. Lyova, A. Paris, M. Mastroianni, G. Pomarico, M. Santonico, G. Pennazza, C. Di Natale, R. Paolesse, A. D’Amico</i>                |      |
| <b>BIO-FUEL CELL BASED ON MODIFIED CARBON NANOTUBES WITH IMMOBILIZED ENZYMES</b> .....  | 1047 |
| <i>M. Bogner, M. Schnaithmann, J. Sägebarth, H. Sandmaier</i>   |      |
| <b>PHYSICAL VAPOR DEPOSITION OF COPPER OXIDE NANOWIRES</b> .....  | 1051 |
| <i>E. Comini, G. Faglia, M. Ferroni, D. Zappa, G. Sberveglieri</i>  |      |
| <b>TUNNEL DIODES FABRICATED FOR RECTENNA APPLICATIONS USING SELF-ASSEMBLED NANODIELECTRICS</b> .....                                    | 1055 |
| <i>M. Celestin, S. Krishnan, D. Y. Goswami, E. Stefanakos, S. Bhansali</i>  |      |
| <b>EFFECTS OF DIELECTRIC DEPOSITION ON THE ELECTRICAL CHARACTERISTICS OF MIM TUNNEL JUNCTIONS</b> .....                                 | 1059 |
| <i>R. Ratnadurai, S. Krishnan, E. Stefanakos, D. Y. Goswami, S. Bhansali</i>  |      |

|  |             |
|--|-------------|
| <b>DESIGN AND MODELING OF A FLEXIBLE CONTACT-MODE PIEZORESISTIVE DETECTOR FOR TIME-BASED ACCELERATION SENSING .....</b>  | <b>1063</b> |
| <i>V. Rajaraman, B. S. Hau, L. A. Rocha, P. J. French, K. A. A. Makinwa</i>  |             |
| <b>MODELLING AND TESTING OF A MEMS ACCELEROMETER CONTROLLED AND READ-OUT BEYOND THE PULL-IN INSTABILITY LIMIT .....</b>  | <b>1067</b> |
| <i>Giacomo Langfelder, Tommaso Frizzi, Alessandro Tocchio, Ernesto Lasalandra, Antonio Longoni</i>   |             |
| <b>A DIGITAL OUTPUT ACCELEROMETER USING MEMS-BASED PIEZOELECTRIC ACCELEROMETER CONNECTED TO PARALLEL CMOS CIRCUIT .....</b>  | <b>1071</b> |
| <i>Takeshi Kobayashi, Hironao Okada, Takashi Masuda, Ryutaro Maeda, Toshihiro Itoh</i>   |             |
| <b>CHARACTERIZATION OF A PULL-IN BASED <math>\mu</math>G-RESOLUTION ACCELEROMETER .....</b>  | <b>1075</b> |
| <i>Rosana A. Dias, Edmond Cretu, Reinoud Wolffenbuttel, Luis A. Rocha</i>  |             |
| <b>FORCE BALANCED ACCELEROMETER USING MOSFET WITH POSITION CONTROLLED FLOATING GATE ELECTRODE .....</b>  | <b>1079</b> |
| <i>M. Suzuki, T. Kong, R. Taguchi, J. Kogure, S. Aoyagi, H. Tokunaga</i>   |             |
| <b>A CMOS-MEMS ACCELEROMETER WITH TRI-AXIS SENSING ELECTRODES ARRAYS .....</b>   | <b>1083</b> |
| <i>Ming-Han Tsai, Yu-Chia Liu, Chih-Ming Sun, Chuanwei Wang, Weileun Fang</i>  |             |
| <b>OPTICAL FIBER SENSORS BASED ON LAYER-BY-LAYER NANOSTRUCTURED FILMS .....</b>  | <b>1087</b> |
| <i>Francisco J. Arregui, Ignacio R. Matias, Jesús M. Corres, Ignacio Del Villar, Javier Goicoechea, Carlos Ruiz Zamarreño, Miguel Herméiz, Richard O. Claus</i>            |             |
| <b>FIBER-OPTIC VOLTAGE SENSOR USING FIBER GYRO TECHNOLOGY .....</b>  | <b>1091</b> |
| <i>K. Bohnert, S. Wildermuth, A. Frank, H. Brändle</i>   |             |
| <b>INTENSITY REFERENCING IN AN EXTRINSIC OPTICAL FIBER TEMPERATURE SENSOR .....</b>  | <b>1095</b> |
| <i>Andreas Apelsmeier, Ramona Gleixner, Matthias Mayer, Mikhail Shamonin, Bernhard Schmauss</i>  |             |
| <b>LOSSY MODE RESONANCES SUPPORTED BY TIO<sub>2</sub>-COATED OPTICAL FIBERS .....</b>  | <b>1099</b> |
| <i>M. Hernaez, C. R. Zamarreño, I. Del Villar, I. R. Matias, F. J. Arregui</i>   |             |
| <b>FIBER-OPTIC INTERFEROMETRIC SENSOR OF MAGNETIC FIELD FOR STRUCTURAL HEALTH MONITORING .....</b>   | <b>1103</b> |
| <i>Z. Djinovic, M. Tomic, C. Gamauf</i>  |             |
| <b>HOMOGENEOUS BIOSENSOR BASED ON OPTICAL DETECTION OF THE ROTATIONAL DYNAMICS OF ANISOTROPIC NANOPARTICLES .....</b>  | <b>1107</b> |
| <i>Stefan Schrittwieser, Joerg Schotter, Thomas Maier, Roman Bruck, Paul Muellner, Nadezhda Kataeva, Katerina Soulanika, Frank Ludwig, Andreas Huetten, Hubert Brueckl</i> |             |
| <b>GAS SENSING WITH VERTICAL FUNCTIONALIZED INAS NANOWIRE ARRAYS .....</b>   | <b>1111</b> |
| <i>P. Offermans, M. Crego-Calama, S. H. Brongersma</i>   |             |
| <b>GROWTH CHARACTERIZATION OF VERTICALLY ALIGNED CARBON NANOFIBERS ON TOP OF TIN BUFFER LAYER FOR NANOELECTROMECHANICAL DEVICES .....</b>                                  | <b>1115</b> |
| <i>Farzan A. Ghavanini, Maria E. L. Damian, Damon Rafieian, Per Lundgren</i>   |             |
| <b>ELECTRICAL INITIALIZATION TO ERASE HISTORY IN HYSTERETIC CARBON NANOTUBE TRANSISTORS FOR SENSING APPLICATIONS .....</b>   | <b>1119</b> |
| <i>Moritz Mattmann, Daniel Bechstein, Cosmin Roman, Kiran Chikkadi, Thomas Helbling, Lukas Durrer, Roland Pohle, Maximilian Fleischer, Christofer Hierold</i>              |             |
| <b>ZEPTOFARAD RESOLUTION CMOS READ-OUT CIRCUIT FOR NANOSENSORS .....</b>   | <b>1123</b> |
| <i>M. Carminati, G. Ferrari, F. Guagliardo, M. Sampietro</i>   |             |
| <b>ULTRASENSITIVE NANOWIRE PRESSURE SENSOR MAKES ITS DEBUT .....</b>   | <b>1127</b> |
| <i>Bo Woon Soon, Pavel Neuzil, Chee Chung Wong, Julien Reboud, Han Hua Feng, Chengkuo Lee</i>  |             |
| <b>TIO<sub>2</sub> ALD NANOLAYER AS EVANESCENT WAVEGUIDE FOR BIOMEDICAL SENSOR APPLICATIONS .....</b>  | <b>1131</b> |
| <i>A. Purniawan, P. J. French, G. Pandraud, P. M. Sarro</i>  |             |
| <b>MICRO PIRANI VACUUM GAUGES MANUFACTURED BY A FILM TRANSFER PROCESS .....</b>  | <b>1136</b> |
| <i>G. Schelcher, E. Lefevre, S. Brault, F. Parrain, E. Martincic, E. Dufour-Gergam, A. Bosseboeuf</i>  |             |
| <b>LOW-FIRING THICK-FILM PIEZORESISTIVE SENSORS FOR MEDICAL INSTRUMENTS .....</b>  | <b>1140</b> |
| <i>Thomas Maeder, Caroline Jacq, Peter Ryser</i>   |             |
| <b>NANOFILM METAL LAYERS AS VACUUM QUALITY SENSORS .....</b>   | <b>1144</b> |
| <i>S. Müder, T. Haas, U. Kunze, T. Doll</i>  |             |
| <b>AN ALD ETCH-BACK METHOD TO FABRICATE HIGH ASPECT RATIO NANOPILLAR ARRAYS FOR PHOTONIC CRYSTAL SENSORS .....</b>   | <b>1148</b> |
| <i>Yujian Huang, Grgory Pandraud, Pasqualina M. Sarro</i>  |             |
| <b>SOLID-PHASE MICROEXTRACTION USING SILICA FIBERS COATED WITH TENAX-TA FILMS .....</b>  | <b>1152</b> |
| <i>Bassam Alfeeli, Daniel Hogg, Masoud Agah</i>  |             |

|   |             |
|---|-------------|
| <b>A SINGLE-MAGNET NONLINEAR PIEZOELECTRIC CONVERTER FOR ENHANCED ENERGY HARVESTING FROM RANDOM VIBRATIONS .....</b>  | <b>1156</b> |
| <i>M. Ferrari, V. Ferrari, M. Guizzetti, D. Marioli</i>   |             |
| <b>ENERGY HARVESTING FOR AUTONOMOUS WIRELESS SENSOR NODES IN AIRCRAFT .....</b>   | <b>1160</b> |
| <i>D. Samson, M. Kluge, Th. Becker, U. Schmid</i>   |             |
| <b>HIGH-PERFORMANCE PIEZOELECTRIC THICK FILM BASED ENERGY HARVESTING MICRO-GENERATORS FOR MEMS .....</b>  | <b>1164</b> |
| <i>Tomasz Zawada, Karsten Hansen, Rasmus Lou-Moeller, Erling Ringgaard, Thomas Pedersen, Erik V. Thomsen</i>  |             |
| <b>NONLINEAR ELECTROMAGNETIC GENERATORS WITH POLYMERIC MATERIALS FOR POWER HARVESTING FROM VIBRATIONS .....</b>   | <b>1168</b> |
| <i>E. Sardini, M. Serpelloni</i>  |             |
| <b>COMBINED OPTIMIZATION OF ELECTRICAL AND MECHANICAL PARAMETERS OF IN-PLANE AND OUT-OF-PLANE GAP-CLOSING ELECTROSTATIC VIBRATION ENERGY HARVESTERS (VEHS).....</b>                   | <b>1172</b> |
| <i>Raphaël Guillemet, Philippe Basset, Dimitri Galayko, Tarik Bourouina</i>   |             |
| <b>A MULTI-SOURCE MICRO POWER GENERATOR EMPLOYING THERMAL AND VIBRATION ENERGY HARVESTING.....</b>  | <b>1176</b> |
| <i>Hakan Töreyn, Emre Topal, Haluk Külah</i>  |             |
| <b>FIBER BRAGG GRATING APPLIED MULTI-FUNCTIONAL SENSOR BASED ON PULSED PHOTOACOUSTIC TECHNIQUE.....</b>   | <b>1180</b> |
| <i>A. Yarai</i>   |             |
| <b>COLORIMETRIC DETECTION OF FORMALDEHYDE: A SENSOR FOR AIR QUALITY MEASUREMENTS AND A POLLUTION-WARNING KIT FOR HOMES.....</b>   | <b>1184</b> |
| <i>S. Mariano, W. Wang, G. Brunelle, Y. Bigay, T.-H. Tran-Thi</i>   |             |
| <b>FABRICATION AND CHARACTERIZATION OF GAS DETECTION MICROFLUIDIC SYSTEM.....</b>   | <b>1188</b> |
| <i>V. Martini, S. Bernardini, M. Bendahan, K. Aguir, P. Perrier, I. Graur</i>   |             |
| <b>MERGING ETHYLENE NDIR GAS SENSORS WITH PRECONCENTRATOR-DEVICES FOR SENSITIVITY ENHANCEMENT.....</b>  | <b>1192</b> |
| <i>Adam Sklorz, Anika Schäfer, Walter Lang</i>  |             |
| <b>ELECTROCHEMICAL DETECTION OF THE NEUROTRANSMITTER DOPAMINE BY NANOIMPRINTED SUB-<math>\mu</math>M MICROELECTRODES AND CMOS CIRCUITRY WITH NEAR 100% COLLECTION EFFICIENCY.....</b> | <b>1196</b> |
| <i>Chang-Wen Huang, Michael S.-C. Lu</i>  |             |
| <b>NEW POTENTIOMETRIC SENSORS BASED ON TWO COMPETITIVE RECOGNITION SITES FOR DETERMINING TETRACYCLINE RESIDUES USING FLOW-THROUGH SYSTEM .....</b>                                    | <b>1200</b> |
| <i>Felismina T. C. Moreira, Ayman H. Kamel, Rafaela L. Guerreiro, Vera Azevedo, M. Goreti F. Sales</i>  |             |
| <b>H<sub>2</sub> SENSING PERFORMANCE OF OPTICAL FIBER COATED WITH NANO-PLATELET WO<sub>3</sub> FILM.....</b>  | <b>1204</b> |
| <i>J. Ou, M. H. Yaacob, J. L. Campbell, K. Kalantar-Zadeh, W. Wlodarski</i>   |             |
| <b>HIGH PERFORMANCE CO<sub>2</sub> MEASUREMENT BASED ON PRESSURE MODULATION .....</b>   | <b>1208</b> |
| <i>Xu Wang, Henrik Rödjegård, Bengt Oelmann, Hans Martin, Bo Larsson</i>  |             |
| <b>A MINIATURIZED SYSTEM FOR ULTRATRACE URANIUM ANALYSIS IN WATERS .....</b>  | <b>1212</b> |
| <i>Basma Khadro, Nicole Jaffrezic-Renault</i>   |             |
| <b>MIS-FIELD EFFECT SENSORS FOR LOW CONCENTRATION OF H<sub>2</sub>S FOR ENVIRONMENTAL MONITORING.....</b>   | <b>1216</b> |
| <i>L. N. Kalinina, A. V. Litvinov, I. N. Nikolaev, N. N. Samotaev</i>   |             |
| <b>GAS MONITORING WITH A FABRY-PEROT BASED BOLOMETER: CROSS-SENSITIVITY TO WATER VAPOR .....</b>  | <b>1220</b> |
| <i>J. Mayrwöger, W. Reichl, C. Krutzer, B. Jakoby</i>   |             |
| <b>OPTIMIZATION OF THE LATERAL FIELD EXCITED PLATFORM FOR LIQUID SENSING APPLICATIONS.....</b>  | <b>1224</b> |
| <i>C. Peters, R. Fernandez, R. Lucklum, J. Fochtmann, D. McCann, J. Vetelino, A. Arnau</i>  |             |
| <b>FISH FRESHNESS DECAY MEASUREMENT WITH A COLORIMETRIC ARTIFICIAL OLFACTORY SYSTEM .....</b>   | <b>1228</b> |
| <i>F. Dini, R. Paolesse, D. Filippini, A. D'Amico, I. Lundström, C. Di Natale</i>   |             |
| <b>A NEW DETECTION METHOD OF SEVOFLURANE UTILIZING CATALUMINESCENCE OF <math>\gamma</math>-AL<sub>2</sub>O<sub>3</sub> ACTIVATED WITH Tb<sup>3+</sup> .....</b>                       | <b>1232</b> |
| <i>Tohru Okabayashi, Masahiro Ozaki, Masuo Nakagawa</i>   |             |
| <b>MODELING VAPOR DETECTION IN A MICRO ION MOBILITY SPECTROMETER FOR SECURITY APPLICATIONS.....</b>   | <b>1236</b> |
| <i>R. Cumeras, I. Gràcia, E. Figueras, L. Fonseca, J. Santander, M. Salleras, C. Calaza, N. Sabaté, C. Cané</i>   |             |





|  |      |
|--|------|
| <b>GMI MAGNETIC-PARTICLE CONCENTRATION DETECTION IN CONTINUOUS FLOW</b> .....  | 1324 |
| <i>A. García-Arribas, F. Martínez, E. Fernández, I. Ozaeta, G. Kurlyandskaya, A. Svalov, J. Berganzo, J. M. Barandiaran</i>                    |      |
| <b>MODELLING AND EVALUATION OF A THERMAL MICROFLUIDIC SENSOR FABRICATED ON PLASTIC SUBSTRATE</b> .....   | 1328 |
| <i>G. P. Patsis, A. Petropoulos, G. Kaltsas</i>  |      |
| <b>MICROFLUIDIC SYSTEM FOR CELL FUSION</b> .....   | 1332 |
| <i>M. Grabowski, A. Buchenauer, A. El Hasni, T. Klockenbring, S. Barth, W. Mokwa, U. Schnakenberg</i>  |      |
| <b>IN-DEPTH IMAGING OF DIELECTROPHORESIS BY DIGITAL IN-LINE HOLOGRAPHIC MICROSCOPY</b> .....   | 1336 |
| <i>Mikko Haapalainen, Ville Kaikkonen, Anssi Mäkynen</i>   |      |
| <b>MICROFLUIDIC DEVICE FOR REFRACTIVE INDEX MEASUREMENT OF FLUID SAMPLE</b> .....  | 1340 |
| <i>Sang Youl Yoon, Sung Yang</i>   |      |
| <b>MICROMACHINED GAS CALIBRATION SOURCES BASED ON NANOMETRIC DEPTH MICROCHANNELS</b> .....   | 1344 |
| <i>S. Zampolli, I. Elmi, F. Mancarella, M. Messina, G. Marra, E. Cozzani, M. Belluce, F. Tamarri, M. Sanmartin, G. C. Cardinali, M. Severi</i> |      |
| <b>CHARACTERIZATION OF A VERTICAL LAMINATION MICROMIXER FOR IR SPECTROSCOPY</b> .....  | 1348 |
| <i>Wolfgang Buchegger, Martin Kraft, Michael J. Vellekoop</i>  |      |
| <b>INTEGRATION OF HOLOGRAPHIC SENSORS INTO MICROFLUIDICS FOR THE REAL-TIME PH SENSING OF L. CASEI METABOLISM</b> .....                         | 1352 |
| <i>Laurence L. Bell, Ashwin A. Seshia, Colin A. B. Davidson, Chris R. Lowe</i>   |      |
| <b>THERMAL ANALYSIS OF A AG/TI BASED MICROHEATER</b> .....   | 1356 |
| <i>T. Guan, R. Puers</i>   |      |
| <b>HIGH-Q CMOS MEMS RESONATOR OSCILLATOR FABRICATED IN A MPW BATCH PROCESS</b> .....   | 1360 |
| <i>S.-H. Tseng, Michael S.-C. Lu, Y.-J. Hung, Y.-Z. Juang</i>  |      |
| <b>CMOS-INTEGRATED SENSOR CHIP FOR IN-PLANE AND OUT-OF-PLANE SHEAR STRESS</b> .....  | 1364 |
| <i>P. Gieschke, O. Paul</i>  |      |
| <b>FIELD EFFECT TRANSISTOR BASED ON PROTONS AS CHARGE CARRIERS</b> .....   | 1368 |
| <i>J. Matovic, N. Adamovic, Z. Jakšić, U. Schmid</i>   |      |
| <b>TWO - WAY SMA ACTUATORS FOR SPACE APPLICATION: PERFORMANCES AND RELIABILITY</b> .....   | 1372 |
| <i>J. Matovic, K. Reichenberger</i>  |      |
| <b>PIEZO-HALL CHARACTERIZATION OF INTEGRATED HALL SENSORS USING A FOUR-POINT BENDING BRIDGE</b> .....  | 1376 |
| <i>M. Herrmann, P. Ruther, O. Paul</i>   |      |
| <b>LIQUID RF MEMS VARIABLE INDUCTOR</b> .....  | 1380 |
| <i>I. El Gmati, P. Calmon, A. Boukabache, P. Pons, H. Boussetta, M. A. Kallala, K. Besbes</i>  |      |
| <b>INTEGRATED GMR ANGLE SENSOR FOR ELECTRICAL COMMUTATED MOTORS INCLUDING FEATURES FOR SAFETY CRITICAL APPLICATIONS</b> .....                  | 1384 |
| <i>Wolfgang Granig, Markus Weinberger, Christian Reidl, Manfred Bresch, Michael Strasser, Gerhard Pircher</i>                                  |      |
| <b>INFLUENCE OF PROCESS ROUTE ON MEMBRANE PROFILE AND Q-FACTOR OF AN ACOUSTIC RESONATOR SENSOR</b> .....                                       | 1388 |
| <i>N. S. Staack, A. J. Flewitt</i>   |      |
| <b>IN-PLANE AND OUT-OF-PLANE MEMS MOTION SENSORS BASED ON FRINGE CAPACITANCES</b> .....  | 1392 |
| <i>A. Tocchio, G. Langfelder, A. Longoni, E. Lasalandra</i>  |      |
| <b>MICROMACHINED PRESSURE SENSOR BASED ON SAPPHIRE FOR HIGH TEMPERATURE APPLICATIONS</b> .....   | 1396 |
| <i>S. Fricke, A. Friedberger, H. Seidel, U. Schmid</i>   |      |
| <b>MAGNETIC FLUX LEAKAGE MEASUREMENT SETUP FOR DEFECT DETECTION</b> .....  | 1401 |
| <i>Johannes Atzlesberger, Bernhard Zagar</i>   |      |
| <b>ALGAN/GAN C-HEMT STRUCTURES FOR DYNAMIC STRESS DETECTION</b> .....  | 1405 |
| <i>Gabriel Vanko, Milan Držik, Martin Vallo, Tibor Lalinský, Vladimír Kutiš, Stanislav Stancik, Ivan Rýger, Ivan Kostic</i>                    |      |
| <b>A NICKEL ELECTROSTATIC CURVED BEAM ACTUATOR FOR VALVE APPLICATIONS</b> .....  | 1409 |
| <i>Denis Petrov, Walter Lang, Wolfgang Benecke</i>   |      |
| <b>MINIATURE FLOW-THROUGH RESONATOR CELL FOR DENSITY AND VISCOSITY SENSING</b> .....   | 1413 |
| <i>Frieder Lucklum, Erwin K. Reichel, Bernhard Jakoby</i>  |      |

|   |      |
|---|------|
| <b>COMPUTATIONAL STUDY OF NEMS DIAPHRAGM SENSOR USING TRIPLE NANO-RING RESONATOR</b> .....  | 1418 |
| <i>Bo Li, Chengkuo Lee</i>  |      |
| <b>OVERLOAD-RESISTANT PRESSURE SENSORS IN THE NOMINAL RANGE OF 10 MBAR (1 KPA)</b> .....  | 1422 |
| <i>T. Kober, R. Werthschützky</i>   |      |
| <b>STRAIN SENSING ON STEEL SURFACES USING VACUUM PACKAGED MEMS RESONATORS</b> .....   | 1426 |
| <i>M. Ferri, F. Mancarella, L. Belsito, A. Roncaglia, J. Yan, A. A. Seshia, K. Soga, J. Zalesky</i>                               |      |
| <b>LIMITS OF A SINGLE ACTIVE TRANSISTOR-BASED AMPLIFIER DESIGNED FOR CO-INTEGRATED M-NEMS/CMOS OSCILLATOR PURPOSES</b> .....      | 1430 |
| <i>G. Arndt, E. Colinet, J. Arcamone, J. Juillard</i>   |      |
| <b>INVESTIGATION ON SUSPENDED GATE FIELD EFFECT TRANSISTOR AS HUMIDITY SENSOR</b> .....   | 1434 |
| <i>O. De Sagazan, B. Da Silva Rodrigues, S. Crand, F. Lebihan, T. Mohammed-Brahim</i>   |      |
| <b>SIMPLE INDUCTIVELY COUPLED RESONANCE SENSOR FOR ECG AND HEART RATE MONITORING</b> .....  | 1438 |
| <i>Jukka Lekkala, Timo Salpavaara, Jarmo Verho, Jarno Riistama</i>  |      |
| <b>GAAS 3-AXIS CORIOLIS VIBRATING MICRO RATE GYRO: CONCEPT AND PRELIMINARY CHARACTERIZATION</b> .....                             | 1442 |
| <i>I. Roland, S. Masson, O. Ducloux, O. Le Traon, A. Bosseboeuf</i>   |      |
| <b>A NOVEL TUNEABLE BAND-PASS FILTER BASED ON A SINGLE SQUARE-RING MEMS RESONATOR</b> .....                                       | 1446 |
| <i>X. Zou, J. Yan, A. A. Seshia</i>   |      |
| <b>A10 MHZ MICROMECHANICAL LAMÉ-MODE BULK OSCILLATOR OPERATING IN NONLINEAR REGION</b> .....                                      | 1450 |
| <i>Tianfang Niu, Moorthi Palaniapan</i>   |      |
| <b>MECHANICALLY COUPLED BULK-MODE DUAL RESONATOR MASS SENSOR</b> .....  | 1454 |
| <i>Angel T-H. Lin, Jize Yan, Ashwin A. Seshia</i>   |      |
| <b>A DOUBLE MEMBRANE SENSOR FOR LIQUID VISCOSITY FACILITATING MEASUREMENTS IN A LARGE FREQUENCY RANGE</b> .....                   | 1458 |
| <i>M. Heinisch, E. K. Reichel, T. Voglhuber-Brunnmaier, B. Jakoby</i>   |      |
| <b>A NOVEL LOW COST SPRING-LESS RF MEMS SWITCH PROTOTYPE</b> .....  | 1462 |
| <i>K. S. Kiang, H. M. H. Chong, M. Kraft</i>  |      |
| <b>A PVDF-BASED FLEXIBLE CARDIORESPIRATORY SENSOR WITH INDEPENDENTLY OPTIMIZED SENSITIVITY TO HEARTBEAT AND RESPIRATION</b> ..... | 1466 |
| <i>Yongang Jiang, Hiroyuki Hamada, Syohei Shiono, Kensuke Kanda, Takayuki Fujita, Kohei Higuchi, Kazusuke Maenaka</i>             |      |
| <b>A NOVEL FLUID DYNAMIC INLINE VISCOMETER SUITABLE FOR HARSH PROCESS CONDITIONS</b> .....  | 1470 |
| <i>G. Steiner, J. Gautsch, R. Bredler, F. Plank</i>   |      |
| <b>OPTICAL VELOCIMETRY IN CRYOGENIC TWO-PHASE FLOWS</b> .....   | 1474 |
| <i>Markus Brandner, Gert Holler</i>   |      |
| <b>BINARY GAS SENSOR BASED ON ACOUSTIC CAVITY RESONATOR</b> .....   | 1478 |
| <i>L. Zipser, A. Peter</i>  |      |
| <b>DESIGN OF A NOVEL CLOSED-LOOP SOI MEMS RESONANT ELECTROSTATIC FIELD SENSOR</b> .....   | 1482 |
| <i>Chunrong Peng, Pengfei Yang, Haiyan Zhang, Xin Guo, Shanhong Xia</i>   |      |
| <b>A NON-LINEAR RESONATOR FOR SENSING APPLICATIONS</b> .....  | 1486 |
| <i>Chenchen Deng, Ross Turnbull, Carl Anthony, Mike Ward, Steve Collins</i>   |      |
| <b>DESIGN AND EXPERIMENT OF A LATERALLY DRIVEN MICROMACHINED RESONANT PRESSURE SENSOR FOR BAROMETERS</b> .....                    | 1490 |
| <i>Deyong Chen, Yuxin Li, Meng Liu, Junbo Wang</i>  |      |
| <b>QUALITY FACTOR ENHANCEMENT IN ALN-ACTUATED MEMS BY VELOCITY FEEDBACK LOOP</b> .....  | 1494 |
| <i>T. Manzanque, J. Hernando-García, A. Ababneh, H. Seidel, Ü. Sökmen, E. Peiner, U. Schmid, J. L. Sánchez-Rojas</i>              |      |
| <b>2.2 MHZ PIEZORESISTIVE MEMS OSCILLATOR OPERATING IN AIR</b> .....  | 1498 |
| <i>Angel T-H. Lin, Jize Yan, Ashwin A. Seshia</i>   |      |
| <b>Author Index</b>   |      |