

2011 Eurosensors XXV

Procedia Engineering Volume 25

**Athens, Greece
4-7 September 2011**

Volume 1 of 2

Editors:

Christos Tsamis

Grigoris Kaltsas

ISBN: 978-1-62748-581-4

ISSN: 1877-7058

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com



Available online at www.sciencedirect.com

SciVerse ScienceDirect

Procedia Engineering 25 (2011) iii–xvii

**Procedia
Engineering**

www.elsevier.com/locate/procedia

Contents

Editorial

| | |
|-----------------------------|-------|
| C. Tsamis, G. Kaltsas | xviii |
|-----------------------------|-------|

Plenary Session I

Piezotronics for Smart CMOS and Nanogenerators for Self-Powered Sensors

| | |
|-----------------|---|
| Z.L. Wang | 4 |
|-----------------|---|

Why Going Towards Plastic and Flexible Sensors?

| | |
|---|---|
| D. Briand, F. Molina-Lopez, A.V. Quintero, C. Ataman, J. Courbat, N.F. de Rooij | 8 |
|---|---|

Chemical Sensors

Novel Chemical Sensor Applications in Commercial Aircraft (Invited)

| | |
|--|----|
| G. Müller, S. Beer, S. Paul, A. Helwig | 16 |
|--|----|

Discrimination and Classification of Chemical Warfare Agent Simulants using a Love-Wave Sensor Array

| | |
|---|----|
| D. Matatagui, M.J. Fernández, J. Fontecha, J.P. Santos, I. Gràcia, C. Cané, M.C. Horrillo | 23 |
|---|----|

Imprinted Photonic Crystal Chemical Sensors

| | |
|---|----|
| A. Boersma, M. Burghoorn, M. Saalmink | 27 |
|---|----|

Silicone Containing Amphiphilic Co-Networks as Immobilisation Matrices for Enzyme based Biosensors: Optochemical Detection of Gaseous Hydrogen Peroxide

| | |
|---------------------------------------|----|
| S. Meskath, J. Heinze, G. Urban | 31 |
|---------------------------------------|----|

Facile Sensors Replacement in Optical Gas Sensors Array

| | |
|--|----|
| D. Polese, G. Magna, F. Dini, E. Martinelli, R. Paolesse, A. D'Amico, D. Filippini, I. Lundström, C. Di Natale | 35 |
|--|----|

Physical Sensors - Transducers

6 DOF Force and Torque Sensor for Micro-Manipulation Applications

| | |
|--|----|
| P. Estevez, J. Bank, M. Porta, J. Wei, P.M. Sarro, M. Tichem, U. Staufer | 39 |
|--|----|

A Novel Approach for Active Pressure Sensors in Thin Film SOI Technology

| | |
|---|----|
| B. Olbrechts, B. Rue, T. Pardon, D. Flandre, J.-P. Raskin | 43 |
|---|----|

Squeeze-Film Damper Design with Air Channels: Experimental Verification

| | |
|---|----|
| R.A. Dias, R.F. Wolffenbuttel, E. Cretu, L.A. Rocha | 47 |
|---|----|

Analysis of Acceleration Sensitivity in Frequency Decoupled Mems Tuning Fork Gyroscope

| | |
|---|----|
| T.P. Singh, K. Sugano, T. Tsuchiya, O. Tabata | 51 |
|---|----|

A Novel Dynamic Pull-In MEMS Gyroscope

| | |
|--|----|
| M. Sharma, E.H. Sarraf, E. Cretu | 55 |
|--|----|

Optimization of an Electro-Optic Voltage Transducer using a VHDL-AMS Model

| | |
|--|----|
| J. Pascal, S. Adam, O. Steiger, W.R. Werbanets | 59 |
|--|----|

Photonic Bio-Devices

Label-Free, Multiplexed Biomolecular Analysis using Arrays of Silicon Photonic Microring Resonators

| | |
|--|----|
| A.L. Washburn, M.S. Luchansky, M.S. McClellan, R.C. Bailey | 63 |
|--|----|

Gold Nanorods Based LSPR Biosensor for Label-Free Detection of Alpha-Fetoprotein

| | |
|-----------------------------|----|
| X. Xu, Y. Ying, Y. Li | 67 |
|-----------------------------|----|

Advanced Photonic Biosensors for Point-of-Care Diagnostics (Invited)

| | |
|---|----|
| A.B. González-Guerrero, S. Dante, D. Duval, J. Osmond, L.M. Lechuga | 71 |
|---|----|

SERS Sensors for Biomedical Tubing

| | |
|--|----|
| C.J. Choi, H.-Y. Wu, B.T. Cunningham | 76 |
|--|----|

Salt and Pepper for Point-of-Care Diagnostics

| | |
|---|----|
| D. Furin, M. Sämann, G. Proll, M. Schubert, G. Gauglitz | 80 |
|---|----|

Wireless Sensor Networks

Cooperative 3D Air Quality Assessment with Wireless Chemical Sensing Networks

| | |
|---|----|
| S. De Vito, G. Fattoruso, R. Liguoro, A. Oliviero, E. Massera, C. Sansone, V. Casola, G. Di Francia | 84 |
|---|----|

| | |
|---|-----|
| Heterogeneous Integration of Autonomous Systems in Package for Wireless Sensor Networks G. Murillo, J. Agustí, M. López-Suárez, G. Abadal | 88 |
| A Wireless Module for Vibratory Motor Control and Inertial Sensing in Capsule Endoscopy G. Ciuti, N. Pateromichelakis, M. Sfakiotakis, P. Valdastri, A. Menciassi, D.P. Tsakiris, P. Dario | 92 |
| Wireless Sensors Network based Safe Home to Care Elderly People: Behaviour Detection (Invited) N.K. Suryadevara, A. Gaddam, R. K. Rayudu, S.C. Mukhopadhyay | 96 |
| Gas Sensing Mechanisms | |
| Transduction in Semiconducting Metal Oxide based Gas Sensors - Implications of the Conduction Mechanism (Invited) N. Bârsan | 100 |
| The Influence of Pt Doping on the Sensing and Conduction Mechanism of SnO_2 based Thick Film Sensors M. Hübner, S. Hafner, N. Bârsan, U. Weimar | 104 |
| Metal Organic Frameworks as Promising High Surface Area Material for Work Function Gas Sensors R. Pohle, A. Tawil, P. Davydovskaya, M. Fleischer | 108 |
| Sensitivity Enhancement of Metal Oxide Thin Film Transistor with Back Gate Biasing V.A.T. Dam, M.A. Blauw, S.H. Brongersma, M. Crego-Calama | 112 |
| Toward a Hydrogen Peroxide Sensor for Exhaled Breath Analysis J. Wiedemair, H.D.S. van Dorp, W. Olthuis, A. van den Berg | 116 |
| Flexible Sensors | |
| Fully Printed Flexible Humidity Sensor A.S.G. Reddy, B.B. Narakathu, M.Z. Atashbar, M. Rebroš, E. Rebrosova, M.K. Joyce | 120 |
| Microfabrication of Flexible Self-Repairing Ground Reaction Sensor with Liquid Metal Electrodes R. Surapaneni, Y. Xie, K. Park, C. Mastrangelo | 124 |
| Flexible 3D Force Tactile Sensor for Artificial Skin for Anthropomorphic Robotic Hand H. Yousef, J.-P. Nikolovski, E. Martincic | 128 |
| Flexible Microfluidic Devices for Both Generation and Absorption of Carbon Dioxide Gas and Liquid Perfusion P.Ki Yuen, M.E. DeRosa | 132 |
| Humidity and Temperature Sensors on Plastic Foil for Textile Integration C. Ataman, T. Kinkeldei, A. Vasquez-Quintero, F. Molina-Lopez, J. Courbat, K. Cherenack, D. Briand, G. Tröster, N.F. de Rooij | 136 |
| Nanocomposite Flexible Pressure Sensor for Biomedical Applications A.T. Sepúlveda, F. Fachin, R.G. de Villoria, B.L. Wardle, J.C. Viana, A.J. Pontes, L.A. Rocha | 140 |
| Optical Devices | |
| Advanced Ft-Ir High-Speed Spectrometer Showing the Feasibility of High Performance Optical Mems based Mid-IR Sensing A. Kenda, M. Kraft, M. Baumgart, T. Sandner, S. Lüttjohann, A. Simon | 144 |
| Portable Surface Plasmon Resonance Biosensor for Detection of Nucleic Acids H. Šípová, M. Piliarik, M. Vala, K. Chadt, P. Adam, M. Bocková, K. Hegnerová, J. Homola | 148 |
| Monolithic Silicon Optocouplers for Bio-Chemical Sensing (Invited) K. Misiakos | 152 |
| Hemoglobin Detection in Opaque Particular Fluids M. Brandl, K.H. Kellner, I. Bado, T. Posniecek, D. Falkenhagen | 156 |
| Non-Cooled Low-Cost CCD Camera Module as Fluorescence Detector for Lab-on-a-Chip Life-Science Applications R. Walczak | 160 |
| Reliability of MEMS Devices | |
| Long-Term Mechanical Reliability of Ceramic Thick-Film Circuits and Mechanical Sensors under Static Load T. Maeder, C. Jacq, P. Ryser | 164 |
| Thin Film Electrodes for High Temperature Surface Acoustic Wave Devices D. Richter, S. Sakharov, E. Forsén, E. Mayer, L. Reindl, H. Fritze | 168 |
| Neutron and Gamma Radiation Effects on Mems Structures P. Gkotsis, V. Kilchyska, U. Bhaskar, O. Militaru, X. Tang, C. Fragkiadakis, P.B. Kirby, J.-P. Raskin, D. Flandre, L.A. Francis | 172 |
| Driving Modes and Material Stability of a Vibrating Polyethylene Membrane Viscosity Sensor B. Weiss, M. Heinisch, E.K. Reichel, B. Jakoby | 176 |
| Reliability Aspects of Capacitive MEMS devices (Invited) W. de Groot, D. Felnhofer, E. Gusev | 180 |
| Energy Harvesting | |
| Lead Zirconate Titanate Acoustic Energy Harvesters Utilizing Different Polarizations on Diaphragm S. Iizumi, S. Kimura, S. Tomioka, K. Tsujimoto, Y. Uchida, K. Tomii, T. Matsuda, Y. Nishioka | 187 |
| A 430 Mhz Rf Power Harvester with Integrated Antenna P. Broutas, H. Contopanagos, S. Chatzandroulis | 191 |
| Analytical Modelling Results of Piezoelectric Energy Harvesting Devices for Self-Power Sensors/Sensor Networks in Structural Health Monitoring M. Zhu, S. Edkins | 195 |

| | |
|---|-----|
| Improving Output Power of Piezoelectric Energy Harvesters using Multilayer Structures D. Zhua, S. Beeby, J. Tudor, N. White, N. Harris | 199 |
| All Polymer Piezoelectric Film for the Application to Low Resonance Frequency Energy Harvester S. Takamatsu, T. Kobayashi, T. Imai, T. Yamashita, T. Itoh | 203 |
| Design and Fabrication of a Novel MEMS Thermoelectric Generator S. Dalola, V. Ferrari | 207 |
| Active Rectifier Circuits with Sequential Charging of Storage Capacitors (SCSC) for Energy Harvesting in Autonomous Sensors D. Alghisi, M. Ferrari, V. Ferrari | 211 |
| A Compact Electromagnetic Vibration Harvesting System with High Performance Interface Electronics A. Rahimi, Ö. Zorlu, A. Muhtarolu, H. Külah | 215 |
| Nanomaterials for Sensing Applications | |
| Sensing Characteristics of Hematite and Barium Oxide Doped Hematite Films towards Ozone and Nitrogen Dioxide M. Deblliquy, C. Baroni, A. Boudiba, J.-M. Tulliani, M. Olivier, C. Zhang | 219 |
| RF Sputtering as a Tool for Plasma Treating and Metal Decoration R. Leghrif, P. Clement, E. Llobet | 223 |
| Catalytic Impact of RuO _x Clusters to High NH ₃ Sensitivity of Tin Dioxide A. Marikutsa, V. Krivetskiy, M. Rumyantseva, E. Konstantinova, A. Ponzoni, E. Comini, A. Gaskov | 227 |
| Environmental Radiation Monitoring using Radiophotoluminescence in Silver-Doped Phosphate Glass H. Nanto, Y. Miyamoto, T. Oono, Y. Takei, T. Kurobori, T. Yamamoto | 231 |
| Piezoresistive Effect in Epoxy-Graphite Composites N. Serra, T. Maeder, P. Ryser | 235 |
| Development of a Gas Pre-Concentrator based on Carbon Nanotubes for Benzene Detection H. Lahlou, R. Leghrif, E. Llobet, X. Vilanova, X. Correig | 239 |
| Gas Sensing Properties of Conductive Polymer Nanocomposites C. Pandis, V. Peoglos, A. Kyritsis, P. Pissis | 243 |
| Synthesis of the Nanostructured WO ₃ Via Anodization at Elevated Temperature for H ₂ Sensing Applications J.Z. Ou, M.Z. Ahmad, K. Latham, K. Kalantar-zadeh, G. Sberveglieri, W. Wlodarski | 247 |
| Bi-Layer Nanostructures of CuPc and Pd in SAW and Resistance Hydrogen Sensor W. Jakubik, M. Urbańczyk, E. Maciak, M. Krzywiecki | 252 |
| New Sensitive Layers for Surface Acoustic Wave Gas Sensors based on Polymer and Carbon Nanotube Composites I. Sayago, M.J. Fernández, J.L. Fontecha, M.C. Horrillo, C. Vera, I. Obieta, I. Bustero | 256 |
| WO ₃ Thin Films for Optical Gas Sensing M.U. Qadri, M.C. Pujol, J. Ferré-Borrull, E. Llobet, M. Aguiló, F. Díaz | 260 |
| Hydrogen Sensors based on Pd-Doped WO ₃ Nanostructures and the Morphology Investigation for their Sensing Performances Optimization A. Boudiba, C. Zhang, R. Snyder, M.-G. Olivier, M. Deblliquy | 264 |
| Theory of Gas Sensitivity of Nano-Structured MOX Layers. Selection Rules for Gas Sensitive Materials N. Zaretskiy, L. Menshikov, A. Vasiliev | 268 |
| Phthalocyanine Films as Active Layers of Optical Sensors for Pentachlorophenol and Simazine Detection A. Hassan, T. Basova, S. Tuncel, F. Yuksel, A.G. Gürek, V. Ahsen | 272 |
| Tin Dioxide Nanofilms as Sensitive Detectors for Surface Plasmon Resonance Phenomenon V.S. Grinevich, I.E. Matyash, L.S. Maximenko, O.N. Mischuk, S.P. Rudenko, B.K. Serdega, V.A. Smyntyna, L.N. Filevskaya | 276 |
| Size Control of Ag Nanoparticles for SERS Sensing Applications P. Photopoulos, N. Boukos, M. Panagopoulou, N. Meintanis, N. Pantikos, Y. Raptis, D. Tsoukalas | 280 |
| Single Walled Carbon Nanotube for Sensing Small Molecules C. Wang, L. Li | 284 |
| Silicon Nanowire as Virus Sensor in a Total Analysis System W.E. Svendsen, M. Jørgensen, L. Andresen, K.B. Andersen, M.B.B. Larsen, S. Skov, M. Dimaki | 288 |
| Selective Immobilization of Proteins Guided by Photo-Patterned Poly(Vinyl Alcohol) Structures P. Pavli, P.S. Petrou, A.M. Douvas, E. Makarona, S. Kakabakos, D. Dimotikali, P. Argitis | 292 |
| Inversion of NH ₃ Sensor Signal and Paramagnetic Centers of Nanocrystalline ZnO(Ga) N. Vorobyeva, M. Rumyantseva, E. Konstantinova, D. Grishina, A. Gaskov | 296 |
| Porous Hot-Wire Metal Oxides Thin Films in Hydrogen Sensing G. Papadimitropoulos, M. Vasilopoulou, D. Davazoglou | 300 |
| Characterization Techniques | |
| Structural and Optical Properties of SiO _x Films Deposited by HFCVD J.A.L. López, G.G. Salgado, A.P. Pedraza, D.E.V. Valerdi, J.C. López, A.M. Sánchez, T.D. Becerril, E.R. Andrés, H.J. Santiesteban | 304 |
| Controlled Stress-Induced Shaping of Molybdenum Microstructures P. Gijsenbergh, M. Driesen, R. Puers | 309 |
| Hyperspectral System for the Detection of Foreign Bodies in Meat Products R. Díaz, L. Cervera, S. Fenollosa, C. Ávila, J. Belenguer | 313 |
| Investigations of Several Langasite Cuts by High Temperature In Situ Characterizations of Surface Acoustic Waves Delay Lines G. Bruckner, T. Aubert, J. Bardong, D. Eisele, R. Fachberger, E. Mayer, S. Salzmann | 317 |

| | |
|---|-----|
| On-Line Monitoring of Parylene Film Deposition with Quartz Crystal Microbalance (QCM) | 321 |
| G.-Y. Lee, H. Ko, H.-W. Jung, S.-J. Ye, M.-H. Kim, J.-C. Pyun | 321 |
| XPS Study of Changes in the Chemical Composition of Langasite Crystal Thin Surface Layers during Vacuum Annealing | 325 |
| M.D. Malinkovich, E.A. Skryleva, N.Y. Shulga | 325 |
| Photoelectric Properties of MOS-Like Structures with Twofold SRO Films | 329 |
| J.A.L. López, J.C. López, M. Aceves-Mijares, A.M. Sánchez, M.G. Ortega, G.G. Salgado, T.D. Becerril, D.E.V. Valerdi | 329 |
| Spectroscopic and Microscopic Examination of Protein Adsorption and Blocking of Non-Specific Binding to Silicon Surfaces Modified with APTES and GOPS | 333 |
| K. Awsiuk, A. Psarouli, P. Petrou, A. Budkowski, S. Kakabakos, A. Bernasik, J. Rysz, I. Raptis | 333 |
| A Novel Inkjet Printed Surface Enhanced Raman Spectroscopy (SERS) Substrate for the Detection of Toxic Heavy Metals | 338 |
| A. Eshkeiti, B.B. Narakathu, A.S.G. Reddy, A. Moorthi, M.Z. Atashbar | 338 |
| Thermal Lens Characterization Method of a Miniaturized Monolithic Side-Pumped DPSS High Power Laser | 342 |
| M. Baumgart, C. Glassl, G. Kroupa | 342 |
| High Speed and High Resolution Chemical Imaging based on a New Type of OLED-LAPS Set-Up | 346 |
| C.F. Werner, T. Wagner, K.-I. Miyamoto, T. Yoshinobu, M.J. Schöninig | 346 |
| Covalent Binding vs. Adsorption of Biomolecules on Silicon Nitride Planar Waveguides | 350 |
| A. Psarouli, A. Bourkoula, P. Petrou, K. Misiakos, N. Chaniotakis, S. Kakabakos | 350 |
| Electrical Properties and Raman Study of In-Doped Effects in CdTe | 354 |
| T. Ganetsos, E. Belas, B. Kotsos | 354 |
| A Method for Linearization of Split Photodiode Position Detectors Response | 358 |
| K. Nieradka, G. Jóźwiak, D. Kopiec, P. Grabięc, P. Janus, A. Sierakowski, T. Gotszalk | 358 |
| Amr Gradiometer for Mine Detection and Sensing | 362 |
| J. Vyhnanek, M. Janousek, P. Ripka | 362 |
| Influence of Thermal and Gamma Radiation on Electrical Properties of Thin NiO Films formed by RF Sputtering | 367 |
| M. Guziewicz, W. Jung, J. Grochowski, M. Borysiewicz, K. Golaszewska, R. Kruszka, B.S. Witkowski, J. Domagala, M. Gryzinski, K. Tyminska, P. Tulik, A. Piotrowska | 367 |
| Monitoring of Soil Moisture and Groundwater Level using Partially Embedded and Completely Embedded Ultrasonic Detectors to Predict Slope Failure | 371 |
| K. Tanaka, N. Hiraoka, T. Mishina, K. Sako, R. Fukagawa, A. Togari, H. Morishima, M. Shimamura | 371 |
| Modeling - Simulation | |
| A Physics-based Noise Model for Metallic Oxide Gas Sensors Characterization | 375 |
| T. Contaret, T. Florido, J.-L. Seguin, K. Aguir | 375 |
| Evaluation and Selection of Sensing Materials for Carbon Dioxide (CO ₂) Sensor by Molecular Modeling | 379 |
| X.P. Chen, C.K.Y. Wong, C.A. Yuan, G.Q. Zhang | 379 |
| Theory of Infrared Detector based on the Microcantilever Resonant Frequency Temperature Dependence | 383 |
| Z. Djurić, D. Randjelović, P. Krstajić, I. Jokić, M. Djukić | 383 |
| Electro-Thermal Analysis of MEMS Microhotplates for the Optimization of Temperature Uniformity | 387 |
| L. Mele, T. Rossi, M. Riccio, E. Iervolino, F. Santagata, A. Irace, G. Breglio, J.F. Creemer, P.M. Sarro | 387 |
| Impact of Fringing on Resonant Sensor with Electrical Readout for Multi-Target Detection | 391 |
| E. Polushkin, R. Yamase, T. Maeda, I. Khmyrova, A. Kovalchuk, S. Shapoval, E. Shestakova | 391 |
| Multilayer Micro Coils for Thin Film Analysis with Mobile NMR Arrays | 395 |
| J. Watzlaw, J. Müntjes, W. Mokwa, U. Schnakenberg | 395 |
| Design of a Cantilever-based System for Genomic Applications | 399 |
| A. Adami, F. Borghetti, N. Massari, M. Decarli, C. Collini, D. Stoppa, L. Lorenzelli | 399 |
| Simulating Nonlinearity in MEMS Resonators by a Charge Controlled Capacitor | 403 |
| H. Zhu, J.E.-Y. Lee | 403 |
| Analysis of Field-Effect Biosensors using Self-Consistent 3D Drift-Diffusion and Monte-Carlo Simulations | 407 |
| S. Baumgartner, M. Vasicek, A. Bulyha, N. Tassotti, C. Heitzinger | 407 |
| Numerical Prediction of Sensitivity and Selectivity for Gas Phase Trace Detection with Coated Chemical Sensors | 411 |
| J. Klingenfus, P. Palmas, D. Mathieu, P. Montmeat, L. Hairault, C. Methivier, C.M. Pradier | 411 |
| Impact of Sensor Design on the Contactless Inspection of Planar Electronic Devices by Capacitive Coupling | 415 |
| M. Koerdel, F. Alatas, A. Schick, S.J. Rupitsch, R. Lerch | 415 |
| Validation of Finite Element Structural Simulation for Ohmic Microcontact | 419 |
| H. Liu, D. Leray, P. Pons, S. Colin, A. Broué, J. Martegoutte | 419 |
| Chemocapacitance Response Simulation through Polymer Swelling and Capacitor Modeling | 423 |
| P. Oikonomou, A. Salapatas, K. Manoli, K. Misiakos, D. Goustouridis, E. Valamontes, M. Sanopoulou, I. Raptis, G.P. Patsis | 423 |
| 2D Simulator for Eddy Current Field Filters | 427 |
| F. Liakou, P. Dimitropoulos, G. Stamoulis | 427 |
| A Numerically Efficient Method of Modeling Interdigitated Electrodes for Capacitive Film Sensing | 431 |
| S. Schaur, B. Jakoby | 431 |
| A Refined Modeling for the Liquid Loading Effect in Microacoustic Sensors | 435 |
| T. Voglhuber-Brunnmaier, B. Jakoby | 435 |

| | |
|--|-----|
| Towards an Optimized Blood Plasma Separation Chip: Finite Element Analysis of a Novel Corner Structure in a Backward-Facing Step | 439 |
| A. Haller, W. Buchegger, M.J. Vellekoop | |
| Ring-shaped PZT Film Resonator for Bio-Sensing Applications in Liquid Environment | 443 |
| D.F. Wang, X. Li, J. Lu, T. Sagawa, R. Maeda | |
| Simulation and Experimental Evaluation of Gas Mass Flow Transfer Rate in Microchannels | 447 |
| G.P. Patsis, K. Ninos, D. Mathioulakis, G. Kaltsas | |
| Packaging - Actuators | |
| Silicone Encapsulation of the Piezoresistive Composite Element as a Low-Cost Packaging for Measuring High-Pressure | 451 |
| P. Heinickel, D. Foik, R. Werthschützky | |
| Stress Isolation used in MEMS Resonant Pressure Sensor Package | 455 |
| Y. Li, D. Chen, J. Wang | |
| Development of Radiation Resistant, Direct Converting X-ray Line Detectors in Terms of their Assembly Technology | 459 |
| T. Lohse, P. Krüger, H. Heuer, M. Oppermann, H. Torlee, T. Zerna, K.-J. Wolter, N. Meyendorf | |
| A Low-Actuation-Voltage MEMS Digital-to-Analog Converter for a White-Light Interferometry System | 463 |
| C.-W. Ma, H.-H. Liao, W.-C. Kuo, Y.-J. Yang | |
| A PCB Integrated Actuator Employing Water Electrolysis for use in Microfluidic Systems | 467 |
| D.N. Pagonis, A. Petropoulos, G. Kaltsas | |
| Effects of SU-8 Cross-Linking on Flip-Chip Bond Strength when Assembling and Packaging MEMS | 471 |
| N.E. Glavitz, L.V.A. Starman, R.A. Couto Jr., R.L. Johnston | |
| Measurements of Electromechanical Properties of Electrostrictive Polymer Actuators | 475 |
| C. Schirrmann, F. Costache | |
| Dielectric Elastomer Micro Actuator made in Micromachining Technology: Finite Element Modelling and Deformation Measurement | 479 |
| S. Soulimane, S. Pinon, W.-P. Shih, H. Camon | |
| Long-Term <i>In-Vivo</i> Investigation of Parylene-C as Encapsulation Material for Neural Interfaces | 483 |
| X.Z. Xie, L. Rieth, P. Tathireddy, F. Solzbacher | |
| Flow Reattachment Point Detection via Thermal Sensors - PIV Evaluation | 487 |
| P.G. Kapiris, D.S. Mathioulakis, A. Petropoulos, G. Kaltsas | |
| Orthogonal Decomposition of Chemo-Sensory Signals: Discriminating Odorants in a Turbulent Ambient | 491 |
| A. Vergara, E. Martinelli, R. Huerta, A. D'Amico, C.D. Natale | |
| RF-Optical Devices | |
| A Pressure Sensing Sheet based on Optical Fibre Technology | 495 |
| C. Yan, E. Ferraris, D. Reynaerts | |
| Optical Fiber Refractometers based on Indium Tin Oxide Coatings with response in the Visible Spectral Region | 499 |
| C.R. Zamarreño, S. Lopez, M. Hernaez, I.D. Villar, I.R. Matias, F.J. Arregui | |
| Fabrication of a Miniature All-Glass Fibre Optic Pressure and Temperature Sensor | 503 |
| K. Bremer, E. Lewis, G. Leen, B. Moss, S. Lochmann, I. Mueller | |
| Crystalline Bi ₁ Ge ₃ O ₁₂ Fibers Fabricated by Micro-Pulling Down Technique for Optical High Voltage Sensing | 507 |
| S. Wildermuth, K. Bohnert, H. Brändle, J.-M. Fourmigue, D. Perrodin | |
| Ultrathin Glass as Flexible Substrate in Wireless Sensor Applications | 511 |
| D. Feili, N. Pagel, P. Schwarz, H. Seidel | |
| Direct Parameter Extraction for Piezoresistively-sensed MEMS Resonators Embedded in Parasitic Capacitive Feedthrough | 515 |
| H. Zhu, J.E.-Y. Lee | |
| Design of Micromachined Ridge Gap Waveguides for Millimeter-Wave Applications | 519 |
| S. Rahiminejad, A.U. Zaman, E. Pucci, H. Raza, V. Vassilev, S. Haasl, P. Lundgren, P.-S. Kildal, P. Enoksson | |
| Use of Multi-Wall Carbon Nanotubes as an Absorber in a Thermal Detector | 523 |
| H. Wu, S. Vollebregt, A. Emadi, G. de Graaf, R. Ishihara, R.F. Wolffenbuttel | |
| Design and Fabrication of an Albedo Insensitive Analog Sun Sensor | 527 |
| H.W. Wu, A. Emadi, G. de Graaf, J. Leijtens, R.F. Wolffenbuttel | |
| Holed MEM Resonators for High Accuracy Frequency Trimming | 531 |
| Y. Civet, F. Casset, J.F. Carpentier, B. Icard, J. Bustos, F. Leverd, D. Mercier, S. Basrour | |
| Physical Sensors | |
| Magnetic Accelerometer from Polymer | 535 |
| J. Li, W.K. Schomburg | |
| A Novel Three-Axis Hall Magnetic Sensor | 539 |
| S. Lozanova, A. Ivanov, C. Roumenin | |
| A Hall Effect Device with Enhanced Sensitivity | 543 |
| S. Lozanova, A. Ivanov, C. Roumenin | |
| Development of an Electrodynamic Velocity Sensor for Active Mounting Structures | 547 |
| D. Pfeffer, C. Hatzfeld, R. Werthschützky | |
| Signal Stability of LTCC Cantilever Force Sensors | 551 |
| C. Jacq, T. Maeder, P. Ryser | |

| | |
|--|-----|
| Tuning-Fork Atomic Force Microscope Cantilever Encoder and Applications for Displacement and in-Plane Rotation Angle Measurement C. Xiaomei, K. Ludger, W. Helmut, H. Frank | 555 |
| A Flow Sensor Exploiting Magnetic Fluids B. Andò, S. Baglio, A. Beninato | 559 |
| Wireless Accelerometers for Early Detection of Restenosis N. Jackson, R. O'Keeffe, R. O'Leary, M. O'Neill, M. Moriarty, A. Mathewson | 563 |
| Improving the Insertion Loss and Sensitivity over Existing SAW Strain Sensor H. Oh, K. Lee, K. Eun, S. Choa, S.S. Yang | 567 |
| Thin Film Plate Wave Resonant Sensor for Pressure and Gravimetric Measurements E. Anderås, L. Arapan, I. Katardjiev, V. Yantchev | 571 |
| Intelligent Thermopile-based Vacuum Sensor D. Randjelović, M. Frantlović, B. Miljković, B. Rosandić, Z. Jakšić, B. Popović | 575 |
| A Planar Resonant Structure Sensitive to Out-of-Plane Forces D. Desmaële, M. Boukallel, S. Régnier | 579 |
| The Novel Sensitivity Improved Surface Micromachined MEMS Microphone with the Center-Hole Membrane C.H. Je, J. Lee, W.S. Yang, J. Kim | 583 |
| Temperature Controlled Viscosity and Density Measurements on a Microchip with High Resolution and Low Cost P. Rust, I. Leibacher, J. Dual | 587 |
| Sub nm-Resolution Static Measurement with MEMS Displacement Sensors V. Todorov, V. Stavrov, J. Kreuter | 591 |
| A Middle Ear Microphone Design based on the Physiology of the Human Ear M. Sachse, W. Hortschitz, H. Steiner, F. Keplinger, A. Jachimowicz, J. Schalko | 595 |
| Utilizing Frequency Response for Medium-Independent Flow Sensing D.F.R. Romero, A.S. Cubukcu, G.A. Urban | 599 |
| High-Pressure Measurements at 500 MPa of the Novel Piezoresistive Composite Element Show the Influence of Glass Counter Body P. Heinicke, R. Werthschützky | 603 |
| A Microinjected 3-Axis Thermal Accelerometer L.A. Rocha, C.S. Silva, M.F. Cerqueira, J.F. Ribeiro, L.M. Goncalves, A.J. Pontes, J.C. Viana | 607 |
| Overload-Resistant Pressure Sensors in the Nominal Range of 10 mbar (1 kPa) T. Kober, R. Werthschützky | 611 |
| Vector Tactile Sensing by a Single Sensor Element of Vibratory Microcantilever based on Multimode Resonant Frequency Shift K. Yamashita, Y. Yang, T. Nishimoto, K. Furukawa, M. Noda | 615 |
| Experimental Evaluation of a Two Degree of Freedom Capacitive MEMS Sensor for Velocity Measurements A. Alshehri, P. Gardonio, S. Elliott, M. Zillett, M. Kraft | 619 |
| Viscoelasticity Sensor with Resonance Tuning and Low-Cost Interface E.K. Reichel, M. Heinisch, B. Jakoby, J. Vermant, C.E.A. Kirschhock | 623 |
| Fabrication of Tactile Sensor Array using Microcantilever with Low-TCR Nickel-Chromium Alloy Thin Film for Slippage Detection M. Sohgawaa, D. Hirashima, Y. Moriguchi, T. Uematsu, W. Mito, T. Kanashima, M. Okuyama, H. Noma | 627 |
| Investigation of the Viscoelastic Properties of Liquids Trapped in Nanoporous Cavities using Micromachined Acoustic Transducers H. Min, D. Allara, S. Tadigadapa | 631 |
| Nanoparticle Strain Sensor J.L. Tanner, D. Mousadakos, P. Broutas, S. Chatzandroulis, Y. S. Raptis, D. Tsoukalas | 635 |
| Miniaturized Resonating Viscometers Facilitating Measurements at Tunable Frequencies in the Low kHz-Range M. Heinisch, E.K. Reichel, I. Dufour, B. Jakoby | 639 |
| A Thermal Accelerometer Directly Integrated on Organic Substrate A. Petropoulos, A. Moschos, S. Athineos, G. Kaltsas | 643 |
| Design, Modelling and Fabrication of a 40-330 Hz Dual-Mass MEMS Gyroscope on Thick-SOI Technology V. Rajaraman, I. Sabageh, P. French, G. Pandraud, E. Cretu | 647 |
| Plenary Session II | |
| A New Game Changer for Immunoassays and IVD: Microfluidics and Polymer Lab-on-a-Chips C.H. Ahn, J. Kai, S.H. Lee, N. Santiago, D.W. Sehy, R. Schultheis, J. Han, A. Puntambekar | 651 |
| Liquid Condition Monitoring using Physical Sensors B. Jakoby | 657 |
| Cantilever-based Sensors | |
| Fabrication of Conducting AFM Cantilevers with AlN-based Piezoelectric Actuators H.J. Quenzer, U. Drechsler, A. Sebastian, S. Marauska, B. Wagner, M. Despont | 665 |
| 2D Cantilever Array with Fixed Geometries and Varying Spring Constants for Life Science Applications F. Loizeau, T. Akiyama, S. Gautsch, A. Meister, P. Vettiger, N. de Rooij | 669 |
| Fabrication of AlN Slender Piezoelectric Cantilevers for Highspeed MEMS Actuations A.T. Tran, G. Pandraud, H. Schellevis, T. Alan, V. Aravindh, O. Wunnicke, P.M. Sarro | 673 |

| | |
|---|-----|
| Wafer-Scale MEMS Technology of New Vertically Laminated Cantilevers Y. Zhang, A. Toda, J. Lu, H. Okada, T. Kobayashi, T. Itoh, R. Maeda | 677 |
| Actuators | |
| Flexible Pneumatic Micro-Actuators: Analysis and Production B.Gorissen, R. Donose, D. Reynaerts, M. De Volder | 681 |
| Stepwise Microactuators Powered by Ultrasonic Transfer A. Denisov, E. Yeatman | 685 |
| Development of a Novel Dual-axis Large-displacement Microstage using Lorentz Force Actuators and Curved-beam Springs F.-Y. Lee, T.-L. Tang, W. Fang | 689 |
| Arrays of 100 µm x 100 µm Dielectric Elastomer Actuators to Strain the Single Cells S. Akbari, H. Shea | 693 |
| Piezoelectrically Driven Micro-Lens Out-of-Plane Actuation A. Michael, C.Y. Kwok | 697 |
| Investigation of a Piezoelectric Driven MEMS Mirror based on Single S-Shaped PZT Actuator K.H. Koh, T. Kobayashi, H. Liu, C. Lee | 701 |
| Sensors and Microfluidics for Bio-Analysis | |
| Separation of Biological Cells and Bacteria by Gradient Electrodes S. van den Driesche, H. Zirath, D. Puchberger-Enengl, F. Iuliano, H. Wiesinger-Mayr, M.J. Vellekoop | 705 |
| Laser-Induced Fluorescence Detection Modules for Point-of-Care Microfluidic Biochemical Analysis T. Kamei | 709 |
| Electrochemical Quantification of DNA using Aluminum Oxide Membranes R. Sharma, B.K. Gale | 713 |
| TiO ₂ Affinity Chromatography Microcolumn on Si Substrates for Phosphopeptide Analysis G. Boulousis, K. Tsougeni, K. Ellinas, A. Speliotis, A. Tserepi, E. Gogolides | 717 |
| Energy Harvesting | |
| AlN-based Piezoelectric Micropower Generator for Low Ambient Vibration Energy Harvesting F. Stoppel, C. Schröder, F. Senger, B. Wagner, W. Benecke | 721 |
| Investigation of Piezoelectric MEMS-based Wideband Energy Harvesting System with Assembled Frequency-up-Conversion Mechanism H. Liu, C. Lee, T. Kobayashi, C.J. Tay, C. Quan | 725 |
| An Electromagnetic Micro-Power Generator for Low Frequency Vibrations with Tunable Resonance S. Türkyılmaz, Ö. Zorlu, A. Muhtaroğlu, H. Külah | 729 |
| Electret Energy Harvester Vibiated at Collision Induced Natural Frequency T. Fujita, K. Fujii, T. Onishi, K. Kanda, K. Higuchi, K. Maenaka | 733 |
| Sensors and Energy Harvesters based on Piezoelectric Thick Films (Invited) M. Baù, M. Ferrari, E. Tonoli, V. Ferrari | 737 |
| Nanomaterials for Sensing | |
| One- and Two-Dimensional Nanostructures for Chemical- and Biosensing (Invited) M. Willander, O. Nur, M.Q. Israr | 745 |
| TiO ₂ /Cr nanopowders for Hydrogen Sensing B. Lyson, P. Gwizdz, A. Czapla, M. Lubecka, K. Zakrzewska, K. Biernacka, M. Radecka, K. Michalow-Mauke, T. Graule, A.G. Balogh, S. Auterbach, H.-J. Kleebe | 749 |
| Copper Oxide Nanowires Prepared by Thermal Oxidation for Chemical Sensing D. Zappa, E. Comini, R. Zamani, J. Arbiol, J.R. Morante, G. Sberveglieri | 753 |
| Fabrication of TiO ₂ and TiO ₂ (Nb) Nanotubular Arrays and their Gas Sensing Properties V. Galstyan, E. Comini, G. Faglia, A. Vomiero, M. Brisotto, E. Bontempi, G. Sberveglieri | 757 |
| WO ₃ Nano-Needles by Aerosol Assisted CVD for Optical Sensing M.U. Qadri, T. Stoycheva, M.C. Pujol, E. Llobet, X. Correig, J.F. Borull, M. Aguiló, F. Díaz | 761 |
| Flow Measurements - Sensors | |
| Calibration-Free Volume Flow Measurement Principle based on Thermal Time-of-Flight (TToF) E. Engelien, O. Ecin, R. Viga, B.J. Hosticka, A. Grabmaier | 765 |
| Passive Wireless Sensing of Micro Coil Parameters in Fluidic Environment A. Yousaf, F.A. Khan, L.M. Reindl | 769 |
| Utilizing Acoustic Pressure Waves for Sensing Fluid Properties H. Antlinger, S. Clara, R. Beigelbeck, S. Cerimovic, F. Keplinger, B. Jakoby | 775 |
| Artificial Lateral-Line System for Imaging Dipole Sources using Beamforming Techniques A. Dagamseh, R. Wiegerink, T. Lammerink, G. Krijnen | 779 |
| Optimization of a Micro Coriolis Mass Flow Sensor J. Groenesteijn, T.S.J. Lammerink, R.J. Wiegerink, J. Haneveld, J.C. Löppers | 783 |

| | |
|---|-----|
| 2D Phononic Crystal Sensor with Normal Incidence of Sound R. Lucklum, M. Zubtsov, M. Ke, B. Henning, U. Hempel | 787 |
| Microfluidics | |
| Microfluidic Systems with Free Definable Sensor Spots by an Integrated Light-Addressable Potentiometric Sensor T. Wagner, K.-I. Miyamoto, N. Shigihara, M.J. Schöning, T. Yoshinobu | 791 |
| Industrialized Functional Test for Insulin Micropumps E. Chappel, R. Allendes, F. Bianchi, G. Calcaterra, F. Cannehan, C. Conan, J. Lefrique, G.-L. Lettieri, S. Mefti, A. Noth, S. Proennecke, F. Neftel | 795 |
| A Multi-Range PCB-MEMS Microfluidic Flow Sensor with Adjustable Sensitivity A. Petropoulos, D.N. Pagonis, G. Kaltas | 799 |
| A Microfluidic System for Full Hydrodynamic Focusing Control N. Moscelli, V. Malvaioli, F. Iuliano, M.J. Vellekoop | 803 |
| System Energy Issues | |
| Early Self-Diagnosis of Critical Battery Status based on Sensing Quality in WSN X. Wang, N. Heidmann, R. Shen, S. Paul, R. Laur | 807 |
| Design, Fabrication and Characterization of a Gas Processing Unit Testing Platform for Micro-Solid Oxide Fuel Cells B. Jiang, P. Muralt, T. Maeder, P. Heeb, A.J. Santis-Alvarez, M. Nabavi, D. Poulikakos, P. Niedermann | 811 |
| Human-Powered Inertial Energy Harvesters: The Effect of Orientation, Location and Activity on Obtainable Power H. Huang, G.V. Merrett, N.M. White | 815 |
| Exploiting Benefits of a Periodically-Forced Nonlinear Oscillator for Energy Harvesting from Ambient Vibrations C. Trigona, N. Dumas, L. Latorre, B. Andò, S. Baglio, P. Nouet | 819 |
| Micro-Nano Fabrication | |
| Using Co-Sputtered Platinum or Palladium Activated Tungsten Oxide Films to Detect Reducing Gases C. Zhang, A. Boudiba, M.-G. Olivier, R. Snyders, M. Deblliquy | 823 |
| TMMF Dry Film Resist as Masking Layer in Deep Etching of Pyrex-Glass for Microfluidic Chip Fabrication A. Yusof, R. Zengerle, P. Koltay | 827 |
| The Influence of Experimental Parameters on the Assembly of SWNTs by AC Dielectrophoresis Z. Wang, W. Li, J. Zhang | 831 |
| Self-Aligned Process for the Development of Surface Stress Capacitive Biosensor Arrays V. Tsouti, M. Filippidou, C. Boutopoulos, P. Broutas, I. Zergioti, S. Chatzandroulis | 835 |
| Bimaterial Infrared Imaging Sensor Array with Electronic Resonance Frequency Read out D.Q. Zhao, X. Zhang, P. Liu, D.C. Zhang | 839 |
| Silicon Dioxide as Mechanical Structure Realized by using Trench-Etching and Oxidation Process K. Kanda, K. Mitsuyama, J. Nakamura, T. Fujita, K. Higuchi, K. Maenaka | 843 |
| Synthesis of CO_3O_4 Thin Films by Chemical Bath Deposition in the Presence of Different Anions and Application to H_2O_2 Sensing C.-W. Kung, C.-Y. Lin, T.-J. Li, R. Vital, K.-C. Ho | 847 |
| Direct Laser Printing of Oligonucleotides for the Fabrication of a Label-Free Biosensor. M. Chatzipetrou, G. Tselenis, V. Tsouti, S. Chatzandroulis, D. Thanos, I. Zergioti | 851 |
| Micropatterning and Dynamic Swelling of Photo-Crosslinkable Electroactive Pluronic Hydrogel T. Guan, F. Godts, F. Ceyssens, P. Dubrue, H.P. Neves, R. Puers | 856 |
| Jet-and-Flash Nano Imprint Lithography: Fabrication of Passive Wireless Surface Acoustic Wave Sensors E. Forsén, D. Nilsson, S. Balandras, E. Mayer, S. Sakharov | 860 |
| Investigation of Triple-Junction Photodetector in 90 nm CMOS Technology A. Polzer, K. Schneider-Hornstein, J. Dong, P. Kostov, H. Zimmermann | 864 |
| A Carbon-Nanotube Resistive Respiratory Sensor by using Dielectrophoresis Technique Y.-C. Lan, S.-W. Tung, Y.-J. Yang | 868 |
| Assembling, Locating, Grafting and Actuating Permanent Filaments for Validation of Polarimetric Surface Plasmon Resonance Imaging System M. Trévisan, A. Duval, J. Moreau, B. Bartelian, M. Canva, V. Monnier, Y. Chevrolot, J.P. Cloarec, E. Souteyrand | 872 |
| High Throughput Fabrication Process for Polymer MEMS using Molding and Printed Pattern Transfer K. Kurihara, S. Takamatsu, T. Kobayashi, H. Takagi, R. Maeda | 876 |
| Disposable Microfabricated Bismuth Microelectrode Arrays for Trace Metal Analysis by Stripping Voltammetry C. Kokkinos, A. Economou, I. Raptis, T. Speliotis | 880 |
| Micro/nano Fabrication of Nanopores Formed Through SiN D. -S Lee, H.W. Song, W.I. Jang, S. Shoji, M.Y. Jung | 884 |
| Large Area Microfabrication of Electroactive Polymeric Structures based on Near-Field Electrospinning R. Lameiro, V. Sencadas, S. Lanceros-Mendez, J.H. Correia, P.M. Mendes | 888 |
| Efficient Reducing Method of Graphene Oxide for Gas Sensor Applications H.-K. Lee, J. Lee, N.-J. Choi, S.E. Moon, H. Lee, W.S. Yang | 892 |
| Novel Printed Nanostructured Gas Sensors J. Kukkola, E. Jansson, A. Popov, J. Lappalainen, J. Mäkinen, N. Halonen, G. Tóth, A. Shchukarev, J.-P. Mikkola, H. Jantunen, K. Kordás, J. Hast, T. Hassinen, A. Sunnari, K. Jokinen, H. Haverinen, R. Sliz, G. Jabbour, T. Fabritius, R. Myllylä, A. Vasiliev, N. Zaretskiy | 896 |

| | |
|---|------|
| Comparison of Two Alternative Silicon-On-Glass Microfabrication Processes for MEMS Inertial Sensors M.M. Torunbalci, E. Tatar, S.E. Alper, T. Akin | 900 |
| Characterisation of Solid-State Gold Nanopores Applicable for Biochemical Sensing R.E. Gyurcsányi, I. Makra, G. Jággerszki, D.T. Bakk, Z. Fekete, G. Battistig, I. Bárszny, P. Fürjes | 904 |
| BioSensors - Bioapplications | |
| Development of Novel LOVE Wave Biosensor for Simultaneous Detection of Multi-Analyte H. Oh, Y. Lee, S. Lee, S.S. Yang, K. Lee | 908 |
| Detection of Small Toxin Molecules by Si Photovoltaic Integrated Circuit C.W. Park, J.-H. Yang, C.S. Ah, C.-G. Ahn, Y.H. Choi, K.H. Chung, W.-J. Kim, G.Y. Sung | 912 |
| Highly Sensitive Metal Mesh Sensors T. Kondo, S. Kamba, K. Takigawa, T. Suzuki, Y. Ogawa, N. Kondo | 916 |
| Amplification of the Electrochemical Signal of an Olfactory Receptor based Biosensor by In Situ Generated Gold Nanoparticles N. Zine, E. Pajot, M.A. Persuy, H. Korri-Youssoufi, S. Chebil, A. Errachid, N. Jaffrezic-Renault | 920 |
| Using the Electro-Microchip for Rapid Quantitative Analysis of the Ketamine and Luteinizing Hormone Detection C.H. Yeh, Z.H. Sun, W.T. Wang, P.T. Su, Y.C. Lin | 924 |
| Label-Free Capacitive <i>E. Coli</i> Biochip for Determining Chemicals that Induce Cellular Toxicity A. Qureshi, Y. Gurbuz, S. Kallemudi, J.H. Niazi | 928 |
| Photopotential Imaging on Functionalized Surfaces Dedicated to Label-Free Detection of Biomolecular Interactions D. Charrier, Y. Chevrolot, J.-P. Cloarec, A. Goudot, T. Géhin, C. Roux, V. Dugas, S. Vidal, J.-J. Vasseur, F. Morvan, E. Souteyrand | 932 |
| PCR Product Detector with LED-Photodiode Fluorescence Sensing in a Nanoliter Flow-Cell for the High-Throughput Detection of Double-Stranded DNA J.R. Peham, M.J. Vellekoop, C. Nöhammer, H. Wiesinger-Mayr | 936 |
| Sensitive Detection of Interferon-Gamma with Engineered Proteins and Surface Plasmon Resonance Biosensor H. Šípová, V. Ševčú, M. Kuchař, J.N. Ahmad, P. Mikulecký, P. Šebo, P. Malý, J. Homola | 940 |
| Electrochemical ELISA based on <i>E. coli</i> with Autodisplayed Z-Domains J.-K. Lee, Gu-Yoo, M. Park, J. Jose, J.-C. Pyun | 944 |
| Immune Biosensor based on Silica Nanotube Hydrogels for Rapid Biochemical Diagnostics of Bovine Retroviral Leukemia R. Viter, N. Starodub, V. Smyntyna, A. Tereschenko, A. Kusevitch, J. Sitnik, J. Buk, J. Macak | 948 |
| Cancer Biomarkers Detection using Microstructured Protein Chip: Implementation of Customized Multiplex Immunoassay Z. Yang, E. Laurenceau, Y. Chevrolot, Y. Ataman-Önal, G. Choquet-Kastylevsky, E. Souteyrand | 952 |
| Gravure Printed Electrochemical Biosensor A.S.G. Reddy, B.B. Narakathu, M.Z. Atashbar, M. Rebros, E. Rebrosova, M.K. Joyce | 956 |
| Urea Sensor based on Chemiluminescence using a Micro-Reactor M. Ozaki, T. Okabayashi, N. Koga, K. Sakurabu, M. Kobayashi, M. Nakagawa | 960 |
| Differential Screening of the Neurotoxicity of Insecticides by Means of a Novel Electrophysiological Biosensor E. Voumvouraki, S. Kintzios | 964 |
| Applying a Surface-Sensitive Fluorescence Method to Fast Onsite Detection of Cocaine in Saliva H. Välimäki, S. Auer, A.-C. Hellgren, K. Tappura | 968 |
| Novel Capacitance Biosensor based on Hafnium Oxide for Interleukin-10 Protein Detection M. Lee, N. Zine, A. Baraket, M. Zabala, F. Campabadal, M.G. Trivella, N. Jaffrezic-Renault, A. Errachid | 972 |
| Nafion and Polylysine Treated Pedot Mammalian Cell Biosensor E. Flampouri, S. Kintzios | 976 |
| Piezoelectric Tuning Fork Mass Sensors as a Novel Tool for Determination of Antibiotic Activity on <i>Pseudomonas Aeruginosa</i> Biofilm G. Gula, K. Waszczuk, T. Olszak, J. Majewska, T. Gotszalk, Z. Drulis-Kawa, J. Gutowicz | 980 |
| Biomedical Devices | |
| An Electric-field Responsive Microsystem for Controllable Miniaturised Drug Delivery Applications Y. Liu, A. Servant, O.J. Guy, K.T. Al-Jamal, P.R. Williams, K.M. Hawkins, K. Kostarelos | 984 |
| A Handheld Intra-Operative β + Sensing System C. Mester, C. Bruschini, P. Magro, N. Demartines, V. Dunet, E. Grigoriev, A. Konoplyannikov, V. Talanov, M. Matter, J.O. Prior, E. Charbon | 988 |
| Microneedle-based Electrodes with Integrated through-Silicon via for Biopotential Recording C. O'Mahony, F. Pini, K.G. McCarthy | 992 |
| Magnetic Control Platform for Wireless Endoscopic Capsules M.F. Silva, J.F. Ribeiro, L.M. Goncalves, J.P. Carmo, C.A. Silva, J.H. Correia | 996 |
| Impedance Spectroscopy of a Human Hepatic 3D Cell Model In-Vitro: A Comparative Study with Differently Shaped Electrodes W. Hilber, M.R. Lornejad-Schäfer, C. Schäfer, T. Lederer, K. Schröder, B. Jakoby | 1000 |
| Dedicated Class-E Driver for Large Area Wireless Medical Inspection Capsules P. Jourand, R. Carta, R. Puers | 1004 |
| Implantable Biosensor Arrays based on Smart Hydrogels and Piezo resistive Sensors for Continuous Metabolic Monitoring M. Avula, P. Tathireddy, S. Cho, L. Rieth, J.J. Magda, F. Solzbacher | 1008 |

| | |
|---|------|
| Design and Fabrication of Stiff Silicon Probes: A Step towards Sophisticated Cochlear Implant Electrodes. | 1012 |
| N.S. Lawand, P.J. French, J.J. Briaire, J.H.M. Frijns | |
| Application-Specific Customizable Architectures of Utah Neural Interfaces | 1016 |
| R. Sharma, P. Tathireddy, S. Lee, L. Rieth, E. Bamberg, A. Dorval, R. Normann, F. Solzbacher | |
| Wireless Sensor Networks | |
| X-Ray Diffraction Investigation of High-Temperature Saw-Sensor based on Lgs Crystal | 1020 |
| S. Sakharov, D. Roshchupkin, E. Emelin, D. Irzhak, O. Buzanov, A. Zabelin | |
| Interrogation Strategies for Probing Wireless Passive Saw Sensors | 1024 |
| C. Droit, J-M Friedt, T. Réturnaz, S. Ballandras | |
| Development of Miniaturized 300-MHz Frequency Band Antenna with H-Bridge Power Amplifier for Wireless Sensor Node | 1028 |
| H. Okada, T. Masuda, T. Itoh | |
| Wireless Sensor Network with Temperature Compensated Measuring Technology for Long-Term Structural Health Monitoring of Buildings and Infrastructures | 1032 |
| E. Köppe, M. Bartholmai | |
| The WINpack 1 a Novel Wearable System for Heart Rate and Vital Signs Monitoring | 1037 |
| I. Del Chicca, G. Macrì, V. Pensabene, F. De Negri, P. Valdastri | |
| An Automated System for an Analog Light-Sensor with Adjustable Measuring Range and High Resolution in WSN | 1041 |
| N. Heidmann, O. Bischoff, S. Paul | |
| A Two-Way Radio Communication Across a Multi-Hop Wireless Sensor Network based on a Commercial Ieee 802.15.4 Compliant Platform | 1045 |
| L. Herrera, A. Calveras, M. Catalán | |
| WSN Open Source Development Platform: Application to Green Learning | 1049 |
| G. Hloupis, I. Stavrakas, K. Moutzouris, A. Alexandridis, D. Triantis | |
| Nanomaterials make Possible Integrating Gas Sensors in Wireless and Ultralow Power Consumption Motes | 1053 |
| J. Llosa, M.M. de Marigorta, J. Bécares, O. Monereo, J.D. Prades, F. Hernandez-Ramirez, I. Vilajosana, S. Mathur, A. Cirera | |
| Gas & Chemical Sensors | |
| Development of Nanostructured Electrochemical Sensor based on Polymer Film Nickel-Salen for Determination of Dissolved Oxygen | 1057 |
| T.R. Dadamos, C.S. Martin, M.F.S. Teixeira | |
| SO ₂ Sensitivity of Au Gate Mos Capacitors | 1061 |
| R. Lombardi, R. Aragón | |
| Gasochromic Performance of WO ₃ Nanorod Thin Films for Low Concentration H ₂ Sensing | 1065 |
| M. Yaacob, J. Ou, C. Oh, J. Kang, G. Sberveglieri, W. Włodarski | |
| A New Active Organic Component for Flexible Ammonia Gas Sensors | 1069 |
| T. Fiorido, S. Bernardini, M. Bendahan, K. Aguir, H. Brisset, C. Videlot-Ackermann, J. Ackermann | |
| Fast Response Formaldehyde Gas Sensor for Usn Application | 1073 |
| N.-J. Choi, H.-K. Lee, S.E. Moon, W.S. Yang | |
| Functionalized Screen-Printed Pzt Cantilevers for Room Temperature Benzene Detection | 1077 |
| R. Vázquez, R. Lakhami, H. Debéda, F.J. Arregui, C.R. Zamarreño, M. Delgado, C. Lucat, E. Llobet | |
| Compact Photoacoustic Gas Sensor based on Broadband Ir Source | 1081 |
| K. Schmitt, A. Müller, J. Huber, S. Busch, J. Wöllenstein | |
| Detection and Monitoring of Carbon Monoxide using Cobalt Corroles Film on Love Wave Devices with Delay Line Configuration | 1085 |
| V. Blondeau-Patissier, M. Vanotti, T. Prêtre, D. Rabus, L. Tortora, J.M. Barbe, S. Ballandras | |
| Development of a YSZ based Oxygen and Hydrocarbon Sensors for Combustion Control Unit | 1089 |
| J.P. Viricelle, P. Breuil, G. Tournier, M. Minot, C. Pijolat | |
| Detection Method of Isoflurane Vapor using a Cataluminescence-based Gas Sensor | 1093 |
| T. Okabayashi, M. Ozaki, M. Nakagawa | |
| Selective Detection of Ammonia and its Derivatives using Mox-Sensor and Microreactor | 1097 |
| A. Shaposhnik, S. Ryabtsev, A. Zviagin, S. Korchagina, N. Meshkova, D. Shaposhnik, A. Vasiliev | |
| AlGaN/GaN based SAW-HEMT Devices for Chemical Gas Sensors Operating in GHz Range | 1101 |
| I. Rýger, G. Vanko, T. Lalinský, M. Vallo, M. Tomáška, A. Ritomsý | |
| The Method of Water Molecules Counting during Condensation Process in the Dew Point Detector | 1105 |
| J. Weremczuk, R. Iwaszko, R. Jachowicz | |
| Accumulating Gas Sensor Principle – How to Come from Concentration Integration to Real Amount Measurements | 1109 |
| G. Beulertz, A. Geupel, R. Moos, D.J. Kubinski, J.H. Visser | |
| Highly Selective Optical Fibre Ammonia Sensor for use in Agriculture | 1113 |
| G. Dooly, H. Manap, S. O'Keeffe, E. Lewis | |
| Hybrid Integration of Microfabricated Chemocapacitor Arrays with Miniaturized Read-Out Electronics towards Low-Power Gas Sensing Module | 1117 |
| P. Oikonomou, A. Botsialas, G. Patsis, K. Manoli, D. Goustouridis, E. Valamontes, N. Pantazis, M. Sanopoulou, I. Raptis | |
| Comparison of Gas Sensor Technologies for Fire Gas Detection | 1121 |
| D. Guttmacher, C. Foelmlí, W. Vollenweider, U. Hoefer, J. Wöllenstein | |
| Detergents Sensing System based on Sh-Saw Devices | 1125 |
| J.L. Vivancos, Z. Rácz, M. Cole, J. Soto, J.W. Gardner | |

| | |
|---|------|
| Chemi-Resistive Sensors based on Platinum Nanoparticle Arrays J.L. Tanner, E. Skotadis, S. Stathopoulos, V. Tsouti, D. Tsoukalas | 1129 |
| Hydrogen Sensors on the Basis of SnO ₂ -TiO ₂ Systems D. Shaposhnik, R. Pavelko, E. Llobet, F. Gispert-Guirado, X. Vilanova | 1133 |
| Discrimination and Identification of Geographical Origin Virgin Olive Oil by an E-Nose based on Mos Sensors and Pattern Recognition Techniques Z. Haddi, A. Amari, A.O. Ali, N.E. Bari, H. Barhoumi, A. Maaref, N. Jaffrezic-Renault, B. Bouchikhi | 1137 |
| Macroporous Smart Hydrogels for Fast-Responsive Piezoresistive Chemical Microsensors V. Schulz, S. Zschoche, H.P. Zhang, B. Voit, G. Gerlach | 1141 |
| Chemically Exfoliated Graphene detects NO ₂ at the Ppb Level M.L. Miglietta, E. Massera, S. Romano, T. Polichetti, I. Nasti, F. Ricciardella, G. Fattoruso, G. Di Francia | 1145 |
| Micromachined NH ₃ Gas Sensor with Ppb-level Sensitivity based on WO ₃ Nanoparticles Thinfilm D.V. Dao, K. Shibuya, T.T. Bui, S. Sugiyama | 1149 |
| Strategies for Passive Sensitivity Improvement of NDIR Ethylene Gas Detectors A. Sklorz, W. Lang | 1153 |
| Sensor Platform for Gas Composition Measurement G. de Graaf, F. Bakker, R.F. Wolffenbuttel | 1157 |
| One-Chip Integrated Dual Amperometric/Field-Effect Sensor for the Detection of Dissolved Hydrogen C. Huck, P. Jolly, P. Wagner, A. Poghossian, M.J. Schöning | 1161 |
| Drinking Water Monitoring with Voltammetric Sensors M. Eriksson, D. Lindgren, R. Björklund, F. Winquist, H. Sundgren, I. Lundström | 1165 |
| Quartz Crystal Microbalance with Dissipation Measurement for Proving the Potential of Ionic Liquids as Selective Sensing Materials M.B. Serrano-Santos, E. Llobet, T. Schäfer | 1169 |
| Response Dynamics of Metal Oxide Gas Sensors Working with Temperature Profile Protocols A. Ponzoni, A. Depari, E. Comini, G. Faglia, A. Flammini, G. Sberveglieri | 1173 |
| Powerless and Reversible Color Humidity Sensor M.-I. Georgaki, P. Oikonomou, A. Botsias, N. Papanikolaou, I. Raptis, P. Argitis, M. Chatzichristidi | 1177 |
| Microfluidics and LoC | |
| Design, Fabrication and Characterization of Electrostatic Micro Actuators for Microfluidic Platforms M. Patrascu, J. Gonzalo-Ruiz, M. Goedbloed, M. Crego-Calama, S.H. Brongersma | 1181 |
| Microfluidic System for Endocrine Disrupting Chemicals Detection in Waterish Solution C. Cherkouk, L. Rebohle, S. Howitz, W. Skorupka | 1185 |
| Flow Parallel Wire - Flow Sensor Insensitive to Fluid Properties C. Gerhardy, W.K. Schomburg | 1189 |
| A Buried Vertical Filter for Micro and Nanoparticle Filtration S.J. Li, C. Shen, P.M. Sarro | 1193 |
| Focusing and Sorting of Particles in Spiral Microfluidic Channels A.E. Hasni, K. Göbbels, A.L. Thiebes, P. Bräunig, W. Mokwa, U. Schnakenberg | 1197 |
| A Magnetic Particle Micro-Trap for Large Trapping Surfaces C.P. Gooneratne, C. Liang, I. Giouroudi, J. Kosel | 1201 |
| Lab-on-a-Chip Ochratoxin a Detection using Competitive ELISA in Microfluidics with Integrated Photodiode Signal Acquisition P. Novo, G. Moulas, D.M.F. Prazeres, V. Chu, J.P. Conde | 1205 |
| Bandwidth Compensation for High Resolution Impedance Spectroscopy N. Haandbæk, K. Mathwig, R. Streichen, N. Goedecke, S.C. Bürgel, F. Heer, A. Hierlemann | 1209 |
| A New Method for Generating the Emulsions and Fiber by using Electrospraying Microfluidic Chip H.C. Lin, M.H. Lee, Y.C. Lin | 1213 |
| Miniaturized based on Oxygen Diffusion Timing Sensor for Polymer Packaging P. Marek, J.J. Velasco-Velez, T. Haas, T. Doll, G. Sadowski | 1217 |
| Microfluidics based System for Amperometric Determination of CRP B. Kazimierczak, A. Baraniecka, M. Dawgul, D.G. Pijanowska, W. Torbicz, M. Górska, P. Grabiec | 1221 |
| In Situ Calibration of Wall Shear Stress Sensor for Micro Fluidic Application M. Laghrouche, L. Montes, J. Boussey, D. Meunier, S. Ameur, A. Adane | 1225 |
| Stochastic Mixing in Microfluidics Integrable in Bioanalytical Systems Z. Fekete, E.G. Holczer, E. Tóth, K. Iván, P. Fürjes | 1229 |
| mESC and hiPSC Proliferation on Negative Photoresists for Microfluidics Y. Hirai, K. Kamei, Y. Makino, L. Li, Q. Yuan, C. Yong, O. Tabata | 1233 |
| Miniature Instrument for Lab-on-a-Chip Capillary Gel Electrophoresis of Dna Utilizing Temperature Control Technique W. Kubicki, R. Walczak, J.A. Dziuban | 1237 |
| Efficiency Test on the Experimental Design of Micromachined Blood Separation System based on Zweifach-Fung Effect Z. Fekete, P. Nagy, A. Pongrácz, I. Bársóny, P. Fürjes | 1241 |
| A Continuous Flow μPCR Device with Integrated Microheaters on a Flexible Polyimide Substrate E. Mavraki, D. Moschou, G. Kokkoris, N. Vourdas, S. Chatzandroulis, A. Tserepi | 1245 |

| | |
|---|------|
| On-Chip Concentration of Microorganisms by Free Flow Electrophoresis D. Puchberger-Enengl, M.J.Vellekoop | 1249 |
| Sensor Interfacing - Systems | |
| Equalizing Noise Characteristics in Geiger Mode Avalanche Photodiodes by using Gated Operation E. Vilella, A. Diéguez | 1253 |
| Qcm Oscillator Sensors: Comparison between Miller and Abo Topologies L. Rodriguez-Pardo, A. Cao-Paz, J. Fariña | 1257 |
| Wireless Measurement Technique for Telemetry Low-Value Resistive Sensors E. Sardini, M. Serpelloni | 1261 |
| Column-Parallel Single Slope ADC with Digital Correlated Multiple Sampling for Low Noise CMOS Image Sensors Y. Chen, A.J.P. Theuwissen, Y. Chae | 1265 |
| The Effect Injection Width and Temperature-Offset Compensation of Magnetotransistor C. Leepattarapongpan, T. Phetchakul, N. Penpondee, P. Pengpad, A. Srihat, W. Jeamsaksiri, C. Hruanun, A. Poyai | 1269 |
| High Temperature Interrogation Unit for Wireless Saw-based Temperature Sensors B. François, C. Droit, G. Martin, J.-M. Friedt, S. Ballandras | 1273 |
| Stereoscopic Image Sensor in Cmos Technology J.P. Carmo, M.F. Silva, R.P. Rocha, J.F. Ribeiro, L.M. Goncalves, J.H. Correia | 1277 |
| Compensation Technique for Capacitive Crosstalk in Continuous-Time Electro-Mechanical Sigma-Delta Modulators T. Northemann, M. Maurer, Y. Manoli | 1281 |
| Design and Simulation of a High Power Cmos Driver for Microactuators K.A. Aggour, L. Li | 1285 |
| A Low-Cost Built-in Self-Test Method for Resistive Mems Sensors O. Legendre, H. Bertin, O. Garel, H. Mathias, S. Megherbi, K. Jafari, J. Juillard, E. Colinet | 1289 |
| Optimization of the Input Impedance of a Low-Noise Unipolar Powered Amplifier L. Rafflenbeul, M. Schäck, R. Werthschützky | 1293 |
| Simultaneous Measurement of Density and Viscosity in Gases with a Quartz Tuning Fork Resonator by Tracking of the Series Resonance Frequency J.K. Sell, A.O. Niedermayer, B. Jakoby | 1297 |
| Capacitance-Controlled Oscillator Optimization for Integrated Capacitive Sensors with Time/Frequency-based Conversion J.V. Rethy, H. Danneels, K. Coddens, G. Gielen | 1301 |
| Novel Sliding Mode Control for Mems-based Resonators E.H. Sarraf, M. Sharma, E. Cretu | 1305 |
| An Optimized Analog Drive-Mode Controller for Vibratory MEMS Gyroscopes B. Eminoglu, S.E. Alper, T. Akin | 1309 |
| Multi Stage Noise Shaping Sigma-Delta Modulator (MASH) for Capacitive MEMS Accelerometers B. Almutairi, M. Kraft | 1313 |
| Gas Sensors | |
| High Temperature Robust SOI Ethanol Sensor J.W. Gardner, T. Ahmed, P.T. Moseley, S.Z. Ali, M.F. Chowdhury, F. Udrea | 1317 |
| SiC-Based MIS Gas Sensor for High Water Vapor Environments O. Casals, T. Becker, P. Godignon, A. Romano-Rodriguez | 1321 |
| Fast Responding Ephedrine Detection with Miniaturized Surface Ionization Gas Sensors A. Hackner, S. Beer, G. Müller, T. Fischer, S. Mathur | 1325 |
| A Colorimetric Co Sensor for Fire Detection J. Courbat, M. Pascu, D. Guttmacher, D. Briand, J. Wöllenstein, U. Hoefer, K. Severin, N.F. de Rooij | 1329 |
| Monocarboxy Tetraphenylporphyrin Functionalized Zno Nanorods Photoactivated Gas Sensor Y. Sivalingam, E. Martinelli, A. Catini, G. Magna, G. Pomarico, R. Paolesse, A. D'Amico, C. Di Natale | 1333 |
| Tactile - Strain Devices | |
| Fabrication and Electromechanical Performance of a Novel High Modulus Ionogel Micro-Actuator G. Hatipoglu, Y. Liu, D. Tigelaar, M. Yoonessi, Q. Zhang, S. Tadigadapa | 1337 |
| Sputtered Thin Film Piezoelectric Aluminium Nitride as a Functional Mems Material and Cmos Compatible Process Integration S. Marauska, T. Dankwort, H.J. Quenzel, B. Wagner | 1341 |
| Fast and Reliable Modeling of Piezoelectric Transducers for Energy Harvesting Applications A. Romani, R.P. Paganelli, M. Tartagni | 1345 |
| Nanoparticle Films as Biomimetic Tactile Sensors D. Alvares, L. Wieczorek, B. Raguse, F. Ladouceur, N. Lovell | 1349 |
| Strain Sensitivity of Carbon Nanotubes Modified Cellulose F. Toomadj, S. Farjana, A. Sanz-Velasco, O. Naboka, P. Lundgren, K. Rodriguez, G. Toriz, P. Gatenholm, P. Enoksson | 1353 |
| Longitudinal Strain Sensitive Effect in a Photonic Crystal Cavity B.T. Tung, D.V. Dao, T. Ikeda, Y. Kanamori, K. Hane, S. Sugiyama | 1357 |

Microstructures for Bio-applications

| | |
|---|------|
| Simple and Non Toxic Enzyme Immobilization onto Platinum Electrodes for Detection of Metabolic Molecules in the Rat Brain using Silicon Micro-Needles | 1361 |
| N. Vasylieva, A. Sabac, S. Marinesco, D. Barbier | |
| High Channel-Count Neural Interfaces for Multiple Degree of Freedom Neuroprosthetics | 1365 |
| L. Rieth, R. Franklin, P. Tathireddy, R. Sharma, L. Williams, F. Tenore, S. Merugu, M. Rothermund, D. Jaeger, M. Töpper, H. Oppermann, R. Harrison, F. Solzbacher | |
| Low Fluorescence Enzyme Matrices based on Microfabricated SU-8 Films for a Phenol Micro-Biosensor Application | 1369 |
| S.D. Psoma, P.D. van der Wal, N.F. de Rooij | |
| A Novel Patch Micro Electrode Array for Sensing Ionic Membrane Currents | 1373 |
| A. Aryasomayajula, S. Perike, R. Hensel, J. Posseckardt, G. Gerlach, R.H.W. Funk | |
| High Strength, Polymer Microneedles for Transdermal Drug Delivery | 1377 |
| B.P. Chaudhri, F. Ceyssens, T. Guan, A.L. Manna, H.P. Neves, C. Van Hoof, R. Puers | |
| Thermal Biosensors from Micromachined Bulk Acoustic Wave Resonators | 1381 |
| S.V.H. Lai, K. Ping, S. Tadigadapa | |

Photonic Systems

| | |
|--|------|
| Optical Fiber Humidity Sensor based on Lossy Mode Resonances supported by TiO ₂ /PSS Coatings | 1385 |
| C.R. Zamarreño, M. Hernaez, P. Sanchez, I.D. Villar, I.R. Matias, F.J. Arregui | |
| Reflectance-based Photonic Crystal Liquid Sensors made of ALD TiO ₂ | 1389 |
| Y. Huang, G. Pandraud, P.M. Sarro | |
| Ultra Thin Optical Tactile Shear Sensor | 1393 |
| J. Missinne, E. Bosman, B.V. Hoe, R. Verplancke, G.V. Steenberge, S. Kalathimekkad, P.V. Daele, J. Vanfleteren | |
| CMOS PIN Phototransistors for High-Speed Photosensitive Applications | 1397 |
| P. Kostov, W. Gaberl, A. Polzer, H. Zimmermann | |
| IR Microspectrometers based on Linear-Variabile Optical Filters | 1401 |
| A. Emadi, H. Wu, G. de Graaf, R.F. Wolfenbuttel | |
| Automated Infrared based Health Monitoring System for Veterinary Application | 1405 |
| T. Wirthgen, S. Zipser, U. Franze, S. Geidel, M. Zimmerhackl | |

Gas Sensor Technology

| | |
|---|------|
| Methods and Techniques for the Fabrication of Gas Sensing Devices from Nanowires | 1409 |
| R. Jiménez-Díaz, J.D. Prades, F. Hernández-Ramírez, J. Santander, C. Calaza, L. Fonseca, C. Cané, A. Romano-Rodríguez | |
| Gas Sensitivity of Blends of Metalloporphyrins and Colorimetric Acid-base Indicators | 1413 |
| F. Dini, G. Magna, E. Martinelli, R. Paollesse, D. Filippini, I. Lundström, C. Di Natale | |
| Gas Sensing with AlGaN/GaN 2DEG Channels | 1417 |
| P. Offermans, R. Vitushinsky, M. Crego-Calama, S.H. Brongersma | |
| Air Quality Monitoring using a Whole-Cell based Sensor System | 1421 |
| U. Bohrn, E. Stütz, K. Fuchs, M. Fleischer, M.J. Schöning, P. Wagner | |
| Advanced Performances in Gas Sensors: Stretchable, Flexible, Wireless, Wearable. | 1425 |
| O. Monereo, M. Boix, S. Claramunt, J.D. Prades, A. Cornet, A. Cirera, P. Merino, C. Merino | |
| Faster Response Times of Rare-Earth Oxycarbonate based CO ₂ Sensors and another Readout Strategy for Real-World Applications | 1429 |
| A. Haensch, D. Borowski, N. Barsan, D. Koziej, M. Niederberger, U. Weimar | |

Piezoresistive Sensors & Materials

| | |
|---|------|
| Characteristics of NEMS Piezoresistive Silicon Nanowires Pressure Sensors with various Diaphragm Layers | 1433 |
| L. Lou, S. Zhang, L. Lim, W.-T. Park, H. Feng, D.-L. Kwong, C. Lee | |
| Suspended Submicron Silicon-Beam for High Sensitivity Piezoresistive Sensing | 1437 |
| J. Wei, S. Magnani, P.M. Sarro | |
| Variation of Material Parameters for the Thickness Extensional Mode of Piezoceramic Discs in Case of Mechanical Loading | 1441 |
| S.J. Rupitsch, J. Ilg, A. Sutor, R. Lerch | |
| Piezoresistive Probe Array for High Throughput Applications | 1445 |
| A. Gaitas, P. French | |

Electrical Biosensing Devices

| | |
|--|------|
| A New Planar-Type Leakage Current and Impedance Microsensor for Detection of Interaction between Electrolyte-Entrapping Liposome and Protein | 1449 |
| P. Lorchirachoonkul, I. Goto, T. Shimanouchi, K. Yamashita, M. Noda | |
| Fabrication of a Polymer/Mediator Composite Modified Electrode and its Application to Electrochemical Detection of Iodate | 1453 |
| T.-J. Li, C.-Y. Lin, A. Balamurugan, C.-W. Kung, J.-Y. Wang, C.-W. Hu, C.-C. Wang, P.-Y. Chen, R. Vittal, K.-C. Ho | |
| Nanoporous Gold Electrode for Electrochemical Sensors in Biological Environment | 1457 |
| D. Summerlot, A. Kumar, S. Das, L. Goldstein, S. Seal, D. Diaz, H.J. Cho | |
| Impedimetric Aptasensor for Thrombin Detection | 1461 |
| N. Meini, C. Farre, C. Chaix, K. Kherrat, S. Dzyadevych, N. Jaffrezic-Renault | |

| | |
|---|------|
| Detection of Pathogens with Impedance Analysis in a Lab on a Chip E.J. van der Wouden, M. Super, D.E. Ingber, A. van den Berg | 1465 |
| Nanoporous Gold: A High Sensitivity and Specificity Biosensing Substrate H. Min, N. Sullivan, D. Allara, S. Tadigadapa | 1469 |
| Nanowire Devices | |
| Zinc Oxide Nanowire based Hydrogen Sensor on Soi Cmos Platform P.K. Guha, S. Santra, J.A. Covington, F. Udrea, J.W. Gardner | 1473 |
| Synthesis of High-Aspect-Ratio Cu Nanowires for Conductometric Gas Sensing S. Steinhauer, E. Brunet, T. Maier, G.C. Mutinati, A. Köck, W.-D. Schubert, C. Edtmaier, C. Gspan, W. Grogger | 1477 |
| Seebeck Effect in Zno Nanowires for Micropower Generation S. Dalola, G. Faglia, E. Comini, M. Ferroni, C. Soldano, D. Zappa, V. Ferrari, G. Sberveglieri | 1481 |
| Simultaneous Co and Humidity Quantification with Self-Heated Nanowires in Pulsed Mode J.D. Prades, F. Hernández-Ramírez, T. Fischer, M. Hoffmann, R. Müller, N. López, S. Mathur, J.R. Morante | 1485 |
| Simultaneous Resistive and Ionization Readout of Single Metal Oxide Nanowires F. Ramirez-Hernandez, J.D. Prades, J.R. Morante, A. Hackner, S. Beer, G. Müller, T. Fischer, S. Mathur | 1489 |
| Packaging and Assembly Technology | |
| Evaluation of Thin Film Indium Bonding at Wafer Level R. Straessle, Y. Pétremand, D. Briand, N.F. de Rooij | 1493 |
| Temporary 0-Level MEMS Packaging using a Heat Decomposable Sealing Ring L. Bogaerts, A. Phommahaxay, C. Gerets, P. Jaenen, R. Van Hoof, S. Severi, J. De Coster, R. Beernaert, S. Rudra, P. Soussan, A. Witvrouw | 1497 |
| A Parylene Temporary Packaging Technique for MEMS Wafer Handling L. Wen, K. Wouters, F. Ceysens, A. Witvrouw, R. Puers | 1501 |
| Thin Mems Packages Obtained by a Novel Collective Cap Transfer Process A. Phommahaxay, L. Bogaerts, Y. Naito, M.V. Cauwenberghes, N. Tutunjyan, K. Onishi, H.A.C. Tilmans | 1505 |
| Determining the Acoustic Resistance of Small Sound Holes for Mems Microphones G. Feiertag, M. Winter, P. Bakardjiev, E. Schröder, C. Siegel, M. Yusufi, P. Iskra, A. Leidl | 1509 |
| Development of High Temperature Platinum TSVs R. Gueye, T. Akiyama, D. Briand, N.F. de Rooij | 1513 |
| Resonant Devices | |
| Experimental Analysis on Frequency Stability of Piezoelectric Microcantilever Sensor under Varying Environmental and Operational Conditions S. Lee, Y. Lee, J.S. Yang, J. Kim, W. Moon | 1517 |
| Modeling and Design of Higher Order, Multi-Mode, Multi-Port Mems Resonators in 90 Nm Cmos J.E. Ramstad, O. Soeraasen | 1521 |
| Hydrogenated Amorphous Silicon Thin-Film Disk Resonators A. Gualdino, V. Chu, J.P. Conde | 1525 |
| Characterization of Rf Resonators made of Biodegradable Materials for Biosensing Applications C.M. Boutry, H. Chandrahaldim, C. Hierold | 1529 |
| Oscillator-based Volatile Detection System using Doublyclamped Micromechanical Resonators M. Patrascu, J. Pettine, D.M. Karabacak, M. Vandecasteele, S. H. Brongersma, M. Crego-Calama | 1533 |
| On the Robust Measurement of Resonant Frequency and Quality Factor of Damped Resonating Sensors A.O. Niedermayer, T. Voglhuber-Brunnmaier, J. Sell, B. Jakoby | 1537 |
| Diagnostic - Analytical Technologies | |
| Molecular Identification through Membrane Engineering as a Revolutionary concept for the Construction of Cell Sensors with Customized Target Recognition Properties: The Example of Superoxide Detection G. Moschopoulou, T. Valero, S. Kintzios | 1541 |
| Photo-Detection of Solvent Polarities using Non-Invasive Coatingsin Capillaries L. Florea, F. Benito-Lopez, A. Hennart, D. Diamond | 1545 |
| Naturally Amplified Player for Biosensing: Tmrna to the Rescue O. Scheler, L. Kaplinski, B. Glynn, R.C. Bailey, A. Kurg | 1549 |
| Oligosaccharides-Protein Interaction Study using Microarrays with Ddi Immobilisation A. Goudot, J. Zhang, G. Pourceau, A. Meyer, J.-P. Cloarec, S. Rouanet, S. Vidal, J.-J. Vasseur, F. Morvan, Y. Chevrolot, E. Souteyrand | 1553 |
| Selective Nanosensor Array Microsystem for Exhaled Breath Analysis P. Gouma, M. Stanacevic | 1557 |
| Real-Time Sweat Analysis: Concept and Development of an Autonomous Wearable Micro-Fluidic Platform V.F. Curto, S. Coyle, R. Byrne, D. Diamond, F. Benito-Lopez | 1561 |
| Sensing with Nanomaterials | |
| Novel PDGF Aptasensor based on Gold Nanoparticle Triggered Chemiluminescence Y.H. Sun, S. Cai, C.W. Lau, J.H. Zhu, J.Z. Lu | 1565 |

| | |
|---|------|
| Transport in Nanostructured Porous Silicon Layers | 1569 |
| A. Kovacs, U. Mescheder | |
| Plasma Nanotextured Polystyrene for Intense DNA Microarrays | 1573 |
| K. Tsougeni, P.S. Petrou, A. Tserepi, S.E. Kakabakos, E. Gogolides | |
| Study of Growth Kinetics of Pd Metal Catalyzed Silica Nanowires for Biosensor Applications | 1577 |
| E. Huey, S.K. Arya, S. Krishnan, D.K. Sood, A. Dey, E. Murphy-Perez, S. Bhansali | |
| Interface and System Issues | |
| An Original Rotational RF MEMS based on Multi-Varactors on a Chip | 1581 |
| J. Pagazani, P. Nicole, L. Rousseau, F. Marty, G. Lissorgues | |
| A Self-Tuning Inductive Powering System for Biomedical Implants | 1585 |
| R. Carta, J. Thoné, G. Gosset, G. Cogels, D. Flandre, R. Puers | |
| Quadrature Compensation for Gyroscopes in Electromechanical Bandpass $\Sigma\Delta$ -Modulators Beyond Full-Scale Limits using Pattern Recognition | 1589 |
| M. Maurer, T. Northemann, Y. Manoli | |
| Laser Microstructuring of Polymer Optical Fibres for Enhanced and Autonomous Sensor Architectures | 1593 |
| L. Athanasekos, D. Dimas, S. Katsikas, S. Pispas, N. Vainos, A.C. Boucouvalas, C. Riziotis | |
| An Enhanced, Highly Linear, Fully-Differential PLL-based Sensor Interface | 1597 |
| H. Danneels, K. Coddens, G. Gielen | |
| Current Mode Interfacing Circuit for Flow Sensing based on Hot-Wire Anemometers Technique | 1601 |
| I. Pappas, T. Laopoulos, S. Vlassis, S. Siskos | |
| Electromagnetic Field Devices | |
| High Temperature Resistant Eddy Current Sensor for “In Situ” Monitoring the Material Microstructure Development of Steel Alloys During Heat Treatment – Bainite Sensor | 1605 |
| H. Klümper-Westkamp, H.-W. Zoch, W. Reimche, F.W. Bach | |
| A MEM Electric Field Sensor Optimization by Multi-Objective Niched Pareto Genetic Algorithm | 1609 |
| M. Roy, C. Shafai | |
| Modeling and Measurement of Influence of Mechanical Prestress on Hysteresis of Ferroelectric Actuators | 1613 |
| F. Wolf, A. Sutor, S.J. Rupitsch, R. Lerch | |
| Magnetic Tracker with High Precision | 1617 |
| P. Ripka, A. Zikmund | |
| Detection of Hazardous Voc's using a Zeolite Fau/Metglas Magnetoelastic Sensor | 1621 |
| D. Kouzoudis, T. Baimpos, V. Nikolakis | |
| Open-loop CMOS Current Transducer with Low Temperature Cross-sensitivity | 1625 |
| M. Banjevic, F. Liakou, B. Furrer, S. Dimitrijevic, M. Blagojevic, P.D. Dimitropoulos, R.S. Popovic | |
| Processing and Characterization Techniques | |
| Anodic Bonding of Glass-to-Glass through Magnetron Spattered Nanometric Silicon Layer | 1629 |
| P. Knapkiewicz, B. Cichy, W. Posadowski, K. Tadaszak, P. Sniadek, J. Dziuban | |
| Built-in Self-Limitation of Masked Aluminum Anodization using Photoresist | 1633 |
| J. Zekry, J.-P. Celis, D.S. Tezcan, R. Puers, C.V. Hoof, H.A.C. Tilmans | |
| Imaging of Located Buried Defects in Metal Samples by an Scanning Microwave Microscopy | 1637 |
| J. Rossignol, C. Plassard, E. Bourillot, O. Calonne, M. Foucault, E. Lesniewska | |
| Nanoscale Protein Patterning on Si Substrates using Colloidal Lithography and Plasma Processing | 1641 |
| A. Malainou, K. Ellinas, P.S. Petrou, S.E. Kakabakos, V. Constantoudis, E. Gogolides, A. Tserepi | |
| Surface Enhanced Infrared Absorption (Seira) Spectroscopy using Gold Nanoparticles on As_2S_3 Glass | 1645 |
| F. Verger, T. Pain, V. Nazabal, C. Boussard-Plédel, B. Bureau, F. Colas, E. Rinnert, K. Boukerma, C. Compère S. Ollivier, M. Guilloux-Viry, S. Deputier, A. Perrin, J.P. Guin | |
| Micro & Nano Fabrication | |
| Silicon Nanowire Resonator with Integrated Electrostatic Actuation | 1649 |
| A. Koumela, D. Mercier, V. Gouttenoire, C. Marcoux, S.T. Purcell, L. Duraffourg | |
| Advances in Electrochemical Micromachining of Silicon: Towards MEMS Fabrication | 1653 |
| M. Bassu, L.M. Strambini, G. Barillaro | |
| A Fet Mounted Nano Probe with a Cnt for Surface Electrical Properties | 1657 |
| K. Shin, T. An, W. Moon, G. Lim, J.U. Jeon | |
| Development of Passivated Heterogeneous Metal Nanogaps using E-Beam Overlay Techniques | 1661 |
| Y. Wu, T. Akiyama, S. Gautsch, N. de Rooij | |
| Integration of Carbon Nanotubes into Electrostatically Actuated All-Polymer Pedot:Pss/Pmma Mem's | 1665 |
| P.M. Sousa, M. Gutiérrez, E. Mendoza, A. Llobera, V. Chu, J.P. Conde | |
| ZnO Modified High Aspect Ratio Carbon Electrodes for Hydrogen Sensing Applications | 1669 |
| U. Singh, H.A. Lee, Y.-C. Byun, A. Kumar, S. Seal, H. Kim, H.J. Cho | |