

International Conference on Optics in Precision Engineering and Nanotechnology

(ICOPEN 2011)

Physics Procedia Volume 19

**Singapore
23 – 25 March 2011**

Editors:

**C. Quan
K. Qian**

A. Asundi

ISBN: 978-1-62748-731-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com



Preface	1
High-resolution Angle Measurement based on Michelson Interferometry F. Cheng and K.C. Fan	3
Warpage Measurement of Thin Wafers by Reflectometry C.S. NG and A. K. ASUNDI	9
The measurement of anisotropic stress in obliquely-deposited thin films by fast Fourier transform and Gaussian filter C.L. Tien, T.W. Lin, S.S. Jyu, H.D. Tseng, C.S. Lin and M.C. Liu	21
SSD scattering signal extraction in LSCT C. Wang, A. Tian, H. Wang and B. Liu	27
The development of using the digital projection method to measure the contact angle of ball screw C.J. Chen, W. Jywe, Y.C. Liu and H.H. Jwo	36
The development of inclination measurement by using the imaging based autofocus method C.J. Chen, K.C. Huang, C.L. Chang and M.W. Hung	43
Fractal Dimension Characterization of in-vivo Laser Doppler Flowmetry signals G. Srinivasan and N. Sujatha	49
A Cryogenic Radiometry Based Spectral Responsivity Scale at the National Metrology Centre G. Xu and X. Huang	55
Correction Method of Phase Deferece in Accordance with the Angle Field for Wide-Viewing-Angle Fourier-Spectroscopic-Imaging A. Inui, R. Tsutsumi, W. Qi, T. Takuma, H. Kagiyama, D. Kojima and I. Ishimaru	61
Dual Phase-shifting Moiré Projection with Tunable High Contrast Fringes for Three-Dimensional Microscopic Surface Profilometry L.C. Chen and L.H. Tsai	67
Feasibility Demonstration of Wide-Field Fourier-Spectroscopic-Imaging in Infrared Region W. Qi, T. Takuma, R. Tsutsumi, A. Inui, H. Kagiyama, D. Kojima, A. Nishiyama and I. Ishimaru	76
Stroboscopic oblique-incidence interferometer for motion visualization of stator of ultrasonic motor. T. Higuchi, Y. Mizutani, T. Iwata and Y. Otani	82
A palm-top camera for 3D profilometry using a single MEMS mirror T. Wakayama and T. Yoshizawa	88
Evaluating method for the double image phenomenon of LED lighting W.H. Wu, C.H. Kuo, M.W. Hung and K.C. Huang	96
Phase subdivision of absolute coding grating in displacement measurement Y. Zhao, X. Su and Q. Zhang	104
A Novel MOEMS NIR Spectrometer Z. Zhihai, M. Xiangxia, G. Yuanjun and W. Wei	110
An accurate 3D inspection system using heterodyne multiple frequency phase-shifting algorithm Z. Xiao, O.C. Chee and A. Asundi	115
Improvement of measuring accuracy of an optical CMM Z.X. Chao, S.S. Ong and S.L. Tan	122
A MEMS-based piezoelectric cantilever patterned with PZT thin film array for harvesting energy from low frequency vibrations H. Liu, C. Quan, C.J. Tay, T. Kobayashi and C.K. Lee	129
A new method for improving the accuracy of wavefront fitting with Zernike polynomials Z. Wang, O.C. Chee, W. Qu and Q. Xu	134
Design and characterization of DOE micro lens array for spatial light modulator H. Zhu, K. Dev and A. Asundi	139
Fabrication of Refractive Index Tunable Polydimethylsiloxane Photonic Crystal for Biosensor Application K. Raman, T.R.S. Murthy and G.M. Hegde	146
Nonlinear Optical Response of Titania Nanoparticles Prepared by Pulsed Laser Ablation F. Moslehirad, M.H.M. Ara, M.J. Torkamany and J. Sabbaghzadeh	152
Experimental Investigation on Buckling of Thin Films in Mechanical-Thermal Coupled-Field X.L. Xue, S.B. Wang, H.K. Jia, L.A. Li and W. He	158
Experimental Reserch on Buckling of Nano-Thin Film under Alternating Load D.Q. Cui, S.B. Wang, L.A. Li and H.K. Jia	164
Calibration of Pizeo Rotation Nano-positioning Stage by Digital Holography System Y. Hao and A. Asundi	169
Characterization of Piezo rotation stage by multipoint diffraction strain sensor H. Zhu and A. Asundi	173

A Large Panel Two-CCD Camera Coordinate System with an Alternate-Eight-Matrix Look-Up Table Algorithm C.S. Lin, A.T. Lu, Y.C. Hsu, C.L. Tien and D.C. Chen	178
The Yellow Ring Measurement for the Phosphor-converted White LED C.C. Yang, C.L. Chang, K.C. Huang and T.S. Liao	182
Simulation of the sensing performance of a Shack-Hartmann wavefront sensor related to the lenslet array W. Guo, L. Zhao and I.M. Chen	188
A Three-Dimensional Topography Measurement for Micro-nano Film Buckling Based on the Focusing Evaluation Function H.K. Jia, S.B. Wang, L.A. Li, X.L. Xue and Z.M. Guo	192
Imaging mechanisms analysis of compact digital holographic microscope for microparticles measurement J. Di, A. Rajendran, V. Kariwala, A.K. Asundi and J. Zhao	200
Research on some influence factors in high temperature measurement of metal with thermal infrared imager Y.M. Quan, H. Xu and Z.Y. Ke	207
High Speed 3D Motion Capture System for Flying Golf Ball Y.H. Lin, W.H. Wu and W.Z. Huang	214
Dynamic Stress Concentration – a Hybrid Analysis W. Wang, L. Kai, R. Gu and A. Asundi	220
Phase error correction for digital fringe projection profilometry S. Ma, C. Quan, C.J. Tay, R. Zhu and B. Li	227
The Multi-shadow Analysis of LED Secondary Optics C.H. Kuo, W.H. Wu, W.T. Hsiao and K.C. Huang	233
Momentary adjustment means for simulating the sunlight color temperature, hues and brightness with RGB LEDs in indoor lighting C.H. Tsuei and W.S. Sun	239
Simulating the Illuminance and Efficiency of the LEDs Used in General Household Lighting W.S. Sun, C.H. Tsuei and Y.H. Huang	244
A roll-to-roll sub-wavelength grating applied for a liquid crystal backlight C.H. Lee, C.W. Liu and S.C. Lin	249
Design and Optimization of Ultrasonic Vibration Mechanism using PZT for Precision Laser Machining W.J. Kim, F. Lu, S.H. Cho, J.K. Park and M.G. Lee	258
A Micro Scale Measurement by Telecentric Digital-Micro-Imaging Module Coupled with Projection Pattern K.C. Huang, C.L. Chang, W.H. Wu and C.Y. Yung	265
An Equivalent Tolerance Design Method for Imaging System C.L. Chang, M.W. Hung and K.C. Huang	271
Digital Holography Display (2) C. P. Lee, A. Asundi, Y. Yu and Z.Z. Xiao	278
Analysis and Experiment of Encoding Errors for MOEMS Micro Mirror Spectrometer X.X. Mo, Z.Y. Wen, Z.H. Zhang and Y.J. Guo	285
Three-dimensional quantitative phase measurement by Common-path Digital Holographic Microscopy Q.S. Xu, W.J. Qu, O.C. Chee and A. Asundi	291
High Resolution Detection of Synchronously Determining Tilt Angle and Displacement of Test Plane by Blu-Ray Pickup Head Y.N. Lin and W.S. Sun	296
Optical design for the DLP pocket projector using LED light source W.S. Sun, Y.C. Chiang and C.H. Tsuei	301
A 50kHz Micromachined Electrostatic Driven Vibratory Grating Laser Scanner Y. Du, G. Zhou, F.S. Chau, K.L. Cheo, Q. Zhang and H. Feng	308
High fluence KrF excimer laser fabricated Bragg grating in a microfiber B. Lin, S.C. Tjin, G. Wang and P. Shum	315
Design and Fabrication of Piezoresistive Based Encapsulated Poly-Si Cantilevers for Bio/chemical Sensing N.P.V. Krishna, T.R.S. Murthy, K.J. Reddy, K. Sangeeth and G.M. Hegde	319
Observing cross-sectional images of various optical fibers using low coherence transformed laser light F.W. Sheu and J.Y. Chen	325
Application of a super-luminescent diode coupled with an interference filter for mixed gas sensing N.J. Vasa and D. Kannan	329
The impacts of high frequency pulse driving on the performance of LED light M.W. Hung, C.J. Chen, C.L. Chang and C.W. Hsu	336
Effect of Photonic Crystal Fibre in Generating Four Wave Mixing M.N. Abdullah, S. Shaari, A.A. Ehsan, M.N.Z. Abidin and A.R.Z. Abidin	344
Design of Feedforward Controller to Reduce Force Ripple for Linear Motor using Halbach Magnet Array with T Shape Magnet M. Kim, J. Kim and M.G. Lee	352
Hybrid integration process for the development of multisensor chips N. Jin and W. Liu	357
Numerical study on Transverse Optical Trapping Inside Hollow-core PCF V K Shinoj and V M Murukeshan	361

A study on a long period fiber grating pair's spectral characteristics X. HU, D. Liang, J. Zeng, R. Liu and T. Fang	367
Optimized shaping of stored data-pulse by stimulated Brillouin scattering in an optical fiber J. Li and Y. Ding	374
An Evanescent Wave Fiber Optic Biosensor Based on Metal-Enhanced Fluorescence (MEF) Y.Z. Su, M.W. Hung and K.C. Huang.	379
The optical measurement on the CVD silica film deposited on a fused quartz substrate W.H. Cho, D. Chiang, W.H. Wu, Y.H. Chen, P.K. Chiu and S.Y. Hsu	385
Characterization of doped polymer based layered thin films for metamaterial applications A.K. Adiyodi and V.M. Murukeshan	391
Polarization properties of PLZT under applied voltage measured by dual-rotating retarder polarimeter. M. Ginya, Y. Mizutani, T. Iwata and Y. Otani.	398
Influence of synthesis temperature on linear and nonlinear optical properties of water soluble luminescent Cd _{1-x} Zn _x Te nanocrystals S. Gholami-Kaliji, E. Saeivar-Iranizad, Z. Dehghani and M.H. Majles-Ara	403
Material removal function of the capacitive coupled hollow cathode plasma source for plasma polishing D. Wang, W. Liu, Y. Wu, L. Hang, H. Yu and N. Jin	408
Characteristics of plasma source for the plasma polishing of super smooth optics D. Wang, W. Liu, Y. Wu, L. Hang, H. Yu and N. Jin	412
Nano-scale patterning using pyramidal prism based wavefront interference lithography Sidharthan R and V M Murukeshan	416
Viscoelastic properties of chalcogenide glasses and the simulation of their molding processes W. Liu, P. Shen and N. Jin	422
The effect of assist liquid on the hole taper improvement in femtosecond laser percussion drilling L.S. Jiao, E.Y.K. Ng, L.M. Wee and H.Y. Zheng	426
Passive Vibration Reduction with Silicone Springs and Dynamic Absorber J.H. Lee, Y. Dong and M.G. Lee.	431
Comparison and analysis on Polarization aberration in Pehan prisms and the Telescope system including Pehan prisms J. Lu, X. Li, Q. Yuan, X. Sun and X. Guo	436
Research on High Frequency direct Modulation of laser light source J. Lu, S. Sun and X. Guo.	442
Research of the polarization aberration on Smith prism J. Lu, Q. Yuan, X. Sun and X. Guo	447
Fabrication of electrodes on the aluminum doped zinc oxide thin films using an ultraviolet laser direct-patterning technology W.T. Hsiao, S.F. Tseng, C.H. Kuo, K.C. Huang, D. Chiang, P.C. Yao and M.F. Chen.	456
A 10 W Diode-Pumped Solid-State Green Laser Y. Yu, C.Y. Cheng, W.H. Wong, X. Peng and S. S. Yong	466
CAD and CAE Analysis for Siphon Jet Toilet Y. Wang, G. Xiu and H. Tan	472
Breakdown Voltage Effect on coupling Ratio Fusion Fiber Coupling D. Irawan, Saktioto, J. Ali and Defrianto	477
Nonlinear Optical Characterization of CdTe Nano Particles Using Moiré Deflectometry Method M.H.M. Ara, R. Golzarian, Z. Javadi and R. Sahraei	482
Influence of TFT-LCD Pixels Structure on Holographic Encoding H.J. Wang, A.L. Tian, B.C. Liu and C.H. Wang	487