

24th International Symposium on Superconductivity

(ISS 2011)

Physics Procedia Volume 27

**Tokyo, Japan
24 - 26 October 2011**

Editors:

Keiji Enpuku

Teruo Izumi

ISBN: 978-1-62748-743-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com



ELSEVIER

Available online at www.sciencedirect.com

SciVerse ScienceDirect

Physics Procedia 27 (2012) iii–vii

Physics

Procedia

Proceedings of the 24th International Symposium on Superconductivity (ISS 2011)	1
Japan Keirin	2
Preface	
K. Enpuku, T. Izumi	3
Organization	4
Physics and Chemistry	
<i>Fe-Based Superconductors-Experiment</i>	
Structural and Magnetic Properties of Fe_{1+d}Te Single Crystals	
Y. Mizuguchi, K. Hamada, O. Miura	9
Co Doping Effects on Superconductivity of $\text{FeSe}_{0.4}\text{Te}_{0.6}$ Single Crystals	
F. Nabeshima, Y. Kobayashi, Y. Imai, I. Tsukada, A. Maeda	13
<i>Fe-Based Superconductors-Theory</i>	
Phase Fluctuation in Multi-Band Superconductors	
Y. Tanaka	17
<i>Cuprate Superconductors-Experiment</i>	
Synthesis and Electrical Properties of $(\text{Pb,Cu})\text{Sr}_2(\text{Y,Ca})\text{Cu}_2\text{O}_z$	
T. Tashiro, T. Maeda, R. Abe, S. Takechi, T. Takahashi, M. Haruta, S. Horii	21
Optimization of Annealing Processes on Superconductivity of $\text{FeSr}_2\text{YCu}_2\text{O}_{6+\delta}$	
K. Yamaguchi, Y. Hata, T. Mochiku, H. Yasuoka	24
Single Crystal of $\text{RuSr}_2\text{GdCu}_2\text{O}_8$	
K. Ishii, T. Mochiku, H. Takeya, S. Ooi, K. Hirata	28
Periodic DOS Modulation in Underdoped Bi2223	
C. Nakashima, T. Iye, A. Matsuda	32
Superconductivity and Ferromagnetism in Mn-Doped $\text{La}_{0.84}\text{Pr}_{0.16}\text{CuO}_4$ and Mn-Doped $\text{LaPr}_{0.88}\text{Ce}_{0.12}\text{CuO}_4$	
Y. Zhang, C.H. Cheng, X.S. Yang, C. Ke, Y. Zhao	36
<i>Other Superconductors-Experiment</i>	
Flux Pinning Behavior of MgB_2 Doped with Fe and Fe_2O_3 Nanowires	
C. Ke, C.H. Cheng, Y. Yang, Y. Zhang, W.T. Wang, Y. Zhao	40
Effect of Fe Substitution on Magnetocaloric Effect in Borocarbide Superconductor $\text{Dy}(\text{Ni}_{1-x}\text{Fe}_x)_2\text{B}_2\text{C}$	
L. Li, K. Nishimura, D. Huo, S. Matsui, Z. Qian, T. Namiki	44
Superconducting State in $(\text{W, Ta})_5\text{SiB}_2$	
M. Fukuma, K. Kawashima, J. Akimitsu	48
Superconductivity in $\text{BaCu}_x\text{Si}_{2-x}$ ($0.2 \leq x \leq 0.6$) with AlB_2 -Type Structure	
K. Inoue, K. Kawashima, T. Ishikawa, M. Fukuma, T. Okumura, T. Muranaka, J. Akimitsu	52
Superconducting Property of Zr-Cu-Al-Ni-Nb Alloys	
D. Okai, G. Motoyama, H. Kimura, A. Inoue	56
<i>Superconductivity-Theory</i>	
Strongly Correlated Nature of d -Wave Superconductivity in Cuprates	
H. Yokoyama, S. Tamura, T. Miyagawa, K. Kobayashi, M. Ogata	60
Renormalization of Hopping Integrals in Coexistence Phase of Stripe and d -Wave Superconductivity in Two-Dimensional Hubbard Model	
M. Miyazaki, K. Yamaji, T. Yanagisawa, K. Yonemitsu	64
Superconducting Fluctuation of the Specific Heat in the Short Wavelength Fluctuation Regime	
N. Mori, H. Enomoto, Y. Takano, N. Cötön, M.V. Ramallo	68
Spectral-Density Polynomial Expansion for Two-Particle Green's Function in BdG Framework	
Y. Nagai, Y. Ota, M. Machida	72
Spin-Gapped Wave Function as Normal State in Attractive Hubbard Model	
S. Tamura, H. Yokoyama	76
Mixed Electronic States of High T_c Cuprates Superconductors	
K. Nishi	80

Spin Hall Effect in a Superconductor/Normal Metal Junction S. Hikino, S. Yunoki	84
Numerical Simulation of THz Emission from Two Mesa-Structured Intrinsic Josephson Junctions H. Asai, M. Tachiki, H. Minami, T. Yamamoto, K. Kadowaki	88
<i>Miscellaneous</i>	
Structure and Electrical Properties in Polymer Bonded $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ Composites L. Yang, X. Yang, C. Cheng, L. Lv, Y. Zhao	92
Magnetoresistance, Electroresistance and Nonlinear Electrical Behavior in Nanopolycrystalline $\text{La}_{2/3}\text{Sr}_{1/3}\text{MnO}_3$ X.S. Yang, L.Q. Yang, C.H. Cheng, L. Lv, Y. Zhao	96
<i>Vortex Physics</i>	
Investigation of Flux Turbulence in Iron-Based Superconductors S. Mohan, T. Ishibashi, Y. Nakajima, Y. Tsuchiya, T. Tamegai	100
Irreversible Magnetization in Isovalently Doped $\text{Ba}(\text{Fe}_{1-x}\text{Ru}_x)_2\text{As}_2$ T. Ishibashi, Y. Nakajima, T. Tamegai	104
Magnetization of $\text{K}_{0.8}\text{Fe}_2\text{Se}_2$ Superconductor Y. Takikawa, M. Migita, K. Sugai, M. Takeda, Y. Nozaki, M. Uehara, T. Kuramoto, Y. Takano, Y. Mizuguchi, H. Takeya, Y. Kimishima	108
Vortex States of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+y}$ with Antidot Array Probed by <i>c</i> -axis Transport Measurements S. Ooi, T. Mochiku, K. Hirata	112
Vortex States in Nano-Structured MgB_2 Y. Niwa, M. Kato	116
Numerical Experiments of Joule Heat Damage in Superconducting Transport K. Kobayashi, Y. Ota, M. Machida	120
Bulks and Characterization	
<i>Processing</i>	
Effects of TFA Addition on the Growth of Sintered $\text{YBa}_2\text{Cu}_3\text{O}_y$ Superconductors R. Kita, K. Kuroda, T. Kato, O. Miura, K. Yamada, K. Kaneko	124
Addition of Pt-Rh Wires into Dy-123 Superconductor in Air H. Shimada, H. Fujimoto, S. Yamazaki, S. Yoshizawa	128
Processing Conditions for (Nd, Eu, Gd)-Ba-Cu-O Ternary Bulk Superconductors T. Kikuchi, A. Wongsatanawarid, Y. Homma, K. Suzuki, N. Koshizuka, M. Murakami	132
Relationship between Degrees of Orientation and Rotating Speed in Magnetically Tri-Axial-Oriented RE-Ba-Cu-O Superconductors M. Yamaki, S. Horii, M. Haruta, J. Shimoyama	136
Optimization of the Binder Addition Methods for Bulk Y-Ba-Cu-O Superconductors Y. Ikeda, S. Umakoshi, T. Kikuchi, S. Takano, N. Koshizuka, H. Seki, T. Maruyama, M. Murakami	140
Reinforcement of Bulk Y-Ba-Cu-O Superconductors by Using Fe-Mn-Si-Ni Shape Memory Alloy Rings H. Seki, Y. Honma, M. Nomura, C. Nakayama, N. Koshizuka, T. Maruyama, M. Murakami	144
Low Temperature Synthesis of Li and Cl Added Bi-2212 Superconductors M. Noro, H. Andoh, H. Murotani, T. Sugiura, T. Tsukamoto	148
<i>Characterization</i>	
Superconducting Properties of Y-Ba-Cu-O Bulk with BaSnO_3 Addition M. Iwasaki, H. Seki, N. Koshizuka, M. Murakami	152
Effect of Magnetic Particle Additions on Flux Pinning in Bulk Y-Ba-Cu-O Superconductors T. Tsuchiya, T. Kikuchi, S. Takano, N. Koshizuka, M. Murakami	156
Fracture Strength Properties of Gd-Ba-Cu-O Large Single-Grain Bulk with CeO_2 Addition A. Murakami, H. Fujimoto, A. Iwamoto	160
Determination Factors of Magnetic Anisotropy in a Layered Iron-Based Pnictide and Its Related Compounds K. Aoki, S. Horii, M. Haruta, H. Ogino, J. Shimoyama	164
Position Dependence of Irreversibility Line on Thin Plate Gd-Ba-Cu-O Bulk Superconductor T. Naito, D. Furuta, T. Arayashiki, H. Fujishiro, Y. Yanagi, Y. Itoh	168
The Effect of Ti_3SiC_2 Doping on the Microstructure and Superconducting Properties of MgB_2 D. Shan, G. Yan, L. Zhou, P. Ji, C. Li, Q. Wang, S. Zhang, F. Yang, G. Liu	172
Influences of Oxygen Content on the Carrier Concentration and Transport Properties of Bi-2212 Bulks S. Zhang, C. Li, Q. Hao, P. Zhang, H. Liu, S. Yang	176
<i>Applications</i>	
Magnetic Shielding Properties of GdBCO Bulks with Different Crystal Orientation Z.Y. Zhang, S. Matsumoto, R. Teranishi, T. Kiyoshi	180
Numerical Investigations on Influence of Hole on Permanent Magnet Method S. Ikuno, T. Takayama, A. Kamitani	184
Magnetizing Technique for Permanent Magnets by Intense Static Fields Generated by HTS Bulk Magnets: Numerical Analysis N. Kawasaki, T. Oka, S. Fukui, J. Ogawa, T. Sato, T. Terasawa, Y. Itoh	188

A Superconducting Conveyer System Using Multiple Bulk Y-Ba-Cu-O Superconductors and Permanent Magnets T. Kinoshita, N. Koshizuka, K. Nagashima, M. Murakami	192
Wires, Tapes and Characterization	
<i>Processing of REBCO Coated Conductors</i>	
High-Rate Fabrication of YBCO Coated Conductors Using TFA-MOD Method K. Nakaoka, M. Yoshizumi, Y. Usui, T. Izumi, Y. Shiohara	196
Development of High- I_c Processing for Low Cost YBCO Coated Conductors by Multi-Turn Reel-To-Reel Crystallization Large Furnace for TFA-MOD Process Y. Takagi, Y. Takahashi, K. Nakaoka, M. Yoshizumi, N. Akagi, S. Takahashi, T. Izumi, Y. Shiohara	200
Improvement of Magnetic Properties for Long YGdBCO Coated Conductors Using TFA-MOD Process K. Kimura, R. Hironaga, T. Koizumi, T. Nakamura, T. Nakanishi, N. Aoki, T. Hasegawa, Y. Takahashi, M. Yoshizumi, T. Izumi, Y. Shiohara	204
AC Loss Reduction of TFA-MOD Coated Conductors in Long Length by Laser Scribing Technique K. Katayama, H. Hirano, T. Machi, Y. Takagi, Y. Takahashi, T. Izumi	208
Growth Process of BaZrO ₃ Doped YBCO Films by TFA-MOD Method K. Konya, Y. Masuda, R. Teranishi, T. Kiss, S. Munetoh, K. Yamada, M. Yoshizumi, T. Izumi	212
High-Material Yield Fabrication of YBCO Coated Conductors by Nd:YAG-PLD System I. Ono, Y. Ichino, Y. Yoshida, M. Yoshizumi, T. Izumi, Y. Shiohara	216
Fabrication and Critical Current Properties in Nd:YAG-PLD REBa ₂ Cu ₃ O _y (RE=Y and Er) Thin Films S. Horii, N. Fujita, Y. Ogura, T. Maeda, M. Haruta	220
Fabrication of Buffer Layers by Metal-Organic Deposition Using 2-Ethylhexanates M. Ito, R. Kita, S. Kubota, K. Shima, N. Kashima, T. Watanabe, S. Nagaya, T. Kato	224
<i>Characterization of Coated Conductors</i>	
High-Speed Scanning Hall-Probe Microscopy for Two-Dimensional Characterization of Local Critical Current Density in Long-Length Coated Conductor K. Higashikawa, K. Shiohara, Y. Komaki, K. Okumura, K. Imamura, M. Inoue, T. Kiss, Y. Iijima, T. Saitoh, T. Machi, M. Yoshizumi, T. Izumi, H. Okamoto	228
Characteristics of YBa ₂ Cu ₃ O _y Coated Conductors Prepared by In-Plume Method T. Shibamoto, H. Kubo, Y. Ichino, Y. Yoshida, M. Yoshizumi, T. Izumi, Y. Shiohara	232
Variation of Applied Field Angular Dependence of Critical Current Density in YBCO Thin Films against Deposition Temperature and Composition T. Matsunami, Y. Ichino, Y. Yoshida, A. Ichinose, K. Matsumoto	236
Flux Pinning Properties of YBCO Films with Nano-Particles by TFA-MOD Method Y. Masuda, R. Teranishi, M. Matsuyama, K. Yamada, T. Kiss, S. Munetoh, M. Yoshizumi, T. Izumi	240
Parametric Analysis of Flux Creep-Flow Model by Using Genetic Algorithm J. Minami, T. Edamoto, K. Uryu, T. Ishibashi, E.S. Otabe, M. Kiuchi	244
Estimation of AC Loss in Cylindrical Superconductor with Ripple Current E.S. Otabe, K. Ohashi, M. Kiuchi, T. Kawahara, S. Yamaguchi	248
Mode I Type Interlaminar Fracture Toughness of Cu Plated Gd-YBCO Coated Conductor M. Hojo, Y. Tanie, M. Sugano, Y. Inoue, M. Nishikawa, K. Shikimachi, T. Watanabe, N. Hirano, S. Nagaya	252
<i>BSCCO and Metallic Superconductors</i>	
Recent R&D Progress on DI-BSCCO Wires with High Critical Current Properties T. Kagiya, S.I. Kobayashi, K. Yamazaki, M. Kikuchi, S. Yamade, T. Nakashima, K. Hayashi, K.I. Sato, J.I. Shimoyama, H. Kitaguchi	256
Microstructure and Superconducting Properties of Bi-2223/Ag Tapes Fabricated in the Variation-Temperature-Sintering Process X.Y. Lu, D. Yi, H. Chen, A. Nagata	260
Relation of n -Value to Critical Current in Bent-Damaged Bi2223 Composite Tape S. Ochiai, H. Okuda, M. Sugano, M. Hojo, K. Osamura, T. Kuroda, H. Kumakura, H. Kitaguchi, K. Itoh, H. Wada	264
Modified Heat-Treatment Process of Precursor Powders for Bi-2212 Tapes Preparation Q.B. Hao, C.S. Li, S.N. Zhang, L.F. Bai, X.B. Ma, J.Q. Feng	268
Fabrication of High-Performance (Ba,K)Fe ₂ As ₂ Superconducting Wires by Powder-In-Tube Method Q.P. Ding, T. Prombood, S. Mohan, Y. Tsuchiya, Y. Nakajima, T. Tamegai	272
Films and Junctions	
<i>High-T_c Oxide Films</i>	
Enhancement of In-Field Critical Current Density by Irradiation of MeV-Energy Ions in YBCO Films Prepared by Fluorine-Free Metal-Organic Deposition H. Matsui, H. Ogiso, H. Yamasaki, M. Sohma, I. Yamaguchi, T. Kumagai, T. Manabe	276
Fabrication Process of YBCO Thin Film Starting from Amorphous Film for Microstrip Line Device J. Muryari, N. Kobayashi, S. Takahashi, K. Hayashi, A. Saito, S. Ohshima	280

Fabrication of Ca-Doped REBa ₂ Cu ₄ O ₈ Films by the Molten Hydroxide Method S. Funaki, F. Nakayama, Y. Yamada	284
Preparation of Bi _{1.6} Pb _{0.4} Sr ₂ Ca ₂ Cu ₃ O _{10+δ} Films Using Sedimentation Process and Melt-Quenched Method J. Tacneng, R. Sarmago	288
Influence of Misorientation Angle on Third Harmonic Voltages V ₃ Induced by YBCO Thin Films on Bi-Crystal Substrates K. Ohtia, M. Tanigawa, S. Kasahara, Y. Hatanaka, T. Sueyoshi, T. Fujiyoshi	292
<i>Iron Pnictide and Other Films</i>	
Development of Iron-Based Superconducting Devices S. Döring, S. Schmidt, F. Schmidl, V. Tympel, S. Haindl, F. Kurth, K. Iida, I. Mönch, B. Holzapfel, P. Seidel	296
MBE Growth of LaNiBiO _{1-x} Thin Films A. Buckow, R. Retzlaff, J. Kurian, L. Alff	300
<i>Low-T_c Films and Junctions</i>	
Fabrication and Evaluation of Hetero-Epitaxial Multilayer Films of Nb/AlN/Nb/NbN for SIS Junction M. Konno, T. Sawada, M. Murata, A. Kawakami, A. Saito, K. Nakajima, S. Ohshima	304
Theory of Finite Temperature Josephson Transport through a Ferromagnetic Insulator S. Nakamura, S. Souma, M. Ogawa, S. Kawabata	308
<i>Intrinsic Junctions</i>	
Terahertz Electromagnetic Radiation from Bi ₂ Sr ₂ CaCu ₂ O _y Intrinsic Josephson Junction Stack D. Oikawa, A. Irie, K. Yamaki, G.I. Oya	312
<i>Characterization Method</i>	
Numerical Investigation on Scanning Permanent Magnet Method: Influence of Crack on Resolution and Accuracy T. Takayama, A. Saitoh, A. Kamitani	316
Shielding Current Analysis in HTS Film Containing Cracks: Application to Contactless Measurement Method of Critical Current Density A. Kamitani, T. Takayama, S. Ikuno, A. Saitoh	320
Electronic Devices	
<i>Microwave Devices</i>	
Improvement of Power Handling Capability and Out-Of-Band Rejection for HTS Stripline Filter with Shuttle-Shape Resonators T. Horiuchi, N. Sekiya, S. Kakio, S. Ohshima	324
Effect of Coupling State on Power Handling Capability of HTS Transmit Filters with Stripline Structure N. Sekiya, K. Yamamoto, S. Kakio, A. Saito, S. Ohshima	328
Use of Double-Layer Coupling Circuit and Additional Patch Conductors to Improve Power Handling Capability of HTS Transmit Filter N. Imai, N. Sekiya, S. Kakio, S. Ohshima	332
<i>SQUIDS and Their Applications</i>	
Development of Non-Destructive Evaluation System Using an HTS-SQUID Gradiometer for Magnetized Materials J. Kawano, A. Tsukamoto, S. Adachi, Y. Oshikubo, T. Hato, K. Tanabe, T. Okamura	336
SQUID Microscopy of Magnetic Field Induced in Solar Cell by Laser Spot Irradiation Y. Nakatani, T. Hayashi, Y. Miyato, H. Itozaki	340
Noise Properties of HTS-SQUID Gradiometer in an Elevated Magnetic Field R. Manaka, S. Adachi, A. Tsukamoto, H. Takai, K. Tanabe	344
Development of Signal to Noise Ratio of HTS-rf-SQUID for Ultra-Low Field NMR / MRI by 77K LC Resonant Circuit D. Zhang, S. Fukumoto, S. Tsunaki, Y. Hatsukade, S. Tanaka	348
<i>Detectors</i>	
Direct Numerical Simulation for Non-Equilibrium Transport Phenomena in Superconducting Detectors Y. Ota, K. Kobayashi, M. Machida, T. Koyama, F. Nori	352
Operation of Superconducting Nano-Stripline Detector (SSLD) Mounted on Cryogen-Free Cryostat N. Zen, K. Suzuki, S. Shiki, M. Ukibe, A. Casaburi, M. Ejrnaes, R. Cristiano, M. Ohkubo	356
<i>Signal Processing</i>	
Simulation of an Asymmetric Lineshape of a Resonant Dip Observed in a Switching-Current Measurement of a Superconducting Flux Qubit Y. Shimazu, M. Nakajima, M. Takahashi, N. Okamura, K. Yoshiyama	360
Large Scale System Applications	
<i>Power Cables</i>	
Development of 66 kV Class REBCO Superconducting Cable M. Ohya, T. Masuda, N. Amemiya, A. Ishiyama, T. Ohkuma	364
Observation of the Thermosiphon Effect in the Circulation of Liquid Nitrogen in HTS Cable Cooling System Y. Ivanov, H. Watanabe, M. Hamabe, T. Kawahara, J. Sun, S. Yamaguchi	368

A New Layout of HTS Tapes and Their Critical Currents for DC Power Cables J. Sun, H. Watanabe, M. Hamabe, T. Kawahara, A. Iiyoshi, S. Yamaguchi	372
Cooling of the 200 m Superconducting DC Power Transmission System at Chubu University H. Watanabe, J. Sun, Y. Ivanov, M. Hamabe, T. Kawahara, S. Yamaguchi	376
Possibility of a Gas-Cooled Peltier Current Lead in the 200 m-Class Superconducting Direct Current Transmission and Distribution System of CASER-2 T. Kawahara, M. Emoto, H. Watanabe, M. Hamabe, S. Yamaguchi, Y. Hikichi, M. Minowa	380
Development of Peltier Current Lead for DC Cable H. Sugane, Y. Hikichi, M. Minowa, T. Kawahara, H. Watanabe, M. Hamabe, S. Yamaguchi	384
<i>Fault Current Limiters and Transformers</i>	
Manufacture and Test of the DC Superconducting Coil for a 220 kV/300 MVA SFCL X. Niu, W. Gong, B. Tian, Y. Sun, J. Zhang, J. Cui, H. Hong, Y. Xin	388
Current Limiting Behavior in Three-Phase Transformer-Type SFCLs Using an Iron Core According to Variety of Fault Y.S. Cho, B.I. Jung, K.H. Ha, S.G. Choi, H.M. Park, H.S. Choi	392
<i>Energy Storage</i>	
Advanced Superconducting Power Conditioning System with SMES for Effective Use of Renewable Energy T. Hamajima, M. Tsuda, D. Miyagi, H. Amata, T. Iwasaki, K. Son, N. Atomura, T. Shintomi, Y. Makida, T. Takao, K. Munakata, M. Kajiwara	396
Conceptual Design of MgB ₂ Coil for the 100 MJ SMES of Advanced Superconducting Power Conditioning System (ASPCS) N. Atomura, T. Takahashi, H. Amata, T. Iwasaki, K. Son, D. Miyagi, M. Tsuda, T. Hamajima, T. Shintomi, Y. Makida, T. Takao, K. Munakata, M. Kajiwara	400
Simulation of Chain of Quenches on Toroidal HTS-SMES Taking Account of Thermal and Electromagnetic Characteristics Y. Oga, S. Noguchi, H. Igarashi	404
<i>Motors and Generators</i>	
Influence Analysis of Structural Parameters and Operating Parameters on Electromagnetic Properties of HTS Linear Induction Motor J. Fang, L. Sheng, D. Li, J. Zhao, S. Li, W. Qin, Y. Fan, Q.L. Zheng, W. Zhang	408
<i>Magnets and Coils</i>	
Characteristics of High Efficiency Current Charging System for HTS Magnet with Solar Energy D.W. Kim, Y.S. Yoon, Y.D. Chung, H.C. Jo, H.M. Kim, S.K. Oh, H.K. Kim, J.G. Oh, T.K. Ko	412
Study on Criterion for Quench Detection/Protection of Superconducting Magnet Based on Active Power Method N. Nanato, W. Asai, S. Murase	416
Detection and Frequency Analysis of AE Signals in the Coil by Using a Time-Frequency Visualization Method N. Nanato, D. Aoki, Y. Nakagawa, S. Murase	420
Design and Fabrication of Double Pancake Coil Using 2G Wire for Conduction Cooled Superconducting Magnet S.W. Yoon, H.J. Lee, S.H. Moon, S.H. Park, J. Han, K. Choi, G.W. Hong	424
Quench Detection/Protection of a Cryocooled NbTi Superconducting Magnet by Using an Active Power Method N. Nanato, S. Murase, G. Nishijima, K. Tamakawa, M. Amaya	428
<i>Magnetic Separation, Levitation and Bearings</i>	
Improvement of the Levitation Stability of the HTSC-Permanent Magnet Hybrid Bearing by Using the New Arrangement of the Permanent Magnet M. Sakedai, K. Emoto, R. Sugiyama, S. Ohashi	432
Improvement of the Propulsion Force for HTSC-Permanent Magnet Hybrid Magnetically Levitated Carrying System by Using the Pinned Flux of HTSC M. Ikeda, R. Sasaki, T. Ueno, S. Ohashi	436
Magnetic Separation of Organic Dyes Using Superconducting Bulk Magnets N. Kondo, K. Yokoyama, S. Hosaka	440
<i>Fundamentals and Other Applications</i>	
Feasibility of Large-Current Capacity YBCO Conductors with On-Demand Transposition N. Yanagi, T. Mito, H. Noguchi, Y. Terazaki, H. Tamura, M. Iwakuma, Y. Aoki, T. Izumi, Y. Shiohara	444
A Proposal of Multi-Stage Current Lead for Reduction of Heat Leak S. Yamaguchi, M. Emoto, T. Kawahara, M. Hamabe, H. Watanabe, Y. Ivanov, J. Sun, N. Yamamoto, A. Iiyoshi	448
Numerical Evaluation of Field Profile in an Undulator with Bulk HTS M. Tsuchimoto	452