

SUPERCONDUCTIVITY CENTENNIAL Conference 2011

Physics Procedia Volume 36

**Hague, The Netherlands
18-23 September 2011**

Part 1 of 2

Editors:

Peter Kes

Horst Rogalla

ISBN: 978-1-62748-752-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com



Preface	
P.H. Kes, H. Rogalla	1
Parallel-Planar High-Temperature Superconducting Dual-Band Bandpass Filter using Double-Sided Conductors on a Substrate	
Y. Takagi, K. Satoh, S. Narahashi	3
Current-Controlled Filter on Superconducting Films with a Tilted Washboard Pinning Potential	
O.V. Dobrovolskiy, V.A. Shklovskij, M. Huth	9
Experimental Investigation of the Relationship between Operating Temperature and Power Handling Capability of High-Temperature Superconducting Dual-Band Bandpass Filter	
K. Satoh, Y. Takagi, S. Narahashi, T. Nojima	13
Transport Properties of $YBa_2Cu_3O_7$ Josephson Junctions at THz Frequencies	
A. Guillaume, J.M. Scholtyssek, C. Brendel, F. Ludwig, M. Schilling	19
An Ultra High Sensitive Current Sensor based on Superconducting Quantum Interference Device	
A. Vettoliere, C. Granata, M. Russo	25
Identification of Liquids by High- T_c Josephson THz Detectors	
Y. Divin, M. Lyatti, U. Poppe, K. Urban	29
Magnetic Josephson Junction Technology for Digital and Memory Applications	
V.V. Ryazanov, V.V. Bol'ginov, D.S. Sobanin, I.V. Vernik, S.K. Tolpygo, A.M. Kadin, O.A. Mukhanov	35
Towards "Ideal" High- T_c Josephson Junction: [100]-tilt $YBa_2Cu_3O_{7-x}$ Bicrystal Boundary	
Y. Divin, U. Poppe	42
SNS Junctions for AC Josephson Voltage Standards	
T. Scheller, F. Mueller, R. Wendisch, O. Kieler, U. Springborn, K. Stoerr, B. Egeling, T. Weimann, L. Palafox, R. Behr, J. Kohlmann	48
Decay Features of Coherent Oscillations Observed in a Superconducting Qubit Manipulated by Fast Flux Pulses	
F. Chiarello, M.G. Castellano, C. Cosmelli, G. Torrioli	53
20 GHz Operation of an Asynchronous Wave-Pipelined RSFQ Arithmetic-Logic Unit	
T.V. Filippov, A. Sahu, A.F. Kirichenko, I.V. Vernik, M. Dorojevets, C.L. Ayala, O.A. Mukhanov	59
Magnetoencephalography using a Multilayer High- T_c DC SQUID Magnetometer	
M.I. Faley, U. Poppe, R.E.D. Borkowski, M. Schiek, F. Boers, H. Chocholacs, J. Dammers, E. Eich, N.J. Shah, A.B. Ermakov, V.Yu. Slobodchikov, Yu.V. Maslennikov, V.P. Koshelets	66
NbN Nanowire Superconducting Single-Photon Detector for Mid-Infrared	
A. Korneev, Yu. Korneeva, I. Florya, B. Voronov, G. Goltsman	72
Development of Fiber-Coupled Four-Element Superconducting Nanowire Single-Photon Detectors	
S. Miki, T. Yamashita, H. Terai, K. Makise, M. Fujiwara, M. Sasaki, Z. Wang	77
Josephson and Tunneling Junctions with Thin Films of Iron based Superconductors	
S. Schmidt, S. Döring, V. Tympel, F. Schmid, S. Haindl, K. Iida, B. Holzapfel, P. Seidel	82
The DC-SQUID-based Magnetocardiographic Systems for Clinical Use	
Yu.V. Maslennikov, M.A. Primin, V.Yu. Slobodchikov, V.V. Khanin, I.V. Nedayvoda, V.A. Krymov, A.V. Okunev, E.A. Moiseenko, A.V. Beljaev, V.S. Rybkin, A.V. Tolcheev, A.V. Gapelyuk	88
Universal Character of Tunnel Conductivity of Metalinsulator-Metal Heterostructures with Nanosized Oxide Barriers	
V. Shaternik, M. Belogolovskii, T. Prikhna, A. Shapovalov, O. Prokopenko, D. Jabko, O. Kudrja, O. Suvorov, V. Noskov	94
Advanced Four-Layered Josephson Junctions for Digital Applications	
V. Lacquaniti, N. De Leo, M. Fretto, A. Sosso, I. Boilo, M. Belogolovskii	100
Sub-Micron SNIS Josephson Junctions for Metrological Application	
N. De Leo, M. Fretto, A. Sosso, E. Enrico, L. Boarino, V. Lacquaniti	105
Characterization of Moderately Damped Low Tc Josephson Junctions through Measurements of Switching Current Distributions	
D. Massarotti, L. Longobardi, G. Rotoli, D. Stornaiuolo, G. Papari, A. Kawakami, G.P. Pepe, A. Barone, F. Tafuri	110
Resistively Shunted NbN/AlN/NbN Tunnel Junctions for Single Flux Quantum Circuits	
K. Makise, H. Terai, W. Zhen	116
Design of Digital DRQS for Wide Dynamic Operation Range with Sub-Single Flux Quantum Resolution	
H. Myoren, K. Terui, N. Shimada, T. Taino	121
Noise Behavior of SQUID Bootstrap Circuit Studied by Numerical Simulation	
H. Wang, Y. Wang, H. Dong, Y. Zhang, X. Xie, H.-J. Krause, A. Offenhäusser	127
Improved Characteristics of Integrated HTS rf SQUID on Bicrystal SrTiO ₃ Substrate Resonator Covered with HTS Thin Films in Flip-Chip Geometry	
Y. Hatsukade, M. Takemoto, R. Kurosawa, Y. Uchida, S. Tanaka	133
Magnetic Shielding Simulation of Superconducting Film Magnetic Shield Covering Directly Coupled HTS dc-SQUID Magnetometer	
N. Terauchi, S. Noguchi, H. Igarashi, Y. Hatsukade, S. Tanaka	138

Integrated Directly-Coupled SQUID Magnetometer and Gradiometer C.-Y. Chang, C.-M. Hsu, J.-T. Jeng	144
Prediction of Initiation Site of Destruction of Flat Braided Carbon Fiber Composites using HTS-SQUID Gradiometer Y. Shinyama, Y. Hatsukade, S. Tanaka, Y. Takai, M.S. Aly-Hassan, A. Nakai, H. Hamada	150
Multi-Channel High-Tc SQUID Detection System for Metallic Contaminants Y. Kitamura, Y. Hatsukade, S. Tanaka, T. Ohtani, S. Suzuki	156
Development of a SQUID-based Low-Field NMR/MRI System M. Miyamoto, J. Hatta, D. Oyama, Y. Adachi, J. Kawai, G. Uehara, T. Ohkubo	162
Hilbert Spectral Analysis of THz Radiation Sources by High-Tc Josephson Detectors Y. Divin, M. Lyatti, U. Poppe.	166
Pulse-Height Distribution Analysis for Superconducting Nanostripline Ion Detector with a Fast Pulse-Integration Analog-to-Digital Converter K. Suzuki, M. Ukibe, S. Shiki, S. Miki, Z. Wang, Y. Takahashi, N. Yoshikawa, M. Ohkubo	172
Fabrication and Microwave Properties of Asymmetric Dual-Band High-Tc Superconducting Filter L.-M. Wang, S.-H. Lin, Y.-S. Chang, J.-W. Liu.	177
Closed Form Formulas for Distributed Circuit Model of Discontinuities in HTS Microstrip Transmission Lines S.M.H. Javadzadeh, Z.M. Mamaghany, F. Farzaneh, M. Fardmanesh	183
Parasitic Losses in Nb Superconducting Resonators J.M. Hornibrook, E.E. Mitchell, C.J. Lewis, D.J. Reilly	187
Josephson Spectrometer with Waveguide Coupling for Liquid Identification M. Lyatti, U. Poppe, Y. Divin.	193
Generation and Detection of THz Radiation using Intrinsic Josephson Junctions A. Irie, D. Oikawa, G. Oya	199
Proximity Effect in BSCCO Intrinsic Josephson Junctions Contacted with a Normal Metal Layer M. Suzuki, M. Koizumi, M. Ohmaki, I. Kakeya, Yu.M. Shukrinov	205
Niobium and Aluminum Josephson Junctions Fabricated with a Damascene CMP Process A. Ramzi, S.A. Charlebois, P. Krantz.	211
Trimming of High-Tc Bicrystal Josephson Junctions by Ozone and Vacuum Annealing I.I. Gundareva, V.N. Gubankov, Y.Y. Divin, M.V. Lyatti, V.V. Pavlovskiy, O.Y. Volkov	217
Infrared Response in the 95 to 300 K Temperature Range of Detectors based on Oxygen-Depleted Y-Ba-Cu-O Thin Films A.J. Kreisler, V.S. Jagtap, A.F. Dégardin.	223
Investigation of Robust CMOS Amplifiers for Josephson-CMOS Hybrid Memories H. Jin, K. Kuwabara, Y. Yamanashi, N. Yoshikawa	229
Bipolar Quantum Voltage Generator based on Zero Crossing Shapiro Steps in Asymmetric 2J-SQUIDs M. Moriya, N. Kondo, Y. Mizugaki	235
Investigation of the Superconducting Properties of Nb Filmscovered by PECVD a-Si:H Layers for Superconducting Qubit Application A.Bruno, P. Mengucci, L.V. Meraldo, M.P. Lisitskiy	239
Investigation of Dielectric Losses in Hydrogenated Amorphoussilicon (a-Si:H) Thin Films using Superconducting Microwave Resonators A. Bruno, S.T. Skacel, Ch. Kaiser, S. Wunsch, M. Siegel, A.V. Ustinov, M.P. Lisitskiy	245
Implementation of SFQ Microwave Choppers for Controlling Quantum Bits S. Miura, N. Takeuchi, Y. Yamanashi, N. Yoshikawa	250
Operation of YBCO Current Leads as Bias Lines to Cryocooler-Mounted 4 K Superconducting Electronics R.J. Webber, J. Delmas	256
Fabrication of Superconducting Quantum Interference Device Magnetometers on a Glass Epoxy Polyimide Resin Substrate with Copper Terminals J. Kawai, M. Kawabata, D. Oyama, G. Uehara	262
Integration of a Cryocooler into a SQUID Magnetospinography System for Reduction of Liquid Helium Consumption Y. Adachi, D. Oyama, J. Kawai, H. Ogata, G. Uehara.	268
Permanent Magnet Pre-Polarization in Low Field MRI Measurements using SQUID C. Liu, Y. Zhang, L. Qiu, H. Dong, H.-J. Krause, X. Xie, A. Offenhüsser, M. Jiang	274
Real-Time Coil Position Monitoring System for Biomagnetic Measurements D. Oyama, Y. Adachi, M. Higuchi, J. Kawai, K. Kobayashi, G. Uehara.	280
Multi-Channel Magnetocardiography System based on Low-Tc SQUIDs in an Unshielded Environment X. Kong, S. Zhang, Y. Wang, J. Zeng, X. Xie	286
Magnetic Nanoparticle Characterization using Nano-SQUID based on Niobium Dayem Bridges R. Russo, E. Esposito, C. Granata, A. Vettoliere, M. Russo, C. Cannas, D. Peddis, D. Fiorani	293
High-Resolution Magnetic Field Measurement using a STM-SQUID N. Watanabe, Y. Miyato, M. Tachiki, T. Hayashi, D. He, H. Itozaki	300
Novel Stable and Reliable Readout Electronics for HTS rf SQUID H.-J. Krause, N. Wolters, Y. Zhang	306
Relationship between the Heat Flow and the Current through a Superconducting Tunnel Junction V.V. Samedov, B.M. Tulinov.	312
RF Conductivity and Surface Impedance of a Superconductor Taking into Account the Complex Superconducting Gap Energy T. Noguchi, M. Naruse, Y. Sekimoto	318

NbN Superconducting Single-Photon Detector with Bilayer Structure H. Shibata, N. Kaina, T. Seki, Y. Tokura, N. Imoto	324
Non-Uniform Absorption of Terahertz Radiation in Superconducting Hot Electron Bolometer Mixers W. Miao, W. Zhang, Y. Delorme, R. Lefevre, A. Feret, S.C. Shi	330
Spectral Response and Noise Temperature of a 2.5 THz Spiral Antenna Coupled NbN HEB Mixer W. Zhang, W. Miao, Q.J. Yao, Z.H. Lin, S.C. Shi, J.R. Gao, G.N. Goltsman	334
Radiation Power Characterization and Optimization of Stack of Intrinsic Josephson Junctions A. Kokabi, H. Kamrani, A. Moftakharzadeh, M. Fardmanesh	338
Shapiro Step Response of Intrinsic Josephson Junctions of $(\text{Bi}_{1-x}\text{Pb}_x)_2\text{Sr}_2\text{CaCu}_2\text{O}_y$ at Elevated Temperatures G. Oya, T. Miyasaka, M. Kitamura, A. Irie	343
Experimental Demonstration of an Operand Routing Network Prototype Employing Clock Control and Data Synchronization Scheme I. Kataeva, H. Akaike, A. Fujimaki, N. Yoshikawa, N. Takagi	349
The Irreversibility Line and Curie-Weiss Temperature of the Superconductor $\text{LaCaBaCu}_{3-x}(\text{BO}_3)_x$ with $x=0.2$ and 0.3 L. De Los Santos Valladares, A. Bustamante, R. Bellido, W. Flores, J. Albino Aguiar, C.H.W. Barnes, Y. Majima	354
Developing Superconducting Flux Qubit by using Epitaxial NbN/AlN/NbN Junction W. Qiu, K. Makise, H. Terai, Z. Wang	360
Development of Energy-Efficient Cryogenic Leads with High Temperature Superconducting Films on Ceramic Substrates A.V. Pan, S.A. Fedoseev, O.V. Shcherbakova, I.A. Golovchanskiy, S. Zhou, S.X. Dou, R.J. Webber, O.A. Mukhanov, T. Yamashita, R. Taylor	365
Investigation of Current Noise in Underdamped Josephson Devices by Switching Current Measurements C. Granata, R. Russo, A. Vettoliere, L. Longobardi, P. Silvestrini, M. Russo, B. Ruggiero	371
Double rf-SQUIDS Operating in a Non-Adiabatic Regime: A Dream Comes True? B. Chesca	377
Niobium dc SQUIDS with Nanobridge Junctions E.E. Mitchell, S.K.H. Lam	382
Magnetic Field Improved ULF-NMR Measurement in an Unshielded Laboratory using a Low-Tc SQUID L. Qiu, C. Liu, H. Dong, L. Xu, Y. Zhang, H.-J. Krause, X. Xie	388
Laser SQUID Microscope for the Evaluation of Solar Cell Y. Nakatani, T. Hayashi, Y. Miyato, H. Itozaki	394
Performance of Pickup Coil Made of Litz Wire and Coupled to HTS SQUID K. Enpuku, R. Momotomi, T. Mihaya, M. Matsuo, T. Yoshida, A. Kandori, K. Tanabe, S. Adachi, A. Tsukamoto	400
Thermal Depinning of Abrikosov Vortices in a Nb Polycrystalline Bulk Absorber for Gamma-Ray Superconducting Detector M.P. Lisitskiy, A.P. Volodin, A. Bruno, C. Van Haesendonck	405
Synchronization of Self-Heated Josephson Junctions by a Superconducting Resonator A. Grib, P. Seidel	411
Pico Pulse Response Analysis of HTS Microstrip Line using Two Dimensional Time Dependent Ginzburg-Landau Equation S. Yoshimori, F. Daouda, K. Sou	417
Quasi Static Modeling of Weak Nonlinearity in Superconducting Transmission Lines with Sub-Wavelength Non-Uniformity S.M.H. Javadzadeh, Z.M. Mamaghany, F. Farzaneh, K. Mehrany, M. Fardmanesh	421
A HTS Balun on Lanthanum Aluminate Substrate X. Zhang, X. He, Q. Zhang, G. Li, X. Wang, J. Wang, Y. Bian, L. Sun, C. Li, H. Li, Y. He	425
Improved Power Handling Capability of Superconducting Microstrip Lines for Microwave Devices S. Ohshima, M. Endo, K. Takeda, K. Nakagawa, T. Honma, S. Sato, S. Takahashi, Y. Tanaka, A. Saito	429
Secure Communication Application of Josephson Tetrode in THz Region N.B.M. Sahri, S. Yoshimori	435
Bias Reversal Technique in SQUID Bootstrap Circuit (SBC) Scheme L. Rong, Y. Zhang, G. Zhang, J. Wu, H. Dong, L. Qiu, X. Xie, A. Offenhäusser	441
Extruded YBCO HTS Single Domain Bulk Materials for Permanent Magnets D. Kenfaui, X. Chaud, E. Louradour, J.G. Noudem	447
Magnetic Properties of the Melt-Textured $(\text{Nd,Eu,Gd})\text{Ba}_2\text{Cu}_3\text{O}_y$ Superconductors Doped by Nanoparticles of Refractory Metals M. Jirsa, M. Muralidhar, M. Rameš	453
Fracture Toughness Properties of Gd123 Superconducting Bulks H. Fujimoto, A. Murakami	458
Pinning Properties of PLD $(\text{Nd}_x\text{Sm}_x\text{Gd}_{1-2x})\text{Ba}_2\text{Cu}_3\text{O}_{7-\delta}$ Thin films X.-F. Li, J.-C. Grivel, Y. Zhao, D. He	463
Superconducting Properties of MgB_2 with Addition of Other AlB_2 -type Diborides and Carbon Sources, Prepared using High Energy Ball Milling and HIP D. Rodrigues Jr., L.B.S. da Silva, V.C.V. Metzner, E.E. Hellstrom	468
Superconductivity in Multi-Phase Mg-B-O Compounds T. Prikhna, W. Gawalek, M. Eisterer, H.W. Weber, J. Noudem, V. Sokolovsky, X. Chaud, V. Moshchil, M. Karpets, V. Kovylaev, A. Borimskiy, V. Tkach, A. Kozyrev, R. Kuznetsov, J. Dellith, C. Schmidt, T. Basyuk, D. Litzkendorf, F. Karau, U. Dittrich, M. Tomsic	475
Electron Tunneling Spectroscopic Measurements on Al-doped MgB_2 Thin Films A.G. Zaitsev, R. Schneider, O. de la Peña-Seaman, R. de Coss, R. Heid, K.-P. Bohnen, J. Geerk	479

High Efficient Synthesis of Iron-based Superconductors A.-H. Fang, F.-Q. Huang, X.-M. Xie, M.-H. Jiang.	485
The Effect of Ta and Ti Additions on the Strain Sensitivity of Bulk Niobium-Tin M.G.T. Mentink, M.M.J. Dhalle, D.R. Dietderich, A. Godeke, W. Goldacker, F. Hellman, H.H.J. ten Kate, M.D. Sumption, M.A. Susner	491
In-Situ Synchrotron X-ray Study of the Phase and Texture Evolution of Ceria and Superconductor Films Deposited by Chemical Solution Method Y. Zhao, J.C. Grivel, D. He, P.G.A.P. Pallewatta, A.B. Abrahamsen, J. Bednarčík, M.v. Zimmermann	497
Magnetic Field Dependent Photoinduced Superconductivity and its Oxygen-Deficient Dependency in Undoped and BZO-Doped YBCO Thin Films H. Huhtinen, M. Irjala, P. Paturi	503
Systematic Modification of Electrical and Superconducting Properties of YBCO and Nano-Patterning of High- T_c Superconducting Thin Films by Light-Ion Irradiation J.D. Pedarnig, M.A. Bodea, B. Steiger, W. Markowitsch, W. Lang	508
Combinatorial Synthesis of $(Y_xGd_{1-x})Ba_2Cu_3O_y$ Superconducting Thin Films A. Kirchner, M. Erbe, T. Freudenberg, R. Hühne, J. Feys, I. Van Driessche, L. Schultz, B. Holzapfel	514
TFA-MOD (Metal Organic Deposition using Trifluoroacetates) Films with Thickness Greater Than 1 Micron by a Single Deposition T. Araki, M. Hayashi, H. Fuke	520
Epitaxial Growth of $YBa_2Cu_3O_7$ Films onto $LaAlO_3(100)$ by using Oxalates A. Bustamante, L. León, J. Garcia, J. Flores, L. De Los Santos Valladares, J.C. Gonzalez, A. Osorio, M. Pillaca	526
Electrodynamics of $(Nd,Eu,Gd)Ba_2Cu_3O_y$ Single Crystals M. Rameš, V. Železný, V.T. Phuoc, F. Gervais, T. Wolf, M. Jirsa	532
Batch Production of YBCO Disks for Levitation Applications V. Plechacek, M. Jirsa, M. Rames, M. Muralidhar	538
Addition of Iridium to the Biopolymer-Mediated Synthesis of $YBa_2Cu_3O_{7-\delta}$ S.C. Wimbush, W. Marx, A. Barth, S.R. Hall	544
Effects of Pt Content on Mechanical Properties of Dy123 Bulks A. Murakami, K. Otake, T. Miura, A. Iwamoto	551
Investigation of Microstructure and Superconducting Properties in the Fe-B Magnetic Particles Doped $GdBa_2Cu_3O_{7-\delta}/Ag_2O$ and $GdBa_2Cu_3O_{7-\delta}/nano-Ag$ Superconducting Bulks K. Xu, D. Zhou, B. Li, S. Hara, M. Izumi	557
Synthesis of the Superconductor $La(La_{0.15}Ba_{0.85})_2Cu_3O_7$ M. Valerio, A. Bustamante, L. León, J. Flores, J. C. González	563
Synthesis of RE123 Melt-Solidified Bulks under Low Pressure Pure Oxygen K. Yohei, S. Jun-ichi, Y. Akiyasu, O. Hiraku, K. Kohji	568
Recent Progress in HTS Bulk Technology and Performance at NSC H. Teshima, M. Morita	572
Synthesis and Rietveld Refinement of $(Y_{1-x}Pr_x)Ba_2Cu_3O_7$ Compound J. Flores, A. Bustamante, J. Feijoo, J. C. Gonzalez, D. Sanchez, G. Cernicchiaro	576
Two-Axis Magnetic Field Orientation Dependence of Critical Current in Full-Width REBCO Coated Conductors S.C. Hopkins, M. Woźniak, B. A. Glowacki, Y. Chen, I. Kesgin, V. Selvamanickam	582
Temperature Dependences of Jump Voltage in $Bi_2Sr_2CaCu_2O_x$ Intrinsic Josephson Junctions T. Katoa, A. Kawakami, K. Okanoue, K. Yasui, K. Hamasaki	588
Pulse Current Measurement of $Bi_2Sr_2CaCu_2O_x$ Intrinsic Josephson Junctions T. Katoa, S. Sunaga, K. Yasui, K. Hamasaki	592
Temperature Rise of Copper and HTSC Tapes in Liquid Nitrogen by a Step-wise Current Pulse P.N. Degtyarenko, I.N. Dul'kin, L.M. Fisher, G.I. Garas'ko, A.V. Kalinov, S.B. Vavilov, I.F. Voloshin	596
In Situ X-ray Diffraction Study of the Formation of Fe(Se,Te) from Various Precursors J.-C. Grivel, Y. Zhao, A.C. Wulff, P.G.A.P. Pallewatta, J. Bednarčík, M.v. Zimmermann	600
Effect of Mn Substitution on the Thermal Expansion of $EuBa_2Cu_3O_{7-\delta}$ A. Rao	606
THz Phonon Spectroscopy of Bi-2223 and Bi-2212: Evidence for Phonon Pairing Ya.G. Ponomarev, H.H. Van	611
Investigation of Superconductor Uniformity in CC Tapes by Magnetic Field Mapping M. Solovyov, J. Šouc, F. Gömöry	617
Magneto-Optical Imaging of Columnar YBCO Films P. Mikheenko, V.V. Yurchenko, J.L. Tanner, A.J. Qviller, Y.M. Galperin, J.I. Vestgården, A. Crisan, T.H. Johansen	623
Correlation between Phase Separation and Transport Properties in C-CVD MgB_2 M. Paoletta, A. Kulak, E.A. Young	629
Fine Structure of Thermal Runaway Process in the V_3Si Single-Crystal Superconductor as a Result of Pinning Center Response V.V. Chabanenko, B.N. Kodess, S.V. Vasiliev, A. Nabisiek, N.V. Kuzovoi, E. Kuchuk, S.A. Kononogov, H. Szymczak	634
Single Crystal Growth and Transport Properties of Cu-Doped Topological Insulator Bi_2Se_3 Z.J. Li, Y. Liu, S.C. White, P. Wahl, X.M. Xie, M.H. Jiang, C.T. Lin	638
Examination of the Scaling Behavior of Critical Properties in $MgB_2/SiC/Si$ Thin Films A. Nishida, C. Taka, S. Chromik, R. Durny	644

Flux Pinning Properties of REBa ₂ Cu ₃ O _y Films Fabricated by a Metal-Organic Deposition using Metal-naphthenates and 2-ethylhexanates K. Matsumoto, O. Miura, R. Kita	649
Point Contact based Method to Measure Critical Current Density of Superconductor Bulk N. Hosseini, S. Kananian, A. Zabetian, M. Fardmanesh	655
Properties of Pr-and BZO-Doped YBCO Multilayers P. Paturi, H. Palonen, H. Huhtinen	661
Critical Current Properties of <i>c</i> -Axis Oriented Bi(Pb)2223 Bulks Sintered under High Gas Pressures K. Obata, J. Shimoyama, A. Yamamoto, H. Ogino, K. Kishio, S. Kobayashi, K. Hayashi.	665
Evidence for a Two Step Vortex Matter Melting in Irradiated Bi ₂ Sr ₂ CaCu ₂ O _{8+δ} Single Crystals V. Shaidiuk, L. Ammor, A. Ruyter.	669
Experimental Study on Plasticity of Current-Driven Vortex Lattices Interacting with Disorder in Bi ₂ Sr ₂ Ca ₁ Cu ₂ O ₈ Single Crystal V. Shaidiuk, L. Ammor, A. Ruyter.	675
Critical Current and Junction between Pancake Studies for HTS Coil Design T. Lécresse, J.M Gheller, O. Louchart, J.M Rey, P. Tixador	681
Three-Dimensional Simulation of Magnetic Flux Dynamics and Temperature Rise in HTSC Bulk during Pulsed Field Magnetization H. Fujishiro, T. Naito, M. Oyama.	687
Condensation Energy Density Properties of Ba-122 Pnictide Superconductor with Columnar Defects Introduced by Heavy-Ion Irradiation E.S. Otabe, K. Myose, K. Murakami, M. Kiuchi, T. Matsushita, J. Ge, B. Ni, Y. Nakajima, T. Tamegai	693
Flux Creep in the Quasi-1D Superconducting Carbide Sc ₃ Co ₄ M. Baenitz, E.-W. Scheidt, K. Lüders, W. Scherer	698
Critical Current Densities and Force-Displacement Characteristics of Fluxoids in Ba _{1-x} K _x Fe ₂ As ₂ Single Crystal B. Ni, J. Ge, M. Kiuchi, E.S. Otabe, T. Matsushita, C. Wang, D. Wang, Y. Ma	704
Magnetic Relaxation in FeTe _{0.7} Se _{0.3} M. Bonura, E. Giannini, R. Viennois, C. Senatore.	710
Model of Reversible Strain Dependences of Critical Current in YBCO-based Coated Conductors and Epitaxial PLD Films A. Semenov, C. Tretiatchenko, V. Svetchnikov, V. Moskaliuk, V. Pan	716
Relationship between Crystal Structures and Physical Properties in Iron Arsenides with Perovskite-type Layers H. Ogino, S. Sato, K. Kishio, J. Shimoyama	722
New Layered Nickel Arsenides (Ni ₂ As ₂)(Ba ₃ Sc ₂ O ₅), (Ni ₂ As ₂)(Ba ₄ Sc ₂ O ₆) and (Ni ₂ As ₂)(Ba ₄ Sc ₃ O ₈) K. Machida, H. Ogino, A. Yamamoto, K. Kishio, J.-i. Shimoyama	727
Inverse Iron Isotope Effect in FeSe _{0.35} Te _{0.65} Y. Tsuge, A. Iyo, Y. Tanaka, H. Eisaki, T. Nishio.	731
Possible Room-Tc Superconductor with in-plane Ginzburg Sandwichin Cuprate-and Pnictide-like family of Compounds L.S. Mazov	735
Multi-Functional Current Multiplier by High Temperature Superconducting Magnet Energy Storage S. Yamada, Y. Hishinuma, Y. Aso	741
Superconducting Electric Machine with Permanent Magnets and Bulk HTS Elements A.V. Levin, P.S. Vasich, D.S. Dezhin, L.K. Kovalev, K.L. Kovalev, V.N. Poltavets, V.T. Penkin	747
Design Study of Coated Conductor Direct Drive Wind Turbine Generator for Small Scale Demonstration A.B. Abrahamsen, B.B. Jensen.	753
A Transverse Flux High-Temperature Superconducting Generator Topology for Large Direct Drive Wind Turbines O. Keysan, M.A. Mueller	759
Project SUTOR Superconducting Speed-Controlled Torque Motor for 25.000Nm B. Oswald, A.T.A.M. de Waele, M. Söll, T. Reis, T. Maier, J. Oswald, J. Teigelkötter, T. Kowalski	765
An HTS Machine Laboratory Prototype N. Mijatovic, B.B. Jensen, C. Træholta, A.B. Abrahamsen, V.M.R. Zermeno, N.F. Pedersen	771
Extended Magnetization of Superconducting Pellets in Highly Inhomogeneous Magnetic Field R. Maynou, J. López, X. Granados, R. Torres, R. Bosch.	777
Simulation of an HTS Synchronous Superconducting Generator V.M.R. Zermeno, A.B. Abrahamsen, N. Mijatovic, M.P. Sorensen, B.B. Jensen, N.F. Pedersen.	786
SST-1 Magnet System Refurbishment: An Update S. Pradhan, SST-1 Mission Team.	791
Radiation Hardened Superconducting Mixed Multipole Magnet Designs for FRIB S.S. Chouhan, M.A. Green, A.F. Zeller	797
Development of Bi-2212 Insert Coils for Ultra High Field Magnet Applications Z. Melhem, S. Ball, S. Chappell	805
Heat Treatment Optimizations for Wind-and-React Bi-2212 Racetrack Coils A. Godeke, D.W. Cheng, D.R. Dietderich, M.G.T. Mentink, S.O. Prestemon, G.L. Sabbi.	812
Novel Ways of Heat Removal from Highly Irradiated Superconducting Windings in Accelerator Magnets E.R. Bielert, A.P. Verweij, H.H.J. ten Kate	818
Dipole Magnet from High Tc Superconductor G. Nielsen, N. Zangenberg, D. Hazelton, N. Hauge, B.R. Nielsen, S.P. Møller, A. Baurichter	824
Risk Mitigation in the Development of a Roebel Cable based 1 MVA HTS Transformer N. Glasson, M. Staines, R. Badcock, L. Ward, N. Allpress, K. Thakur, M. Pannu	830

Detailed Review and Application of the 3-Phase Self-Limiting Transformer with Magnetic Flux Applied J. Kosa	835
Current Limitation and Recovery Function for Superconducting Fault Current Limiting Transformer (SFCLT) J. Himbele, H. Kojima, N. Hayakawa, M. Hanai, H. Okubo	841
Design and Development of the First Polish Superconducting Fault Current Limiter For MV Distribution Systems J. Kozak, M. Majka, T. Janowski, S. Kozak	845
Design and Evaluation of 66 kV-class “3-in-One” HTS Cable using REBCO Wires M. Ohya, H. Hirota, T. Masuda, N. Amemiya, A. Ishiyama, T. Ohkuma	849
First Tests of Twisted-Pair HTS 1 kA Range Cables for Use in Superconducting Links A. Ballarino, J. Fleiter, J. Hurte, M. Sitko, G. Willering	855
Measurement of AC Loss in Individual Turns of an HTS Solenoid M. Staines, Z. Jiang	859
Trapped Field Attenuation Characteristics of HTS Bulk Magnet Exposed to External Traveling-Wave Magnetic Field in an HTSLSM J. Jin, L. Zheng	866
Quench Calculations and Measurements on the FAIR Super-FRS Dipole P. Szwangruber, F. Toral, E. Floch, I. Rodriguez, H. Leibrock, X. Yu, W. Wu, M. Lizhen, W. Wei, X. Zhang, B. Guo, A. Zeller, T. Weiland	872
Construction and Performance of Small-Sized Coated Conductor Pancake Coils for Surgical Applications Y. Ge, R. Lewin, R. Cahill, N. Mortensen, H. Jones	878
Novel Grid Concepts for Urban Area Power Supply M. Stemmler, F. Merschel, M. Noe, L. Hofmann, A. Hobl	884
Integration of HTS Cables in the Future Grid of the Netherlands R. Zuijderduin, O. Chevchenko, J.J. Smit, G. Aanhaanen, I. Melnik, A. Geschiere	890
Prospective of Applications of Superconducting Fault Current Limiters in Chinese Power Grids Z.L. Chen, W.Z. Gong, A.L. Ren, M.R. Zi, Z.Q. Xiong, D.J. Si, F. Ye	894
Study on the SMES Application Solutions for Smart Grid J.X. Jin, X.Y. Chen	902
Application of Superconducting Power Cables to DC Electric Railway Systems H. Ohsaki, Z. Lv, M. Sekino, M. Tomita	908
Development, Testing and Installation of a Superconducting Fault Current Limiter for Medium Voltage Distribution Networks L. Martini, M. Bocchi, M. Ascade, A. Valzasina, V. Rossi, G. Angeli, C. Ravetta	914
Superconducting Fault Current Limiter for Transmission Voltage H.-P. Kraemer, W. Schmidt, H. Cai, B. Gamble, D. Madura, T. MacDonald, J. McNamara, W. Romanosky, G. Snitchler, N. Lallouet, F. Schmidt, S. Ahmed	921
Design and Manufacture of 20 kA HTS Current Leads for a Hybrid Magnet System R. Wesche, P. Bruzzone, S. March, M. Vogel, H. Ehmler, P. Smeibidl	927
Development of ITER HTS Current Lead at ASIPP K. Ding, Y. Bi, H. Feng, X. Huang, C. Liu, X. Lin, Q. Ni, G. Shen, Y. Song, J. Tang, H. Wu, J. Yu, T. Zhou	931
High Force Magnetic Levitation using Magnetized Superconducting Bulks as a Field Source for Bearing Applications A. Patel, G. Giunchi, A.F. Albisetti, Y. Shi, S.C. Hopkins, R. Palka, D.A. Cardwell, B.A. Glowacki	937
Operational Tests of a Full Scale Superconducting MagLev Vehicle unit G.G. Sotelo, D.H.N. Dias, E.S. Motta, F. Sass, A.C. Ferreira, R. de Andrade Jr., R.M. Stephan	943
Bulk Superconductors in Mobile Application F.N. Werfel, U.F. Delor, R. Rothfeld, T. Riedel, D. Wippich, B. Goebel, P. Schirrmeister	948
Application of High-Field Superconducting Magnet to Protein Crystallization H. Wada, N. Hirota, S. Matsumoto, H. Okada, M. Kiyohara, T. Ode, M. Tanokura, A. Nakamura, J. Ohtsuka, A. Kita, N. Numoto, T. Kashiwagi, E.-i. Suzuki	953
Pulsed-Field Magnetization Properties of Bulk Superconductors by Employment of Vortex-Type Coils Z. Deng, N. Shinohara, M. Miki, B. Felder, K. Tsuzuki, M. Watasaki, S. Kawabe, R. Taguchi, M. Izumi	958
Performance Calculation of High Temperature Superconducting Hysteresis Motor using Finite Element Method G. Konar, N. Chakraborty, J. Das	963
The Thrust and Normal Force Characteristics of a Single-Sided HTSLSM J. Jin, L. Zheng	969
Lumped Parameters Equivalent Circuit of a Superconducting Hysteresis Motor D. Inácio, J.M. Pina, J. Martins, M.V. Neves, A. Álvarez	975
Measurement of AC Losses in a Racetrack Superconducting Coil Made from YBCO Coated Conductor E. Seiler, A.B. Abrahamsen, J. Kováč, M. Wichmann, C. Træholt	980
Operational Merits of Maritime Superconductivity R. Ross, J.J. Bosklopper, K.H. van der Meij	985
Homogeneous Current Distribution in Multi-Laminated HTS Tape Conductor for Pancake Coil of SMES T. Hamajima, Y. Chiba, N. Atomura, T. Takahashi, D. Miyagi, M. Tsuda, K. Shikimachi, N. Hirano, S. Nagaya	989
Analysis and Modeling of the Steady-State and Dynamic-State Discharge in SMES System X.Y. Chen, J.X. Jin	995
A Cryogenic DC-DC Power Converter for a 100 kW Synchronous HTS Generator at Liquid Nitrogen Temperatures W. Bailey, H. Wen, Y. Yang, A. Forsyth, C. Jia	1002

Coated Conductors for the Magnetic Bearing Application F. Sass, D.H.N. Dias, G.G. Sotelo, R.d.A. Júnior.	1008
Prototype of a Disc-Type HTS Bearing O.L. Polushchenko, N.A. Nizhelskiy, V.A. Matveev, V.N. Gerdi	1014
A Measurement Testing Setup of the Characteristic Properties for High Temperature Superconducting Bearing Systems Q. Lin, D. Jiang, J. Wang, G. Ma, F. Yen, Z. Deng, J. Zheng, S. Wang	1020
Optimization of the Force Modeling between High Temperature Superconductor and Permanent Magnet A. Cansiz, E.A. Oral, O. Gundogdu	1025
Design of an HTS Levitated Double-Sided HTSLSM for Maglev L. Zheng, J. Jin, Y. Guo, J. Zhu	1031
A Superconducting Levitation Transport Model System for Dynamical and Didactical Studies St. Rosenzweig, E. Reich, V. Neu, D. Berger, K. Peukert, B. Holzapfel, L. Schultz, G. Pospiech	1037
Anisotropy Effect on Levitation Performance of Bulk High- T_c Superconductors above a Permanent Magnet Guideway J. Zheng, X. Liao, H. Jing, Q. Lin, G. Ma, F. Yen, S. Wang, J. Wang.	1043
Dynamical Tests in a Linear Superconducting Magnetic Bearing D.H.N. Dias, G.G. Sotelo, F. Sass, E.S. Motta, R. de Andrade Jr, R.M. Stephan	1049
Torque Performance of YBaCuO Bulk above a Permanent Magnet Guideway Operating in a “Z” Type Movement with Different Angles R. Zeng, S. Wang, W. Liu, X. Liao, J. Zheng, J. Wang	1055
Influence of High Harmonics of Magnetic Fields on Trapped Magnetic Fluxes in HTS Bulk K. Yamagishi, D. Miyagi, O. Tsukamoto	1062
Magnetization Characteristics of Multiple Bulk Superconductors for Higher Field Applications Y. Terao, N. Okajima, M. Sekino, H. Ohsaki, H. Teshima, M. Morita	1067
Test Model for Study of the ITER PF1 Impregnation Procedure V. Tanchuka, S. Egorov, S. Korban, I. Rodin, A. Pugachev, K. Senik	1071
Methodological Study of Structural Analysis of LHD-type Fusion Magnet H. Tamura, N. Yanagi, T. Goto, K. Takahata, S. Imagawa, A. Sagara	1077
Cryogenic Test of the Full-Size Superconducting Magnet for the Booster Synchrotron of the NICA Project H. Khodzhibagiyan, A. Bazanov, A. Donyagin, A. Galimov, V. Karpinsky, G. Kuznetsov, P. Nikitaev, A. Smirnov, G. Trubnikov.	1083
AC Loss in the Superconducting Cables of the CERN Fast Cycled Magnet Prototype F. Borgnolutti, L. Bottura, A. Nijhuis, C. Zhou, B. Liu, Y. Miyoshi, H.J.G. Krooshoop, D. Richter	1087
A Superconducting Switch for Insertion Devices with Variable Period Length T. Holubek, T. Baumbach, S. Casalbuoni, S. Gerstl, A. Grau, M. Hagelstein, D.S.d. Jauregui, C. Boffo, W. Walter	1093
Possible Application of NbTi Artificial Pinning Centers Wire for Insertion Devices T. Holubek, S. Casalbuoni, S. Gerstl, A. Grau, D.S. de Jauregui, M. Kläser, Th. Schneider, L. Motowidlo	1098
A Possible Solution to Reduce Magnetic Losses in Transformer Cores Working at Liquid Nitrogen Temperature A.G. Pronto, M.V. Neves, A.L. Rodrigues.	1103
Theoretical Study on Ac Loss Properties of REBCO Superconducting Two-Strand Parallel Conductors Exposed to a Non-Uniform Magnetic Field K. Kumano, D. Moriwaki, M. Iwakuma, K. Funaki, H. Hayashi, H. Okamoto, Y. Gosho, T. Ohkuma, A. Tagomori, T. Izumi, Y. Shiohara	1109
Development of REBCO Superconducting Transformers with Current Limiting Function T. Tsutsumi, A. Tomioka, M. Iwakuma, H. Okamoto, Y. Gosho, H. Hayashi, Y. Iijima, T. Saito, T. Ohkuma, A. Tagomori, T. Izumi, Y. Shiohara	1115
Simplified Model of Contactless Air-Core Power Alternator and Transfer using Ideal Superconductor J.X. Jin, X.Y. Chen	1121
Overload and High Voltage Tests of Witness Samples of 200m HTS Power Cable A.A. Nosov, S.S. Fetisov, V.V. Zubko, N.V. Polyakova, V.S. Vysotsky, Yu.G. Shakaryan, A.N. Kiselev, A.Yu. Kovalenko	1127
Experiment of the 200-Meter Superconducting DC Transmission Power Cable in Chubu University S. Yamaguchi, Y. Ivanov, J. Sun, H. Watanabe, M. Hamabe, T. Kawahara, A. Iiyoshi, M. Sugino, H. Yamada.	1131
Operation Experience and Further Development of a High-Temperature Superconducting Power Cable in the Long Island Power Authority Grid F. Schmidt, J. Maguire, T. Welsh, S. Bratt.	1137
Electrical Model of Balanced AC HTS Power Cable R. Zuijderduin, O. Chevtchenko, J.J. Smit, D. Willén, I. Melnik, A. Geschiere	1145
AC HTS Transmission Cable for Integration into the Future EHV Grid of the Netherlands R. Zuijderduin, O. Chevtchenko, J.J. Smit, G. Aanhaanen, I. Melnik, A. Geschiere.	1149
Development of REBCO HTS Power Cables O. Maruyama, T. Ohkuma, T. Masuda, M. Ohya, S. Mukoyama, M. Yagi, T. Saitoh, N. Aoki, N. Amemiya, A. Ishiyama, N. Hayakawa	1153
Solenoid Winding using YBCO Roebel Cable R.A. Badcock, C. Bumby, Z. Jiang, N.J. Long.	1159
Development of Magnet Technologies for HTS Insert Coils R. Wesche, D. Uglietti, P. Bruzzone, S. March, C. Marinucci, B. Stepanov, N. Glowa	1165
Critical Currents and AC Losses in YBCO Coils A. Friedman, Y. Wolfus, F. Kopansky, Y. Yeshurun.	1169

Reduction of Thermal Loss in HTS Windings by using Magnetic Flux Deflection K. Tsuzuki, M. Miki, B. Felder, Y. Koshiba, M. Izumi, K. Umemoto, K. Aizawa, T. Yanamoto	1175
Simulation of Electromagnetic and Thermal Processes in Fastcycling Magnets for Calculation Parameters of Stability V. Zubko, S. Kozub, L. Tkachenko	1180
HTS Current Leads with Traveling Transition Point V.E. Keilin, V.R. Romanovskii	1185
Analysis of Magnetic Remanence Calculated in HTS by Pulse Magnetization Process Taking into Account the Temperature Effect J. López, R. Maynou, X. Granados, J. Grau, R. Bosch, C.H. Hsu	1189
Simulation Setup for Modeling the Thermal, Electric, and Magnetic Behavior of High Temperature Superconductors A. Henning, M. Lindmayer, M. Kurrat	1195
Time Dependent Ginzburg-Landau Equations for Modeling Vortices Dynamics in Type-II Superconductors with Defects under a Transport Current K.S. Grishakov, P.N. Degtyarenko, N.N. Degtyarenko, V.F. Elesin, V.S. Kruglov	1206
Electrical and Thermal View Points for Designing Conduction-Cooled Specimen Holder for Short Sample Testing J. Järvelä, A. Stenvall, R. Mikkonen	1211
Design and Test Results of a 1 MVA Resistive Type Fault Current Limiter V.E. Keilin, V.V. Lobyntsev, M.S. Novikov, S.J. Novikov, V.I. Shcherbakov	1215
Impact of Inhomogeneities in HTS Coated Conductors for Resistive FCLs D. Colangelo, S. Memiaghe, C. Lacroix, F. Sirois, B. Dutoit	1219
Investigation of Current Distribution in Multi-Tape HTS Samples M.S. Novikov, V.E. Keilin, V.V. Lobyntsev, S.I. Novikov, V.I. Shcherbakov	1225
Study on Recovery Performance of High T_c Superconducting Tapes for Resistive Type Superconducting Fault Current Limiter Applications S. kar, S. Kulkarni, M. Dixit, K.P. Singh, A. Gupta, P.V. Balasubramanyam, S.K. Sarangi, V.V. Rao	1231
2 Dimensional Temperature Measurement on YBCO Thin Film During S/N Transition Period by use of RuO ₂ Chip Resistor K. Hattori, J. Baba, M. Mori, T. Nitta, T. Kumagai, M. Shibuya	1236
Short-Circuit Tests and Simulations with a SCFCL Modular Assembly W.T.B.de Sousa, A. Polasek, R. Dias, F.A. Silva, F.C. Lopes, O.O. Filho, R. de Andrade Jr.	1242
Modeling and Simulation of Inductive Fault Current Limiters J.M. Pina, P. Pereira, A. Pronto, P. Arsénio, T. Silva	1248
Observation of Transient Behavior of Magnetic Flux in Inductive-type Fault Current Limiter with YBCO Thin Film Disc K. Higuchi, Y. Guan, Y. Yokomizu, T. Matsumura	1254
Novel 3-Phase Inductive Fault Current Limiter J. Kosa	1258
Superconducting DC Current Limiting Vacuum Circuit Breaker D.F. Alferov, M.R. Akhmetgareev, A.I. Budovskii, R.A. Bunin, I.F. Voloshin, P.N. Degtyarenko, D.V. Yevsin, V.P. Ivanov, V.A. Sidorov, L.M. Fisher, E.V. Tshai	1264
Comparative Analysis of Various Superconducting and Non-Superconducting Fault Current Limiting Devices Designed for Operation in a 110 kV/100 MW Power Network S.I. Kopylov, V.A. Altov, N.N. Balashov, S.S. Ivanov, V.V. Zheltov, V.D. Zemerikin	1268
Dynamic Model of an HTS Cable for Power Grid Simulation G. Del-Rosario-Calaf, A. Sumper, X. Granados, A. Sudria-Andreu, R. Villafafila-Robles	1272
Current Limiting and Recovery Characteristics under Load of Transformer Type SFCL with Rewound Structure using BSCCO Wire in Model Power System S. Noda, S. Oda, M. Mori, K. Hattori, J. Baba, Y. Shirai	1279
Low AC Loss in a 3 kA HTS Cable of the Dutch Project O. Chevtchenko, R. Zuijderduin, J. Smit, D. Willén, H. Lentge, C. Thidemann, C. Traeholt, I. Melnik, A. Geschiere	1285
Critical Current Distributions of BSCCO Tapes in the Multi-Layer HTS Conductors J. Sun, ShunYamauchi, H. Watanabe, M. Hamabe, T. Kawahara, S. Yamaguchi	1290
Superconducting Fault Current Limiting Cable (SFCLC) with Current Limitation and Recovery Function H. Kojima, F. Kato, N. Hayakawa, M. Hanai, H. Okubo	1296
Characterization of Bi-2223 Tapes for the Development of DC Superconducting Cable for Railways M. Tomita, K. Suzuki, Y. Fukumoto, A. Ishihara, M. Muralidhar	1301
Recent Progress in Electrical Insulation Techniques for HTS Power Apparatus N. Hayakawa, H. Kojima, M. Hanai, H. Okubo	1305
Low Friction Cryostat for HTS Power Cable of Dutch Project O. Chevtchenko, R. Zuijderduin, J. Smit, D. Willén, H. Lentge, C. Thidemann, C. Traeholt	1309
Recent Progress of Liquid Nitrogen Cooling System (LINCS) for Yokohama HTS Cable Project M. Watanabe, H. Yumura, H. Hirota, T. Masuda, M. Shimoda, R. Ohno, M. Ikeuchi, H. Yaguchi, H. Ichikawa, T. Mimura, S. Honjo, T. Hara	1313
Losses in Power Cables Made of 2G HTS Wires with Different Substrates S.S. Fetisov, V.V. Zubko, A.A. Nosov, N.V. Polyakova, V.S. Vysotsky	1319
Design Parameters for an HTS Flux Pump C. Hoffmann, R. Walsh, E. Karrer-Mueller, D. Pooke	1324

Studies of Breakdowns in Liquid Nitrogen at Different Pressures between Rogowski Electrodes M. Blaz, M. Kurrat	1330
First Electrical Characterization of Prototype 600 A HTS Twisted-Pair Cables at Different Temperatures Y. Yang, E.A. Young, W.O.S. Bailey, C. Beduz, A. Ballarino	1337
A Dual Operational Refrigerator/Flow Cryostat with Wide Bore Medium Field Magnet for Application Demonstration E.A. Young, W.O.S. Bailey, M.K. Al-Mosawi, C. Beduz, Y. Yang, S. Chappell, A. Twin	1343
Solid-Cryogen Cooling Technique for Superconducting Magnets of NMR and MRI Y. Iwasa, J. Bascuñán, S. Hahn, D.K. Park	1348
Main Design Principles of the Cold Beam Pipe in the Fast Ramped Superconducting Accelerator Magnets for Heavy Ion Synchrotron SIS100 A. Mierau, P. Schnizer, E. Fischer, J. Macavei, S. Wilfert, S. Koch, T. Weiland, R. Kurnishov, P. Shcherbakov	1354
Forced Convection Heat Transfer of Liquid Hydrogen through a 200-mm Long Heated Tube H. Tatsumoto, Y. Shirai, M. Shiotsu, K. Hata, Y. Naruo, H. Kobayashi, Y. Inatani, K. Kinoshita	1360
Heat Leak Measurement of the 200 m Superconducting DC Power Transmission System at Chubu University H. Watanabe, Y. Ivanov, J. Sun, M. Hamabe, T. Kawahara, S. Yamaguchi	1366
Design Study of LN ₂ Circulation in a Long SC Power Transmission Lines Y. Ivanov, H. Watanabe, M. Hamabe, T. Kawahara, J. Sun, S. Yamaguchi	1372
The Effect of Cooling Methods on the Performance of Solid Nitrogen Thermal Batteries A.L.L. Jarvis, B.M. Swann, J.C. Archer	1378
Over Current Properties of HTC Superconducting Wire Cooled by Liquid Hydrogen Y. Shirai, H. Kobayashi, T. Takegami, K. Hikawa, M. Shiotsu, H. Tatsumoto, Y. Naruo, H. Kobayashi, Y. Inatani, K. Kinoshita	1384
Equation of DNB Heat Flux for Upward Forced Flow of Cryogenic Liquids M. Shiotsu, H. Tatsumoto, Y. Shirai, K. Hata, Y. Naruo, H. Kobayashi, Y. Inatani, K. Kinoshita	1390
Proposal of a New Type of Superconducting Level Sensor for Liquid Hydrogen with MgB ₂ Wires K. Kajikawa, T. Inoue, K. Watanabe, M. Kanazawa, Y. Yamada, H. Kobayashi, H. Taguchi, I. Aoki	1396
Jelly Roll Processed Nb ₃ Sn Wires with Improved Superconducting Performances K. Tachikawa, T. Ando, N. Kaneda, T. Takeuchi	1402
Evolution of the Pinning Force of NbTi Filaments as a Function of Isothermal Annealing Time C.F. Zignani, G. De Marzi, L. Muzzi, J. Somerkoski	1406
Advanced Development of IBAD/PLD Coated Conductors at FUJIKURA M. Igarashi, K. Kakimoto, S. Hanyu, R. Kikutake, Y. Sutoh, R. Suzuki, M. Daibo, H. Fuji, H. Kutami, Y. Iijima, M. Itoh, T. Saitoh	1412
Working Around HTS Thickness Limitations-Towards 1000+Å/cm-Class Coated Conductors W. Prusseit, M. Bauer, V. Große, R. Semerad, G. Sigl, M. Dürrschnabel, Z. Aabdin, O. Eibl	1417
Topographic Changes in Ni-5at.%W Substrate after Annealing under Conditions of Buffer Layer Crystallization A.C. Wulff, O.V. Mishin, J.-C. Grivel	1423
New Material Requirements for Superconductor Grid Technology A.P. Malozemoff	1429
Development of Non-Magnetic Biaxially Textured Tape and MOCVD Processes for Coated Conductor Fabrication A.R. Kaul, S.V. Samoilenkov, V.A. Amelichev, G.A. Dosovitsky, A.A. Kamenev, A.S. Mankevich, A.V. Markelov, A.V. Blednov, S.A. Ibragimov, A.I. Kuchaev, A.P. Vavilov	1434
YBCO Superconductor Wire based on IBAD-Textured Templates and RCE of YBCO: Process Economics V. Matias, R.H. Hammond	1440
Growth Behavior of DyBa ₂ Cu ₃ O _{7-δ} Thin Films Deposited by Inclined Substrate Deposition for Coated Conductors Z. Aabdin, M. Dürrschnabel, M. Bauer, R. Semerad, V. Große, W. Prusseit, O. Eibl	1445
Inkjet Printing, Pyrolysis and Crystallization of YBa ₂ Cu ₃ O _{7-δ} Precursor Layers for Fully Chemical Solution Deposited Coated Conductors M.Mosiadz, K.L. Juda, K. Vandaele, S.C. Hopkins, A. Patel, B.A. Glowacki, I. Van Driessche, J. Soloducho, M. Falter, M. Backer	1450
Transport J _c Measurements of HTS Conductors under High Magnetic Field at LNCMI X. Chaud, F. Debray, E. Mossang, P. Tixador, J.M. Rey, T. Lecrevisse, C.E. Bruzek	1456
E-J Characteristic of 2G YBCO Coated Conductor Tapes at Different Temperatures I. Falorio, E.A. Young, Y. Yang	1462
High Throughput of Reel-to-Reel MOCVD-YBCO on Different CSD-and MOCVD-buffered Cube Textured Ni-substrates R. Muydinov, O. Stadel, M. Falter, M. Bäcker	1468
Coated Conductor Processing: Copper Stabilizer U. Floegel-Delor, T. Riedel, D. Wippich, B. Goebel, R. Rothfeld, P. Schirrmeister, F.N. Werfel, A. Usoskin, A. Rutt	1475
Influence of Carbon Doping on MgB ₂ Superconducting Properties D.N. Rakov, A.E. Vorobieva, P.V. Konovalov, E.V. Kotova, Yu.N. Belotelova, M.V. Polikarpova	1480
Microstructure and Superconducting Properties of Cu Addition MgB ₂ Multifilamentary Wires using Boron Isotope Powder as the Boron Source Material Y. Hishinuma, A. Kikuchi, K. Matsuda, K. Nishimura, Y. Kubota, S. Hata, S. Yamada, T. Takeuchi	1486
The Formation Mechanism of the Higher Performance V ₃ Ga Phase on the High Ga Content Cu-Ga Compound/V Diffusion Reaction through the High-Temperature XRD Analysis Y. Hishinuma, A. Kikuchi, S. Murakami, K. Matsuda, H. Taniguchi, T. Takeuchi	1492

The Influence of CuFe ₂ O ₄ Nanoparticles on Superconductivity of MgB ₂ N. Novosel, D. Pajić, Ž. Skoko, M. Mustapić, E. Babić, K. Zadro, J. Horvat	1498
Grain Structure and Irreversibility Line of a Bronze Route CuNb Reinforced Nb ₃ Sn Multifilamentary Wire M.J.R. Sandim, D. Stamopoulos, E. Aristomenopoulou, S. Zaefferer, D. Raabe, S. Awaji, K. Watanabe	1504
The Study of Nb ₃ Sn Phase Content and Structure Dependence on the Way of Ti Doping in Superconductors Produced by Bronze Route E. Dergunova, A. Vorobieva, I. Abdykhanov, K. Mareev, S. Balaev, R. Aliev, A. Shikov, A. Vasiliev, M. Presnyakov, A. Orekhov	1510
Metallurgical Processes in NbTi Filaments as a Function of Isothermal Annealing Time J. Somerkoski, C.F. Zignani, G. De Marzi, L. Muzzi	1516
AC Loss Properties of Laser-Scribed Multi-Filamentary GdBCO Coated Conductors with Artificial Pinning Centers T. Hayashi, S. Nakamura, M. Iwakuma, K. Funaki, A. Ibi, Y. Yamada, T. Izumi, Y. Shiohara, T. Saitoh, Y. Iijima	1522
Comparison of AC Transport Current Loss in Different YBCO Coated Conductor Tapes Measured at 4.2 K L. Frolek, J. Šouc	1528
Improved Poynting's Vector Method: AC Loss Measurement of HTS Tapes Formed into a Short Straight or a Solenoidal Coil F. Sumiyoshi, A. Kawagoe, Y. Haeyama, H. Sakuda, M. Mukai, M. Iwakuma, T. Izumi, Y. Shiohara	1534
La ₂ Zr ₂ O ₇ Buffer Layer Prepared on Cube Textured Ni-5at.%W Substrates by a Nitrate Route Y. Cheng, H. Suo, M. Liu, L. Ma	1540
Growth of Biaxially-Textured MgO Buffer Layers by Inclined Substrate Deposition M. Dürrschnabel, Z. Aabdin, V. Große, M. Bauer, G. Sigl, W. Prusseit, O. Eibl	1546
Growth and Characterization of La ₂ Zr ₂ O ₇ Buffer Layers Deposited by Chemical Solution Deposition A.A. Armenio, A. Augieri, F. Fabbri, R. Freda, V. Galluzzi, A. Mancini, F. Rizzo, A. Rufoloni, A. Vannozzi, G. Sotgiu, N. Pompeo, K. Torokhtii, E. Silva, E. Bemporad, G. Contini, G. Celentano	1552
Development and Realization Methods for the Study of Local Magnetic and Transport Characteristics of the Superconducting Tapes S.V. Pokrovskiy, I.A. Rudnev, A.I. Podlivaev	1558
The Decrease of the Critical Current of Coated Conductors When a Perpendicular Magnetic Field is Applied: A Josephson Effect Point of View C. McLoughlin, Y. Thimont, J. Noudem, C. Harnois, P. Bernstein	1564
Influence of Multiple Angled Columnar Defects on Critical Current Density and <i>n</i> -Value in YBCO Thin Films T. Sueyoshi, T. Nishimura, T. Fujiyoshi, F. Mitsugi, T. Ikegami, N. Ishikawa	1570
Influence of Deposition Temperature on Critical Current Properties for Nd:YAG-PLD-YBa ₂ Cu ₃ O ₇ Thin Films with Nanorods M. Haruta, N. Fujita, T. Maeda, S. Horii	1576
Activation Energy Distribution of MgB ₂ Wires M. Reissner, D. Proschofsky-Spindler, I. Hušek, M. Kulich, P. Kováč	1582
Effect of Partial Melting Parameters on the Microstructures and Critical Current Density of Bi-2212 Thick Films S. Zhang, C. Li, Q. Hao, L. Song, Y. Zhang, P. Zhang, R. Hu	1588
Improvement of the Critical Current of <i>in Situ</i> Cu-Sheathed MgB ₂ Wires by Copper Additions and Toluene Doping M. Woźniak, S.C. Hopkins, D. Gajda, B.A. Glowacki	1594
Effect of Ca Content on the Critical Current Density and Flux Pinning Properties of Ag Sheathed Bi-2212 Tapes C. Li, S. Zhang, Q. Hao, Y. Zhang, P. Zhang	1599
Test and Analysis of Spliced DI-BSCCO HTS Tapes S.S. Fetisov, D.V. Sotnikov, I.P. Radchenko, V.S. Vysotsky, G. Osabe, K. Kinoshita, J. Fujikami, S. Kobayashi, K. Yamazaki	1605
Specific Heat and Thermal Diffusivity of YBCO Coated Conductors T. Naito, H. Fujishiro, Yasuhisa Yamamura, K. Saito, H. Okamoto, H. Hayashi, Y. Gosho, T. Ohkuma, Y. Shiohara	1609
(RE)BCO Coated Conductor Joints in Dependence on Uniaxial Pressures R. Nast, B. Ringsdorf, A. Jung, B. Runtsch, W. Goldacker	1614
Study of Modified TFA-MOD Method for YBCO Film Growth C.S. Li, Y.F. Lu, P.X. Zhang, Z.M. Yu, B.W. Tao, J.Q. Feng, L.H. Jin	1620
Current Distribution in Wide YBCO Tapes M. Carrera, X. Granados, J. Amorós, T. Puig, X. Obradors	1625
An Explanation for Bends of 1-Dimensional Nanorods M. Mukaida, A. Ichinose, P. Mele, K. Mtsumoto, S. Horii, Y. Yoshida	1631
Influence of Gas Flow and Improvement of Homogeneity on the Distribution of Critical Current Density in YBCO Coated Conductor Processed by TFA-MOD Method K. Shiohara, K. Higashikawa, T. Kawaguchi, M. Inoue, T. Kiss, M. Yoshizumi, T. Izumi	1637
Partial Substitution of Rare-Earth Ions for Yttrium through Multi-Layer Precursors in the YBa ₂ Cu ₃ O ₇ Films Grown by Fluorine-Free Metal Organic Deposition H. Matsui, M. Sohma, I. Yamaguchi, T. Manabe, T. Kumagai	1643
Microstructure of Monolithic DyBa ₂ Cu ₃ O _{7-x} Coated Conductor Thick Films M. Dürrschnabel, Z. Aabdin, M. Bauer, V. Große, R. Semerad, W. Prusseit, O. Eibl	1649
Microstructure of BaZrO ₃ -Doped DyBa ₂ Cu ₃ O _{7-x} Coated Conductors Deposited by Inclined Substrate Deposition Z. Aabdin, M. Dürrschnabel, M. Bauer, V. Große, R. Semerad, W. Prusseit, O. Eibl	1655
Irreversibility lines and anomalous Meissner effect in Ba(Fe _{1-x} Co _x) ₂ As ₂ superconducting crystals O.F. de Lima, R.L. de Almeida, T.M. Garitezi, C. Adriano, P.F.S. Rosa, P.G. Pagliuso	1661