

**10th International Conference on
Progress of Machining Technology
(ICPMT2012)**

**Tsubame, Niigata, Japan
25 - 27 September 2012**

ISBN: 978-1-62993-056-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2012) by International Conference on Progress of Machining Technology (ICPMT)
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact ICPMT Secretariat
at the address below.

ICPMT Secretariat
Prof. Fan Rui
PO Box 705, Beijing University, RD# 37
Haidian District
100191 Beijing China

Phone: 86 10 82 317 471

icptm@buaa.edu.cn

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

HIGH SPEED CUTTING OF METALS: SHEAR BANDING AND CONSTITUTIVE MODELLING	1
<i>L. Zhang, C. Duan, C. Gao</i>	
HIGH SPEED MILLING OF DIFFICULT-TO-CUT MATERIALS WITH SMALL DIAMETER BALL END MILL	6
<i>T. Etsuo</i>	
INFLUENCE OF WORK MATERIAL ON FORM ACCURACY IN ULTRA-PRECISION ROLL DIE-CUTTING FOR FABRICATING MICROLENS ARRAY IN PLASTIC FILM	18
<i>Y. Takehisa, K. Masayuki, H. Tanaka, M. Yukio, T. Masato</i>	
DESIGN AND HEAT DISSIPATION TEST OF THE CUTTER WITH HEAT PIPE COOLING	22
<i>Y. Quan, L. Liang, Z. Liu</i>	
EVALUATION OF THE GRINDING PERFORMANCE BY MECHANICAL PROPERTIES OF SUPER ABRASIVE WHEEL: RELATIONSHIP BETWEEN MODULUS OF RUPTURE AND THE CRITICAL GRAIN HOLDING POWER	27
<i>T. Sawa, Y. Ikuse, N. Nishikawa, T. Odaki, S. Tomita, T. Yokota, M. Yokouchi</i>	
FABRICATION OF AN ASPHERIC POLY (METHYL METHACRYLATE) LASER BEAM SHAPER USING COMPUTER NUMERICAL CONTROL MACHINING AND POLISHING FOR LASER HEAT TREATMENT	31
<i>T. Tokunaga, S. Morita, R. Kuwano</i>	
HIGH-SPEED MILLING OF HIGH INTENSITY TC4 ALLOY	35
<i>H. Wang, W. Lu, J. Xu, Y. Sun, D. Zuo</i>	
SURFACE INTEGRITY OF HIGH-SPEED TURNING HIGH DAMAGE TOLERANCE TITANIUM ALLOY TC21	39
<i>J. Xu, W. Lu, H. Wang, Y. Sun, D. Zuo</i>	
CONTINUOUS STIFFNESS MAPPING OF 6-DOF MATERIAL LOAD SIMULATOR BASED ON 6-UPS PARALLEL MECHANISM	43
<i>J. Guo, D. Wang, W. Chen</i>	
WORKSPACE AND STIFFNESS ANALYSIS OF A PLANAR STEEL-STRIP-DRIVEN PARALLEL MANIPULATOR	47
<i>D. Wang, R. Fan, W. Chen, D. Liu</i>	
THE INFLUENCE OF MACHINING PATH ON MACHINING DEFORMATION OF THIN-WALLED PARTS	52
<i>L. Zhang, W. Chen, J. Sun</i>	
HIGHT-SPEED OBSERVATION OF WIRE MOVEMENT IN FINE WIRE EDM	56
<i>S. Ichii, A. Okada, Y. Okamoto</i>	
A METHOD FOR RECONSTRUCTING 3D MODELS FROM LINE DRAWINGS BY EXTRACTING PRIMITIVES AND FEATURES REPEATEDLY	60
<i>M. Tanaka, T. Kaneeda</i>	
TEMPERATURE MEASUREMENT OF CUTTING EDGE IN DRILLING USING DRILL REAMER	64
<i>M. Okada, N. Asakawa, M. Nikawa, Y. Fujita, A. Hosokawa, T. Ueda</i>	
REMOVAL PROPERTIES OF REACTION SINTERED SIC IN ATMOSPHERIC PRESSURE PLASMA FABRICATION PROCESS	68
<i>K. Yamamura, Y. Yamamoto, Y. Hata, H. Deng</i>	
CUTTING CHARACTERISTICS OF CO-CR-MO ALLOY BIOCOMPATIBLE MATERIALS	72
<i>M. Hagino, X. Su, T. Inoue</i>	
BEHAVIOR OF CUTTING FORCE OF TIPPED-SAW TREATED BY TENSIONING METHOD IN SAWING OF STEEL	76
<i>A. Mizobuchi, Y. Ouchi, K. Hashimoto, J. Hino, H. Iwata, S. Bando, T. Ishida</i>	
SURFACE MODIFICATION OF CEMENTED TUNGSTEN CARBIDE WITH NICKEL BINDER BY LARGE-AREA ELECTRON BEAM	80
<i>A. Okada, S. Misumi, Y. Okamoto</i>	
EFFECT OF ULTRASONIC VIBRATION AIDED TURNING FOR INCONEL 718	84
<i>T. Nguyen, R. Tsukamoto, Y. Noguchi</i>	
DEPTH OF CUT EFFECT ON CHIP FORMATION DURING MACHINING ZR_{41.2}Ti_{13.8}CU_{12.5}NI_{10.0}BE_{22.5} BULK METALLIC GLASS	88
<i>Y. Liu, M. Qin, Y. Quan, W. Liu</i>	

BEHAVIOR OF AIR-PERMEABILITY IN SURFACE FINISHING OF POROUS BUSHING FOR AEROSTATIC BEARINGS	92
<i>K. Yamada, K. Sekiya, Y. Yamane</i>	
ULTRA-PRECISION POLISHING METHOD FOR SINGLE-CRYSTAL DIAMOND SUBSTRATE IN HYDROGEN PEROXIDE SOLUTION.....	96
<i>A. Kubota, S. Motoyama, S. Fukuyama, M. Touge</i>	
AN ACCURATE PREDICTION OF SILICON PHASES UNDER NANOINDENTATION	100
<i>L. Zhang, A. Basak</i>	
SIMULATION ANALYSIS OF TEMPERATURE DISTRIBUTION AND THERMAL DEFORMATION IN A WORKPIECE DURING CYLINDRICAL GRINDING	104
<i>T. Onishi, M. Sakakura, Y. Wada, S. Song, N. Sato, K. Ohashi, S. Tsukamoto</i>	
ADVANCED FINISHING METHOD USING FIXED ABRASIVE LAPPING FOR MAGNETIC HEAD	108
<i>H. Tanaka, H. Chiba, T. Yoshikawa, Y. Maeda</i>	
A FUNDAMENTAL STUDY OF CUTTING PHENOMENA IN THE MICRO-END-MILLING PROCESS: IN CASE OF THE SIDE MILLING OPERATION.....	112
<i>H. Kino, K. Ogawa, H. Nakagawa, H. Kojima, T. Imada</i>	
CUTTING FORCES AND WEAR RESISTANCE OF WC-NI₃AL CEMENTED CARBIDES IN MACHINING AUSTENITIC STAINLESS STEEL.....	116
<i>X. Liu, L. Liang, X. Xu, Q. Mai</i>	
STUDY ON CUTTING PERFORMANCE OF RADIUS END MILL WITH TITANIUM ALLOY: ANALYSIS OF CHIP AREA USING 3D-CAD AND EXPERIMENTS OF INCLINED SURFACE WITH CONTOURING	120
<i>H. Iwabe, M. Futakawa, M. Fujiwara</i>	
FPGA IMPLEMENTATION OF NURBS INTERPOLATION FOR MOTION CONTROL	124
<i>Y. Chen, P. Gu, L. Yan</i>	
OBSERVATION OF BELAG FORMATION ON COATED TOOLS BY TEM.....	128
<i>R. Shiotsu, H. Usuki, S. Nakashima, K. Kubota, M. Isaka, T. Kano, M. Haritani, Y. Yamane</i>	
RESEARCH PROGRESS OF FIXED ABRASIVE CMP.....	132
<i>Y. Sun, D. Zuo, Y. Zhu, W. Lu, J. Li, Y. Zhao</i>	
EFFECT OF TOOL PATH ON TOOL WEAR AND CUTTING FORCE IN MICRO BALL END MILLING	136
<i>K. Hamaguchi, Y. Kagata, H. Shizuka, K. Okuda</i>	
NEAR-DRY MACHINING OF STAINLESS STEEL WITH MQL AND HYBRID MIST SUPPLY	140
<i>T. Wakabayashi, J. Kuhara, T. Atsuta, A. Tsukuda, N. Sembongi, J. Shibata, S. Suda</i>	
THERMAL DEFORMATION IN MICRO-WELDING OF THIN STAINLESS STEEL SHEET BY SINGLE-MODE FIBER LASER	144
<i>Y. Okamoto, S. Matsuoka, M. Ismail, A. Okada</i>	
COMPARISON OF CONVEX MODEL AND INTERVAL ANALYSIS FROM OPTIMIZATION VIEWPOINT	148
<i>J. Zhao, C. Wang, H. Wang</i>	
MULTIPLE RECYCLE USE OF AMINE-FREE WATER SOLUBLE CUTTING COOLANT	152
<i>K. Yamaguchi, Y. Kondo, T. Kodani, R. Nakazawa, S. Sakamoto, M. Yamaguchi</i>	
EVALUATION OF THE SURFACE LAYER AFTER HIGH-SPEED MILLING	156
<i>T. Sutoh, S. Aida, A. Ishikawa, T. Sakai, E. Takeoka, K. Akita, T. Shobu, K. Kiriya, A. Shiro</i>	
OXIDATION OF 4H-SiC (0001) BY WATER VAPOR PLASMA IN PLASMA ASSISTED POLISHING	160
<i>H. Deng, K. Yamamura</i>	
TOOL EDGE TEMPERATURE IN TAPPING OF STAINLESS STEEL.....	164
<i>R. Tanaka, K. Shimanuki, A. Hosokawa, T. Furumoto, T. Ueda</i>	
ENERGY EFFICIENCY MANAGEMENT BASED ON INDUSTRIAL ETHERNET.....	168
<i>Y. Liu, Y. Li</i>	
CUTTING PERFORMANCE OF DIFFERENT TYPES OF DIAMOND-LIKE CARBON COATINGS.....	173
<i>T. Yokota, T. Sawa, M. Yokouchi</i>	
GLOSS EVALUATION OF HAIRLINE-FINISHED METAL SURFACE USING PATTERNED AREA ILLUMINATION METHOD: PATTERN SIZE AND SURFACE ROUGHNESS	177
<i>T. Sugino, Y. Yamane</i>	
DRILLING CHARACTERISTICS WITH MODULATED ROTATION SPINDLE MECHANISM	181
<i>M. Hagino, Y. Kurita, T. Inoue, K. Watanabe, Y. Shimizu</i>	

INVESTIGATION ON HEAT DISSIPATING PERFORMANCE OF HEAT PIPE CUTTER WITH INFRARED IMAGER	185
<i>L. Liang, Y. Quan, S. Zeng, Z. Ke</i>	
EFFECT OF TOOL GEOMETRY OF ELECTROPLATED DIAMOND TOOL FOR CHIP TREATMENT IN THROUGH-HOLE DRILLING OF GLASS PLATE	189
<i>A. Mizobuchi, K. Uemoto, T. Ishida, H. Ogawa</i>	
PLASTIC DEFORMATION BEHAVIOR IN BULK METALLIC GLASS UNDER A CUTTING TIP	193
<i>L. Zhang, A. Basak</i>	
EFFECT OF CARBON FIBER ORIENTATION AND HELIX ANGLE WITH CFRP CUTTING CHARACTERISTICS	197
<i>M. Hagino, T. Inoue</i>	
POLISHING CHARACTERISTICS OF 4H-SIC WAFER IN ULTRAVIOLET-RAY IRRADIATION ASSISTED POLISHING	201
<i>T. Sakamoto, M. Touge, A. Kubota</i>	
EFFECT OF ACTIVE AERODYNAMIC BEARING ON PERFORMANCE OF HIGH-SPEED PRECISION AIR-BEARING SPINDLE	205
<i>H. Mizumoto, Y. Yabuta, S. Aril, Y. Tazoe, T. Hirose</i>	
IMPLEMENTATION OF AUTO-FOCUS IN ON-MACHINE TOOL INSPECTION SYSTEM BASED ON MACHINE VISION	209
<i>S. Quan, Y. Quan, X. Dang</i>	
STUDY ON HIGH SPEED AND COMPLEX MACHINING BY VERTICAL LATHE: STRUCTURE ANALYSIS AND METHOD FOR HIGH ACCURACY USING FEM	213
<i>A. Gotoh, H. Wabe</i>	
GRINDING OF MICRO-GROOVES IN CEMENTED CARBIDE DIES	217
<i>Y. Isokawa, Y. Maeda, K. Iwatsuka, H. Tanaka, T. Yazawa, S. Suzuki</i>	
ULTRA-PRECISION FIGURING OF ELLIPTICAL QUARTZ GLASS SUBSTRATE BY NUMERICALLY CONTROLLED LOCAL WET ETCHING USING HF SOLUTION AT AZEOTROPIC CONCENTRATION	221
<i>M. Nagano, K. Yamamura</i>	
RELATIONSHIP BETWEEN DYNAMIC COMPONENTS OF CUTTING FORCE AND ADHESION ON TOOL-CHIP INTERFACE IN MACHINING TI-6AL-4V ALLOY	225
<i>K. Sekiya, T. Taketa, R. Tezuka, K. Yamada, Y. Yamane</i>	
PROPOSAL AND VERIFICATION ON NEW TEST METHOD OF THERMAL EFFECTS IN NC MACHINE TOOLS DURING LONG-HAUL MACHINING	229
<i>M. Okabe, T. Dimas</i>	
A DYNAMIC OBSERVATION CONCEPT TO PREVENT AGED DEGRADATION OF WATER-SOLUBLE COOLANT	233
<i>Y. Kondo, M. Yamaguchi, S. Sakamoto, K. Yamaguchi</i>	
A SIMULATION STUDY ON OPTIMAZATION OF SCAN MODE IN NUMERICALLY CONTROLLED LOCAL WET ETCHING	237
<i>X. Shen, K. Yamamura</i>	
DEVELOPMENT OF ONLINE MACHINING AND MEASUREMENT SYSTEM IN DIE AND MOLD MANUFACTURING	241
<i>K. Kawasaki, K. Fukazawa</i>	
APPLICABILITY OF REACTIVE ION ETCHING TO FABRICATION OF MICRO-PRISM-ARRAY FOR DIOPTRICS SYSTEM	245
<i>R. Fujie, A. Okada, Y. Uno</i>	
EFFECTIVENESS OF CHIP COLLECTION AND CHARACTERISTIES OF DRILLING CFRP MATERIALS USING HOLLOW-TYPE DRILL	249
<i>M. Hagino, D. Haga, T. Inoue, W. Aoki, F. Matsumoto</i>	
Author Index	