

17th European Symposium on Improved Oil Recovery

(IOR 2013)

**St. Petersburg, Russia
16-18 April 2013**

ISBN: 978-1-62993-823-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2013) by the European Association of Geoscientists & Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact by the European Association of Geoscientists & Engineers
at the address below.

EAGE
PO Box 59
3990 DB Houten
The Netherlands

Phone: +31 88 995 5055
Fax: +31 30 634 3524

eage@eage.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Compositional Simulation of a Chemically Unconventional Oil Flooded by CO₂	1
<i>H. Alkan, A. Behr, F. Visser</i>	
Effect of Connate Water Vaporization on Well Injectivity During Acid Gas Injection into an Oil Producing Reservoir	16
<i>P. C. Ceragioli</i>	
Effects of Oil on Foam Generation and Propagation in Sandstone Porous Media	30
<i>M. Simjoo, P. Zitha</i>	
New Reduced Parameters for Flash Calculations Based on Two-parameter BIP Formula	51
<i>S. E. G. Gorucu, R. T. J. Johns</i>	
Accelerated Deployment of Low Salinity Waterflooding in Shell	69
<i>T. G. Sorop, B. M. J. M. Suijkerbuijk, S. K. Masalmeh, M. T. Looijer, A. R. Parker, D. Dindoruk, S. Goodyear</i>	
Polymer Flooding with the Polysaccharide Schizophyllan - First Field Trial Results	80
<i>B. Leonhardt, M. Santa, A. Steigerwald, T. Kaeppler</i>	
Low Salinity Flooding - A Critical Review	92
<i>A. Skauge</i>	
The Critical Parameter for Low Salinity Flooding - The Relative Importance of Crude Oil, Brine and Rock	104
<i>J. F. Van Winden, B. M. J. M. Suijkerbuijk, V. Joekar-Niasar, N. J. Brussee, H. A. Van Der Linde, A. H. M. Marcelis, A. H. Coorn, S. G. J. Pieterse, K. S. Ganga, I. S. M. Al-Qarshubi</i>	
Maximizing Oil Recovery - Developing and Piloting Offshore Facilities to Customize Water for CEOR and Low Salinity Injection	119
<i>L. Henthorne, C. Martin, F. Azhar Abd Satar</i>	
Low Salinity Polymer Flooding	128
<i>A. Skauge, B. S. Shiran</i>	
Fitting Foam Simulation Model Parameters to Data	141
<i>C. S. Boeje, W. R. Rossen</i>	
Multi-scale Pore-network Modelling of WAG in Carbonates	157
<i>Z. Jiang, A. Al-Dhahli, M. I. J. Van Dijke, S. Geiger, G. D. Couples, J. Ma, C. Maier</i>	
Modeling of Foam Flow Using Stochastic Bubble Population Model and Experimental Validation	167
<i>M. Simjoo, P. Zitha</i>	
Pore Scale Modelling of Polymer Flow	188
<i>N. Zamani, R. Kaufmann, T. Skauge, A. Skauge</i>	
Osmosis During Low Salinity Water Flooding	210
<i>K. Sandengen, O. J. Arntzen</i>	
The Impact of Common Reservoir Minerals and Temperature on the Low Salinity EOR-effect in Sandstone	221
<i>S. Strand, T. Austad, T. Puntervold, H. Aksulu, B. Haaland, K. Navratil, S. Storas, D. Hamso</i>	
The Use of Polymer Injectivity Data for the Estimation of Porous Media Longitudinal Dispersion	242
<i>A. M. Alsofi</i>	
Low Salinity Water Flooding: Retention of Polar Oil Components in Sandstone Reservoirs	251
<i>I. F. Fjelde, A. P. Polanska, F. T. Taghiyev, S. M. A. Asen</i>	
Foam for Mobility Control in EOR - a Microfluidic Approach	264
<i>N. Pannacci, M. Ryba, Y. Peysson, B. Herzhaft, J. F. Argillier</i>	
Interfacial Tension and Contact Angle Determination in Water-sandstone Systems with Injection of Flue Gas and CO₂	274
<i>N. Shojai Kaveh, E. S. J. Rudolph, W. R. Rossen, P. Van Hemert, K. H. Wolf</i>	
New Method of Active Electromagnetic Induction and Seismic Monitoring in Oilsaturated Media	293
<i>O. A. Hachay, O. Y. Khachay, A. Y. Khachay</i>	
Pore-scale to Core-scale Aspects of Capillary Desaturation Curves Using CT-scan Imaging	302
<i>R. Oughanem, S. Youssef, B. Bazin, E. Maire, O. Vizika</i>	
Micromechanical Analysis of Relative Permeability Hysteresis	315
<i>V. V. Kadet, A. M. Galechyan</i>	
Visualization of Pore-level Displacement Mechanisms During CO₂ Injection and EOR Processes	327
<i>J. Gauteplass, H. N. Folliso, A. Graue, A. R. Kovscek, M. A. Ferno</i>	
Polymer Flooding - Designing of a Pilot Test for Unusually High Salinity and Hardness Reservoir	343
<i>E. Braccalenti, P. Albonico, L. Romero-Zeron, V. Parasiliti Parracello, F. Masserano, L. Del Gaudio</i>	

Impact of Polymer Mechanical Degradation on Shear and Extensional Viscosities	357
<i>I. Henaut, A. Dupas, D. Rousseau, P. Poulain, R. Tabary, J. F. Argillier, T. Aubry</i>	
Application of Quantitative Structure-property Relationship (QSPR) Method for Chemical EOR	370
<i>P. Moreau, A. Maldonado, F. Oukhemanou, B. Creton</i>	
Surfactant Flooding Evaluation for Enhanced Oil Recovery in Sandstones Reservoirs	388
<i>F. C. Bonilla, R. B. Z. L. Moreno</i>	
Experimental Investigations into the Effect of Heterogeneities on the Recovery of Heavy Oil by VAPEX	398
<i>M. Al-Hadhrani, A. Alkindi, A. H. Muggeridge</i>	
Secondary Polymer Flooding in Extra-heavy Oil - Core Experiments under Reservoir Conditions and Core Scale Simulation	421
<i>C. Romero, F. Aubertin, C. Fabbri, M. Nguyen, S. Hourcq, G. Hamon</i>	
Selection of the EOR Methods for the Russkoe High-viscosity Oil Field Based on Laboratory and Field Experiments	436
<i>I. Edelman, A. Shandrygin, E. Severinov, L. Gaidukov, D. Dubrovskiy</i>	
Performance of Associative Polymers in Porous Media	455
<i>N. Gaillard, C. Favero, J. Bai, K. Green, F. Wassmuth, A. Thomas</i>	
EOR Technologies for Permocarbone Deposit of High-viscosity Oil in Usinskoye Oil Field - Experience and Prospect	478
<i>V. A. Kuvshinov, L. K. Altunina, A. A. Alabushin, S. O. Ursegov</i>	
Polymer Flood Design for Displacement of Heavy Oil Analysed by 2D-imaging	488
<i>A. Skauge, P. A. Ormehaug, B. F. Vik, C. Fabbri, I. Bondino, G. Hamon</i>	
Toe-to-Heel Air Injection - Effect of Oil Layer Thickness	498
<i>M. Greaves, L. L. Dong, S. P. Rigby</i>	
Uncertainty Analyses for Thermal Development in Heavy Oil Fields	523
<i>R. Sabatino, I. Maffei, F. M. Contento, A. Tegami, M. De Simoni</i>	
Detrimental Effect of Capillary Forces in Extreme Low Permeable Unconventional Gas Reservoirs	541
<i>I. J. Lakatos, T. Bodi, J. Lakatos-Szabo, G. Szentes</i>	
Comparison of Heating Methods for In-situ Oil Shale Extraction	553
<i>K. G. Hazra, K. J. Lee, C. E. Economides, G. Moridis</i>	
Alkali Surfactant Gas Injection – Attractive Laboratory Results in Carbonates under Harsh Salinity and High Temperature	569
<i>C. Cottin, D. Morel, D. Levitt, P. Cordelier, G. Pope</i>	
First Application in Russia of Bright Water™ Chemical for Waterflood Sweep Improvement in the Samotlor Field	584
<i>D. R. Thrasher, P. Denyer, A. S. Timchuk, Y. V. Zemtsov, D. V. Akinin</i>	
Recent Progress in Surfactant Flooding in Carbonate Reservoirs	597
<i>E. Chavallier, S. Renard, R. Tabary, B. Bazin, F. Douarche, F. Oukhemanou, P. Moreau</i>	
Microemulsion Rheology and Alkaline-surfactantpolymer Flooding	612
<i>K. J. Humphry, M. Van Der Lee</i>	
Methodology of Selecting Pilot Development Areas for Application of BrightWater™ Technology	626
<i>A. Timchuk, D. V. Akinin, Y. V. Zemtsov, O. Y. Bochkarev</i>	
Laboratory and Field Tests of Component-wise Gel Injection Technology for EOR	637
<i>I. V. Kuvshinov, V. V. Kuvshinov</i>	
From Lab to Pilot Design of ASP Flooding in High Temperature Reservoir of Limau Field Indonesia	647
<i>A. Badril, I. P. Suarsana, I. Wijaya</i>	
Impact of Difficult Environments on Chemical Flooding Performance	661
<i>B. Bazin, R. Tabary, F. Douarche, P. Moreau, F. Oukhemanou</i>	
Injectivity Errors in Simulation of Foam EOR	677
<i>T. N. Leeftink, C. A. Latooj, W. Rossen</i>	
CO2 Injections for Enhanced Oil Recovery Visualized with an Industrial CT-scanner	689
<i>O. Eide, M. A. Ferno, Z. Karpyn, A. Haugen, A. Graue</i>	
History Match and Polymer Injection Optimization in a Mature Field Using the Ensemble Kalman Filter	698
<i>S. Raniolo, L. Dovera, A. Cominelli, C. Callegaro, F. Masserano</i>	
Results and Lessons Learned from an Extended Single-well Tracer Campaign Performed in the Handil Field, Indonesia	719
<i>C. Romero, N. Agenet, A. Mechergui, J. Batias, M. Nguyen, L. Heidari</i>	
Injection Fall-off Interpretation from Fractured Injectors	730
<i>P. J. Van Den Hoek</i>	
Continuous Land Seismic Reservoir Monitoring of Thermal EOR in the Netherlands	740
<i>J. Cotton, L. Michou, E. Forgues</i>	

Experiments and Analysis of Imbibition in Carbonates	749
<i>R. A. Anderson, N. A. Al-Ansi, M. J. B. Blunt</i>	
Integrated Laboratory and Numerical Investigations Towards a MEOR Pilot	765
<i>H. K. Alkan, E. Biegel, A. Herold, F. Visser</i>	
An Integrated Laboratory Workflow for the Design of a Foam Pilot in Malaysia	777
<i>M. Chabert, L. Nabzar, M. Morvan, S. Rohaida Mohd Shafian, P. Abdul Hamid, M. Faizal Sedaralit, N. Darman</i>	
Dynamic Interactions between Matrix and Fracture in Miscible Solvent Flooding of Fractured Reservoirs	789
<i>A. Ameri Ghasrodashti, R. Farajzadeh, M. Verlaan, V. S. Suicmez, H. Bruining</i>	
Enhancing Recovery from the Oil-Rim Using Energy from the Gas Cap	809
<i>A. S. Timchuk, N. N. Ivantsov</i>	
Pelican Lake Polymer Flood - First Successful Application in a High Viscosity Reservoir	818
<i>E. Delamaide, A. Zaitoun, G. Renard, R. Tabary</i>	
ASP Pilot in West Salym Field - Project Front-end Engineering	844
<i>Y. E. Volokitin, J. Nieuwerf, V. Karpan, M. Shuster, W. Tigchelaar, D. Van Batenburg, M. Shaymardanov, I. Chmuzh, I. Koltsov, R. Faber</i>	
Effect of Nonionic Surface-active Substances on Paraffin Crystallization in the System	855
<i>L. K. Altunina, L. A. Stasyeva, V. A. Kuvshinov</i>	
Geological Factors in Acidizing Design	864
<i>N. A. Misolina, I. M. Nasibulin</i>	
Harmonic Testing of Hydraulically Fractured Wells	873
<i>P. E. Morozov</i>	
Chemical EOR in High Salinity-High Temperature Reservoir - Experimental Coreflooding Tests and Numerical Simulation	882
<i>V. Parasiliti Parracello, C. Callegaro, A. Dato, F. Siliprandi, P. Albonico, M. Mattei</i>	
Applying the Probabilistic Collocation Method to Surfactant-polymer Flooding	898
<i>A. Alkhatib, P. King</i>	
Optimization of Polymer Flooding with a Tapered Concentration Slug	910
<i>A. Behr, L. Olie, F. Visser, B. Leonhardt</i>	
Design of Foam-assisted Carbon Dioxide Storage in a North Sea Aquifer Using Streamline-based Simulation	922
<i>S. Vitoonkijvanich, A. M. Al Sofi, M. J. Blunt</i>	
WAG-CO2 Light Oil Recovery from Deep Offshore Carbonate Reservoirs	936
<i>E. L. Ligerio, H. F. A. Scanavini, S. F. Mello, D. J. Schiozer</i>	
Optimization of Water Flooding in Stratified Formations or Multiple Reservoirs	948
<i>A. I. Ermolaev, L. M. Surguchev, A. Krulenko, R. A. Berenblyum, A. A. Shchipanov</i>	
Tensor Characteristics of Filtration and Capacity Properties for Anisotropic Reservoirs	958
<i>V. V. Kadet, N. M. Dmitriev, A. N. Kuzmichev</i>	
Experimental and Mathematical Workflow in Modeling In-situ Combustion Processes for Unconventional Resources Recovery	969
<i>I. S. Akhatov, L. A. Kovaleva, R. A. Valiullin, R. F. Sharafutdinov, A. A. Musin, M. F. Zakirov, R. R. Zinnatullin, M. M. Khasanov, M. M. Shaimardanov, M. Y. Evseeva, S. A. Lukin, Y. E. Volokitin, A. S. Ushakova</i>	
Enzymatic Generation of Oil-displacing Systems	983
<i>L. K. Altunina, L. I. Svarovskaya</i>	
Wormlike Micelles for Mobility Control – A Comparison with Different EOR Techniques	992
<i>H. Bertin, E. Tognisso, M. Morvan, A. Colin</i>	
Forecasting IOR/EOR Potential Based on Reservoir Parameters	1003
<i>E. V. Babushkina, V. S. Rusakov, S. V. Rusakov, A. Shchipanov, R. A. Berenblyum, A. A. Krulenko</i>	
Author Index	