

# **International Thermal Spray Conference & Exposition (ITSC 2013)**

## **Innovative Coating Solutions for the Global Economy**

**Busan, Republic of Korea  
13 – 15 May 2013**

### **Editors:**

**R. S. Lima  
A. Agarwal  
M. M. Hyland  
Y.-C. Lau**

**G. Mauer  
A. McDonald  
F.-L. Toma**

**ISBN: 978-1-63266-681-9**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2013) by ASM International  
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact ASM International  
at the address below.

ASM International  
9639 Kinsman Road  
Materials Park, Ohio 44073

Phone: (440) 338-5151

[memberservicecenter@asminternational.org](mailto:memberservicecenter@asminternational.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# Contents

<b>Organizing Committee</b> .....	iii
-----------------------------------	-----

## **Advanced Thermal Spray Coatings**

<b>Vapor Deposition of Metallic Coatings by Very Low Pressure Plasma Spraying</b> .....	1
---	---

*B. Vautherin<sup>1</sup>, M.-P. Planche<sup>1</sup>, R. Bolo<sup>1</sup>, G. Montavon<sup>1</sup>, A. Quet<sup>2</sup>, and L. Bianchi<sup>2</sup>*

*(1) IRTES-LERMPS, UTBM, Belfort, France*

*(2) CEA Le Ripault, Mons, France*

<b>Comparative Investigation of Standard WC-Co and a New WC-FeCrAl Feedstock Powder</b> .....	8
---	---

*B. Hussong, J. Pfeiffer, B. Lehmert, L. Wojarski, and W. Tillmann*

*Institute of Materials Engineering, Dortmund, Germany*

<b>Deposition and Oxidation of Oxide-Dispersed CoNiCrAlY Bondcoats</b> .....	16
--	----

*M. Okada<sup>1</sup>, R. Vaßen<sup>2</sup>, M. Karger<sup>2</sup>, D. Sebold<sup>2</sup>, D.E. Mack<sup>2</sup>, M.O. Jarligo<sup>2</sup>, and F. Bozza<sup>3</sup>*

*(1) Central Research Institute of Electric Power Industry, Yokosuka, Japan*

*(2) Forschungszentrum Jülich GmbH, Jülich, Germany*

*(3) University of Modena and Reggio Emilia, Modena, Italy*

<b>Effects of Dry-Ice Blasting On Plasma-Sprayed Thermal Barrier Coatings</b> .....	22
---	----

*S.-J. Dong<sup>1</sup>, B. Song<sup>1</sup>, H.-L. Liao<sup>1</sup>, C. Coddet<sup>1</sup>, and B. Hansz<sup>2</sup>*

*(1) IRTES-LERMPS, UTBM, France*

*(2) HMRexpert, France*

<b>Mechanical Properties of Plasma Sprayed YSZ Coatings Measured Using TAT and TCT Test</b> .....	29
---	----

*Andrew Siao Ming Ang and Christopher C. Berndt,*

*Swinburne University of Technology, Melbourne, Australia*

<b>Y<sub>2</sub>O<sub>3</sub> and Yb<sub>2</sub>O<sub>3</sub> Co-Doped Strontium Hafnate as a New Thermal Barrier Coating Material</b> .....	35
--	----

*W. Ma, P. Li, H.-Y. Dong, Y. Bai, J.-L. Zhao, and X.-Z. Fan,*

*Inner Mongolia University of Technology, Hohhot, Inner Mongolia, P.R. China*

<b>A Novel Modification for Twin Wire Arc Spraying to Improve the Variety of Application</b> .....	41
--	----

*W. Tillmann, M. Abdulgader, and L. Hagen,*

*Technische Universität Dortmund, Dortmund, Germany*

<b>High-Temperature Oxidation-Resistant Thermal Spray Coatings Based on MoSi<sub>2</sub> for Furnace Applications</b> .....	47
---	----

*S. Schuberth, T. Uhlig, H. Pokhmurska, C. Rupprecht, and T. Lampke,*

*Chemnitz University of Technology, Chemnitz, Germany*

<b>Friction and Wear Properties of (Ti,Mo)(C,N) Hardmetal Coatings Prepared by Gas and Liquid Fuel HVOF Processes .....</b>	<b>51</b>
<i>L.-M. Berger<sup>1</sup>, J. Kitamura<sup>2</sup>, F. Kasahara<sup>2</sup>, J. Yamada<sup>2</sup>, K. Sato<sup>2</sup>, P. Vuoristo<sup>3</sup>, A. Milanti<sup>3</sup>, K. Niemi<sup>3</sup>, Š. Houdková<sup>4</sup>, and J. Savková<sup>5</sup></i>	
<i>(1) Fraunhofer Institute Material and Beam Technology, Dresden, Germany</i>	
<i>(2) Fujimi Incorporated, Gifu, Japan</i>	
<i>(3) Tampere University of Technology, Department of Materials Science, Tampere, Finland</i>	
<i>(4) Výzkumný a zkušební ústav Plzeň s.r.o, Plzen, Czech Republic</i>	
<i>(5) University of West Bohemia, Plzen, Czech Republic</i>	
<b>Dense MoB/CoCr Coatings to Apply to Pot-Roll of Galvanizing Lines in Steel Industries .....</b>	<b>57</b>
<i>J. Kitamura, T. Tosaki, and H. Mizuno, Fujimi Incorporated, Gifu, Japan</i>	
<b>Effect of WC-Co-Cr Powder Properties on Coating Characteristics by Recent HVOF Spraying .....</b>	<b>63</b>
<i>Kazuto Sato<sup>1</sup>, Hidenori Miyajima<sup>2</sup>, Masami Kato<sup>2</sup>, Junya Kitamura<sup>1</sup>, and Kazuhiko Sakaki<sup>2</sup>,</i>	
<i>(1) Fujimi Incorporated, Gifu, Japan</i>	
<i>(2) Shinshu University, Nagano, Japan</i>	
<b>Investigation of HVOF-Sprayed Hardmetal Coatings for Static Friction Applications .....</b>	<b>68</b>
<i>L.-M. Berger<sup>1</sup>, J. Spatzier<sup>1</sup>, M. Gräfensteiner<sup>2</sup>, J. Vidner<sup>2</sup>, E. Leidich<sup>2</sup>, S. Schiefer<sup>2</sup>, S. Gröger<sup>2</sup>, and M. Gerlach<sup>2</sup></i>	
<i>(1) Fraunhofer Institute, Dresden, Germany</i>	
<i>(2) Chemnitz University of Technology, Chemnitz, Germany</i>	
<b>Thermally Sprayed Ti<sub>3</sub>SiC<sub>2</sub> and Ti<sub>2</sub>AlC MAX-Phase Coatings .....</b>	<b>74</b>
<i>R. Trache<sup>1</sup>, R. Puschmann<sup>1</sup>, C. Leyens<sup>1</sup>, L.-M. Berger<sup>2</sup>, B. Matthey<sup>3</sup>, and M. Herrmann<sup>3</sup></i>	
<i>(1) Dresden Technical University, Dresden, Germany</i>	
<i>(2) Fraunhofer IWS, Dresden, Germany</i>	
<i>(3) Fraunhofer IKTS, Dresden, Germany</i>	
<b>Development of Thermal Spray Coating Solution for Ceramic Substrates .....</b>	<b>79</b>
<i>F.-L. Toma<sup>1</sup>, L.-M. Berger<sup>1</sup>, T. Hoffmann<sup>1</sup>, U. Klotzbach<sup>1</sup>, S. Scheitz<sup>2</sup>, S. Thiele<sup>3</sup>, and M. Fries<sup>3</sup></i>	
<i>(1) Fraunhofer Institute for Material and Beam Technology, Dresden, Germany</i>	
<i>(2) Dresden University of Technology, Dresden, Germany</i>	
<i>(3) Fraunhofer Institute for Ceramic Materials and Systems, Dresden, Germany</i>	

## **Applications and Case Study**

<b>Corrosion Properties of Selected Coatings Produced by Atmospheric Plasma Spraying, HVOF and Laser Remelt Methods .....</b>	<b>85</b>
<i>P.T. Nielsen, T. Mathiesen, and S.E. Nielsen, Force Technology, Broendby, Denmark</i>	
<b>Macroporous Titanium Coatings by Thermal Plasma Spray .....</b>	<b>91</b>
<i>P. Robotti<sup>1</sup>, A. Sabbioni<sup>1</sup>, L. Glass<sup>2</sup>, and B. George<sup>2</sup></i>	
<i>(1) Eurocoating Spa, Trento, Italy</i>	
<i>(2) Surface Dynamics, Cincinnati, OH, USA</i>	

<b>High Performance Arc Sprayed Coatings for Active Corrosion Protection in Offshore Applications</b> .....	<b>97</b>
<i>Werner Kroemmer, Linde AG, Unterschleissheim, Germany</i>	
<b>Fabrication of Wire Mesh Heat Exchangers for Waste Heat Recovery Using Wire-Arc Spraying</b> .....	<b>103</b>
<i>R. Rezaey, S. Salavati, L. Pershin, T. Coyle, S. Chandra, and J. Mostaghimi, Centre for Advanced Coating Technologies, Toronto, Ontario, Canada</i>	
<b>The Definition of Power in Plasma Spraying: Kilowatts or Powder Melting Capacity?</b> .....	<b>109</b>
<i>J. Colmenares-Angulo, O. Sabouni, and C. Ibanez, Sulzer Metco, Westbury, NY, USA</i>	
<b>Superhydrophobicity and Water Repelling Characteristics of Thermally Sprayed Coatings</b> .....	<b>113</b>
<i>N. Sharifi<sup>1</sup>, F. Ben Ettouil<sup>1</sup>, M. Mousavi<sup>1</sup>, M. Pugh<sup>1</sup>, A. Dolatabadi<sup>1</sup>, and C. Moreau<sup>2</sup></i>	
<i>(1) Concordia University, Montreal, Quebec, Canada</i>	
<i>(2) National Research Council of Canada, Boucherville, Quebec, Canada</i>	
<b>High Temperature Oxidation Behavior of a Novel Ni-20Cr Alloy Powder Coating on T22 Steel</b> .....	<b>120</b>
<i>Manoj Kumar, Harpreet Singh, and Narinder Singh, Indian Institute of Technology Ropar, Rupnagar, Punjab, India</i>	
<b>Cold Spray</b>	
<b>Corrosion Protection of 5xxx Series Aluminum-Alloy by Cold Spray Process</b> .....	<b>126</b>
<i>K. Sridharan, B. Maier, B. Hauch, and D. Devan, University of Wisconsin - Madison, Madison, WI, USA</i>	
<b>Characterization of Cold-Sprayed Copper Coatings with New Evaluation Parameter of EBSD Method</b> .....	<b>132</b>
<i>Yusuke Watanabe, Yuji Ichikawa, Isamu Nonaka, and Hideo Miura, Tohoku University, Sendai, Japan</i>	
<b>Comparison of the Mechanical and Electrochemical Properties of WC-25Co Coatings Obtained by High Velocity Oxy-Fuel and Cold Gas Spraying onto Al7075-T6</b> .....	<b>138</b>
<i>M. Couto, S. Dosta, J. Fernández, and J.M. Guilemany, Universitat de Barcelona, Barcelona, Spain</i>	
<b>Effects of Spark Plasma Sintering Treatment for Cold-Sprayed Metallic Coatings</b> .....	<b>143</b>
<i>K. Ito and K. Ogawa, Tohoku University, Sendai, Japan</i>	
<b>Investigation on Microstructural &amp; Mechanical Properties of Cold Sprayed &amp; P/M Processed Composites</b> .....	<b>149</b>
<i>T. Chandanayaka and F. Azarmi, North Dakota State University, Fargo, ND, USA</i>	

<b>Mechanical Properties of Cold-Sprayed Ti-6Al-4V Coatings .....</b>	<b>155</b>
<i>A. List<sup>1</sup>, C. Lyphout<sup>2</sup>, M. Villa<sup>1</sup>, F. Gärtner<sup>1</sup>, and T. Klassen<sup>1</sup></i>	
<i>(1) Helmut Schmidt University, Hamburg, Germany</i>	
<i>(2) University West, Trollhattan, Sweden</i>	
<b>Study on the Restoration of Aluminum Aerospace IVD Coatings Using Cold Gas Dynamic Spray .....</b>	<b>161</b>
<i>D. MacDonald<sup>1</sup>, B. Jodoin<sup>1</sup>, S. Gaydos<sup>2</sup>, M. Pollack<sup>2</sup>, and J. Falkowski<sup>2</sup></i>	
<i>(1) University of Ottawa, Ottawa, Ontario, Canada</i>	
<i>(2) The Boeing Company, USA</i>	
<b>Near-Net Shape Fins for Compact Heat Exchanger Produced by Cold Spray .....</b>	<b>166</b>
<i>Y. Cormier<sup>1</sup>, P. Dupuis<sup>1</sup>, B. Jodoin<sup>1</sup>, and A. Corbeil<sup>2</sup></i>	
<i>(1) University of Ottawa, Ottawa, Ontario, Canada</i>	
<i>(2) Brayton Energy Canada, Gatineau, Quebec, Canada</i>	
<b>Comparison of Microstructures and Mechanical Properties between Thermal and Kinetic Sprayed Thick Fe Deposits on Fe-Si Alloy Sheets .....</b>	<b>172</b>
<i>Jaeick Kim<sup>1</sup>, Gyuyeol Bae<sup>1</sup>, Juyeon Won<sup>1</sup>, Changhee Lee<sup>1</sup>, Teasung Jun<sup>2</sup>, and Jongkyo Choi<sup>2</sup></i>	
<i>(1) Hanyang University, Seoul 133-791, South Korea</i>	
<i>(2) POSCO Technical Research Laboratories, Pohang, South Korea</i>	
<b>Shockwave Induced Spraying Process: Effect of Parameters on Coating Performance .....</b>	<b>178</b>
<i>M. Karimi<sup>1</sup>, G.W. Rankin<sup>1</sup>, and B. Jodoin<sup>2</sup></i>	
<i>(1) University of Windsor, Windsor, Ontario, Canada</i>	
<i>(2) University of Ottawa, Ottawa, Ontario, Canada</i>	
<b>Preparation and Characterization of TiO<sub>2</sub> Scattering Layer for Plastic Dye-Sensitized Solar Cells by Vacuum Cold Spray .....</b>	<b>184</b>
<i>X.-L. He<sup>1</sup>, G.-J. Yang<sup>1</sup>, C.-X. Li<sup>1</sup>, C.-J. Li<sup>1</sup>, and S.-Q. Fan<sup>2</sup></i>	
<i>(1) Xi'an Jiaotong University, Xi'an, Shaanxi, China</i>	
<i>(2) The University of Queensland, QLD, Australia</i>	
<b>Dust Explosion Properties of Aluminum, Titanium, Zinc and Iron Based Alloy Powders Used for Cold Spray .....</b>	<b>190</b>
<i>K. Sakata<sup>1</sup>, K. Tagomori<sup>1</sup>, N. Sugiyama<sup>1</sup>, S. Sasaki<sup>1</sup>, Y. Shinya<sup>1</sup>, T. Nanbu<sup>2</sup>, Y. Kawashita<sup>2</sup>, I. Narita<sup>3</sup>, and H. Miyahara<sup>3</sup></i>	
<i>(1) Fujikikosan Corporation, Kitakyushu, Japan</i>	
<i>(2) Nissan Motor Co., Ltd., Yokosuka, Japan</i>	
<i>(3) Kyushu University, Fukuoka, Japan</i>	
<b>Design and Development of High-Pressure Warm Spray Gun .....</b>	<b>196</b>
<i>H. Katanoda<sup>1</sup>, B. Sun<sup>2</sup>, N. Ohno<sup>2</sup>, H. Fukanuma<sup>2</sup>, S. Kuroda<sup>3</sup>, M. Watanabe<sup>3</sup>, and O. Ohashi<sup>3</sup></i>	
<i>(1) Kagoshima University, Kagoshima, Japan</i>	
<i>(2) Plasma Giken Co., Ltd., Toshima-ku, Tokyo, Japan</i>	
<i>(3) National Institute for Materials Science, Tsukuba, Ibaraki, Japan</i>	
<b>Mechanical Properties of Cold Sprayed Al Coatings Reinforced by Ceramics .....</b>	<b>200</b>
<i>K.H. Ko, J.O. Choi, and H. Lee,</i>	
<i>Ajou University, Suwon, Republic of Korea</i>	

<b>Influence of Carrier Gas Composition on Microstructures and Mechanical Properties of Cold-Sprayed Titanium Coatings</b> .....	<b>205</b>
<i>Y. Ichikawa<sup>1</sup>, K. Ogawa<sup>1</sup>, N. Nose<sup>2</sup>, Y. Nomura<sup>2</sup>, M. Takahashi<sup>2</sup>, and H. Amano<sup>2</sup></i>	
<i>(1) Tohoku University, Sendai, Japan</i>	
<i>(2) Taiyo Nippon Sanso Corporation, Tokyo, Japan</i>	
<b>Anisotropic Mechanical Properties of Cold Sprayed Copper Coatings</b> .....	<b>210</b>
<i>Y. Watanabe, K. Atsumi, M. Yamada, and M. Fukumoto</i>	
<i>Toyohashi University of Technology, Toyohashi, Aichi, Japan</i>	
<b>High-Pressure Cold-Sprayed Ni and Ni-Cu Coatings - Improved Structures and Corrosion Properties</b> .....	<b>215</b>
<i>H. Koivuluoto<sup>1</sup>, A. Milanti<sup>1</sup>, P. Vuoristo<sup>1</sup>, G. Boilelli<sup>2</sup>, and L. Lusvarghi<sup>2</sup></i>	
<i>(1) Tampere University of Technology, Tampere, Finland</i>	
<i>(2) University of Modena and Reggio Emilia, Modena, Italy</i>	
<b>Fundamental Cost Analysis of Cold Spray</b> .....	<b>221</b>
<i>O. Stier, Siemens AG, Berlin, Germany</i>	
<b>High Temperature Oxidation Behavior of Cold Sprayed Ni-Al<sub>2</sub>O<sub>3</sub> Composite Coating</b> .....	<b>227</b>
<i>C.J. Huang<sup>1</sup>, W.Y. Li<sup>1</sup>, M. Yu<sup>2</sup>, and H. Liao<sup>2</sup></i>	
<i>(1) Northwestern Polytechnical University, Xi'an, P.R. China</i>	
<i>(2) Université de Technologie de Belfort-Montbéliard, Belfort, France</i>	
<b>Strength and Wear Properties of Stainless Steel Coatings Produced by Cold Spray with Various Powder Sizes</b> .....	<b>235</b>
<i>P. Vo<sup>1</sup>, E. Irissou<sup>1</sup>, S. Kudapa<sup>2</sup>, and M. Nestler<sup>2</sup></i>	
<i>(1) National Research Council Canada, Boucherville, Quebec, Canada</i>	
<i>(2) Sulzer Metco (US) Inc., Troy, MI, USA</i>	
<b>Super Hard WC Cermet Coating by Low Pressure Cold Spray Based on Optimization of Powder Properties</b> .....	<b>241</b>
<i>T. Sonoda<sup>1</sup>, T. Kuwashima<sup>1</sup>, T. Saito<sup>1</sup>, K. Sato<sup>2</sup>, H. Furukawa<sup>2</sup>, J. Kitamura<sup>2</sup>, and D. Ito<sup>3</sup></i>	
<i>(1) Iwate Industrial Research Institute, Iwate, Japan</i>	
<i>(2) Fujimi Incorporated, Gifu, Japan</i>	
<i>(3) Spec, Iwate, Japan</i>	
<b>Multi-Response Optimization of Process Parameters for Low-Pressure Cold Spray Coating Process Using Taguchi and Utility Concept</b> .....	<b>246</b>
<i>Tarun Goyal<sup>1</sup>, T.S. Sidhu<sup>2</sup>, and R.S. Walia<sup>3</sup></i>	
<i>(1) SUS College of Engineering and Technology, Tangori, Mohali, India</i>	
<i>(2) Shaheed Bhagat Singh College of Engineering &amp; Technology, Ferozepur, Punjab, India</i>	
<i>(3) Delhi Technological University, Delhi, India</i>	
<b>Coating Performance and Durability of Zn-Based Composite Materials Prepared by Using Low-Pressure Cold Spraying</b> .....	<b>252</b>
<i>H. Koivuluoto<sup>1</sup>, J. Ketola<sup>1</sup>, A. Milanti<sup>1</sup>, P. Vuoristo<sup>1</sup>, L.-L. Descurninges<sup>2</sup>, N. De Dave-Fabregue<sup>2</sup>, and M. Jeandin<sup>2</sup></i>	
<i>(1) Tampere University of Technology, Tampere, Finland</i>	
<i>(2) MINES ParisTech, Evry, France</i>	



<b>Splat Formation and Adhesion Mechanisms of Cold Gas Sprayed Al Coatings on Al<sub>2</sub>O<sub>3</sub></b> .....	<b>258</b>
<i>B. Wielage<sup>1</sup>, R. Drehmann<sup>1</sup>, T. Grund<sup>1</sup>, D. Rafaja<sup>2</sup>, T. Schucknecht<sup>2</sup>, and K. Manygoats<sup>2</sup></i>	
<i>(1) Chemnitz University of Technology, Chemnitz, Germany</i>	
<i>(2) Freiberg University of Mining and Technology, Freiberg, Germany</i>	
<b>Velocity Measurement of Sprayed Particles and Coatings Fabrication of Titanium Alloys by High-Pressure Warm Spray</b> .....	<b>263</b>
<i>S. Kuroda<sup>1</sup>, R.M. Molak<sup>1</sup>, M. Watanabe<sup>1</sup>, H. Araki<sup>1</sup>, H. Katanoda<sup>2</sup>, B. Sun<sup>3</sup>, N. Ohno<sup>3</sup>, and H. Fukanuma<sup>3</sup></i>	
<i>(1) National Institute for Materials Science, Tsukuba, Ibaraki, Japan</i>	
<i>(2) Kagoshima University, Korimoto, Kagoshima, Japan</i>	
<i>(3) Plasma Giken Co., Ltd., Toshima-ku, Tokyo, Japan</i>	
<b>Analysis of Thermal History and Residual Stress in Cold Sprayed Coatings</b> .....	<b>269</b>
<i>Z. Arabgol<sup>1</sup>, H. Assadi<sup>1</sup>, T. Schmidt<sup>2</sup>, F. Gärtner<sup>2</sup>, and T. Klassen<sup>2</sup></i>	
<i>(1) Tarbiat Modares University, Tehran, Iran</i>	
<i>(2) Helmut Schmidt University, Hamburg, Germany</i>	
<b>The Optional Facilities for the Low Pressure Cold Spray</b> .....	<b>275</b>
<i>A. Shkodkin, A. Kashirin, O. Klyuev, and T. Buzdygar</i>	
<i>Obninsk Center for Powder Spraying, Obninsk, Russia</i>	
<b>The Effect of Shock-Induced Plastic Deformation on Alumina Deposition during Vacuum Kinetic Spraying</b> .....	<b>279</b>
<i>Hyungkwon Park, Fei Cao, Juhyuk Kwon, and Changhee Lee,</i>	
<i>Hanyang University, Seoul, Republic of Korea</i>	
<b>Effect of Liquid Feedstock on Downstream Cold Spray Nozzle</b> .....	<b>292</b>
<i>E. Farvardin<sup>1</sup>, M. Karimi<sup>2</sup>, J. Villafuerte<sup>2</sup>, and A. Dolatabadi<sup>1</sup></i>	
<i>(1) Concordia University, Montreal, Quebec, Canada</i>	
<i>(2) CenterLine Ltd., Windsor, Ontario, Canada</i>	
<b>Deformation and Adherence of Fe<sub>40</sub>Al- Particles in Cold Gas Spraying</b> .....	<b>297</b>
<i>N. Cinca<sup>1</sup>, A. List<sup>1</sup>, F. Gärtner<sup>1</sup>, J. Fernández<sup>2</sup>, J.M. Guilemany<sup>2</sup>, and T. Klassen<sup>1</sup></i>	
<i>(1) Helmut Schmidt University, Hamburg, Germany</i>	
<i>(2) Universitat de Barcelona, Barcelona, Spain</i>	

## **Electronic and Semiconductor Applications**

<b>Microstructure Influence on Electromagnetic Properties of Thermal Sprayed Ferromagnetic Composites</b> .....	<b>302</b>
<i>E. Brousse-Pereira, J. Neige, S. Pereira, K. Wittmann-Teneze, A.L. Adenot-Engelvin, and L. Bianchi,</i>	
<i>CEA DAM Le Ripault, Monts, France</i>	
<b>Dense and High Purity Yttria Coatings by APS with a New Yttria Powder</b> .....	<b>307</b>
<i>A. Allimant<sup>1</sup>, D. Billières<sup>1</sup>, and H. Wallar<sup>2</sup></i>	
<i>(1) Saint-Gobain Coating Solutions, Avignon, France</i>	
<i>(2) Saint-Gobain Coating Solutions, Worcester, MA, USA</i>	



<b>Comparable Study of Electrical and Mechanical Properties in Plasma Sprayed Alumina Coatings</b> .....	<b>312</b>
<i>T. Tosaki, Y. Kobayashi, K. Ohta, and J. Kitamura, Fujimi Incorporated, Gifu, Japan</i>	

<b>Multi-Scale Analysis between Microstructure and Absorbing Performance of Thermal Sprayed Fe-(<math>\beta</math>-SiC/SiO<sub>2</sub>) Coatings</b> .....	<b>318</b>
<i>Xiaojing Yuan, Bailin Zha, and Hangong Wang, Xi'an Research Institute of Hi-Tech, Shaanxi, P.R. China</i>	

## Manufacturing and Processes

<b>A Coupled Model between Robot Trajectories and Thermal History of the Workpiece during Thermal Spray Operation</b> .....	<b>329</b>
<i>R. Bolot, S. Deng, Z. Cai, H. Liao, and G. Montavon, IRTES-LERMPS, UTBM, Belfort, France</i>	

<b>High Productivity PS-PVD Process</b> .....	<b>335</b>
<i>A. Barth, M. Gindrat, and S. Usai, Sulzer Metco AG, Switzerland</i>	

<b>Influence of Surface Contamination on the Adhesion Strength of HVOF Coatings</b> .....	<b>339</b>
<i>J. Barr<sup>1</sup>, C. Estrada<sup>1</sup>, and B. White<sup>2</sup></i>	
<i>(1) Watson Laboratories, Houston, TX, USA</i>	
<i>(2) Watson Grinding &amp; MFG, Houston, TX, USA</i>	

<b>Development of High Density Twin Wire Arc Sprayed Coatings on Metallic Foam Substrates</b> .....	<b>345</b>
<i>S. Salavati, R. Rezaey, L. Pershin, T.W. Coyle, and J. Mostaghimi, University of Toronto, Toronto, ON, Canada</i>	

## Research and Development

<b>Development and Characterization of B<sub>4</sub>C Reinforced Detonation Sprayed Al Coatings</b> .....	<b>351</b>
<i>W. Tillmann<sup>1</sup>, P.S. Hollingsworth<sup>1</sup>, G. Fischer<sup>2</sup>, and J. Nellesen<sup>2</sup></i>	
<i>(1) Technische Universität Dortmund, Dortmund, Germany</i>	
<i>(2) RIF e.V. Institut für Forschung und Transfer, Dortmund, Germany</i>	

<b>Sliding Wear Behavior and Wear Effects of HVOF Sprayed Coatings Derived from Conventional, Fine and Nanostructured WC-12Co Powders</b> .....	<b>357</b>
<i>W. Tillmann, I. Baumann, P. Hollingsworth, and L. Hagen, Technische Universität Dortmund, Dortmund, Germany</i>	

<b>Depicting the Behavior of a Mono-Cathode Plasma Spray Torch with an Emulator</b> .....	<b>365</b>
<i>T. Liu, S. Deng, M.-P. Planche, and G. Montavon, IRTES-LERMPS, Belfort, France</i>	

<b>Infiltration Bonding of a Hot Isostatic Press Clad Aluminum Layer to Plasma Sprayed Zirconium Coatings .....</b>	<b>377</b>
<i>K. Hollis and P. Dickerson, Los Alamos National Laboratory, Los Alamos, NM, USA</i>	
<b>Investigation of a Pulsed Current Wire Arc Spray Process .....</b>	<b>383</b>
<i>S. Kirner, J. Schein, and G. Forster, Universitaet der Bundeswehr Muenchen, Neubiberg, Germany</i>	
<b>Investigation and Characterization of HVOF WC-Co-Cr Coatings and Comparison to Galvanic Hard Chrome Coatings .....</b>	<b>389</b>
<i>K. Bobzin<sup>1</sup>, N. Kopp<sup>1</sup>, T. Warda<sup>1</sup>, M. Schäfer<sup>1</sup>, and A. Verstak<sup>2</sup> (1) RWTH Aachen University, Aachen, Germany (2) Kermetico Inc., Benicia, CA, USA</i>	
<b>Behavior of Ceramic Thermal Spray Coatings under Plasma Exposure .....</b>	<b>395</b>
<i>H. Yokota and M. Inaba, TOCALO Co., Ltd., Hyogo, Japan</i>	
<b>A Numerical Investigation: Influence of the Operating Gas on the Flow Characteristics of a Three-Cathode Air Plasma Spraying System .....</b>	<b>400</b>
<i>K. Bobzin, N. Kopp, T. Warda, M. Schäfer, and M. Öte, RWTH Aachen University, Aachen, Germany</i>	
<b>Microscopic Characteristics and Mechanical Properties of Plasma Sprayed Al<sub>2</sub>O<sub>3</sub> Coatings .....</b>	<b>406</b>
<i>T. Sakoda, M. Inaba, and K. Taguchi, TOCALO Co., Ltd., Hyogo, Japan</i>	
<b>TEM Characterization of the Coating/Substrate Interface in Vacuum Cold-Sprayed Nano-TiO<sub>2</sub> Coating .....</b>	<b>412</b>
<i>Hai-Long Yao, Guan-Jun Yang, Xue-Long He, Cheng-Xin Li, and Chang-Jiu Li, Xi'an Jiaotong University, Xi'an, Shaanxi, China</i>	
<b>Analysis of Liquid Feedstock Behavior in High Velocity Suspension Flame Spraying for the Development of Nanostructured Coatings .....</b>	<b>418</b>
<i>Ebrahim Gozali, Spyros Kamnis, and Sai Gu, Xi'an Jiaotong-Liverpool University</i>	
<b>Wear Performance of Thermally Sprayed and Welded Coatings Using Conventional and Nanostructured Materials .....</b>	<b>424</b>
<i>C.R.C. Lima<sup>1</sup>, B.V. Bette<sup>1</sup>, F. Camargo<sup>2</sup>, H.C. Fals<sup>3</sup>, and V.A. Ferraresi<sup>4</sup> (1) Methodist University of Piracicaba, São Paulo, Brazil (2) OGRAMAC Surface Engineering, São Paulo, Brazil (3) Oriente University, Santiago de Cuba, Cuba (4) Federal University of Uberlândia, Minas Gerais, Brazil</i>	
<b>Fabrication of Dense Ceramic Coatings by Using HVOF Spraying .....</b>	<b>429</b>
<i>Jin-Hong Kim, Byeong-Geun Seong, and Hyung-Jun Kim, Research Institute of Industrial Science &amp; Technology, Pohang, South Korea</i>	

<b>Development of Low Power Plasma Spray Process Using Atmospheric Pressure Microwave Plasma .....</b>	<b>433</b>
<i>T. Yasui, A. Redza, and M. Fukumoto, Toyohashi University of Technology, Toyohashi, Japan</i>	
<b>Characterization of the Flow Regimes in the Jet Spray for Different Twin-Wire Arc Spraying Nozzles by Adapting the Background Oriented Schlieren Technique .....</b>	<b>437</b>
<i>W. Tillmann, A. Mohamed, A. Nassir, L. Hagen, and H.G. Rademacher, Technische Universität Dortmund, Dortmund, Germany</i>	
<b>Current Activities for Standardization on Indentation Method to Evaluate Adhesion Strength of Thermal Spray Coatings in Japan .....</b>	<b>451</b>
<i>Y. Yamazaki<sup>1</sup>, M. Suzuki<sup>2</sup>, M. Arai<sup>3</sup>, Y. Miyashita<sup>4</sup>, and H. Waki<sup>5</sup></i>	
<i>(1) Niigata Institute of Technology, Kashiwazaki, Japan</i>	
<i>(2) The National Institute of Advanced Industrial Science and Technology, Tsukuba, Japan</i>	
<i>(3) Central Research Institute of Electric Power Industry, Yokosuka, Japan</i>	
<i>(4) Nagaoka University of Technology, Nagaoka, Japan</i>	
<i>(5) Iwate University, Morioka, Japan</i>	
<b>Friction Evolution of WC-Co/CR Thermally Sprayed Coatings during Dry Sliding in Different Environment .....</b>	<b>457</b>
<i>J.A. Wesmann<sup>1</sup>, R. Johnsen<sup>1</sup>, N. Espallargas<sup>1</sup>, J. Herland<sup>2</sup>, and D. Twist<sup>2</sup></i>	
<i>(1) NTNU Tribology Laboratory, Trondheim, Norway</i>	
<i>(2) Aker Solutions AS, Tranby, Norway</i>	
<b>Nucleation and Growth Transformations in Vacuum Plasma Sprayed Ti-6Al-4V Alloy .....</b>	<b>460</b>
<i>H.R. Salimijazi<sup>1</sup>, Z.A. Mousavi<sup>1</sup>, M.A. Golozar<sup>1</sup>, J. Mostaghimi<sup>2</sup>, and T. Coyle<sup>2</sup></i>	
<i>(1) Isfahan University of Technology, Isfahan, Iran</i>	
<i>(2) University of Toronto, Toronto, Canada</i>	
<b>Structure and Properties of HVOF and Plasma Sprayed Ceramic Alumina-Chromia Coatings Deposited from Fused and Crushed Powders .....</b>	<b>465</b>
<i>P. Vuoristo<sup>1</sup>, K. Niemi<sup>1</sup>, V. Matikainen<sup>1</sup>, L. Hyvärinen<sup>1</sup>, H. Koivuluoto<sup>1</sup>, L.-M. Berger<sup>2</sup>, S. Scheitz<sup>3</sup>, and I. Shakhverdova<sup>3</sup></i>	
<i>(1) Tampere University of Technology, Tampere, Finland</i>	
<i>(2) Fraunhofer Institute for Material and Beam Technology, Dresden, Germany</i>	
<i>(3) Dresden University of Technology, Dresden, Germany</i>	

## **Suspension and Solution Plasma Spray**

<b>Structural Modifications on Material Surfaces by Thermal Nanoparticle Spraying and Microlines Patterning .....</b>	<b>471</b>
<i>S. Kirihara, Osaka University, Ibaraki, Osaka, Japan</i>	
<b>Electro-Catalytically Active Porous Nickel-Based Electrode Coatings Formed by Atmospheric and by Suspension Plasma Spraying .....</b>	<b>475</b>
<i>M. Aghasibeig<sup>1</sup>, M. Mousavi<sup>1</sup>, F. Ben Ettouill<sup>1</sup>, R. Wuthrich<sup>1</sup>, A. Dolatabadi<sup>1</sup>, and C. Moreau<sup>2</sup></i>	
<i>(1) Concordia University, Montreal, Quebec, Canada</i>	
<i>(2) National Research Council, Boucherville, Quebec, Canada</i>	

<b>A Numerical Study of Suspension Injection in Plasma Spraying Process .....</b>	<b>481</b>
<i>F. Jabbari, M. Jadidi, R. Wuthrich, and A. Dolatabadi</i>	
<i>Concordia University, Montreal, Quebec, Canada</i>	

## Surface Engineering

<b>3D Wear Analysis of Thermal Spray Coatings .....</b>	<b>487</b>
<i>W. Tillmann, W. Luo, and U. Selvadurai,</i>	
<i>TU Dortmund University</i>	
<b>Plasma Spray-Physical Vapor Deposition of <math>\text{La}_{1-x}\text{Sr}_x\text{Co}_y\text{Fe}_{1-y}\text{O}_{3-5}</math> Thin Film Oxygen Transport Membrane on Porous Metallic Supports .....</b>	<b>493</b>
<i>M.O. Jarligo, G. Mauer, M. Bram, S. Baumann, and R. Vaßen,</i>	
<i>Forschungszentrum Jülich GmbH, Jülich, Germany</i>	
<b>Influence of Surface Pre-Treatment on Aluminum Alloy Mechanical Behavior .....</b>	<b>499</b>
<i>A. Lamraoui, S. Costil, and C. Langlade,</i>	
<i>Université de Technologie de Belfort – Montbéliard, Belfort, France</i>	
<b>Tungsten Carbide Deposition Processes for Hard Chrome Alternative: Preliminary Study of HVAF vs. HVOF Thermal Spray Processes .....</b>	<b>506</b>
<i>C. Lyphout<sup>1</sup>, J. Kitamura<sup>2</sup>, K. Sato<sup>2</sup>, J. Yamada<sup>2</sup>, and S. Dizdar<sup>3</sup></i>	
<i>(1) University West, Production Technology West, Trollhättan, Sweden</i>	
<i>(2) Fujimi Incorporated, Japan</i>	
<i>(3) Höganäs Sweden AB, Sweden</i>	
<b>Microstructure and Mechanical Properties of Plasma Sprayed Nanostructured and Conventional <math>\text{Al}_2\text{O}_3\text{-13TiO}_2</math> Coatings .....</b>	<b>512</b>
<i>Wojciech Żórawski<sup>1</sup>, Anna Góral<sup>2</sup>, Otakar Bokuvka<sup>3</sup>, and Katarzyna Berent<sup>2</sup></i>	
<i>(1) Kielce University of Technology, Poland,</i>	
<i>(2) Institute of Metallurgy and Materials Science PAS, Cracow, Poland</i>	
<i>(3) University of Zilina, Slovakia</i>	
<b>Adhesion/Cohesion Strength of Plasma Sprayed Ceramic Coatings by Scratch Testing On Cross-Section .....</b>	<b>516</b>
<i>Eungsun Byon<sup>1</sup>, Soo-Wohn Lee<sup>2</sup>, Junya Kitamura<sup>3</sup>, and Kenneth Holmberg<sup>4</sup></i>	
<i>(1) Korea Institute of Materials Science, Changwon, Korea</i>	
<i>(2) Sunmoon University, Asan, Korea</i>	
<i>(3) Fujimi Incorporated, Kakamigahara, Japan</i>	
<i>(4) VTT Technical Research Centre of Finland, VTT, Finland</i>	
<b>Biofilm Formation and Evaluation for Spray Coated Metal Films on Laboratory Scale .....</b>	<b>520</b>
<i>H. Kanematsu<sup>1</sup>, T. Kogo<sup>1</sup>, D. Kuroda<sup>1</sup>, H. Itoh<sup>1</sup>, and S. Kirihara<sup>2</sup></i>	
<i>(1) Suzuka National College of Technology, Suzuka, Mie, Japan</i>	
<i>(2) Osaka University, Ibaraki, Osaka, Japan</i>	
<b>The Effect of CFRP Surface Treatment on the Splat Morphology and Coating Adhesion Strength .....</b>	<b>526</b>
<i>Amirthan Ganesan, Mohammed Shahien, Motohiro Yamada, and Masahiro Fukumoto,</i>	
<i>Toyohashi University of Technology, Toyohashi, Aichi, Japan</i>	

<b>External Powder Injection in Twin Wire Arc Spraying to Control the Coating Composition .....</b>	<b>532</b>
<i>W. Tillmann, M. Abdulgader, and L. Hagen, Technische Universität Dortmund, Dortmund, Germany</i>	
<b>Surface Hardening of HVOF Sprayed Stainless Steel Coatings by Plasma Nitriding and Nitrocarburizing .....</b>	<b>538</b>
<i>Gayoung Park, Gyuyeol Bae, and Changhee Lee, Hanyang University, Seoul, South Korea</i>	
<b>Abrasive Wear Resistance of Thermal Surfacing Materials for Soil Tillage Applications .....</b>	<b>543</b>
<i>Senad Dizdar and Barbara Maroli, Höganäs AB, Höganäs, Sweden</i>	
<b>Abrasion Wear and Corrosion Resistance in Chlorine Containing Conditions of Iron Based Thermal Spray Coatings .....</b>	<b>550</b>
<i>J. Laurila, A. Milanti, K. Niemi, and P. Vuoristo, Tampere University of Technology, Tampere, Finland</i>	
<b>Turbine Coatings</b>	
<b>Impact of Impurity Content on the Sintering Resistance of Dysprosia and Yttria Stabilised Zirconia Thermal Barrier Coatings .....</b>	<b>557</b>
<i>N. Curry<sup>1</sup>, Wyszomir Janikowski<sup>2</sup>, and N. Markocsan<sup>1</sup> (1) University West, Trollhättan, Sweden (2) University of Manchester, Manchester, UK</i>	
<b>Increasing Durability of a Multilayer Oxidation Protection System for Gamma-TiAl .....</b>	<b>564</b>
<i>K. Bobzin, N. Kopp, T. Warda, and T.F. Linke, RWTH Aachen University, Aachen, Germany</i>	
<b>MCrAlY Bondcoats by High Velocity Atmospheric Plasma Spraying .....</b>	<b>570</b>
<i>G. Mauer, D. Sebold, and R. Vaßen, Forschungszentrum Jülich, Jülich, Germany</i>	
<b>Effect of Plasma Spray Parameters on Thermal Barrier Coating Formation and Microstructural Properties .....</b>	<b>577</b>
<i>M.L. Sesso, C.C. Berndt, and Y.C. Wong, Swinburne University of Technology, Australia</i>	
<b>Improved Thermal Cycling Durability of Thermal Barrier Coatings Manufactured by PS-PVD.....</b>	<b>583</b>
<i>S. Rezanka, G. Mauer, and R. Vaßen, Forschungszentrum Jülich, Jülich, Germany</i>	
<b>Comparison Study of Three or Two Dimensional Analytical Model for Simulation of Thermal Conductivity in Thermally Sprayed Ceramic Coatings .....</b>	<b>590</b>
<i>G.-J. Yang, Y.-C. Xie, H. Xie, C.-X. Li, and C.-J. Li, Xi'an Jiaotong University, Xi'an, Shaanxi, China</i>	

<b>Influence of Topcoat-Bondcoat Interface Roughness on Stresses and Lifetime in Thermal Barrier Coatings</b> .....	<b>596</b>
<i>M. Gupta, K. Skogsberg, and P. Nylén, University West, Trollhättan, Sweden</i>	

<b>Tribological Characterization of Plasma Sprayed CoNiCrAlY-BN Abradable Coatings</b> .....	<b>602</b>
<i>E. Irissou<sup>1</sup>, A. Dadouche<sup>2</sup>, and R.S. Lima<sup>1</sup></i>	
<i>(1) National Research Council Canada, Boucherville, Quebec, Canada</i>	
<i>(2) National Research Council Canada, Ottawa, Ontario, Canada</i>	

<b>Controlling YSZ Abradable Erosion Performance by Optimizing Spray Parameters</b> .....	<b>608</b>
<i>A. Hawkins<sup>1</sup>, R. Wellman<sup>1</sup>, M. Craig<sup>1</sup>, J.R. Nicholls<sup>1</sup>, K. Laul<sup>2</sup>, and R. Shankar<sup>2</sup></i>	
<i>(1) Cranfield University, Cranfield, Bedfordshire, UK</i>	
<i>(2) Chromalloy, Orangeburg, NY, USA</i>	

## Poster

<b>New Method for Carbon Nanofibers-Metal Powder Formation and Their Use in Thermal Spray Coatings</b> .....	<b>620</b>
<i>D.R. Vidal, I.G. Cano, J. Fernández, and J.M. Guilemany, Universitat de Barcelona, Barcelona, Spain</i>	

<b>A Study on the Metal EDTA Complexes Thermal Spray</b> .....	<b>626</b>
<i>Yu Li<sup>1</sup>, Masahiro Noguchi<sup>1</sup>, Hiroki Akasaka<sup>2</sup>, Atsushi Nakamura<sup>3</sup>, and Hidetoshi Saitoh<sup>4</sup></i>	
<i>(1) Nippon Steel &amp; Sumikin Hardfacing Co., Ltd., Fukuoka, Japan</i>	
<i>(2) Tokyo Institute of Technology, Tokyo, Japan</i>	
<i>(3) Chubu Chelest Co. Ltd., Mie, Japan</i>	
<i>(4) Nagaoka University of Technology, Niigata, Japan</i>	

<b>Friction Coefficient Improvement of Cold Sprayed Al-Al<sub>2</sub>O<sub>3</sub> Coatings</b> .....	<b>631</b>
<i>K.H. Ko, J.O. Choi, and H. Lee, Ajou University, Suwon, Republic of Korea</i>	

<b>Formation Mechanism of Fe-Al<sub>2</sub>O<sub>3</sub>-FeAl<sub>2</sub>O<sub>4</sub> and FeAl Coatings by Reactive Plasma Spraying under Atmosphere and Low Pressure Conditions</b> .....	<b>636</b>
<i>L. Zhu<sup>1</sup>, R. Bolot<sup>2</sup>, H. Liao<sup>2</sup>, C. Coddet<sup>2</sup>, N. Zhang<sup>3</sup>, and Q. Zhao<sup>4</sup></i>	
<i>(1) Mariee-CFHI, Tianjin, China</i>	
<i>(2) LERMPS-UTBM, Belfort, France</i>	
<i>(3) Shenyang University of Technology, Shenyang, China</i>	
<i>(4) Tianjin University of Science &amp; Technology, Tianjin, China</i>	

<b>Numerical Simulation of Heat Transfer in Thermal Spray-Formed Metal Foam Heat Exchangers</b> .....	<b>642</b>
<i>M. Taheri, S. Chandra, and J. Mostaghimi, University of Toronto, Toronto, Ontario, Canada</i>	



<b>Modeling the Influence of Solution Properties on Precipitations of Vaporizing Droplets in Plasma Gases .....</b>	<b>648</b>
<i>L.S. Xu and Y.G. Shan,</i> <i>University of Shanghai for Science and Technology, China</i>	
<b>Numerical Simulation of Gas Dynamics and Particles Behavior in Low-Temperature Oxygen-Fuel Spray Process .....</b>	<b>654</b>
<i>C.H. Shen<sup>1</sup>, Y.G. Shan<sup>1</sup>, and L.B. Jia<sup>2</sup></i> <i>(1) University of Shanghai for Science and Technology, Shanghai, China</i> <i>(2) Siemens (Shanghai) Gas Turbine Parts Ltd., Shanghai, China</i>	
<b>Effect of Substrate Hardness and Spray Angle on the Deposition Behavior of Cold Sprayed Ti Particles .....</b>	<b>660</b>
<i>S. Yin<sup>1</sup>, X.K. Suo<sup>1</sup>, H.L. Liao<sup>1</sup>, X.F. Wang<sup>2</sup>, and W.Y. Li<sup>3</sup></i> <i>(1) Université de Technologie Belfort-Montbéliard, Belfort, France</i> <i>(2) Dalian University of Technology, Dalian, Liaoning, China</i> <i>(3) Northwestern Polytechnical University, Xi'an, Shaanxi, China</i>	
<b>Microstructure and Magnetic Properties of Atmospheric Plasma-Sprayed Fe-40Al Coating Obtained from Nanostructured Powders .....</b>	<b>666</b>
<i>B. Song<sup>1</sup>, S.-J. Dong<sup>1</sup>, N.-E. Fenineche<sup>1</sup>, H.-L. Liao<sup>1</sup>, C. Coddet<sup>1</sup>, and T. Grosdidier<sup>2</sup></i> <i>(1) IRTES-LERMPS, Belfort, France</i> <i>(2) LETAM, Metz, France</i>	
<b>Parameter Optimization of Dry-Ice Blasting during Plasma Spraying Process by Characterizing CoNiCrAlY Coatings .....</b>	<b>672</b>
<i>S.-J. Dong<sup>1</sup>, B. Song<sup>1</sup>, H.-L. Liao<sup>1</sup>, C. Coddet<sup>1</sup>, and B. Hansz<sup>2</sup></i> <i>(1) IRTES-LERMPS, UTBM, France</i> <i>(2) HMRexpert, France</i>	
<b>Characterization of WC Particle-Reinforced In-Situ FeAl Intermetallic Matrix Composite Coating by Cold Spraying .....</b>	<b>677</b>
<i>H.-T. Wang<sup>1</sup>, G.-C. Ji<sup>1</sup>, and R.-Y. Wang<sup>2</sup></i> <i>(1) School of Mechanical and Materials Engineering, Jiujiang, Jiangxi, P.R. China</i> <i>(2) Jiujiang University Library, Jiujiang, Jiangxi, P.R. China</i>	
<b>Effect of Ceramic Content on the Microstructure and Wear Behaviour of Al/SiC<sub>p</sub> Composite Coatings by Cold Spraying .....</b>	<b>684</b>
<i>H.-T. Wang<sup>1</sup>, G.-C. Ji<sup>1</sup>, and R.-Y. Wang<sup>2</sup></i> <i>(1) School of Mechanical and Materials Engineering, Jiujiang, Jiangxi, P.R. China</i> <i>(2) Jiujiang University Library, Jiujiang, Jiangxi, P.R. China</i>	
<b>Deposition Behaviors of Fe-Based Amorphous Materials in Vacuum Kinetic Spraying Process .....</b>	<b>690</b>
<i>Juhyuk Kwon, Hyungkwon Park, and Changhee Lee,</i> <i>Hanyang University, Seoul, Republic of Korea</i>	



<b>Effect of SiC Particle Size and Fraction on Microstructure and Properties of Cold Sprayed AZ91D/SiC<sub>p</sub> Composite Coatings .....</b>	<b>695</b>
<i>X.-K. Suo<sup>1</sup>, M. Yu<sup>1</sup>, M.-P. Planche<sup>1</sup>, H.-L. Liao<sup>1</sup>, and Q.-L. Suo<sup>2</sup></i>	
<i>(1) Université de Technologie de Belfort-Montbéliard, France</i>	
<i>(2) Beijing University of Aeronautics and Astronautics, Beijing, China</i>	
<b>Prediction of Critical Velocity during Cold Spraying Based on a Coupled Thermomechanical Eulerian Model .....</b>	<b>701</b>
<i>F.F. Wang<sup>1</sup>, W.Y. Li<sup>1</sup>, C.J. Huang<sup>1</sup>, M. Yu<sup>2</sup>, and H.L. Liao<sup>2</sup></i>	
<i>(1) Northwestern Polytechnical University, Xi'an, Shaanxi, P.R. China</i>	
<i>(2) Université de Technologie de Belfort-Montbéliard, Belfort, France</i>	
<b>Influence of the Substrate's Shape Complexity on the Coating Properties Produced by HVOF Spraying of Fine WC-12Co (2-10 μm) Powders .....</b>	<b>707</b>
<i>W. Tillmann<sup>1</sup>, P. Hollingsworth<sup>1</sup>, I. Baumann<sup>1</sup>, S. Flossbach<sup>1</sup>, H. Müller<sup>2</sup>, and T. Wiederkehr<sup>2</sup></i>	
<i>(1) Institute of Materials Engineering, TU Dortmund, Germany</i>	
<i>(2) Computer Science VII - Computer Graphics, TU Dortmund, Germany</i>	
<b>Wear Resistant Coatings on Ball Valves for Coal-Slurry Pipelines .....</b>	<b>712</b>
<i>L. Pershin<sup>1</sup>, J. Mostaghimi<sup>1</sup>, Afshin Maknani<sup>2</sup>, Y.S. Ma<sup>3</sup>, Q. Gao<sup>3</sup>, Z.D. Chang<sup>3</sup>, H.B. Liu<sup>3</sup>, and Q.M. Wu<sup>3</sup></i>	
<i>(1) University of Toronto, Toronto, Canada</i>	
<i>(2) Metal Morphosis Specialty Metals Inc., Cambridge, ON, Canada</i>	
<i>(3) Wuzhong Instruments, Wuzhong, China</i>	
<b>Computational Simulation for Gas Heater of Cold Spray System .....</b>	<b>717</b>
<i>Huang Guosheng<sup>1</sup>, Gu Daming<sup>1</sup>, Li Xiangbo<sup>2</sup>, and Xing Lukuo<sup>2</sup></i>	
<i>(1) Harbin Institute of Technology, Harbin, China</i>	
<i>(2) Science and Technology on Marine Corrosion and Protection Laboratory, Qingdao, China</i>	
<b>Author Index .....</b>	<b>723</b>