

26th International Symposium on Superconductivity

(ISS 2015)

Physics Procedia Volume 58

**Tokyo, Japan
18 – 20 November 2013**

Editors:

**M. Naito
Y. Yamada**

ISBN: 978-1-63439-494-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com



Japan Keirin	1
Preface	
M. Naito, Y. Yamada	2
Organization	3
1. Plenary lectures	
Achievements in M-PACC Project and Future Prospects on R&D of Coated Conductors in Japan	
T. Izumi.	6
2. Physics and chemistry	
<i>2.1 Superconductivity - theory</i>	
Spin-current State in Anisotropic Triangular Heisenberg Model	
S. Tamura, H. Yokoyama	10
Stability of Staggered Flux State for Anisotropic Triangular Lattice	
H. Yokoyama, S. Tamura, T. Watanabe, K. Kobayashi, M. Ogata	14
A Composite Fermion Model of High-temperature Superconducting Cuprate	
K. Nishi.	18
Superconductivity and Phase Separation in Extended Hubbard Model	
K. Kobayashi, H. Yokoyama	22
Material-parameter Dependence of Superconductivity in High-temperature Cuprates	
T. Yanagisawa, M. Miyazaki, K. Yamaji	26
Stripes and <i>d</i> -wave Superconductivity in the Two-dimensional Hubbard Model	
M. Miyazaki, K. Yamaji, T. Yanagisawa	30
Theoretical Study of the Chemical Pressure Effect on T_c in the Cuprate Superconductors	
H. Sakakibara, K. Suzuki, H. Usui, K. Kuroki, R. Arita, H. Aoki	34
Theoretical Analysis on the Band Structure Variance of the Electron Doped 1111 Iron-based Superconductors	
K. Suzuki, H. Usui, S. Iimura, Y. Sato, S. Matsuishi, H. Hosono, K. Kuroki	38
Electronic Band Calculation of LaTSb ₂ (T=Cu,Ag,Au)	
I. Hase, T. Yanagisawa.	42
<i>2.2 Cuprate superconductors - experiment</i>	
Superconductivity in Hole-doped La _{1.8-x} Eu _{0.2} Ca _x CuO ₄ with the Nd ₂ CuO ₄ -type Structure	
T. Takamatsu, M. Kato, T. Noji, Y. Koike.	46
Liquid Phase Growth of YBa ₂ Cu ₃ O _{7-x} at Low Temperatures Using KOH Flux	
Y. Yamada, S. Funaki, F. Nakayama, R. Okunishi, Y. Miyachi	50
Ni Impurity Effect on the Transport Properties and Carrier Concentration of Bi2212	
Y. Kiguchi, T. Nakazawa, A. Matsuda.	54
Improvement of Upper Critical Field in YBa ₂ Cu ₃ O _y Films by Substituting 3d Metal for Cu Sites Using Combinatorial Pulsed-laser Deposition	
S. Kojima, Y. Ichino, Y. Yoshida.	58
Fabrication of Tri-axially Oriented RE-Ba-Cu-O Ceramics by Magnetic Alignment	
M. Yamaki, M. Furuta, T. Doi, J. Shimoyama, S. Horii.	62
Improvement in Superconducting Properties of Air Processed SmBa ₂ Cu ₃ O _y with Ag ₂ O Addition	
Y. Hashimoto, M. Muralidhar, N. Koshizuka, K. Inoue, M. Murakami	66
Development of Melt-processed (Nd,Eu,Gd)Ba ₂ Cu ₃ O _y Superconductors in Air	
K. Suzuki, M. Muralidhar, N. Koshizuka, K. Inoue, M. Murakami.	70
Pulsed-field Invasion to HTS Bulk Magnets Grown from Two Seeds with Varied Seed-crystal Positions and Numbers	
T. Oka, Y. Yamada, T. Horiuchi, J. Ogawa, S. Fukui, T. Sato, K. Yokoyama, M. Langer	74
Observation of the Gap Distribution on Multi-layered Cuprate Superconductor Ba ₂ Ca ₄ Cu ₅ O ₁₀ (O _{1-x} , F _x) ₂ by STM/STS	
A. Sugimoto, T. Ekino, K. Tanaka, K. Mineta, K. Tanabe, K. Tokiwa	78
Two Sizes of Superconducting Gaps on an Under-doped Bi _{2.1} Sr _{1.9} Ca ₂ Cu ₃ O _{10+δ} with $T_c \sim 101$ K by Tunneling Spectroscopy	
R. Sekine, K. Ogata, A. Tsukada, N. Miyakawa	82
<i>2.3 Other superconductors -experiment</i>	
Thermal Conductivity and Electrical Resistivity of FeTe _{1-x} S _x Sintered Samples	
T. Kikegawa, K. Sato, K. Ishikawa.	86

Crystal Structure of Pt-doped IrTe ₂ Superconductor T. Mochiku, Y. Matsushita, A. Sato, Y. Fujisawa, K. Igarashi, T. Machida, H. Sakata, K. Hirata	90
Superconductivity in BiS ₂ -based Layered Compounds Y. Mizuguchi	94
Mechanical Properties of MgB ₂ Bulks A. Murakami, H. Teshima, T. Naito, H. Fujishiro, T. Kudo	98
Effect of Sintering Time on the Optimal Synthesis Condition in MgB ₂ J. Ishiwata, M. Muralidhar, N. Koshizuka, K. Inoue, M. Murakami	102
Effects of Sintering Condition on the Trapped Magnetic Field Properties for MgB ₂ Bulks Fabricated by <i>in-situ</i> Capsule Method T. Yoshida, T. Naito, H. Fujishiro	106
2.4 Vortex Physics	
Examination of Doping Change by <i>c</i> -axis Current Injection in Bi ₂ Sr ₂ CaCu ₂ O _{8+y} and the Influence on Vortex States S. Ooi, T. Mochiku, M. Tachiki, K. Hirata	110
Effect of Ir-addition on Pinning Property of MgB ₂ Y. Nozaki, T. Shibata, M. Uehara, T. Kuramoto, Y. Kimishima	114
Intrinsic Pinning Property of NaFe ₂ Se ₂ Superconductor K. Sugai, R. Tatsumi, M. Uehara, T. Kuramoto, Y. Kimishima	118
The Effect of 320 MeV Au Irradiation in K-doped Ba-122 F. Ohtake, T. Taen, S. Pyon, T. Tamegai, S. Okayasu	122
Flux Avalanches in Multi-layer Superconducting Strip Arrays S. Tada, Y. Tsuchiya, A. Mine, S. Pyon, T. Tamegai, S. Nagasawa, M. Hidaka	126
3. Wires, Tapes and Characterization	
3.1 Processing of C.C.	
Development of Commercial RE123 Coated Conductors for Practical Applications by IBAD/PLD Approach Y. Iijima, S. Fujita, M. Igarashi, M. Daibo, N. Nakamura, S. Hanyu, R. Kikutake, Y. Sutoh, H. Tobita, H. Fuji, K. Kakimoto, M. Nagata, M. Itoh	130
Improvement of Production Rate of YBCO Coated Conductors Fabricated by TFA-MOD Method K. Nakaoka, M. Yoshizumi, Y. Usui, T. Izumi, Y. Shiohara	134
Effect of Interim Annealing on Mechanical Strength of TFA-MOD Derived YBCO Coated Conductors Y. Takagi, K. Nakaoka, T. Nakamura, M. Yoshizumi, T. Kiss, T. Izumi, Y. Shiohara	138
Development of Low AC Loss TFA-MOD Coated Conductors K. Katayama, T. Machi, T. Nakamura, Y. Takagi, K. Nakaoka, M. Yoshizumi, T. Izumi, Y. Shiohara	142
Development of BZO Doped YGdBCO High Performance Long CCs Using TFA-MOD Process T. Nakamura, M. Yoshizumi, T. Izumi, Y. Shiohara, K. Kimura, T. Hasegawa	146
3.2 Characterization of C.C.	
Improvement of Delamination Strength of REBCO Coated Conductors M. Yoshizumi, N. Sakai, T. Izumi	150
Superconducting Properties of BaHfO ₃ -doped Nd _{1+x} Ba _{2-x} Cu ₃ O _y Films Prepared by Alternating-targets Technique Y. Sawano, Y. Yoshida, Y. Ichino, K. Matsumoto, S. Awaji	154
Influence of Gd/Ba Composition on Superconducting Properties of BaHfO ₃ Doped Gd _{1+x} Ba _{2-x} Cu ₃ O _y films K. Hikawa, Y. Yoshida, Y. Ichino, M. Yoshizumi, T. Izumi, T. Kato	158
Effects of Zr Addition on the Superconducting Properties and Microstructure of MOD-GdBa ₂ Cu ₃ O _y Films Fabricated Using Fluorine-free Coating Solutions H. Suzuki, R. Kita, K. Ohba, O. Miura, Y. Ohtsu, K. Yamada, K. Kaneko	162
3.3 Processing & Characterization of BSCCO & MgB₂ Wires	
Improve Uniformity of the Cores and <i>J_c</i> of Bi-2212 Wires Q.B. Hao, C.S. Li, S.N. Zhang, G.S. Li, L.F. Bai, G.Q. Liu, X.M. Xiong, P.X. Zhang	166
Correlation between the Critical-current Anisotropy and Microstructure of <i>ex-situ</i> Processed MgB ₂ Tapes Using Carbon-substitution Treatment T. Kuroda, H. Fujii, S. Ye, H. Kitaguchi	170
4. Thin Films and Junctions	
Numerical Investigation on Accuracy of Defect Detection in HTS Film by Inductive Method T. Takayama, S. Ikuno, A. Kamitani	174
<i>d</i> -wave Paraconductivity Characterization of <i>T_c</i> Variations in High- <i>T_c</i> Superconducting Films M. Kasahara, N. Mori, T. Ishibashi	178
Interferometry through a Quantum Dot Coupled to Majorana Fermions A. Ueda, T. Yokoyama	182
Anomalous Meissner Effect in Superconducting Junction with Spin-active Interface T. Yokoyama, Y. Tanaka, N. Nagaosa	187

Lyapunov Exponent Analyses of Chaotic Oscillations in rf-biased Josephson Junctions Y. Tamura, H. Shimakage	191
Fabrication of YBCO-LSMO-YBCO Lateral Structure with AFM Lithography K. Ishii, M. Tachiki, S. Ooi, K. Hirata	195
5. Electronic Devices	
Numerical Simulation of SQUID Magnetometer Considering Equivalent Electrical Circuit of Josephson Junction N. Terauchi, S. Noguchi, H. Igarashi	200
Development of HTS-SQUID Gradiometer with an External HTS Multiturn Thin Film Pickup Coil M. Teraoka, A. Tsukamoto, S. Adachi, H. Takai, K. Tanabe	204
Study on Non-destructive Evaluation of Flaws in Multilayer Duct Using an HTS-SQUID Gradiometer J. Kawano, A. Ogawa, F. Ishikawa, K. Tanabe	208
Power Handling Capability of Transmit HTS Stripline Filter with Shuttle-shape Resonators N. Sekiya, T. Horiuchi, A. Saito, S. Ohshima	212
Optimization of SFQ Logic Gate Considering Dependence of its Signal Propagation Delay on the Bias Voltage M. Otsubo, Y. Yamanashi, N. Yoshikawa	216
Design and Operation of 6-bit, 0.25-mV _{pp} Quasi-sine Voltage Waveform Generator based on SFQ Pulse-frequency Modulation Y. Takahashi, H. Shimada, M. Maezawa, Y. Mizugaki	220
6. Large scale system applications	
<i>6.1 Magnets and coils</i>	
Development of a 3 T-10" Bore MgB ₂ Magnet at GE S. Mine, M. Xu, S. Buresh, W. Stautner, C. Immer, E.T. Laskaris, K. Amm	224
Evaluation of a 5 T REBCO Pancake Coil Magnet with IBAD/PLD Coated Conductors M. Daibo, S. Fujita, M. Haraguchi, Y. Iijima, M. Itoh, T. Saitoh	228
Progress of ITER and JT-60SA Magnet Development in Japan N. Koizumi, Y. Nunoya, K. Yoshida, P. Barabaschi	232
Irradiation Effect on the Interface of the Composites Used as the Insulation Materials in the Nuclear Fusion Reactor M. Hayashi, Y. Nakata, F. Mishima, Y. Akiyama, S. Nishijima	236
Thermal Analysis of a Toroidal Field Model Magnet with HTS Wires X. Deng, H. Liu, L. Ren, Y. Zhang, Y. Xu, X. Zhao, Y. Tang	240
Electromagnetic Design of HTS D-shaped Coils for a Toroidal-type Superconducting Magnet H. Liu, X. Deng, L. Ren, Y. Xu, J. He, Y. Tang	244
Stability Analysis of ITER Side Correction Coils F. Jin, C. Xiaoyu, Z. Wei, L. Liangfeng, S. Yuntao, W. Weiyue	248
The Development of the Separation Apparatus of Phosphor by Controlling the Magnetic Force K. Wada, F. Mishima, Y. Akiyama, S. Nishijima	252
Time-frequency Analyses of AE Signals in YBCO Superconductors N. Nanato, N. Takemoto	256
Non-destructive Detection of Normal Transitions in High Temperature Superconducting Coil N. Nanato, K. Nishiyama	260
Quench Detection and Protection for High Temperature Superconducting Transformers by Using the Active Power Method N. Nanato, Y. Kobayashi	264
Experimental Study on Current Decay Characteristics of Persistent Current HTS Magnet by Alternating Magnetic Field Y.G. Park, C.Y. Lee, Y.J. Hwang, W.S. Lee, J. Lee, H.C. Jo, Y.D. Chung, T.K. Ko	268
<i>6.2 SMES</i>	
Analysis of Polygonal Distance Protection Relay of Transmission Line Affected by SMES Device J. Yang, W. Zhang	272
Application of SMES Unit in Black Start J. Yang, W. Liu, P. Liu	277
<i>6.3 Bulk Characterization</i>	
Study on the Levitation and Restoring Force Characteristics of the Improved HTS-permanent Magnet Hybrid Magnetic Bearing R. Sugiyama, K. Oguni, S. Ohashi	282
Trapped Field and Flux Dynamics in MgB ₂ Superconducting Bulks Magnetized by Pulsed Field H. Fujishiro, T. Naito, T. Ujiie, A.F. Albisetti, G. Giunchi	286
Numerical Study on Split Coil-shaped HTS Bulks to Improve the Field Homogeneity for Compact NMR Relaxometry Magnets D. Ishizuka, S.B. Kim, N. Hayashi, H. Kitamura, D. Miyazawa	290
The Dynamic Characteristics of 3-D Superconducting Actuator Using the Magnetized HTS Bulk by Sandwiched Electromagnets H. Nakano, S.B. Kim, S. Ozasa, M. Sawae	294
The Study to Improve the Field Homogeneity of the HTS Bulk Magnets for NMR Relaxometry Device by Passive Compensation Methods H. Kitamura, S.B. Kim, N. Hayashi, D. Ishizuka, D. Miyazawa	298

Investigation of the Flux Flow-inhibiting Effect of a Hole-opened Superconducting Bulk Magnet K. Yokoyama, T. Tsukui, H. Mita, N. Tsubonoya, T. Oka	302
Shielding and Trapped Field Properties of Large MgB ₂ Bulk T. Ujii, T. Naito, H. Fujishiro, A.F. Albisetti, G. Giunchi	306
<i>6.4 Power Cables</i>	
Status of 275 kV REBCO HTS Cable Development in the NEDO Project S. Mukoyama, M. Yagi, T. Okuma, O. Maruyama, Y. Shiohara, N. Hayakawa, T. Mizutani.	310
Development of a 66 kV-5 kA Class HTS Power Cable with IBAD/PLD REBCO Tapes M. Daibo, K. Watanabe, K. Akashi, H. Hidaka, M. Nagata, M. Yoshida, Y. Iijima, M. Itoh, T. Saitoh, O. Maruyama, T. Ohkuma	314
Design and PHILS-based Transient Analysis of a Tri-axial HTS Power Cable S-K. Ha, C-S. Kim, S-K. Kim, M-C. Dinh, J-G. Kim, M. Park, I-K. Yu, S. Lee, K. Sim	318
Calculating AC Losses in High-temperature Superconducting Cables Comprising Coated Conductors H. Noji, S. Kawano, Y. Akaki, T. Hamada.	322
AC Loss of Ripple Current in Superconducting DC Power Transmission Cable K. Yoshitomi, E.S. Otabe, V.S. Vyatkin, M. Kiuchi, T. Matsushita, M. Hamabe, S. Yamaguchi, R. Inada	326
Numerical Analysis of Heat Transfer and Fluid Characteristics of Flowing Liquid Nitrogen in HTS Cable O. Maruyama, T. Ohkuma, T. Izumi, Y. Shiohara	330
Dynamic Characteristics of Pressure Build Up Tank for HTS Power Cable Refrigeration System D. Kim, H. Park, S. Kim, H. Jang, Y. Kim.	334
<i>6.5 Tape Characterization</i>	
Suspension of a YBCO Tape and its Numerical Evaluation M. Tsuchimoto	338