

25th IAHR Symposium on Hydraulic Machinery and Systems 2010

**IOP Conference Series: Earth and Environmental Science
Volume 12**

**Timisoara, Romania
20 - 24 September 2010**

Part 1 of 2

**ISBN: 978-1-5108-0212-4
ISSN: 1755-1307**

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by the Institute of Physics
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact the Institute of Physics
at the address below.

Institute of Physics
Dirac House, Temple Back
Bristol BS1 6BE UK

Phone: 44 1 17 929 7481
Fax: 44 1 17 920 0979

techtracking@iop.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Table of contents

Volume 12

**25th IAHR Symposium on Hydraulic Machinery and Systems
20–24 September 2010 'Politehnica' University of Timișoara, Timișoara, Romania**

**Accepted papers received: 30 July 2010
Published online: 7 September 2010**

Hydraulic turbines and pumps

012001

[3D unsteady turbulent simulations of transients of the Francis turbine](#) J Li, J Yu and Y Wu ri 03

012002

[Effects of cavity on leakage loss in straight-through labyrinth seals](#) W Zhao, T K Nielsen and J T Billdal ri 032

012003

[A modification method on runner blades in a Bulb turbine](#) W Yang, Y Wu and S Liu ri 03:

012004

[Turbulent flow computation through a model Francis turbine and its performance prediction](#) Y Wu, S Liu, X Wu, H Dou, L Zhang and X Tao ri 047

012005

[Hydroacoustic simulation of rotor-stator interaction in resonance conditions in Francis pump-turbine](#) C Nicolet, N Ruchonnet, S Alligné, J Koutnik and F Avellan""r i 056

012006

[Hydraulic design of Three Gorges right bank powerhouse turbine for improvement of hydraulic stability](#) Q Shi""r i 065

012007

[Experimental investigations of the unsteady flow in a Francis turbine draft tube cone](#) A Baya, S Muntean, V C Câmpian, A Cuzmoş, M Diaconescu and G Bălan""r i 074

012008

[Compressible simulation of rotor-stator interaction in pump-turbines](#) J Yan, J Koutnik, U Seidel and B Hübner""r i 083

012009

[Application of fluid-structure coupling to predict the dynamic behavior of turbine components](#) B Hübner, U Seidel and S Roth""r i 08;

012010

[Rotating stall mechanism and stability control in the pump flows](#) Z Zhang""r i 09;

012011

[Two-way coupled fluid structure interaction simulation of a propeller turbine](#) H Schmucker, F Flemming and S Coulson""r i 0;

012012

[Numerical investigation of Francis turbine draft tubes with respect to geometry modification and turbulence treatment](#) M Maiwald, R Jester-Zürker and A D' Agostini Neto""r i 0;

012013

[Prediction of rotating stall and cavitation inception in pump turbines](#) D Anciger, A Jung and T Aschenbrenner""r i 032;

012014

[Turbine-99 unsteady simulations – Validation](#) M J Cervantes, U Andersson and H M Lövgren"ri 033:

012015

[Analysis of low-frequency pulsations in Francis turbines](#) A A Fay"ri 034:

012016

[Analysis of the flow field into a two stages and double entry storage pump taking into account two geometries of stator blades](#) G Dunca, S Muntean and E C Isbasoiu"ri 0358

012017

[Unsteady pressure measurements and numerical investigation of the jet control method in a conical diffuser with swirling flow](#) A I Bosioc, C Tanasa, S Muntean and R F Susan-Resiga"ri 0368

012018

[Impellers of low specific speed centrifugal pump based on the draughting technology](#) C Hongxun, L Weiwei, J Wen and W Peiru"ri 0378

012019

[Vortex cavitation and oscillation in a double-suction volute pump](#) T Sato, T Nagahara, K Tanaka, M Fuchiwaki and F Shimizu"ri 0385

012020

[Using genetic algorithm to define the governor parameters of a hydraulic turbine](#) J G P Andrade, E L Júnior and L C L J Ribeiro"ri 0393

012021

[Design concept of a pump stage with replaceable hydraulic components and prediction of its performance curves](#) S O Lugova, E G Knyazeva, I B Tverdokhleba and A N Kochevsky"ri 039;

012022

[Research on the cavitation characteristic of Kaplan turbine under sediment flow condition](#) L Weili, L Jinling, L Xingqi and L Yuan"ri 03: ;

012023

[Experimental and numerical analysis of pressure pulses characteristics in a Francis turbine with partial load](#) X Yexiang, W Zhengwei, Y Zongguo and Z Jin""r i 03; :

012024

[Comparison of numerical and experimental results of the flow in the U9 Kaplan turbine model](#) O Petit, B Mulu, H Nilsson and M Cervantes""r i 0428

012025

[Prediction of a Francis turbine prototype full load instability from investigations on the reduced scale model](#) S Alligné, P Maruzewski, T Dinh, B Wang, A Fedorov, J Iosfin and F Avellan""r i 0437

012026

[Francis full-load surge mechanism identified by unsteady 2-phase CFD](#) P K Dörfler, M Keller and O Braun""r i 0447

012027

['Neo-Suterian' pump-turbine characteristics and their benefits](#) P K Dörfler""r i 0457

012028

[Impact of blade geometry differences for the CFD performance analysis of existing turbines](#) J Nicolle, P Labbé, G Gauthier and M Lussier""r i 0466

012029

[Performance of a direct drive hydro turbine for wave power generation](#) Y-H Lee, C-G Kim, Y-D Choi, I-S Kim and Y-C Hwang""r i 0476

012030

[Performance improvement of a cross-flow hydro turbine by air layer effect](#) Y D Choi, H Y Yoon, M Inagaki, S Ooike, Y J Kim and Y H Lee""r i 0485

012031

[Optimization of hydraulic machinery by exploiting previous successful designs](#) S A Kyriacou, S Weissenberger, P Grafenberger and K C Giannakoglou""r i 0494

012032

[Numerical simulation of the flow around a steerable propulsion unit](#) F Pacuraru, A Lungu, C Ungureanu and O Marcu""r i 04: 3

012033

[Governor stability simulations of Svartisen power plant verified by the installed monitoring system on site](#) T K Nielsen and M Kjeldsen""r i 04: ;

012034

[Turbulence model comparison for a surface vortex simulation](#) A Škerlavaj, A Lipej, J Ravnik and L Škerget""r i 04; 8

012035

[Aspects concerning the quality of aeration for environmental friendly turbines](#) F Bunea, S Houde, G D Ciocan, G Oprina, G Baran and I Pincovschi""r i 0527

012036

[Considerations upon the cavitation erosion resistance of stainless steel with variable chromium and nickel content](#) A Karabenciov, A D Jurchela, I Bordeasu, M Popoviciu, N Birău and A Lustyan""r i 0537

012037

[Influence of the vibratory test facility type and parameters upon the cavitation erosion evolution](#) I Bordeasu, M O Popoviciu, V Balasoiu, A D Jurchela and A Karabenciov""r i 0545

012038

[Analysis of the Kaplan turbine draft tube effect](#) L Motycak, A Skotak and J Obrovsky""r i 0556

012039

[Hydraulic development of high specific-speed pump-turbines by means of an inverse design method, numerical flow-simulation \(CFD\) and model testing](#) P Kerschberger and A Gehrler""r i 0565

012040

[Flow simulation and efficiency hill chart prediction for a Propeller turbine](#) T C Vu, M Koller, M Gauthier and C Deschênes""r i 0574

012041

[Experimental and numerical results of the influence of dynamic Poisson effect on transient pipe flow parameters](#) A Adamkowski, S Henclik and M Lewandowski""r i 0584

012042

[Monitoring of velocity and pressure fields within an axial turbine](#) P Duquesne, M Iliescu, R Fraser, C Deschênes and G D Ciocan""r i 0593

012043

[General overview of the AxialT project: A partnership for low head turbine developments](#) C Deschênes, G D Ciocan, V De Henau, F Flemming, J Huang, M Koller, F A Naime, M Page, R Qian and T Vu""r i 05: 3

012044

[Experimental investigation of draft tube flow instability](#) S Tridon, S Barre, G D Ciocan, P Leroy and C Ségoufin""r i 05; 3

012045

[Steady and unsteady flow computation in an elbow draft tube with experimental validation](#) T C Vu, C Devals, Y Zhang, B Nennemann and F Guibault""r i 05; ;

012046

[Numerical simulation of internal flow in a contra-rotating axial flow pump](#) S Momosaki, S Usami, S Watanabe and A Furukawa""r i 062:

012047

[Observation of unsteady cavitating flow in flat plate cascades](#) S Watanabe, A Ikeda, I Nakamura and A Furukawa""r i 063:

012048

[Development of Pelton turbine using numerical simulation](#) K Patel, B Patel, M Yadav and T Foggia""r i 064:

012049

[Design optimization for a shaft-less double suction mini turbo pump](#) B Zhuang, X Luo, Y Zhang, X Wang, H Xu and M Nishi""r i 0658

012050

[New parameters influencing hydraulic runner lifetime](#) M Sabourin, D Thibault, D A Bouffard and M Lévesque"ri 0665

012051

[Validation of mathematical models for predicting the swirling flow and the vortex rope in a Francis turbine operated at partial discharge](#) P A Kuibin, V L Okulov, R F Susan-Resiga and S Muntean"ri 0674"

012052

[Experimental comparison of cavitation erosion rates of different steels used in hydraulic turbines](#) L Tôn-Thât"ri 0684

012053

[On the upper part load vortex rope in Francis turbine: Experimental investigation](#) C Nicolet, A Zobeiri, P Maruzewski and F Avellan"ri 0693

012054

[Modeling, simulation, and identification of the servo pumps](#) C G Negoita, D Vasiliu, Ne Vasiliu and C Calinoiu"ri 06: 3

012055

[Modification of the trailing edges of the large stay vanes and their influence on dynamic stresses](#) A Gajić, P Manzalović and Z Predić"ri 06; 3

012056

[A swirl generator case study for OpenFOAM](#) O Petit, A I Bosioc, H Nilsson, S Muntean and R F Susan-Resiga"ri 06; ;

012057

[YiXing pump turbine guide vane vibrations: Problem resolution with advanced CFD analysis](#) B Nennemann and É Parkinson"ri 0729

012058

[Parametric design of a Francis turbine runner by means of a three-dimensional inverse design method](#) K Daneshkah and M Zangeneh"ri 0738

012059

[High-speed flow visualization in a pump-turbine under off-design operating conditions](#) V Hasmatuchi, S Roth, F Botero, F Avellan and M Farhat""ri 0748

Advances in computational and experimental techniques

012060

[Advanced simulation of hydroelectric transient process with Comsol/Simulink](#) L Li and J D Yang""ri 0756""

012061

[Performance and safety of hydraulic turbines](#) H Brekke""ri 0764

012062

[Coincidental match of numerical simulation and physics](#) B Pierre and J S Gudmundsson""ri 0774

012063

[Virtual model test for a Francis turbine](#) S Kurosawa, S M Lim and Y Enomoto""ri 0782

012064

[Model test and CFD calculation of a cavitating bulb turbine](#) J Necker and T Aschenbrenner""ri 0792

012065

[Vortex method simulation of 3D and unsteady vortices in a swirling flow apparatus experimented in "Politehnica" University of Timisoara](#) A Ojima and K Kamemoto""ri 07: 2

012066

[Measurement on the cavitating vortex shedding behind rectangular obstacles](#) F Hegedús, C Hós, Z Pandula and L Kullmann""ri 07: ;

012067

[Mitigation of pressure fluctuations in the discharge cone of hydraulic turbines using flow-feedback](#) C Tanasa, R Susan-Resiga, A Bosioc and S Muntean""ri 07; 9

012068

[Numerical investigation of the cavitation behaviour into a storage pump at off design operating points](#) A Stuparu, R Susan-Resiga, L E Anton and S Muntean""r i 0828

012069

[Recent experience of IFFM PAS in the design process of lowhead propeller hydraulic turbines for Small Hydro](#) M Kaniecki and Z Krzemianowski""r i 0838

012070

[Turbulence modeling for Francis turbine water passages simulation](#) P Maruzewski, H Hayashi, C Munch, K Yamaishi, T Hashii, H P Mombelli, Y Sugow and F Avellan""r i 0847

012071

[3D numerical simulation of transient processes in hydraulic turbines](#) S Cherny, D Chirkov, D Bannikov, V Lapin, V Skorospelov, I Eshkunova and A Avdushenko""r i 0856

012072

[Numerical and experimental investigation of the 3D free surface flow in a model Pelton turbine](#) R Fiereder, S Riemann and R Schilling""r i 0865

012073

[Runaway transient simulation of a model Kaplan turbine](#) S Liu, D Zhou, D Liu, Y Wu and M Nishi""r i 0873

012074

[Fluid-structure coupling in the guide vanes cascade of a pump-turbine scale model](#) S Roth, V Hasmatuchi, F Botero, M Farhat and F Avellan""r i 087;

012075

[Optimization of the hydrofoil cascade and validation with quasi-analytical solution for hydraulic machinery](#) T Frunzã, R Susan-Resiga, S Muntean and S Bernad""r i 088:

012076

[Steady-state capabilities for hydroturbines with OpenFOAM](#) M Page, M Beaudoin and A M Giroux""r i 08: 4

012077

[Cavitating behaviour analysis of Darrieus-type cross flow water turbines](#) V Aumelas, C Pellone and T Maître""r i 08; 3

012078

[Influence from bends on a pressure-time measurement](#) J Ramdal, P Jonsson and T Nielsen""r i 0923"

012079

[Free-surface flow around an appended hull](#) A Lungu and F Pacuraru""r i 092;

012080

[Numerical prediction of Pelton turbine efficiency](#) D Jošt, P Mežnar and A Lipej""r i 093;

012081

[Investigation of transient cavitating flow in viscoelastic pipes](#) A Keramat, A S Tijsseling and A Ahmadi""r i 0949

012082

[Numerical prediction of impact force in cavitating flows](#) B Zhu and H Wang""r i 095:

012083

[Numerical simulation of flow field in water-pump sump and inlet suction pipe](#) A C Bayeul-Lainé, G Bois and A Issa""r i 096:

012084

[Computational study of a low head draft tube and validation with experimental data](#) V De Henau, F A Payette, M Sabourin, C Deschênes, J M Gagnon and P Gouin""r i 0979

012085

[Determination of turbine runner dynamic behaviour under operating condition by a two-way staggered fluid-structureinteraction method](#) F Dompierre and M Sabourin""r i 0989

012086

[The stability of Y\(Q\) characteristic curve](#) F Pochylý, M Haluza and R Klas"ri 0998

012087

[Simulation of low pressure water hammer](#) D Himr and V Habán"ri 09: 4

012088

[The possibility to increase the rated output as a result of index tests performed in Iron Gates II- Romania](#) D Novac, D Pantelimon and E Popescu"ri 09; 2

012089

[Detailed study of the rotor-stator interaction phenomenon in a moving cascade of airfoils](#) A Fontanals, M Coussirat, A Guardo and E Egusquiza"ri 09; 9

012090

[In situ performance curves measurements of large pumps](#) A Anton"ri 0: 27

012091

[The comparative analysis of model and prototype test results of Bulb turbine](#) M Beníšek, I Božić and B Ignjatović"ri 0: 33

012092

[Experimental investigation of vortex control with an axial jet in the draft tube of a model pump-turbine](#) O Kirschner, H Schmidt, A Ruprecht, R Mader and P Meusburger"ri 0: 42

012093

[Development of a hydrokinetic device for the generation of electricity suitable for low – speeds Hidropólio®](#) G L T Filho, F das G B da Silva, R M Barros, L M Guimarães and B O P e Silva"ri 0: 4;

012094

["Poraque" hydrokinetic turbine](#) G L T Filho, Z de Souza, C A B de Rossi, R M Barros and F das G B da Silva"ri 0: 59

012095

[Global optimization based on metamodel construction applied to design axial turbomachinery cascades using CFD](#) E Raimunda da Silva, R G R Camacho and N M Filho""ri 0: 6;

Hydraulic systems

012096

[Water hammer caused by closure of turbine safety spherical valves](#) U Karadžić, A Bergant and P Vukoslavčević""ri 0: 7:

012097

[Antiquity versus modern times in hydraulics – a case study](#) L Stroia, S C Georgescu and A M Georgescu""ri 0: 88

012098

[Experimental study for flow characteristics and performance evaluation of butterfly valves](#) C K Kim, J Y Yoon and M S Shin""ri 0: 99

012099

[Flow characteristics and performance evaluation of butterfly valves using numerical analysis](#) S Y Jeon, J Y Yoon and M S Shin""ri 0: : 7

012100

[Controlling the cavitation phenomenon of evolution on a butterfly valve](#) G Baran, I Catana, I Magheti, C A Safta and M Savu""ri 0: ; 3

012101

[Experimental apparatus to test air trap valves](#) Y de F Lemos De Lucca, G A de Aquino and J G D Filho""ri 0: 22

012102

[T-part as an element of the pipe-line system. The introduction of the mathematical model of the fluid flow in T-part for the arbitrary angle of the adjacent branch](#) J Štigler""ri 0: 2:

Innovative technology

012103

[Impulse pumping modelling and simulation](#) B Pierre and J S Gudmundsson""ri 0: 3:

012104

[On the validity of the classical hydrodynamic lubrication theory applied to squeeze film dampers](#) S Dănaïlă and L Moraru ; 49

012105

[Magnetic nanofluids and magnetic composite fluids in rotating seal systems](#) T Borbáth, D Bica, I Potencz, L Vékás, I Borbáth and T Boros ; 57

012106

[Assessment of cavitation creation depending on the surface wettability](#) F Pochylý, S Fialová, M Kozubková and L Zavadil ; 67

Sustainable hydropower

012107

[Impact of startup scheme on Francis runner life expectancy](#) M Gagnon, S A Tahan, P Bocher and D Thibault ; 76

012108

[Velocity field in the wake of a hydropower farm equipped with Achard turbines](#) A-M Georgescu, S C Georgescu, C I Cosoiu, N Alboiu and Al Hamzu ; 84

012109

[The possibility of fitting a pumped storage plant within the complex water development on upper Barzava, Romania](#) A T Constantin, I David, A Chebutiu, Ș V Nicoară and M Vișescu ; 94

012110

[Nonlinear vibration analysis of an eccentric rotor with unbalance magnetic pull](#) Z Song and Z Ma ; 4

012111

[Counter rotating type hydroelectric unit suitable for tidal power station](#) T Kanemoto and T Suzuki ; 2

012112

[Transitory flow in a complex hydroelectric scheme with multiple intakes and water tanks](#) D M Bucur, C M Ghergu, N O Tănase and E C Isbășoiu ; ;

012113

[Numerical and experimental analysis of a darrieus-type cross flow water turbine in bare and shrouded configurations](#) A M Roa, V Aumelas, T Maître and C Pellone""r i 03229

012114

[Dynamic response of the U-tube liquid manometer with equal diameter columns](#) D Zahariea""r i 03239

012115

[Failure analysis of a Francis turbine runner](#) D Frunzăverde, S Muntean, G Mărginean, V Câmpian, L Marșavina, R Terzi and V Șerban""r i 03249

012116

[Modal behavior of a reduced scale pump-turbine impeller. Part I: Experiments](#) X Escaler, J K Hütter, E Egusquiza, M Farhat and F Avellan""r i 03259

012117

[Modal behavior of a reduced scale pump turbine impeller. Part II: Numerical simulation](#) C Valero, X Huang, E Egusquiza, M Farhat and F Avellan""r i 03267

012118

[Optimization of the weekly operation of a multipurpose hydroelectric development, including a pumped storage plant](#) R Popa, F Popa, B Popa and D Zachia-Zlatea""r i 03275