

27th International Symposium on Superconductivity

(ISS 2014)

Physics Procedia Volume 65

**Tokyo, Japan
25-27 November 2014**

Editors:

Takanobu Kiss

Teruo Izumi

ISBN: 978-1-5108-0779-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com



ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

Physics Procedia 65 (2015) x–xiii

Physics

Procedia

1. Physics and chemistry

1.1 Superconductivity -theory-

Stability of Staggered Flux State in d - p Model Studied Using Variational Monte Carlo Method S. Tamura, H. Yokoyama	1
High Temperature Superconductivity from Strong Correlation T. Yanagisawa	5
Effects of Weak Intersite Repulsion and Negative Diagonal Transfer on Superconductivity and Antiferromagnetism in Hubbard Model K. Kobayashi, H. Yokoyama	9
A Contribution of the Density-of-states Term to the Paraconductivity in a d -wave Superconductor N. Mori, Y. Tanaka, M. Kasahara, T. Usui, S. Adachi, T. Watanabe	13
Effects of Diagonal Hopping on Stability of Antiferromagnetic State H. Yokoyama, R. Sato, S. Tamura, M. Ogata	17
Correlation Properties and Band Structure of FeAs-based Superconductors V. Kashurnikov, A. Krasavin	21
Temperature Dependence of the Critical Thickness of d -Wave Superconducting Films N. Miyawaki, S. Higashitani	25
Variational Study on Loop Currents in Bose Hubbard Model with Staggered Flux Y. Toga, H. Yokoyama	29
Spatial Dependence of Odd-frequency Spin-triplet Superconducting Order Parameter in Nano-sized s -wave Superconductors under a Magnetic Field M. Kashiwagi, M. Kato	33
The Absence of CDW Order in PbSb, and its Unexpected Softness I. Hase, K. Yasutomi, T. Yanagisawa, K. Odagiri, T. Nishio	37

1.2 Cuprate superconductors -experiment-

Knight Shift vs Hole Concentration in Hg1201 and Hg1212 Y. Itoh	41
Doping Dependence on Two Sizes of Superconducting Gaps on Tl1223 by Tunneling Spectroscopy at 4.2 K R. Sekine, S. Kawashima, M. Minematsu, T. Inose, S. Mikusu, K. Tokiwa, T. Watanabe, A. Tsukada, N. Miyakawa	45
Density-of-states Fluctuation-induced Negative Out-of-plane Magnetoresistance in Overdoped Bi-2212 T. Usui, S. Adachi, T. Watanabe, T. Nishizaki	49
Single-crystal Growth of Underdoped Bi-2223 S. Adachi, T. Usui, K. Takahashi, K. Kosugi, T. Watanabe, T. Nishizaki, T. Adachi, S. Kimura, K. Sato, K.M. Suzuki, M. Fujita, K. Yamada, T. Fujii	53
Optimization of Current Carrying Capacity in Bi-2212 High Temperature Superconductors S. Zhang, C. Li, Q. Hao, X. Ma, P. Zhang	57
Preparation and Characterization of DyBa ₂ Cu ₃ O _y Thick Films with Dy ₂ BaO ₄ Precursor S. Kawata, M. Muralidhar, K. Inoue, M. Murakami	61

1.3 Iron-based superconductors -experiment-

Break-junction Tunneling Spectroscopy of Superconducting FeSe _x Te _{1-x} T. Ekino, K. Nagasaka, Y. Sakai, A. Sugimoto, A.M. Gabovich	65
---	----

1.4 Other superconductors -experiment-

Effect of MgB ₄ Addition on the Superconducting Properties of Polycrystalline MgB ₂ J. Ishiwata, M. Muralidhar, K. Inoue, M. Murakami	69
Improvement in the Performance of Bulk MgB ₂ Material through Optimization of Sintering Process H. Kobayashi, M. Muralidhar, M.R. Koblischka, K. Inoue, M. Murakami	73
Mechanical Properties of MgB ₂ Bulk Fabricated by Spark Plasma Sintering A. Murakami, J. Noudem, Z. Guesmi, T. Kudo, A. Iwamoto	77

1.5 Vortex Physics

Extended Molecular Dynamics Methods for Vortex Dynamics in Nano-structured Superconductors M. Kato, O. Sato	81
--	----

Vortex Structure in Chiral Helimagnet /Superconductor Bilayer Structure S. Fukui, M. Kato, Y. Togawa	85
Impurity Effects on Vortex Core States in Topological s-Wave Superconductor: Analysis Based on Andreev Approximation Y. Masaki, Y. Kato	89
Quasiparticle States around a Half-quantum Vortex in a Chiral p-wave Superconducting State S. Kikuchi, Y. Kikuchi, T. Yoshioka, H. Tsuchiura, M. Sigrist	93
The Formation of Magnetic Flux Domain in the Type-II Superconductors with Ferromagnetic Defects V.A. Kashurnikov, A.N. Maksimova, I.A. Rudnev, D.S. Odintsov	97
Magnetic-field-induced Metallic Phase at Low Temperature in Two-dimensional Superconductors E. Murakami, A. Ochi, Y. Kawamura, S. Kaneko, S. Okuma	101
Reversible to Irreversible Flow Transition of Periodically Driven Vortices in the Strip Sample R. Nitta, Y. Kawamura, S. Kaneko, S. Okuma	105
Size Dependence of Individual Vortex Penetration into Intrinsic Josephson Junction Stacks of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+y}$ S. Ooi, T. Mochiku, M. Tachiki, K. Hirata	109
Temperature Dependence of Glassy Exponent in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Films I.I. Sannikov, A.A. Ivanov, A.V. Kuznetsov, A.P. Menushenkov, O.A. Churkin	113
2. Wires, Tapes and Characterization	
<i>2.1 Processing of C.C.</i>	
Development of Coated Conductors in Japanese National Project “Development of Fundamental Technologies for HTS Coils” M. Yoshizumi, T. Izumi, Y. Shiohara	117
Development of Long REBCO with BMO Coated Conductors by PLD Method with High Production Rate A. Ibi, T. Yoshida, T. Taneda, M. Yoshizumi, T. Izumi, Y. Shiohara	121
Low Temperature Fabrication of $\text{REBa}_2\text{Cu}_3\text{O}_y$ Epitaxial Films on SrTiO_3 (100) Substrate Prepared by Molten Hydroxide Method in 1-atm Air S. Funaki, Y. Yamada, Y. Miyachi, R. Okunishi	125
Fabrication of c-axis Oriented Epitaxial $\text{EuBa}_2\text{Cu}_3\text{O}_{7-\delta}$ and $\text{EuBa}_2\text{Cu}_4\text{O}_8$ Films on SrTiO_3 (100) Substrate by Molten Hydroxide Method at 450°C Y. Miyachi, S. Funaki, Y. Yamada	129
Effects of Holmium Doping on the Critical Current Density in $\text{GdBa}_2\text{Cu}_3\text{O}_y$ Films Fabricated by Metal-organic Deposition Using Fluorine-free Solutions H. Suzuki, R. Kita, H. Kubo, O. Miura, K. Yamada, K. Kaneko	133
<i>2.2 Characterization of C.C.</i>	
Flux Pinning Properties in $\text{YBa}_2\text{Cu}_3\text{O}_x$ Films with BaSnO_3 Nano-rods and Spatially-controlled Y_2O_3 Nano-dots T. Sueyoshi, Y. Tokita, T. Fujiyoshi, F. Mitsugi, T. Ikegami	137
Magnetic Properties of the Stack of HTSC Tapes in a Wide Temperature Range I. Rudnev, D. Abin, M. Osipov, S. Pokrovskiy, Y. Ermolaev, N. Mineev	141
Evaluation of Transverse Tensile Stress Characteristics of GdBCO Coated Conductors H. Sato, N. Nakamura, S. Fujita, M. Daibo, Y. Iijima	145
Current Bypassing Properties by Thermal Switch for PCS Application on NMR/MRI HTS Magnets S.B. Kim, M. Takahashi, R. Saito, Y.J. Park, M.W. Lee, Y.K. Oh, H.S. Ann	149
<i>2.3 Processing & Characterization of BSCCO & MgB_2 Wires & others</i>	
Fabrication of High J_c (Bi,Pb)2223 Thin Films by PLD and Post-annealing Process S. Takahira, Y. Ichino, Y. Yoshida	153
The Effect of High-energy Ball Milling on the Microstructure and Properties of Ti-doped MgB_2 Bulks and Wires F. Yang, G. Yan, Q.Y. Wang, X.M. Xiong, S.Q. Li, G.Q. Liu, J.Q. Feng, Y.C. Pang, C.S. Li, Y. Feng, P.X. Zhang	157
Fabrication of New Nb_3Sn Wires through Brass Method K. Tachikawa, N. Banno, Y. Miyamoto	161
3. Thin Films and junctions	
<i>3.1 Thin films -fabrication-</i>	
Preparation of (11n) Oriented $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ Thin Films by the Metal-organic Decomposition Method Y. Yamada, N. Mori, T. Atsumi, T. Kato, T. Ishibashi	165
<i>3.2 Thin films -theory</i>	
Rough Surface Effect on a Broken Time-reversal Pairing State in d-wave Superconducting Films S. Higashitani, N. Miyawaki	169
4. Electronic devices	
<i>4.1 SQUIDs and their application</i>	
Fabrication of Planar Gradiometers by Using Superconducting Integrated Circuit Technology M. Maezawa, L. Ying, S. Gorwadkar, G. Zhang, H. Wang, X. Kong, Z. Wang, X. Xie	173

Quantum Interference in DC-SQUIDS Comprising Two Sub-Micron Aluminum Josephson Junctions: Deviation from Classical Model K. Miura, K. Kikuchi, H. Shimada, Y. Mizugaki	177
Slit Length Dependence of rf-SQUID Resonant Frequency A. Sakai, T. Ashizuka, Y. Miyato, H. Itozaki	181
Resonant Frequency Dependence on Outer Diameter of High Tc rf-SQUID T. Ashizuka, A. Sakai, Y. Miyato, H. Itozaki	185
Magnetic Coupling between SQUID and Probe of STM-SQUID K. Hisayama, Y. Matsui, Y. Miyato, H. Itozaki	189
Development of Non-destructive Evaluation System Using an HTS-SQUID Gradiometer with an External Pickup Coil J. Kawano, S. Kawachi, F. Ishikawa, K. Tanabe	193
Development of Ultra-low Field SQUID-MRI System with an LC Resonator M. Yamamoto, H. Toyota, S. Kawagoe, J. Hatta, S. Tanaka	197
<i>4.2 Microwave and novel devices</i>	
HTS Dual-band Bandpass Filter Using Stub-loaded Hair-pin Resonators with Independently Controllable Bandwidths N. Sekiya, S. Sugiyama	201
Comparison of Power Handling Capability of Double-strip Resonator Filters with Stripline Structure and Conventional Microstrip Line Filters N. Sekiya	205
<i>4.3 Mixed signal and standards</i>	
Design and Operation of a 9-bit Single-flux-quantum Pulse-frequency Modulation Digital-to-analog Converter Y. Mizugaki, Y. Takahashi, H. Shimada, M. Maezawa	209
4-bit Bipolar Triangle Voltage Waveform Generator Using Single-Flux-Quantum Circuit T. Watanabe, Y. Takahashi, H. Shimada, M. Maezawa, Y. Mizugaki	213
5. Large scale system applications	
<i>5.1 Magnets and coils</i>	
Project Overview of HTS Magnet for Ultra-high-field MRI System T. Tosaka, H. Miyazaki, S. Iwai, Y. Otani, M. Takahashi, K. Tasaki, S. Nomura, T. Kurusu, H. Ueda, S. Noguchi, A. Ishiyama, S. Urayama, H. Fukuyama	217
Large Scale Applications of HTS in New Zealand S.C. Wimbush	221
Quench Protection of DI-BSCCO Coil T. Yamaguchi, E. Ueno, T. Kato, K. Hayashi	225
Development of the Current Bypassing Methods into the Transverse Direction in Non-insulation HTS Coils K. Tanaka, S.B. Kim, H. Ikoma, D. Kanemoto	229
Numerical Electromagnetic Simulation of Effective Partial-insulation NbTi Superconducting Coil S. Noguchi, K. Monma, R. Itoh, H. Igarashi	233
Development of Field Control Method and Basic Design of HTS Magnet for MDDS A. Nakashima, S.B. Kim, I. Eritate, T. Abe, S. Shima, M. Takahashi, N. Sanada	237
<i>5.2 Bulk characteristics</i>	
Evaluation of Trapped Magnetic Field Properties in Superconducting MgB ₂ Bulk Magnets by Finite Element Method S. Mizukami, E.S. Otake, K. Yoshitomi, V.S. Vyatkin, M. Kiuchi, T. Matsushita	241
Numerical Study to Obtain the Improved Field Homogeneity and Enlarged Inner Diameter of HTS Bulk Magnet for Compact NMR D. Miyazawa, S.B. Kim, H. Kitamura, D. Ishizuka, K. Hojo	245
The Dynamic Characteristics on the Wall Traveling of the HTS Bulk Superconducting Actuator M. Sawae, S.B. Kim, S. Ozasa, H. Nakano, H. Kobayashi	249
<i>5.3 Rotating machine</i>	
Development of REBCO HTS Magnet of Magnetic Bearing for Large Capacity Flywheel Energy Storage System S. Mukoyama, T. Matsuoka, M. Furukawa, K. Nakao, K. Nagashima, M. Ogata, T. Yamashita, H. Hasegawa, K. Yoshizawa, Y. Arai, K. Miyazaki, S. Horiuchi, T. Maeda, H. Shimizu	253
The Study on the Shape of 2-D Stator with Electromagnets and Permanent Magnets for 3-D Superconducting Actuator S. Ozasa, S.B. Kim, H. Nakano, M. Sawae, H. Kobayashi	257
Investigation on Prototype Superconducting Linear Synchronous Motor (LSM) for 600-km/h Wheel-Type Railway B. Eom, C. Lee, S. Kim, C. Lee, S. Yun	261
<i>5.4 Tape characterization</i>	
Concept of Pinning Levitation without Shielding Currents of a Permanent Magnet on YBCO Tapes M. Tsuchimoto	265

5.5 Power transmission and distribution

A Study on the Thermal Characteristics of the Epoxy Insulator in the Stop Joint Box of HTS Power Cable S. Lee, J.H. Choi, C. Lee, S. Kim, K. Sim, J. Cho, H.-S. Shin	269
Design and Analysis for SFCL Combined System Utilizing On-Line Electric Vehicle S. Jung, G. Jang	273
Stress Analysis and Bobbin Structure Optimization Design of a 35kV HTS-controllable Reactor Z. Wang, L. Ren, S. Shen, M. Song, Y. Zhang, H. Liu, L. Chen, B. Yu, N. Hu	278
Cryogenic Cooling System for 5kA, 200 μ H Class HTS DC Reactor H. Park, S. Kim, K. Kim, M. Park, T. Park, A-r. Kim, S. Lee	282

5.6 Energy storage

An Action Dependent Heuristic Dynamic Programming-Controlled Superconducting Magnetic Energy Storage for Transient Stability Augmentation X. Wang, J. Yang, X. Zhang, X. Yu	286
Eddy Current Analysis and Optimization for Superconducting Magnetic Bearing of Flywheel Energy Storage System Y. Arai, T. Yamashita, H. Hasegawa, T. Matsuoka, H. Kaimori, T. Ishihara	291
Development of Voltage Regulation Plan by Composing Subsystem with the SFES for DC On-Line Electric Vehicle S. Jung, J.H. Lee, M. Yoon, H. Lee, G. Jang	295

5.7 Renewable energy

Energy Transfer with Hydrogen and Superconductivity—The Review of the First Experimental Results V.S. Vysotsky, I.V. Antyukhov, V.P. Firsov, E.V. Blagov, V.V. Kostyuk, A.A. Nosov, S.S. Fetisov, S.Yu. Zanegin, V.S. Rachuk, B.I. Katargin	299
Eddy Current Loss Induced in Aluminum Thermal Conduction Strips for ASPCS Coils Indirectly Cooled by Liquid Hydrogen through Thermo-Siphon System N. Ota, M. Katsura, K. Ando, T. Takao, T. Shintomi, Y. Makida, T. Hamajima, M. Tsuda, D. Miyagi, H. Tsujigami, S. Fujikawa, T. Semba, K. Iwaki	303