

5th International Biennial Conference on Ultrafine Grained and Nanostructured Materials (UFGNSM15)

Procedia Materials Science Volume 11

Tehran, Iran
11 – 12 November 2015

Editors:

| | |
|------------------------------|-----------------------|
| Mohammad Habibi Parsa | Alireza Babaei |
| Cyrus Zamani | Saeed Sheibani |

ISBN: 978-1-5108-1626-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

BULK NANOSTRUCTURED MATERIALS

| | |
|---|-----------|
| INVESTIGATION OF MECHANICAL PROPERTIES OF AL/CU STRIP PRODUCED BY EQUAL CHANNEL ANGULAR ROLLING..... | 1 |
| <i>M. Honarpisheh, M. Dehghani, E. Haghighat</i> | |
| INVESTIGATION OF FRICTION STIR WELDING PARAMETERS OF 6063-7075 ALUMINUM ALLOYS BY TAGUCHI METHOD | 6 |
| <i>S. M. Bayazid, H. Farhangi, A. Ghahramani</i> | |
| EFFECT OF PIN PROFILE ON DEFECTS OF FRICTION STIR WELDED 7075 ALUMINUM ALLOY..... | 12 |
| <i>S. M. Bayazid, H. Farhangi, A. Ghahramani</i> | |
| MICROSTRUCTURAL AND MECHANICAL PROPERTIES OF NANO/ULTRA-FINE STRUCTURED 7075 ALUMINUM ALLOY BY ACCUMULATIVE ROLL-BONDING PROCESS..... | 17 |
| <i>H. Alvandi, K. Farmanesh</i> | |
| THE EFFECT OF STRAIN RATE ON ULTRA-FINE GRAINED STRUCTURE OF COLD DRAWN 304L STAINLESS STEEL WIRES | 24 |
| <i>P. Parnian, M. H. Parsa</i> | |
| INVESTIGATION THE EFFECT OF AL-5TI-1B GRAIN REFINER AND T6 HEAT TREATMENT ON TENSILE PROPERTIES OF AL-8%MG..... | 32 |
| <i>A. Amerioon, M. Emamy, Gh. Ashuri</i> | |
| EFFECT OF HOT EXTRUSION ON MICROSTRUCTURE AND TENSILE PROPERTIES OF CA MODIFIED MG-MG₂SI COMPOSITE..... | 38 |
| <i>M. Lotfpour, M. Emamy, S. H. Allameh, B. Pourbahari</i> | |
| PHASE AND MORPHOLOGICAL EVALUATION OF MECHANICALLY ACTIVATED SINTERED YAG POWDERS..... | 44 |
| <i>K. Emre Öksüz, F. Apaydin, A. Enbiya Bozdog, M. Çevik, A. Özer</i> | |
| EFFECT OF SIC_p ON THE MICROSTRUCTURE AND MECHANICAL PROPERTIES OF SINTERED DISTALLOY DC COMPOSITES..... | 49 |
| <i>K. Emre Öksüz, L. Cenk Kumruoglu, O. Tur</i> | |
| THE EFFECT OF LA-INTERMETALLIC COMPOUNDS ON TENSILE PROPERTIES OF AL-15%MG₂SI IN-SITU COMPOSITE | 55 |
| <i>A. Akhlaghi, M. Noghani, M. Emamy</i> | |
| EFFECTS OF THERMO-MECHANICAL PROCESSING ON THE MECHANICAL PROPERTIES AND SHAPE RECOVERY OF THE NANOSTRUCTURED TI₅₀NI₄₅CU₅ SHAPE MEMORY ALLOY..... | 61 |
| <i>M. Abbasi, A. Kermanpur, R. Emadi</i> | |
| EVALUATION OF MECHANICAL PROPERTIES AND STRUCTURE OF 1100-AL REINFORCED WITH ZRO₂ NANO-PARTICLES VIA ACCUMULATIVELY ROLL-BONDED..... | 67 |
| <i>A. Salimi, E. Borhani, E. Emadoddin</i> | |
| FATIGUE BEHAVIOR OF FRICTION STIR WELDED JOINTS OF PURE COPPER WITH ULTRA-FINE GRAINS..... | 74 |
| <i>S. Salahi, G. G. Yapici</i> | |
| THE EFFECT OF SI AND EXTRUSION PROCESS ON THE MICROSTRUCTURE AND TENSILE PROPERTIES OF MG-MG₂SI COMPOSITE..... | 79 |
| <i>S. Mosleh, M. Emamy, H. Majdi</i> | |
| SIGNIFICANT INCREASE IN TENSILE STRENGTH AND HARDNESS IN 2024 ALUMINUM ALLOY BY CRYOGENIC ROLLING | 84 |
| <i>A. Shahsavari, F. Karimzadeh, A. Rezaeian, H. Heydari</i> | |
| EFFECT OF MICROSTRUCTURAL REFINEMENT ON TENSILE PROPERTIES OF AZ80 MAGNESIUM ALLOY VIA CA ADDITION AND EXTRUSION PROCESS..... | 89 |
| <i>S. H. Allameh, M. Emamy, E. Maleki, B. Pourbahari</i> | |
| EFFECT OF EQUAL CHANNEL ANGULAR PRESSING (ECAP) ON WEAR BEHAVIOR OF AL-7075 ALLOY | 95 |
| <i>M. Chegini, A. Fallahi, M. H. Shaeri</i> | |

| | |
|--|-----|
| AN ANALYTICAL INVESTIGATION ON THE EFFECTS OF HEAT INPUT ON MICROSTRUCTURES, PHASE TRANSFORMATIONS AND MECHANICAL PROPERTIES OF ULTRAFINE GRAINED MG ALLOYS FABRICATED BY FRICTION STIR PROCESSING IN DIFFERENT VELOCITY RATIOS | 101 |
| <i>M. Navazani, K. Dehghani</i> | |

ADVANCED CHARACTERIZATION TECHNIQUES

| | |
|--|-----|
| THE STUDY OF PHOSPHATE ROCK FORMING MINERALS (FRANCOLITE) OF IRAN THROUGH THE EDX-SEM TO ASSESSMENT OF COMPOSITIONS IN NANO-SCALE | 108 |
| <i>F. Bolourchifard, A. Memar</i> | |
| TUNABLE STRUCTURAL AND OPTICAL PROPERTIES OF CADMIUM TELLURIDE (CDTE) THIN FILMS WITH SUBSTRATE TEMPERATURE | 114 |
| <i>M. T. Dejpasand, H. Rezagholipour Dizaji, M. H. Ehsani</i> | |
| CHARACTERIZATION OF CU-NIO NANO-COMPOSITE POWDER PREPARED BY BALL MILLING ASSISTED SOLID-STATE REACTION | 119 |
| <i>Y. Kolvandi, S. Sheibani</i> | |

NANOBIOMATERIALS

| | |
|--|-----|
| PREPARATION, CHARACTERIZATION AND MECHANICAL ASSESSMENT OF POLY (LACTIDE-CO-GLYCOLIDE)/ HYALURONIC ACID/ FIBRIN/ BIOACTIVE GLASS NANO-COMPOSITE SCAFFOLDS FOR CARTILAGE TISSUE ENGINEERING APPLICATIONS | 124 |
| <i>E. Tavakoli, M. Mehdikhani-Nahrkhalaji, B. Hashemi-Beni, A. Zargar-Kharazi, M. Kharaziha</i> | |
| CARBON NANOTUBES FOR DELIVERY OF QUERCETIN AS ANTICANCER DRUG: THEORETICAL STUDY | 131 |
| <i>S. Daneshmehr</i> | |
| AN ULTRASOUND-ASSISTED METHOD ON THE FORMATION OF NANOCRYSTALLINE FLUOROHYDROXYAPATITE COATINGS ON TITANIUM SCAFFOLD BY DIP COATING PROCESS | 137 |
| <i>A. Salehi, H. Amini Mashhadi, M. S. Abravi, H. R. Jafarian</i> | |
| A FACILE ONE-STEP ELECTROCHEMICAL SYNTHESIS OF NICKEL NANOPARTICLE/GRAPHENE COMPOSITES FOR NON-ENZYMATIC BIOSENSOR APPLICATIONS | 142 |
| <i>S. Darvishi, F. Karmizadeh, M. Kharaziha</i> | |
| CHEMICAL SYNTHESIS OF POLYPYRROLE NANOTUBES FOR NEURAL MICROELECTRODES | 147 |
| <i>Z. Deljoo Kojabad, S. A. Shojaosadati</i> | |
| NANOCLAY ENHANCED THE MECHANICAL PROPERTIES OF POLY(VINYL ALCOHOL) /CHITOSAN /MONTMORILLONITE NANOCOMPOSITE HYDROGEL AS WOUND DRESSING | 152 |
| <i>S. Noori, M. Kokabi, Z. M. Hassan</i> | |
| WETTING CHARACTERISTICS OF A NANO Y-TZP DENTAL CERAMIC BY A MOLTEN FELDSPATHIC VENEER | 157 |
| <i>M. T. Marefati, A. M. Hadian, T. Hooshmand, A. Hadian, B. Eftekhari Yekta</i> | |
| ELECTROCATALYTIC OXIDATION AND DETERMINATION OF INSULIN AT RHODAMINE B –MULTI-WALLED CARBON NANOTUBES MODIFIED GLASSY CARBON ELECTRODE | 162 |
| <i>A. Hatefi-mehrjardi, M. A. Karimi, S. Kamalabadi-Khorasani</i> | |
| A NOVEL METHOD TO PRODUCE AN ARTIFICIAL COMMON BILE DUCT USING ELECTROSPINNING TECHNIQUE | 166 |
| <i>N. Moazeni, D. Semmani, M. Latifi, M. Sadrjahani</i> | |
| MICRO SCALE INVESTIGATION OF ENHANCED OIL RECOVERY USING NANO/BIO MATERIALS | 171 |
| <i>R. Khademolhosseini, A. Jafari, M. H. Shabani</i> | |
| A NOVEL NANO-FIBER OF IRANIAN GUM TRAGACANTH-POLYVINYL ALCOHOL/NANOCLAY COMPOSITE FOR WOUND HEALING APPLICATIONS | 176 |
| <i>H. Amiri Heydari, E. Karamian, E. Poorazizi, A. Khandan, J. Heydaripour</i> | |
| INFLUENCE OF SPARK PLASMA SINTERING AND BAGHDADITE POWDER ON MECHANICAL PROPERTIES OF HYDROXYAPATITE | 183 |
| <i>A. Khandan, E. Karamian, M. Mehdikhani-Nahrkhalaji, H. Mirmohammadi, A. Farzadi, N. Ozada, B. Heidarshenas, K. Zamani</i> | |

| | |
|--|-----|
| EFFECT OF NANOHYDROXYAPATITE ADDITION ON THE PORE MORPHOLOGY AND MECHANICAL PROPERTIES OF FREEZE CAST HYDROXYAPATITE SCAFFOLDS | 190 |
| <i>Z. Kaviani, A. Zamanian</i> | |
| EVALUATE OF DIFFERENT BIOACTIVE GLASS ON MECHANICAL PROPERTIES OF NANOCOMPOSITES PREPARED USING ELECTROSPINNING METHOD | 196 |
| <i>M. Otadi, D. Mohebbi-Kalhari</i> | |
| NANOSIZED CHITOSAN HYDROGELS CONTAINING SUMAC EXTRACT FOR ANTIMICROBIAL BIOFINISHING OF COTTON FABRIC, PREPARATION AND CHARACTERIZATION | 202 |
| <i>L. S. Taghavi, N. Hemmatinejad, A. Bashari</i> | |
| EFFECT OF PURIFICATION ON NANO MICROBIAL CELLULOSE PELLICLE PROPERTIES | 206 |
| <i>A. Meftahi, R. Khajavi, A. Rashidi, M. K. Rahimi, A. Bahador</i> | |
| INVESTIGATION OF NANO BACTERIAL CELLULOSE COATED BY SESAMUM OIL FOR WOUND DRESSING APPLICATION | 212 |
| <i>A. Meftahi, D. Nasrolahi, V. Babaeipour, S. Alibakhshi, S. Shahbazi</i> | |
| CHARACTERIZATION OF BIODEGRADABLE P3HB/HA NANOCOMPOSITE SCAFFOLD FOR BONE TISSUE ENGINEERING | 217 |
| <i>A. Saadat, S. Karbasi, A. A. Behnam Ghader, M. Khodaei</i> | |
| BIOSYNTHESIS AND IN-VITRO STUDY OF GOLD NANOPARTICLES USING MENTHA AND PELARGONIUM EXTRACTS | 224 |
| <i>A. Jafarizad, K. Safaee, S. Gharibian, Y. Omid, D. Ekinici</i> | |

NANOELECTRONIC AND MAGNETIC MATERIALS

| | |
|--|-----|
| STUDY ON THE MAGNETIC AND MICROWAVE PROPERTIES OF ELECTROPHORETICALLY DEPOSITED NANO-Fe_3O_4 ON CARBON FIBER | 231 |
| <i>H. Salimkhani, F. Movassagh-Alanagh, H. Aghajani, K. Osouli-Bostanabad</i> | |
| THE INFLUENCE OF LA AND HO SUBSTITUTION ON STRUCTURAL, MICRO STRUCTURAL AND MAGNETIC PROPERTIES OF BIFEO₃ NANOPOWDERS | 238 |
| <i>M. Rahimkhani, D. Sanavi Khoshnood</i> | |
| INFLUENCE OF AG/CU SUBSTITUTION ON STRUCTURAL EFFECT OF NEW HIGH TEMPERATURE SUPERCONDUCTOR $Y_3Ba_5Cu_8O_{18}$ | 242 |
| <i>N. Zarabinia, V. Daadmehr, F. Shahbaz Tehrani, M. Abbasi</i> | |
| EFFECTS OF GATE OXIDE MATERIALS ON ELECTRICAL PERFORMANCE OF AMORPHOUS INGAZNO THIN FILM TRANSISTORS: AN ANALYTICAL SURVEY | 248 |
| <i>M. Ghaneii, M. H. Shahrokh Abadi</i> | |
| THE INTERPARTICLE COUPLING EFFECT ON PLASMON RESONANCE PROPERTIES OF MAGNETITE@AU MAGNETOPLASMONIC NANOPARTICLES | 254 |
| <i>N. Ahmadi, R. Poursalehi, M. K. Moravvej Farshi</i> | |
| DOPING EFFECT ON SPIN DEPENDENT ELECTRON TRANSPORT IN ZIGZAG SILICENE NANORIBBONS | 259 |
| <i>B. Sarebanha, S. Ahmadi</i> | |
| CHARACTERIZATION AND SYNTHESIS OF MAGNETITE NANOPARTICLES BY INNOVATIVE SONOCHEMICAL METHOD | 265 |
| <i>S. Aliramaji, A. Zamanian, Z. Sohrabijam</i> | |
| GRAPHENE-BASED TERAHERTZ WAVEGUIDE AMPLIFIER | 270 |
| <i>O. Abbaszadeh Azar, M. Abdi, H. Baghban</i> | |
| PERIODICALLY GROWN QUANTUM NANOSTRUCTURES WITH ARBITRARY GEOMETRIES: PERIODICITY EFFECTS ON THE INDUCED ELECTRO-ELASTIC FIELDS | 275 |
| <i>E. Rashidinejad, H. M. Shodja</i> | |
| PREPARTION AND CHARACTERIZATION OF SUPERPARAMAGNETIC CHITOSAN COATED MAGHEMITE (γ-Fe_2O_3) FOR GENE DELIVERY | 282 |
| <i>Z. Sohrabijam, A. Zamanian, M. Saidifar, A. Nouri</i> | |
| TUNNELING CARBON NANOTUBE FIELD EFFECT TRANSISTOR WITH ASYMMETRIC GRADED DOUBLE HALO DOPING IN CHANNEL: ASYM-GDH-T-CNTFET | 287 |
| <i>N. Valed Karimi, Y. Pourasad</i> | |

SYNTHESIS AND NANOFABRICATION

| | |
|--|-----|
| SYNTHESIS, CHARACTERIZATION AND THERMOLUMINESCENCE PROPERTIES OF NANO-STRUCTURE GADOLINIUM DOPED HYDROXYAPATITE (HAP:GD) | 293 |
| <i>A. Zarinfar, M. Shafaei, F. Ziaie</i> | |
| SYNTHESIS OF GAN CAULIFLOWER-LIKE NANOSTRUCTURES VIA PLASMA ENHANCED-CVD | 299 |
| <i>M. Gholampour, A. Abdollah-Zadeh, R. Poursalehi, L. Shekari, S. Hatamikhah</i> | |
| FROM NANOPARTICLES TO NANOWIRES OF GAN WITH DIFFERENT HYDROGEN GAS FLOW RATES BY PDC-PECVD | 304 |
| <i>M. Gholampour, A. Abdollah-Zadeh, L. Shekari, R. Poursalehi</i> | |
| MECHANOCHEMICAL SYNTHESIS OF FE₂O₃ NANOPARTICLES | 309 |
| <i>M. Seyedi, S. Haratian, J. Vahdati Khaki</i> | |
| SUPERSPIN GLASS STATE IN MGFE₂O₄ NANOPARTICLES | 314 |
| <i>B. Aslibeiki, F. Nasirzadeh, P. Kameli</i> | |
| MICROWAVE-ASSISTED SYNTHESIS OF ZINC OXIDE NANOPARTICLES | 320 |
| <i>M. Hasanpoor, M. Aliofkhazraei, H. Delavari</i> | |
| REDUCTION OF GRAPHENE OXIDE VIA MODIFIED HYDROTHERMAL METHOD | 326 |
| <i>M. Ghorbani, H. Abdizadeh, M. R. Golobostanfard</i> | |
| SYNTHESIS AND ANALYSIS OF OPTICAL PROPERTIES OF CORDIERITE NANOPOWDER PREPARED BY THE PECHINI METHOD | 331 |
| <i>M. Nadafan, R. Malekfar, Z. Dehghani, Gh. H. Khorrami</i> | |
| HYDROTHERMAL SYNTHESIS OF LITHIUM META TITANATE NANOCRYSTALLITES | 336 |
| <i>A. R. Abbasian, M. R. Rahimpour, Z. Hamnabard</i> | |
| SYNTHESIS AND SURFACE CHARACTERIZATION OF MAGNETITE-TITANIA NANOPARTICLES/POLYAMIDE NANOCOMPOSITE SMART RO MEMBRANE | 342 |
| <i>A. Tayefeh, S. A. Mousavi, M. Wiesner, R. Poursalehi</i> | |
| THE EFFECT OF LIQUID ENVIRONMENT ON COMPOSITION, COLLOIDAL STABILITY AND OPTICAL PROPERTIES OF NICKEL NANOPARTICLES SYNTHESIZED BY ARC DISCHARGE IN LIQUID | 347 |
| <i>N. Rahnamaei Haghighi, R. Poursalehi</i> | |
| ZNO NANORODS ARRAY SYNTHESIZED BY CHEMICAL BATH DEPOSITION: EFFECT OF SEED LAYER SOL CONCENTRATION | 352 |
| <i>E. Pourshaban, H. Abdizadeh, M. R. Golobostanfard</i> | |
| SYNTHESIS OF NI NANOPARTICLES BY PULSED LASER ABLATION METHOD IN LIQUID PHASE | 359 |
| <i>M. Ganjali, M. Ganjali, P. Vahdatkhah, S. M. B. Marashi</i> | |
| GROWTH OF ZNO NANORODS ON GLASS SUBSTRATE BY CHEMICAL BATH DEPOSITION | 364 |
| <i>S. Rezabeigy, M. Behboudnia, N. Nobari</i> | |
| EFFECT OF SALT ADDITIVES ON THE FABRICATION OF POLY (VINYLIDENE FLUORIDE-CO-HEXAFLUOROPROPYLENE) (PVDF-HFP) NANOFIBER MEMBRANES FOR AIR GAP MEMBRANE DISTILLATION | 370 |
| <i>A. Hemmat, S. M. Ghoreishi, J. Karimi Sabet</i> | |
| A NOVEL ROBUST QCA FULL-ADDER | 376 |
| <i>S. Hashemi, K. Navi</i> | |
| SYNTHESIZING OF NANOSTRUCTURED FE-MN ALLOYS BY MECHANICAL ALLOYING PROCESS | 381 |
| <i>N. Safaie, M. Khakbiz, S. Sheibani, P. Sotoudeh Bagha</i> | |
| SYNTHESIS OF CRACK-FREE PZT THIN FILMS BY SOL-GEL PROCESSING ON GLASS SUBSTRATE | 386 |
| <i>A. Shoghi, A. Shakeri, H. Abdizadeh, M. R. Golobostanfard</i> | |

MODELING AND SIMULATION OF UFGNSM

| | |
|---|-----|
| CALCULATING THE BULK MODULUS OF IRON AND STEEL USING EQUILIBRIUM MOLECULAR DYNAMICS SIMULATION | 391 |
| <i>A. Rajabpour, L. Seidabadi, M. Soltanpour</i> | |
| FORMATION OF NANOSTRUCTURE IN AISI 316L AUSTENITIC STAINLESS STEEL BY FRICTION STIR PROCESSING | 397 |
| <i>S. S. Rezaei-Nejad, A. Abdollah-Zadeh, M. Hajian, F. Kargar, R. Seraj</i> | |

| | |
|---|------------|
| EVALUATION OF CAPILLARY PROPERTIES OF CARBON NANOTUBES THROUGH MOLECULAR DYNAMICS SIMULATIONS | 403 |
| <i>M. Darvish Ganji, S. Mirzaei</i> | |
| SIMULATION FIELD EFFECT TRANSISTOR BIPOLAR GRAPHENE NANO-RIBBON | 407 |
| <i>S. Masoumi, H. Hajghasem, A. Erfanian, A. Molaei Rad</i> | |
| AN INVESTIGATION OF EDDY CURRENT, SOLID LOSS, INDUCED VOLTAGE AND MAGNETIC TORQUE IN HIGHLY PURE THIN CONDUCTORS, USING FINITE ELEMENT METHOD | 412 |
| <i>M. Jalali Mehrabad, M. H. Ehsani</i> | |
| MODELING OF DEFORMATION BEHAVIOR AND DYNAMIC STRAIN AGEING IN ECAP | 418 |
| <i>M. Vaseghi</i> | |
| MULTI-SCALE SIMULATION OF CARBON NANOTUBES INTERACTIONS WITH CELL MEMBRANE: DFT CALCULATIONS AND MOLECULAR DYNAMIC SIMULATION | 423 |
| <i>S. H. Tabari, Y. Jamali, R. Poursalehi</i> | |
| GEOMETRIC MODELING OF INFILTRATED SOLID OXIDE FUEL CELL ELECTRODES FOR PERFORMANCE OPTIMIZATION | 428 |
| <i>M. Tafazoli, M. Baniassadi, A. Babaei, M. Shakeri</i> | |
| THE EFFECTS OF SURFACE OXIDATION AND INTERPARTICLE COUPLING ON SURFACE PLASMONIC RESONANCE PROPERTIES OF ALUMINUM NANOPARTICLES AS A UV PLASMONIC MATERIAL | 434 |
| <i>A. Ziashahabi, R. Poursalehi</i> | |
| EFFECT OF AL-15ZR MASTER ALLOY AND EXTRUSION PROCESS ON MICROSTRUCTURE AND MECHANICAL PROPERTIES OF AL-6%MG ALLOY | 438 |
| <i>H. Hosseiny, M. Emamy, G. Ashuri</i> | |
| SIMULATION ANALYSIS OF HAFNIUM-BASED-OXIDE AND EFFECTS OF METALLIZATION ON ELECTRICAL PERFORMANCE OF GATE-ALL-AROUND FINFET DEVICES | 444 |
| <i>M. Salami, M. H. Shahrokh Abadi</i> | |
| MOLECULAR DYNAMICS SIMULATIONS OF CARBON MONOXIDE SELF-DIFFUSION IN THE NANOPOROUS OF THE CU-BTC | 449 |
| <i>F. Fallahi, H. Mohammadi-Manesh</i> | |
| INVESTIGATION ON THE EFFECT OF OVERLAPPING LASER PULSES IN LASER SHOCK PEENING WITH FINITE ELEMENT METHOD | 454 |
| <i>H. R. Karbalaian, A. Yousefi-Koma, M. Karimpour, S. S. Mohtasebi</i> | |

NANOCOATINGS AND THIN FILMS

| | |
|--|------------|
| STRESS-INDUCED SOLUTE SEGREGATION AT THE EDGE OF NANO-SCALE THIN-FILM ELECTRODES ON THICK SUBSTRATES | 459 |
| <i>H. Haftbaradaran</i> | |
| FABRICATION OF ZNS ZIGZAG SCULPTURED NANOSTRUCTURED THIN FILMS | 464 |
| <i>S. Z. Rahchamani, H. R. Gholipour Dizaji, M. H. Ehsani</i> | |
| AMMONIA SENSING PROPERTIES OF α-Fe_2O_3 THIN FILMS DURING POST-ANNEALING PROCESS | 469 |
| <i>S. Zolghadr, K. Khojier, S. Kimiagar</i> | |
| ON THE DEPENDENCE OF H_2 GAS SENSITIVITY OF ZNO THIN FILMS ON FILM THICKNESS | 474 |
| <i>F. Teimoori, K. Khojier, N. Z. Dehnavi</i> | |
| WEIGHING ACETONITRILE AGAINST WATER AS DISPERSING MEDIA FOR FABRICATION OF GRAPHENE OXIDE FILMS VIA ELECTROPHORETIC DEPOSITION | 480 |
| <i>A. Hosseinpour, H. Abdizadeh, M. R. Golobostanfard</i> | |
| SONOCHEMICAL ASSISTED SYNTHESIS OF ZNO NANOSTRUCTURED THIN FILMS PREPARED BY SOL-GEL METHOD | 486 |
| <i>M. Heshmat, H. Abdizadeh, M. R. Golobostanfard</i> | |
| LASER MELTING EFFECTS ON MICROSTRUCTURE AND CORROSION BEHAVIOR OF PLASMA ELECTROLYTIC OXIDATION NANOCOMPOSITE COATINGS ON PURE TITANIUM | 491 |
| <i>M. Habibi, R. Miresmaeili, M. Aliofkhazraei, S. Alikhani Chamgordani</i> | |
| EFFECT OF PULSE FREQUENCY ON TRIBOLOGICAL BEHAVIOUR OF FUNCTIONALLY GRADED Ni/Al_2O_3 NANOCOMPOSITE COATINGS | 498 |
| <i>H. Siahpoosh, A. R. Abbasi, M. Aliofkhazraei, B. Khajavi, H. Majidi</i> | |

| | |
|--|-----|
| A NOVEL TECHNIQUE FOR DEVELOPMENT OF ALUMINUM ALLOY MATRIX/TIB₂/AL₂O₃ HYBRID SURFACE NANOCOMPOSITE BY FRICTION STIR PROCESSING | 503 |
| <i>H. Eskandari, R. Taheri</i> | |
| INVESTIGATION OF MICROSTRUCTURE AND HARDNESS OF MG/TIC SURFACE COMPOSITE FABRICATED BY FRICTION STIR PROCESSING (FSP) | 509 |
| <i>Mohammad Navazani, Kamran Dehghani</i> | |
| MICROSTRUCTURE AND HIGH TEMPERATURE OXIDATION BEHAVIOUR OF ZR-DOPED ALUMINIDE COATINGS FABRICATED ON NICKEL-BASED SUPER ALLOY | 515 |
| <i>I. Khakpour, R. Soltani, M. Heydarzadeh Sohi</i> | |

NANOCOMPOSITES

| | |
|--|-----|
| IMPROVEMENT OF POLYESTER BLANKET THERMAL INSULATOR PROPERTIES USING PHENOLIC AEROGEL | 522 |
| <i>M. Razzaghi, H. R. Hadizadeh Raeisi, A. R. Bahramian</i> | |
| CELLULOSE CORK/PHENOLIC AEROGEL NANOCOMPOSITES AS A LIGHTWEIGHT THERMAL INSULATOR | 527 |
| <i>H. R. Hadizadeh Raeisi, M. Razzaghi, A. R. Bahramian, M. Razzaghi Kashani</i> | |
| PREPARATION AND CHARACTERIZATION OF HYDROGEL NANOCOMPOSITES BASED ON OXIDIZED STARCH AND INCOMPLETELY CONDENSED POLYHEDRAL OLIGOMERIC SILSESQUIOXANES | 531 |
| <i>F. Sadrykia, N. Arsalani</i> | |
| CORROSION AND WEAR PROPERTIES OF NANOCCLAY- POLYESTER NANOCOMPOSITE COATINGS FABRICATED BY ELECTROSTATIC METHOD | 536 |
| <i>A. Golgoon, M. Aliofkhaezai, M. Toorani, M. H. Moradi, A. Sabour Rouhaghdam</i> | |
| IN-SITU WATER BASED EMULSION COPOLYMERIZATION OF STYRENE/ ETHYLHEXYL ACRYLATE IN PRESENCE OF CLOISITE 15A | 542 |
| <i>N. Nemati, F. Afshar Taromi, M. Mirzataheri</i> | |
| SYNTHESIS AND CHARACTERIZATION OF MONOLITHIC TITANIA/NANOCCLAY NANOCOMPOSITE AEROGELS | 548 |
| <i>A. Zirakjou, R. Mehdiavaz Aghdam, F. Pashaei Soorbaghi</i> | |
| FABRICATION OF NANO-COMPOSITE AL-B₄C FOAM VIA POWDER METALLURGY-SPACE HOLDER TECHNIQUE | 553 |
| <i>M. R. Moradi, A. Moloodi, A. Habibolahzadeh</i> | |
| DISPERSION OF CARBON NANOTUBES IN CU-CR MATRIX NANO-COMPOSITE BY WET MILLING | 560 |
| <i>M. Masroor, S. Sheibani, A. Ataie</i> | |
| ENHANCED OIL RECOVERY USING POLYMER/NANOSILICA | 565 |
| <i>H. Yousefvand, A. Jafari</i> | |
| A NEW APPROACH FOR SYNTHESIZING THE HYBRID SILICA AEROGELS | 571 |
| <i>Z. Talebi Mazraeh-Shahi, A. Mousavi Shoushtari, A. R. Bahramian</i> | |
| EFFECT OF DUTY CYCLE ON CORROSION RESISTANCE AND MECHANICAL PROPERTIES OF TERTIARY AL₂O₃/ Y₂O₃/GRAPHENE PULSED ELECTRODEPOSITED NI-BASED NANO-COMPOSITE | 576 |
| <i>A. Seza, H. Jafarian, M. Hasheminasari, M. Aliofkhaezai</i> | |
| A NEW METHOD FOR MEASURING THE THERMAL INSULATION PROPERTIES OF FIBROUS SILICA AEROGEL COMPOSITE | 583 |
| <i>Z. Talebi Mazraeh-Shahi, A. Mousavi Shoushtari, A. R. Bahramian</i> | |
| PREPARATION AND CHARACTERIZATION A NOVEL NANO COMPOSITE BARRIER FOR GTR / GBR | 588 |
| <i>N. Alikhanifard, A. Zargar, S. Karbasi</i> | |
| INVESTIGATION OF MECHANICAL AND DURABILITY PROPERTIES OF CONCRETE INFLUENCED BY HYBRID NANO SILICA AND MICRO ZEOLITE | 594 |
| <i>H. Eskandari, M. Vaghefi, K. Kowsari</i> | |
| FINISHING OF NYLON/COTTON FABRIC WITH ZNO/TIO₂ NANOCOMPOSITE | 600 |
| <i>A. Meftahi, F. Salehi, F. Yadegari, S. Alibakhshi, S. Vatandoost, H. Mohammadi</i> | |
| HYDROGEN DESORPTION PROPERTIES OF MGH₂-5 AT% TI-CR-MN-FE-V COMPOSITE VIA COMBINED VACUUM ARC REMELTING AND MECHANICAL ALLOYING | 605 |
| <i>M. R. Haghparast, M. Rajabi</i> | |

| | |
|---|------------|
| HYDROGEN DESORPTION PROPERTIES OF MGH2-5 WT% TI-MN-CR COMPOSITE VIA COMBINED MELT SPINNING AND MECHANICAL ALLOYING | 611 |
| <i>V. Khodaparast, M. Rajabi</i> | |

NANOMATERIALS FOR ENERGY

| | |
|--|------------|
| EVALUATING THE CATALYTIC PERFORMANCE OF $LA_{1-x}CE_xNI_{1-y}ZNY_3$ NANOSTRUCTURE PEROVSKITES IN THE CARBON DIOXIDE REFORMING OF METHANE | 616 |
| <i>S. Marmarshahi, A. Niaei, D. Salari, F. Abedini, M. Abbasi, N. Kalantari</i> | |
| SENSITIZATION OF TiO_2 NANOPARTICLES WITH COBALT PHTHALOCYANINE: AN ACTIVE PHOTOCATALYST FOR DEGRADATION OF 4-CHLOROPHENOL UNDER VISIBLE LIGHT | 622 |
| <i>A. Ebrahimi Pirbazari</i> | |
| CU-DOPED NANO- $LA_{0.8}SR_{0.2}MNO_3$ PROTECTIVE COATINGS ON METALLIC INTERCONNECTS FOR SOLID OXIDE FUEL CELL APPLICATION | 628 |
| <i>H. R. Farnoush, H. Abdoli, S. Bozorgmehri</i> | |
| GROWTH OF CARBON NANO TUBES ON COPPER SUBSTRATE SUITABLE FOR LITHIUM ION BATTERY ANODE | 634 |
| <i>S. Sepahvand, P. Safaei, Z. Sanaee</i> | |
| PERFORMANCE IMPROVEMENT OF P3HT:CDSE HYBRID SOLAR CELL BY MODIFYING HOLE INJECTION LAYER..... | 639 |
| <i>K. Oniy Aghmiyoni, V. Ahmadi, F. Arabpour Roghabadi</i> | |

NANOMATERIALS PROPERTIES

| | |
|---|------------|
| COMMERCIALIZING USAGE OF NANO-INSULATING MATERIALS IN BUILDING INDUSTRY AND FUTURE ARCHITECTURE | 644 |
| <i>N. Gholami Rostam, M. J. Mahdavinnejad, M. Gholami Rostam</i> | |
| CAPILLARY FORCES AND SORPTION HYSTERESIS OF CEMENT PASTES WITH SMALL SLIT PORES..... | 649 |
| <i>P. Schiller, M. Wahab, Th. Bier, S. Waida, H. J. Mögel</i> | |
| PERFORMANCE STUDY F V_2O_5/TiO_2 MIXED METAL OXIDE NANOCATALYSTS IN SELECTIVE CATALYTIC REDUCTION OF NOX PREPARED BY CO-PRECIPIATION METHOD | 655 |
| <i>H. Soleimanzadeh, A. Niaei, D. Salari, S. M. Mousavi, A. Tarjamannejad</i> | |
| SIZE, MORPHOLOGY AND OPTICAL PROPERTIES OF TITANIUM-BASED COLLOIDAL NANOPARTICLES PREPARED BY DC ELECTRICAL ARC DISCHARGE IN DIFFERENT LIQUIDS | 661 |
| <i>N. Rahneimai Haghghi, R. Poursalehi</i> | |
| ON THE ELASTIC CONSTANTS OF SINGLE WALLED CARBON NANOTUBES..... | 666 |
| <i>M. M. Zaeri, S. Ziaei-Rad, A. R. Shahidi</i> | |
| INVESTIGATION ON CORROSION BEHAVIOUR OF COPPER BRAZED JOINTS..... | 672 |
| <i>A. M. Aminazad, A. M. Hadian, F. Ghasimakbari</i> | |
| OPTICAL PROPERTIES AND COLLOIDAL STABILITY MECHANISM OF BISMUTH NANOPARTICLES PREPARED BY Q-SWITCHED ND:YAG LASER ABLATION IN LIQUID..... | 679 |
| <i>S. Dadashi, H. Delavari, R. Poursalehi</i> | |
| THE EFFECT OF SURFACTANT ON COLLOIDAL STABILITY, OXIDATION AND OPTICAL PROPERTIES OF ALUMINUM NANOPARTICLES PREPARED VIA DC ARC DISCHARGE IN WATER..... | 684 |
| <i>M. Faraji, R. Poursalehi, M. Aliofkhazraei</i> | |
| MICROWAVE-ASSISTED SINTERING OF $FE-AL_2O_3$ NANOCOMPOSITES: STUDY OF CORROSION AND WEAR PROPERTIES | 689 |
| <i>M. Baghani, M. Aliofkhazraei, R. Poursalehi</i> | |
| THE EFFECT OF DISSOLVED OXYGEN IN ARC MEDIUM ON CRYSTAL STRUCTURE AND OPTICAL PROPERTIES OF IRON BASED NANOPARTICLES PREPARED VIA DC ARC DISCHARGE IN WATER..... | 695 |
| <i>E. Kheradmand, H. Delavari, R. Poursalehi</i> | |
| SHIELDING EFFECTIVENESS OF POLYMERIC NANOCOMPOSITES FILLED WITH IRON/WÜSTITE NANOPARTICLES | 700 |
| <i>N. Iranpour Anaraki, R. Poursalehi</i> | |

| | |
|--|------------|
| NONLINEAR REFRACTIVE (NLR) INDEX OF TiO₂ NPS IN E_{5CN7} NEMATIC LIQUID CRYSTAL UNDER CW LASER ILLUMINATION | 706 |
| <i>Z. Dehghani, M. H. Majles Ara, H. Hoseinzade Saraf, M. Nadafan, N. Dalir</i> | |
| EFFECT OF PROCESSING PARAMETERS ON COMPRESSIVE STRENGTH OF METAKAOLINITE BASED GEOPOLYMERS: USING DOE APPROACH | 711 |
| <i>M. Ghanbari, A. M. Hadian, A. A. Nourbakhsh</i> | |
| OPTICAL PROPERTIES OF PURE AND ALLOYED SILVER-COPPER NANOPARTICLES EMBEDDED AND COUPLED IN DIELECTRIC MATRIXES..... | 717 |
| <i>H. Zabihi Hashjin, R. Poursalehi</i> | |
| STRUCTURAL AND OPTICAL PROPERTIES OF PURE IRON AND IRON OXIDE NANOPARTICLES PREPARED VIA PULSED ND:YAG LASER ABLATION IN LIQUID..... | 722 |
| <i>S. Dadashi, R. Poursalehi, H. Delavari</i> | |
| EFFECT OF INTERDIFFUSION ON OPTOELECTRONIC PROPERTIES OF IN_{1-x}GA_xAS/INAS/IN_{1-y}AL_yAS QUANTUM WELL..... | 727 |
| <i>V. L. Aziz-Aghcheghala, M. Pishbaz</i> | |
| JOINING OF ALUMINA TO ALUMINA USING BISMUTH OXIDE NANO POWDER..... | 733 |
| <i>O. B. Dehkordi, A. M. Hadian</i> | |
| OPTICAL PROPERTIES OF AG-CU ALLOY NANOPARTICLES SYNTHESIZED BY DC ARC DISCHARGE IN LIQUID | 738 |
| <i>S. H. Hashemian Rahaghi, R. Poursalehi, R. Miresmaeili</i> | |
| OPTICAL PROPERTIES OF AL@AL₂O₃ NANOROD AS A UV AND VISIBLE WAVELENGTHS PLASMONIC NANOSTRUCTURE | 743 |
| <i>A. Ziashahabi, R. Poursalehi</i> | |

SEPARATION AND PURIFICATION

| | |
|--|------------|
| COMPARISON OF CATALYTIC BEHAVIOR OF IRIIDIUM AND NICKEL NANOCATALYSTS FOR DECOMPOSITION OF HYDRAZINE | 749 |
| <i>S. G. Pakdehi, M. Rasoolzadeh</i> | |
| INVESTIGATING THE EFFECT OF MECHANICAL ACTIVATION PARAMETERS ON STRUCTURAL CHANGES AND LEACHING RATE OF MOLYBDENITE CONCENTRATE | 754 |
| <i>H. Shalchian, J. Vahdati Khaki, A. Babakhani, M. Torabi Parizi</i> | |

Author Index