

10th International Workshop on Semantic Evaluation (SemEval 2016)

San Diego, California, USA
16 - 17 June 2016

Volume 1 of 2

ISBN: 978-1-5108-2607-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by the Association for Computational Linguistics
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact the Association for Computational Linguistics
at the address below.

Association for Computational Linguistics
209 N. Eighth Street
Stroudsburg, Pennsylvania 18360

Phone: 1-570-476-8006
Fax: 1-570-476-0860

acl@aclweb.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Table of Contents

<i>SemEval-2016 Task 4: Sentiment Analysis in Twitter</i>	
Preslav Nakov, Alan Ritter, Sara Rosenthal, Fabrizio Sebastiani and Veselin Stoyanov	1
<i>SemEval-2016 Task 5: Aspect Based Sentiment Analysis</i>	
Maria Pontiki, Dimitris Galanis, Haris Papageorgiou, Ion Androutsopoulos, Suresh Manandhar, Mohammad AL-Smadi, Mahmoud Al-Ayyoub, Yanyan Zhao, Bing Qin, Orphee De Clercq, Veronique Hoste, Marianna Apidianaki, Xavier Tannier, Natalia Loukachevitch, Evgeniy Kotelnikov, N�ria Bel, Salud Mar�a Jim�nez-Zafra and G�l�sen Eryiđit	19
<i>SemEval-2016 Task 6: Detecting Stance in Tweets</i>	
Saif Mohammad, Svetlana Kiritchenko, Parinaz Sobhani, Xiaodan Zhu and Colin Cherry	31
<i>SemEval-2016 Task 7: Determining Sentiment Intensity of English and Arabic Phrases</i>	
Svetlana Kiritchenko, Saif Mohammad and Mohammad Salameh	42
<i>CUFE at SemEval-2016 Task 4: A Gated Recurrent Model for Sentiment Classification</i>	
Mahmoud Nabil, Amir Atyia and Mohamed Aly	52
<i>QCRI at SemEval-2016 Task 4: Probabilistic Methods for Binary and Ordinal Quantification</i>	
Giovanni Da San Martino, Wei Gao and Fabrizio Sebastiani	58
<i>SteM at SemEval-2016 Task 4: Applying Active Learning to Improve Sentiment Classification</i>	
Stefan R�biger, Mishal Kazmi, Y�cel Sayg�n, Peter Sch�ller and Myra Spiliopoulou	64
<i>I2RNTU at SemEval-2016 Task 4: Classifier Fusion for Polarity Classification in Twitter</i>	
Zhengchen Zhang, Chen Zhang, wu fuxiang, Dongyan Huang, Weisi Lin and Minghui Dong	71
<i>LyS at SemEval-2016 Task 4: Exploiting Neural Activation Values for Twitter Sentiment Classification and Quantification</i>	
David Vilares, Yerai Doval, Miguel A. Alonso and Carlos G�mez-Rodr�guez	79
<i>TwISE at SemEval-2016 Task 4: Twitter Sentiment Classification</i>	
Georgios Balikas and Massih-Reza Amini	85
<i>ISTI-CNR at SemEval-2016 Task 4: Quantification on an Ordinal Scale</i>	
Andrea Esuli	92
<i>aueb.twitter.sentiment at SemEval-2016 Task 4: A Weighted Ensemble of SVMs for Twitter Sentiment Analysis</i>	
Stavros Giorgis, Apostolos Rousas, John Pavlopoulos, Prodromos Malakasiotis and Ion Androutsopoulos	96
<i>thecerealkiller at SemEval-2016 Task 4: Deep Learning based System for Classifying Sentiment of Tweets on Two Point Scale</i>	
Vikrant Yadav	100

<i>NTNUSentEval at SemEval-2016 Task 4: Combining General Classifiers for Fast Twitter Sentiment Analysis</i>	
Brage Ekroll Jahren, Valerij Fredriksen, Björn Gambäck and Lars Bungum	103
<i>UDLAP at SemEval-2016 Task 4: Sentiment Quantification Using a Graph Based Representation</i>	
Esteban Castillo, Ofelia Cervantes, Darnes Vilariño and David Báez	109
<i>GTI at SemEval-2016 Task 4: Training a Naive Bayes Classifier using Features of an Unsupervised System</i>	
Jonathan Juncal-Martínez, Tamara Álvarez-López, Milagros Fernández-Gavilanes, Enrique Costa-Montenegro and Francisco Javier González-Castaño	115
<i>Aicyber at SemEval-2016 Task 4: i-vector based sentence representation</i>	
Steven Du and Xi Zhang	120
<i>PUT at SemEval-2016 Task 4: The ABC of Twitter Sentiment Analysis</i>	
Mateusz Lango, Dariusz Brzezinski and Jerzy Stefanowski	126
<i>mib at SemEval-2016 Task 4a: Exploiting lexicon based features for Sentiment Analysis in Twitter</i>	
Vittoria Cozza and Marinella Petrocchi	133
<i>MDSENT at SemEval-2016 Task 4: A Supervised System for Message Polarity Classification</i>	
Hang Gao and Tim Oates	139
<i>CICBUAPnlp at SemEval-2016 Task 4-A: Discovering Twitter Polarity using Enhanced Embeddings</i>	
Helena Gomez, Darnes Vilariño, Grigori Sidorov and David Pinto Avendaño	145
<i>Finki at SemEval-2016 Task 4: Deep Learning Architecture for Twitter Sentiment Analysis</i>	
Dario Stojanovski, Gjorgji Strezoski, Gjorgji Madjarov and Ivica Dimitrovski	149
<i>Tweester at SemEval-2016 Task 4: Sentiment Analysis in Twitter Using Semantic-Affective Model Adaptation</i>	
Elisavet Palogiannidi, Athanasia Kolovou, Fenia Christopoulou, Filippos Kokkinos, Elias Iosif, Nikolaos Malandrakis, Haris Papageorgiou, Shrikanth Narayanan and Alexandros Potamianos	155
<i>UofL at SemEval-2016 Task 4: Multi Domain word2vec for Twitter Sentiment Classification</i>	
Omar Abdelwahab and Adel Elmaghraby	164
<i>NRU-HSE at SemEval-2016 Task 4: Comparative Analysis of Two Iterative Methods Using Quantification Library</i>	
Nikolay Karpov, Alexander Porshnev and Kirill Rudakov	171
<i>INSIGHT-1 at SemEval-2016 Task 4: Convolutional Neural Networks for Sentiment Classification and Quantification</i>	
Sebastian Ruder, Parsa Ghaffari and John G. Breslin	178
<i>UNIMELB at SemEval-2016 Tasks 4A and 4B: An Ensemble of Neural Networks and a Word2Vec Based Model for Sentiment Classification</i>	
Steven Xu, HuiZhi Liang and Timothy Baldwin	183

<i>SentiSys at SemEval-2016 Task 4: Feature-Based System for Sentiment Analysis in Twitter</i> Hussam Hamdan	190
<i>DSIC-ELIRF at SemEval-2016 Task 4: Message Polarity Classification in Twitter using a Support Vector Machine Approach</i> Victor Martinez Morant, Lluís-F Hurtado and Ferran Pla	198
<i>SENSEI-LIF at SemEval-2016 Task 4: Polarity embedding fusion for robust sentiment analysis</i> Mickael Rouvier and Benoit Favre	202
<i>DiegoLab16 at SemEval-2016 Task 4: Sentiment Analysis in Twitter using Centroids, Clusters, and Sentiment Lexicons</i> Abeed Sarker and Graciela Gonzalez	209
<i>VCU-TSA at Semeval-2016 Task 4: Sentiment Analysis in Twitter</i> Gerard Briones, Kasun Amarasinghe and Bridget McInnes	215
<i>UniPI at SemEval-2016 Task 4: Convolutional Neural Networks for Sentiment Classification</i> Giuseppe Attardi and Daniele Sartiano	220
<i>IIP at SemEval-2016 Task 4: Prioritizing Classes in Ensemble Classification for Sentiment Analysis of Tweets</i> Jasper Friedrichs	225
<i>PotTS at SemEval-2016 Task 4: Sentiment Analysis of Twitter Using Character-level Convolutional Neural Networks.</i> Uladzimir Sidarenka	230
<i>INESC-ID at SemEval-2016 Task 4-A: Reducing the Problem of Out-of-Embedding Words</i> Silvio Amir, Ramón Astudillo, Wang Ling, Mario J. Silva and Isabel Trancoso	238
<i>SentimentalITsts at SemEval-2016 Task 4: building a Twitter sentiment analyzer in your backyard</i> Cosmin Florean, Oana Bejenaru, Eduard Apostol, Octavian Ciobanu, Adrian Iftene and Diana Trandabat	243
<i>Minions at SemEval-2016 Task 4: or how to build a sentiment analyzer using off-the-shelf resources?</i> Calin-Cristian Ciubotariu, Marius-Valentin Hrisca, Mihail Gliga, Diana Darabana, Diana Trandabat and Adrian Iftene	247
<i>YZU-NLP Team at SemEval-2016 Task 4: Ordinal Sentiment Classification Using a Recurrent Convolutional Network</i> Yunchao He, Liang-Chih Yu, Chin-Sheng Yang, K. Robert Lai and Weiyi Liu	251
<i>ECNU at SemEval-2016 Task 4: An Empirical Investigation of Traditional NLP Features and Word Embedding Features for Sentence-level and Topic-level Sentiment Analysis in Twitter</i> Yunxiao Zhou, Zhihua Zhang and Man Lan	256

<i>OPAL at SemEval-2016 Task 4: the Challenge of Porting a Sentiment Analysis System to the "Real" World</i>	
Alexandra Balahur	262
<i>Know-Center at SemEval-2016 Task 5: Using Word Vectors with Typed Dependencies for Opinion Target Expression Extraction</i>	
Stefan Falk, Andi Rexha and Roman Kern	266
<i>NileTMRG at SemEval-2016 Task 5: Deep Convolutional Neural Networks for Aspect Category and Sentiment Extraction</i>	
Talaat Khalil and Samhaa R. El-Beltagy	271
<i>XRCE at SemEval-2016 Task 5: Feedbacked Ensemble Modeling on Syntactico-Semantic Knowledge for Aspect Based Sentiment Analysis</i>	
Caroline Brun, Julien Perez and Claude Roux	277
<i>NLANGP at SemEval-2016 Task 5: Improving Aspect Based Sentiment Analysis using Neural Network Features</i>	
Zhiqiang Toh and Jian Su	282
<i>banji at SemEval-2016 Task 5: Neural and Syntactic Models of Entity-Attribute Relationship for Aspect-based Sentiment Analysis</i>	
Toshihiko Yanase, Kohsuke Yanai, Misa Sato, Toshinori Miyoshi and Yoshiki Niwa	289
<i>IHS-RD-Belarus at SemEval-2016 Task 5: Detecting Sentiment Polarity Using the Heatmap of Sentence</i>	
Maryna Chernyshevich	296
<i>BUTknot at SemEval-2016 Task 5: Supervised Machine Learning with Term Substitution Approach in Aspect Category Detection</i>	
Jakub Machacek	301
<i>GTI at SemEval-2016 Task 5: SVM and CRF for Aspect Detection and Unsupervised Aspect-Based Sentiment Analysis</i>	
Tamara Álvarez-López, Jonathan Juncal-Martínez, Milagros Fernández-Gavilanes, Enrique Costa-Montenegro and Francisco Javier González-Castaño	306
<i>AUEB-ABSA at SemEval-2016 Task 5: Ensembles of Classifiers and Embeddings for Aspect Based Sentiment Analysis</i>	
Dionysios Xenos, Panagiotis Theodorakakos, John Pavlopoulos, Prodromos Malakasiotis and Ion Androutsopoulos	312
<i>AKTSKI at SemEval-2016 Task 5: Aspect Based Sentiment Analysis for Consumer Reviews</i>	
Shubham Pateria and Prafulla Choubey	318
<i>MayAnd at SemEval-2016 Task 5: Syntactic and word2vec-based approach to aspect-based polarity detection in Russian</i>	
Vladimir Mayorov and Ivan Andrianov	325

<i>INSIGHT-1 at SemEval-2016 Task 5: Deep Learning for Multilingual Aspect-based Sentiment Analysis</i> Sebastian Ruder, Parsa Ghaffari and John G. Breslin	330
<i>TGB at SemEval-2016 Task 5: Multi-Lingual Constraint System for Aspect Based Sentiment Analysis</i> Fatih Samet Çetin, Ezgi Yıldırım, Can Özbey and Gülşen Eryiğit	337
<i>UWB at SemEval-2016 Task 5: Aspect Based Sentiment Analysis</i> Tomáš Hercig, Tomáš Brychcín, Lukáš Svoboda and Michal Konkol	342
<i>SentiSys at SemEval-2016 Task 5: Opinion Target Extraction and Sentiment Polarity Detection</i> Hussam Hamdan	350
<i>COMMIT at SemEval-2016 Task 5: Sentiment Analysis with Rhetorical Structure Theory</i> Kim Schouten and Flavius Frasinca	356
<i>ECNU at SemEval-2016 Task 5: Extracting Effective Features from Relevant Fragments in Sentence for Aspect-Based Sentiment Analysis in Reviews</i> Mengxiao Jiang, Zhihua Zhang and Man Lan	361
<i>UFAL at SemEval-2016 Task 5: Recurrent Neural Networks for Sentence Classification</i> Aleš Tamchyna and Kateřina Veselovská	367
<i>UWaterloo at SemEval-2016 Task 5: Minimally Supervised Approaches to Aspect-Based Sentiment Analysis</i> Olga Vechtomova and Anni He	372
<i>INF-UFRGS-OPINION-MINING at SemEval-2016 Task 6: Automatic Generation of a Training Corpus for Unsupervised Identification of Stance in Tweets</i> Marcelo Dias and Karin Becker	378
<i>pkudblab at SemEval-2016 Task 6 : A Specific Convolutional Neural Network System for Effective Stance Detection</i> Wan Wei, Xiao Zhang, Xuqin Liu, Wei Chen and Tengjiao Wang	384
<i>USFD at SemEval-2016 Task 6: Any-Target Stance Detection on Twitter with Autoencoders</i> Isabelle Augenstein, Andreas Vlachos and Kalina Bontcheva	389
<i>IUCL at SemEval-2016 Task 6: An Ensemble Model for Stance Detection in Twitter</i> Can Liu, Wen Li, Bradford Demarest, Yue Chen, Sara Couture, Daniel Dakota, Nikita Haduong, Noah Kaufman, Andrew Lamont, Manan Pancholi, Kenneth Steimel and Sandra Kübler	394
<i>Tohoku at SemEval-2016 Task 6: Feature-based Model versus Convolutional Neural Network for Stance Detection</i> Yuki Igarashi, Hiroya Komatsu, Sosuke Kobayashi, Naoaki Okazaki and Kentaro Inui	401
<i>UWB at SemEval-2016 Task 6: Stance Detection</i> Peter Krejzl and Josef Steinberger	408

<i>DeepStance at SemEval-2016 Task 6: Detecting Stance in Tweets Using Character and Word-Level CNNs</i>	
Prashanth Vijayaraghavan, Ivan Sysoev, Soroush Vosoughi and Deb Roy	413
<i>NLDS-UCSC at SemEval-2016 Task 6: A Semi-Supervised Approach to Detecting Stance in Tweets</i>	
Amita Misra, Brian Ecker, Theodore Handleman, Nicolas Hahn and Marilyn Walker	420
<i>ltl.uni-due at SemEval-2016 Task 6: Stance Detection in Social Media Using Stacked Classifiers</i>	
Michael Wojatzki and Torsten Zesch	428
<i>CU-GWU Perspective at SemEval-2016 Task 6: Ideological Stance Detection in Informal Text</i>	
Heba Elfardy and Mona Diab	434
<i>JU_NLP at SemEval-2016 Task 6: Detecting Stance in Tweets using Support Vector Machines</i>	
Braja Gopal Patra, Dipankar Das and Sivaji Bandyopadhyay	440
<i>IDI@NTNU at SemEval-2016 Task 6: Detecting Stance in Tweets Using Shallow Features and GloVe Vectors for Word Representation</i>	
Henrik Bøhler, Petter Asla, Erwin Marsi and Rune Sætre	445
<i>ECNU at SemEval 2016 Task 6: Relevant or Not? Supportive or Not? A Two-step Learning System for Automatic Detecting Stance in Tweets</i>	
Zhijia Zhang and Man Lan	451
<i>MITRE at SemEval-2016 Task 6: Transfer Learning for Stance Detection</i>	
Guido Zarrella and Amy Marsh	458
<i>TakeLab at SemEval-2016 Task 6: Stance Classification in Tweets Using a Genetic Algorithm Based Ensemble</i>	
Martin Tutek, Ivan Sekulic, Paula Gombar, Ivan Paljak, Filip Culinovic, Filip Boltuzic, Mladen Karan, Domagoj Alagić and Jan Šnajder	464
<i>LSIS at SemEval-2016 Task 7: Using Web Search Engines for English and Arabic Unsupervised Sentiment Intensity Prediction</i>	
Amal Htaït, Sebastien Fournier and Patrice Bellot	469
<i>iLab-Edinburgh at SemEval-2016 Task 7: A Hybrid Approach for Determining Sentiment Intensity of Arabic Twitter Phrases</i>	
Eshrag Refaee and Verena Rieser	474
<i>UWB at SemEval-2016 Task 7: Novel Method for Automatic Sentiment Intensity Determination</i>	
Ladislav Lenc, Pavel Král and Václav Rajtmajer	481
<i>NileTMRG at SemEval-2016 Task 7: Deriving Prior Polarities for Arabic Sentiment Terms</i>	
Samhaa R. El-Beltagy	486
<i>ECNU at SemEval-2016 Task 7: An Enhanced Supervised Learning Method for Lexicon Sentiment Intensity Ranking</i>	
Feixiang Wang, Zhijia Zhang and Man Lan	491

<i>SemEval-2016 Task 1: Semantic Textual Similarity, Monolingual and Cross-Lingual Evaluation</i>	
Eneko Agirre, Carmen Banea, Daniel Cer, Mona Diab, Aitor Gonzalez-Agirre, Rada Mihalcea, German Rigau and Janyce Wiebe	497
<i>SemEval-2016 Task 2: Interpretable Semantic Textual Similarity</i>	
Eneko Agirre, Aitor Gonzalez-Agirre, Inigo Lopez-Gazpio, Montse Maritxalar, German Rigau and Larraitz Uria	512
<i>SemEval-2016 Task 3: Community Question Answering</i>	
Preslav Nakov, Lluís Màrquez, Alessandro Moschitti, Walid Magdy, Hamdy Mubarak, abed Alhakim Freihat, Jim Glass and Bilal Randeree	525
<i>SemEval-2016 Task 10: Detecting Minimal Semantic Units and their Meanings (DiMSUM)</i>	
Nathan Schneider, Dirk Hovy, Anders Johannsen and Marine Carpuat	546
<i>SemEval 2016 Task 11: Complex Word Identification</i>	
Gustavo Paetzold and Lucia Specia	560
<i>FBK HLT-MT at SemEval-2016 Task 1: Cross-lingual Semantic Similarity Measurement Using Quality Estimation Features and Compositional Bilingual Word Embeddings</i>	
Duygu Ataman, Jose G. C. De Souza, Marco Turchi and Matteo Negri	570
<i>VRep at SemEval-2016 Task 1 and Task 2: A System for Interpretable Semantic Similarity</i>	
Sam Henry and Allison Sands	577
<i>UTA DLNLP at SemEval-2016 Task 1: Semantic Textual Similarity: A Unified Framework for Semantic Processing and Evaluation</i>	
Peng Li and Heng Huang	584
<i>UWB at SemEval-2016 Task 1: Semantic Textual Similarity using Lexical, Syntactic, and Semantic Information</i>	
Tomáš Brychcín and Lukáš Svoboda	588
<i>HHU at SemEval-2016 Task 1: Multiple Approaches to Measuring Semantic Textual Similarity</i>	
Matthias Liebeck, Philipp Pollack, Pashutan Modaresi and Stefan Conrad	595
<i>Samsung Poland NLP Team at SemEval-2016 Task 1: Necessity for diversity; combining recursive autoencoders, WordNet and ensemble methods to measure semantic similarity.</i>	
Barbara Rychalska, Katarzyna Pakulska, Krystyna Chodorowska, Wojciech Walczak and Piotr Andruszkiewicz	602
<i>USFD at SemEval-2016 Task 1: Putting different State-of-the-Arts into a Box</i>	
Ahmet Aker, Frederic Blain, Andres Duque, Marina Fomicheva, Jurica Seva, Kashif Shah and Daniel Beck	609
<i>NaCTeM at SemEval-2016 Task 1: Inferring sentence-level semantic similarity from an ensemble of complementary lexical and sentence-level features</i>	
Piotr Przybyła, Nhung T. H. Nguyen, Matthew Shardlow, Georgios Kononatsios and Sophia Ananiadou	614

<i>ECNU at SemEval-2016 Task 1: Leveraging Word Embedding From Macro and Micro Views to Boost Performance for Semantic Textual Similarity</i>	
Junfeng Tian and Man Lan	621
<i>SAARSHEFF at SemEval-2016 Task 1: Semantic Textual Similarity with Machine Translation Evaluation Metrics and (eXtreme) Boosted Tree Ensembles</i>	
Liling Tan, Carolina Scarton, Lucia Specia and Josef van Genabith	628
<i>WOLVESAAAR at SemEval-2016 Task 1: Replicating the Success of Monolingual Word Alignment and Neural Embeddings for Semantic Textual Similarity</i>	
Hannah Bechara, Rohit Gupta, Liling Tan, Constantin Orasan, Ruslan Mitkov and Josef van Genabith	634
<i>DTSim at SemEval-2016 Task 1: Semantic Similarity Model Including Multi-Level Alignment and Vector-Based Compositional Semantics</i>	
Rajendra Banjade, Nabin Maharjan, Dipesh Gautam and Vasile Rus	640
<i>ISCAS_NLP at SemEval-2016 Task 1: Sentence Similarity Based on Support Vector Regression using Multiple Features</i>	
Cheng Fu, Bo An, Xianpei Han and Le Sun	645
<i>DLS@CU at SemEval-2016 Task 1: Supervised Models of Sentence Similarity</i>	
Md Arafat Sultan, Steven Bethard and Tamara Sumner	650
<i>DCU-SEManiacs at SemEval-2016 Task 1: Synthetic Paragram Embeddings for Semantic Textual Similarity</i>	
Chris Hokamp and Piyush Arora	656
<i>GWU NLP at SemEval-2016 Shared Task 1: Matrix Factorization for Crosslingual STS</i>	
Hanan Aldarmaki and Mona Diab	663
<i>CNRC at SemEval-2016 Task 1: Experiments in Crosslingual Semantic Textual Similarity</i>	
Chi-kiu Lo, Cyril Goutte and Michel Simard	668
<i>MayoNLP at SemEval-2016 Task 1: Semantic Textual Similarity based on Lexical Semantic Net and Deep Learning Semantic Model</i>	
Naveed Afzal, Yanshan Wang and Hongfang Liu	674
<i>UoB-UK at SemEval-2016 Task 1: A Flexible and Extendable System for Semantic Text Similarity using Types, Surprise and Phrase Linking</i>	
Harish Tayyar Madabushi, Mark Buhagiar and Mark Lee	680
<i>BIT at SemEval-2016 Task 1: Sentence Similarity Based on Alignments and Vector with the Weight of Information Content</i>	
Hao Wu, Heyan Huang and Wenpeng Lu	686
<i>RICOH at SemEval-2016 Task 1: IR-based Semantic Textual Similarity Estimation</i>	
Hideo Itoh	691

<i>IHS-RD-Belarus at SemEval-2016 Task 1: Multistage Approach for Measuring Semantic Similarity</i> Maryna Beliuha and Maryna Chernyshevich	696
<i>JUNITMZ at SemEval-2016 Task 1: Identifying Semantic Similarity Using Levenshtein Ratio</i> Sandip Sarkar, Dipankar Das, Partha Pakray and Alexander Gelbukh	702
<i>Amrita_CEN at SemEval-2016 Task 1: Semantic Relation from Word Embeddings in Higher Dimension</i> Barathi Ganesh HB, Anand Kumar M and Soman KP	706
<i>NUIG-UNLP at SemEval-2016 Task 1: Soft Alignment and Deep Learning for Semantic Textual Similarity</i> John Philip McCrae, Kartik Asooja, Nitish Aggarwal and Paul Buitelaar	712
<i>NORMAS at SemEval-2016 Task 1: SEMSIM: A Multi-Feature Approach to Semantic Text Similarity</i> kolawole adebayo, Luigi Di Caro and Guido Boella	718
<i>LIPN-IIMAS at SemEval-2016 Task 1: Random Forest Regression Experiments on Align-and-Differentiate and Word Embeddings penalizing strategies</i> Oscar William Lightgow Serrano, Ivan Vladimir Meza Ruiz, Albert Manuel Orozco Camacho, Jorge Garcia Flores and Davide Buscaldi	726
<i>UNBNLP at SemEval-2016 Task 1: Semantic Textual Similarity: A Unified Framework for Semantic Processing and Evaluation</i> Milton King, Waseem Gharbieh, SoHyun Park and Paul Cook	732
<i>ASOBEK at SemEval-2016 Task 1: Sentence Representation with Character N-gram Embeddings for Semantic Textual Similarity</i> Asli Eyecioglu and Bill Keller	736
<i>SimiHawk at SemEval-2016 Task 1: A Deep Ensemble System for Semantic Textual Similarity</i> Peter Potash, William Boag, Alexey Romanov, Vasili Ramanishka and Anna Rumshisky	741
<i>SERGIOJIMENEZ at SemEval-2016 Task 1: Effectively Combining Paraphrase Database, String Matching, WordNet, and Word Embedding for Semantic Textual Similarity</i> Sergio Jimenez	749
<i>RTM at SemEval-2016 Task 1: Predicting Semantic Similarity with Referential Translation Machines and Related Statistics</i> Ergun Bicici	758
<i>DalGTM at SemEval-2016 Task 1: Importance-Aware Compositional Approach to Short Text Similarity</i> Jie Mei, Aminul Islam and Evangelos Milios	765
<i>iUBC at SemEval-2016 Task 2: RNNs and LSTMs for interpretable STS</i> Inigo Lopez-Gazpio, Eneko Agirre and Montse Maritxalar	771
<i>Rev at SemEval-2016 Task 2: Aligning Chunks by Lexical, Part of Speech and Semantic Equivalence</i> ping tan, Karin Verspoor and Timothy Miller	777

<i>FBK-HLT-NLP at SemEval-2016 Task 2: A Multitask, Deep Learning Approach for Interpretable Semantic Textual Similarity</i>	
Simone Magnolini, Anna Feltracco and Bernardo Magnini	783
<i>IISCNLP at SemEval-2016 Task 2: Interpretable STS with ILP based Multiple Chunk Aligner</i>	
Lavanya Tekumalla and Sharmistha Jat	790
<i>VENSESEVAL at Semeval-2016 Task 2 iSTS - with a full-fledged rule-based approach</i>	
Rodolfo Delmonte	796
<i>UWB at SemEval-2016 Task 2: Interpretable Semantic Textual Similarity with Distributional Semantics for Chunks</i>	
Miloslav Konopik, Ondrej Prazak, David Steinberger and Tomáš Brychcín	803
<i>DTSim at SemEval-2016 Task 2: Interpreting Similarity of Texts Based on Automated Chunking, Chunk Alignment and Semantic Relation Prediction</i>	
Rajendra Banjade, Nabin Maharjan, Nopal Bikram Niraula and Vasile Rus	809
<i>UH-PRHLT at SemEval-2016 Task 3: Combining Lexical and Semantic-based Features for Community Question Answering</i>	
Marc Franco-Salvador, Sudipta Kar, Thamar Solorio and Paolo Rosso	814
<i>RDI_Team at SemEval-2016 Task 3: RDI Unsupervised Framework for Text Ranking</i>	
Ahmed Magooda, Amr Gomaa, Ashraf Mahgoub, Hany Ahmed, Mohsen Rashwan, Hazem Raafat, Eslam Kamal and Ahmad Al Sallab	822
<i>SLS at SemEval-2016 Task 3: Neural-based Approaches for Ranking in Community Question Answering</i>	
Mitra Mohtarami, Yonatan Belinkov, Wei-Ning Hsu, Yu Zhang, Tao Lei, Kfir Bar, Scott Cyphers and Jim Glass	828
<i>SUPer Team at SemEval-2016 Task 3: Building a Feature-Rich System for Community Question Answering</i>	
Tsvetomila Mihaylova, Pepa Gencheva, Martin Boyanov, Ivana Yovcheva, Todor Mihaylov, Momchil Hardalov, Yassen Kiprov, Daniel Balchev, Ivan Koychev, Preslav Nakov, Ivelina Nikolova and Galia Angelova	836
<i>PMI-cool at SemEval-2016 Task 3: Experiments with PMI and Goodness Polarity Lexicons for Community Question Answering</i>	
Daniel Balchev, Yassen Kiprov, Ivan Koychev and Preslav Nakov	844
<i>UniMelb at SemEval-2016 Task 3: Identifying Similar Questions by combining a CNN with String Similarity Measures</i>	
Timothy Baldwin, Huizhi Liang, Bahar Salehi, Doris Hoogveen, Yitong Li and Long Duong	851
<i>ICL00 at SemEval-2016 Task 3: Translation-Based Method for CQA System</i>	
Yunfang Wu and Minghua Zhang	857

<i>Overfitting at SemEval-2016 Task 3: Detecting Semantically Similar Questions in Community Question Answering Forums with Word Embeddings</i>	
Hujie Wang and Pascal Poupart	861
<i>QU-IR at SemEval 2016 Task 3: Learning to Rank on Arabic Community Question Answering Forums with Word Embedding</i>	
Rana Malhas, Marwan Torki and Tamer Elsayed	866
<i>ECNU at SemEval-2016 Task 3: Exploring Traditional Method and Deep Learning Method for Question Retrieval and Answer Ranking in Community Question Answering</i>	
Guoshun Wu and Man Lan	872
<i>SemanticZ at SemEval-2016 Task 3: Ranking Relevant Answers in Community Question Answering Using Semantic Similarity Based on Fine-tuned Word Embeddings</i>	
Todor Mihaylov and Preslav Nakov	879
<i>MTE-NN at SemEval-2016 Task 3: Can Machine Translation Evaluation Help Community Question Answering?</i>	
Francisco Guzmán, Preslav Nakov and Lluís Màrquez	887
<i>ConvKN at SemEval-2016 Task 3: Answer and Question Selection for Question Answering on Arabic and English Fora</i>	
Alberto Barrón-Cedeño, Giovanni Da San Martino, Shafiq Joty, Alessandro Moschitti, Fahad Al-Obaidli, Salvatore Romeo, Kateryna Tymoshenko and Antonio Uva	896
<i>ITNLP-AiKF at SemEval-2016 Task 3 a quesiton answering system using community QA repository</i>	
Chang e Jia	904
<i>UFRGS&LIF at SemEval-2016 Task 10: Rule-Based MWE Identification and Predominant-Supersense Tagging</i>	
Silvio Cordeiro, Carlos Ramisch and Aline Villavicencio	910
<i>WHUNlp at SemEval-2016 Task DiMSUM: A Pilot Study in Detecting Minimal Semantic Units and their Meanings using Supervised Models</i>	
Xin Tang, Fei Li and Donghong Ji	918
<i>UTU at SemEval-2016 Task 10: Binary Classification for Expression Detection (BCED)</i>	
Jari Björne and Tapio Salakoski	925
<i>UW-CSE at SemEval-2016 Task 10: Detecting Multiword Expressions and Supersenses using Double-Chained Conditional Random Fields</i>	
Mohammad Javad Hosseini, Noah A. Smith and Su-In Lee	931
<i>ICL-HD at SemEval-2016 Task 10: Improving the Detection of Minimal Semantic Units and their Meanings with an Ontology and Word Embeddings</i>	
Angelika Kirilin, Felix Krauss and Yannick Versley	937

<i>VectorWeavers at SemEval-2016 Task 10: From Incremental Meaning to Semantic Unit (phrase by phrase)</i>	
Andreas Scherbakov, Ekaterina Vylomova, Fei Liu and Timothy Baldwin	946
<i>PLUJAGH at SemEval-2016 Task 11: Simple System for Complex Word Identification</i>	
Krzysztof Wróbel	953
<i>USAAR at SemEval-2016 Task 11: Complex Word Identification with Sense Entropy and Sentence Perplexity</i>	
José Manuel Martínez Martínez and Liling Tan	958
<i>Sensible at SemEval-2016 Task 11: Neural Nonsense Mangled in Ensemble Mess</i>	
Gillin Nat	963
<i>SV000gg at SemEval-2016 Task 11: Heavy Gauge Complex Word Identification with System Voting</i>	
Gustavo Paetzold and Lucia Specia	969
<i>Melbourne at SemEval 2016 Task 11: Classifying Type-level Word Complexity using Random Forests with Corpus and Word List Features</i>	
Julian Brooke, Alexandra Uitdenbogerd and Timothy Baldwin	975
<i>CLaC at SemEval-2016 Task 11: Exploring linguistic and psycho-linguistic Features for Complex Word Identification</i>	
Elnaz Davoodi and Leila Kosseim	982
<i>JU_NLP at SemEval-2016 Task 11: Identifying Complex Words in a Sentence</i>	
Niloy Mukherjee, Braja Gopal Patra, Dipankar Das and Sivaji Bandyopadhyay	986
<i>MAZA at SemEval-2016 Task 11: Detecting Lexical Complexity Using a Decision Stump Meta-Classifer</i>	
Shervin Malmasi and Marcos Zampieri	991
<i>LTG at SemEval-2016 Task 11: Complex Word Identification with Classifier Ensembles</i>	
Shervin Malmasi, Mark Dras and Marcos Zampieri	996
<i>MacSaar at SemEval-2016 Task 11: Zipfian and Character Features for ComplexWord Identification</i>	
Marcos Zampieri, Liling Tan and Josef van Genabith	1001
<i>Garuda & Bhasha at SemEval-2016 Task 11: Complex Word Identification Using Aggregated Learning Models</i>	
Prafulla Choubey and Shubham Pateria	1006
<i>TALN at SemEval-2016 Task 11: Modelling Complex Words by Contextual, Lexical and Semantic Features</i>	
Francesco Ronzano, Ahmed Abura'ed, Luis Espinosa Anke and Horacio Saggion	1011
<i>IIIT at SemEval-2016 Task 11: Complex Word Identification using Nearest Centroid Classification</i>	
Ashish Palakurthi and Radhika Mamidi	1017
<i>AmritaCEN at SemEval-2016 Task 11: Complex Word Identification using Word Embedding</i>	
sanjay sp, Anand Kumar and Soman K P	1022

<i>CoastalCPH at SemEval-2016 Task 11: The importance of designing your Neural Networks right</i> Joachim Bingel, Natalie Schluter and Héctor Martínez Alonso	1028
<i>HMC at SemEval-2016 Task 11: Identifying Complex Words Using Depth-limited Decision Trees</i> Maury Quijada and Julie Medero	1034
<i>UWB at SemEval-2016 Task 11: Exploring Features for Complex Word Identification</i> Michal Konkol	1038
<i>AI-KU at SemEval-2016 Task 11: Word Embeddings and Substring Features for Complex Word Identification</i> Onur Kuru	1042
<i>Pomona at SemEval-2016 Task 11: Predicting Word Complexity Based on Corpus Frequency</i> David Kauchak	1047
<i>SemEval-2016 Task 12: Clinical TempEval</i> Steven Bethard, Guergana Savova, Wei-Te Chen, Leon Derczynski, James Pustejovsky and Marc Verhagen	1052
<i>SemEval-2016 Task 8: Meaning Representation Parsing</i> Jonathan May	1063
<i>SemEval-2016 Task 9: Chinese Semantic Dependency Parsing</i> Wanxiang Che, Yanqiu Shao, Ting Liu and Yu Ding	1074
<i>SemEval-2016 Task 13: Taxonomy Extraction Evaluation (TExEval-2)</i> Georgeta Bordea, Els Lefever and Paul Buitelaar	1081
<i>SemEval-2016 Task 14: Semantic Taxonomy Enrichment</i> David Jurgens and Mohammad Taher Pilehvar	1092
<i>UMD-TTIC-UW at SemEval-2016 Task 1: Attention-Based Multi-Perspective Convolutional Neural Networks for Textual Similarity Measurement</i> Hua He, John Wieting, Kevin Gimpel, Jinfeng Rao and Jimmy Lin	1103
<i>Inspire at SemEval-2016 Task 2: Interpretable Semantic Textual Similarity Alignment based on Answer Set Programming</i> Mishal Kazmi and Peter Schüller	1109
<i>KeLP at SemEval-2016 Task 3: Learning Semantic Relations between Questions and Answers</i> Simone Filice, Danilo Croce, Alessandro Moschitti and Roberto Basili	1116
<i>SwissCheese at SemEval-2016 Task 4: Sentiment Classification Using an Ensemble of Convolutional Neural Networks with Distant Supervision</i> Jan Deriu, Maurice Gonzenbach, Fatih Uzdilli, Aurelien Lucchi, Valeria De Luca and Martin Jaggi	1124

<i>IIT-TUDA at SemEval-2016 Task 5: Beyond Sentiment Lexicon: Combining Domain Dependency and Distributional Semantics Features for Aspect Based Sentiment Analysis</i>	
Ayush Kumar, Sarah Kohail, Amit Kumar, Asif Ekbal and Chris Biemann	1129
<i>LIMSI-COT at SemEval-2016 Task 12: Temporal relation identification using a pipeline of classifiers</i>	
Julien Tourille, Olivier Ferret, Aurélie Névéol and Xavier Tannier	1136
<i>RIGA at SemEval-2016 Task 8: Impact of Smatch Extensions and Character-Level Neural Translation on AMR Parsing Accuracy</i>	
Guntis Barzdins and Didzis Gosko	1143
<i>DynamicPower at SemEval-2016 Task 8: Processing syntactic parse trees with a Dynamic Semantics core</i>	
Alastair Butler	1148
<i>M2L at SemEval-2016 Task 8: AMR Parsing with Neural Networks</i>	
Yevgeniy Puzikov, Daisuke Kawahara and Sadao Kurohashi	1154
<i>ICL-HD at SemEval-2016 Task 8: Meaning Representation Parsing - Augmenting AMR Parsing with a Preposition Semantic Role Labeling Neural Network</i>	
Lauritz Brandt, David Grimm, Mengfei Zhou and Yannick Versley	1160
<i>UCL+Sheffield at SemEval-2016 Task 8: Imitation learning for AMR parsing with an alpha-bound</i>	
James Goodman, Andreas Vlachos and Jason Naradowsky	1167
<i>CAMR at SemEval-2016 Task 8: An Extended Transition-based AMR Parser</i>	
Chuan Wang, Sameer Pradhan, Xiaoman Pan, Heng Ji and Nianwen Xue	1173
<i>The Meaning Factory at SemEval-2016 Task 8: Producing AMRs with Boxer</i>	
Johannes Bjerva, Johan Bos and Hessel Haagsma	1179
<i>UofR at SemEval-2016 Task 8: Learning Synchronous Hyperedge Replacement Grammar for AMR Parsing</i>	
Xiaochang Peng and Daniel Gildea	1185
<i>CLIP@UMD at SemEval-2016 Task 8: Parser for Abstract Meaning Representation using Learning to Search</i>	
Sudha Rao, Yogarshi Vyas, Hal Daumé III and Philip Resnik	1190
<i>CU-NLP at SemEval-2016 Task 8: AMR Parsing using LSTM-based Recurrent Neural Networks</i>	
William Foland and James H. Martin	1197
<i>CMU at SemEval-2016 Task 8: Graph-based AMR Parsing with Infinite Ramp Loss</i>	
Jeffrey Flanigan, Chris Dyer, Noah A. Smith and Jaime Carbonell	1202
<i>IHS-RD-Belarus at SemEval-2016 Task 9: Transition-based Chinese Semantic Dependency Parsing with Online Reordering and Bootstrapping.</i>	
Artsiom Artsymenia, Palina Dounar and Maria Yermakovich	1207

<i>OCLSP at SemEval-2016 Task 9: Multilayered LSTM as a Neural Semantic Dependency Parser</i> Lifeng Jin, Manjuan Duan and William Schuler	1212
<i>OSU_CHGCG at SemEval-2016 Task 9 : Chinese Semantic Dependency Parsing with Generalized Categorical Grammar</i> Manjuan Duan, Lifeng Jin and William Schuler	1218
<i>LIMSI at SemEval-2016 Task 12: machine-learning and temporal information to identify clinical events and time expressions</i> Cyril Grouin and Véronique MORICEAU	1225
<i>Hitachi at SemEval-2016 Task 12: A Hybrid Approach for Temporal Information Extraction from Clinical Notes</i> Sarath P R, Manikandan R and Yoshiki Niwa	1231
<i>CDE-IIITH at SemEval-2016 Task 12: Extraction of Temporal Information from Clinical documents using Machine Learning techniques</i> Veera Raghavendra Chikka	1237
<i>VUACLTL at SemEval 2016 Task 12: A CRF Pipeline to Clinical TempEval</i> Tommaso Caselli and Roser Morante	1241
<i>GUIR at SemEval-2016 task 12: Temporal Information Processing for Clinical Narratives</i> Arman Cohan, Kevin Meurer and Nazli Goharian	1248
<i>UtahBMI at SemEval-2016 Task 12: Extracting Temporal Information from Clinical Text</i> Abdulrahman AAl Abdulsalam, Sumithra Velupillai and Stephane Meystre	1256
<i>ULISBOA at SemEval-2016 Task 12: Extraction of temporal expressions, clinical events and relations using IBent</i> Marcia Barros, André Lamúrias, Gonçalo Figueiró, Marta Antunes, Joana Teixeira, Alexandre Pinheiro and Francisco M. Couto	1263
<i>UTA DLNLP at SemEval-2016 Task 12: Deep Learning Based Natural Language Processing System for Clinical Information Identification from Clinical Notes and Pathology Reports</i> Peng Li and Heng Huang	1268
<i>Brundlefly at SemEval-2016 Task 12: Recurrent Neural Networks vs. Joint Inference for Clinical Temporal Information Extraction</i> Jason Fries	1274
<i>KULeuven-LIIR at SemEval 2016 Task 12: Detecting Narrative Containment in Clinical Records</i> Artuur Leeuwenberg and Marie-Francine Moens	1280
<i>CENTAL at SemEval-2016 Task 12: a linguistically fed CRF model for medical and temporal information extraction</i> Charlotte Hansart, Damien De Meyere, Patrick Watrin, André Bittar and Cédric Fairon	1286

<i>UTHealth at SemEval-2016 Task 12: an End-to-End System for Temporal Information Extraction from Clinical Notes</i>	
Hee-Jin Lee, Hua Xu, Jingqi Wang, Yaoyun Zhang, Sungrim Moon, Jun Xu and Yonghui Wu	1292
<i>NUIG-UNLP at SemEval-2016 Task 13: A Simple Word Embedding-based Approach for Taxonomy Extraction</i>	
Joel Pocostales	1298
<i>USAAR at SemEval-2016 Task 13: Hyponym Endocentricity</i>	
Liling Tan, Francis Bond and Josef van Genabith	1303
<i>JUNLP at SemEval-2016 Task 13: A Language Independent Approach for Hypernym Identification</i>	
Promita Maitra and Dipankar Das	1310
<i>QASSIT at SemEval-2016 Task 13: On the integration of Semantic Vectors in Pretopological Spaces for Lexical Taxonomy Acquisition</i>	
Guillaume Cleuziou and Jose G. Moreno	1315
<i>TAXI at SemEval-2016 Task 13: a Taxonomy Induction Method based on Lexico-Syntactic Patterns, Substrings and Focused Crawling</i>	
Alexander Panchenko, Stefano Faralli, Eugen Ruppert, Steffen Remus, Hubert Naets, Cedrick Fairon, Simone Paolo Ponzetto and Chris Biemann	1320
<i>Duluth at SemEval 2016 Task 14: Extending Gloss Overlaps to Enrich Semantic Taxonomies</i>	
Ted Pedersen	1328
<i>TALN at SemEval-2016 Task 14: Semantic Taxonomy Enrichment Via Sense-Based Embeddings</i>	
Luis Espinosa Anke, Francesco Ronzano and Horacio Saggion	1332
<i>MSejrKu at SemEval-2016 Task 14: Taxonomy Enrichment by Evidence Ranking</i>	
Michael Schlichtkrull and Héctor Martínez Alonso	1337
<i>Deftor at SemEval-2016 Task 14: Taxonomy enrichment using definition vectors</i>	
Hristo Tanev and Agata Rotondi	1342
<i>UMNDuluth at SemEval-2016 Task 14: WordNet's Missing Lemmas</i>	
Jon Rusert and Ted Pedersen	1346
<i>VCU at Semeval-2016 Task 14: Evaluating definitional-based similarity measure for semantic taxonomy enrichment</i>	
Bridget McInnes	1351