# 2016 International Conference on Microelectronics, Computing and Communications (MicroCom 2016)

**Durgapur, India**
**23-25 January 2016**

**Pages 503-1008**

**IEEE Catalog Number:** CFP16SHC-POD
**ISBN:** 978-1-4673-6622-9

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc**
**All Rights Reserved**

*Copyright and Reprint Permissions*: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number: CFP16SHC-POD
ISBN (Print-On-Demand): 978-1-4673-6622-9
ISBN (Online): 978-1-4673-6621-2

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

# Table of Contents


| Page | Paper ID | Title | Author |
|---|---|---|---|
| 1 | Paper_1 | Design of Very Low Power Time – domain Analog – to – Digital Converter | Chandrima Choudhury, Subhankar Majhi and Ashis Kumar Mal |
| 7 | Paper_9 | FPGA Implementation of Digital Pulse Processing Techniques for Radiation Measurement | Mohindar Vaghela, Rachna jani, Keyur Mahant |
| 13 | Paper_11 | Biquadratic Universal Filter Based On CCDDCCTA | Sajal K. Paul, Ajay Kumar Kushwaha |
| 17 | Paper_15 | Design of DNG Material-based Photonic Bandpass Filter at 1.55 μm with Oblique Incidences of Electromagnetic Wave | Arpan Deyasi, Abhishek Majumder |
| 22 | Paper_20 | *Gallium Phosphide Nanowires for Optoelectronic devices* | Umesh Rizal, Bibhu P. Swain, Bhabani S. Swain |
| 26 | Paper_36 | Performance Analysis of Power Controlled Cognitive Radio with Imperfect Nakagami-*m* Fading CSI | Rajat Sanyal, Binod Prasad, Sanjay Dhar Roy and Sumit Kundu |
| 31 | Paper_37 | Detection of Faces from Video Files with Different File Formats | Pranti Dutta, Dr. Nachamai M |
| 37 | Paper_39 | 0.8 V 450 $\mu$W 2.4 GHz PLL using Back-Gate QVCO for ZigBee/ BLE standard in 0.18 $\mu$m CMOS | Purushothama Chary P, Rizwan Shaik Peerla, Sesha Sairam Regulagadda, Mohd Abdul Naseeb, Amit Acharyya, Rajalaksmi P, Debashis Mandal and Ashudeb Dutta |
| 41 | Paper_42 | Achievement of Various Bands at the UltraWideband Range : Design of an UltraWideband Antenna using the concept of Band-Notching | Anuj Patro, Priyadarshi Suraj, Bikash Ranjan Behera |
| 46 | paper_50 | Optimization of Resonant Frequency of A Sierpinski Triangular CMPA Using Genetic Algorithm | B. Roy, A. Bhattacharya, S.K.Chowdhury, A.K. Bhattacharjee |
| 51 | Paper_57 | A Harmonic Elimination Technique for Voltage Source Inverter Using Embedded Controller | M. Prasad, P. K. Gayen, D.Chatterjee |
| 57 | paper_59 | Voltage Mode First Order All Pass Filter Design Using Differential Difference Current Conveyor | Rupam Das, Sajal.K.Paul |
| 61 | paper_60 | Design of a Shorted Planar Meander-Line Metal Antenna | S. Mondal, K. Mandal and P. P. Sarkar |
| 65 | Paper_61 | Characterisation of Field Plated High Electron Mobility Transistor | Saurav Kumar, Vikash Kumar, Aminul Islam |
| 68 | Paper_62 | A Comparative Analysis of Various Programmable Delay Elements using Predictive Technology Model | Agnish Mal, Amit Krishna Dwivedi, Aminul Islam |
| 73 | Paper_63 | *Implementation of HASPA Algorithm for Multiple Antenna based RADAR Signal Processing* | Jagabandhu Das, Prof. P. Venkateswaran |
| 77 | Paper_70 | Characterization of Bimorph Piezoelectric Actuator by Controlling Voltage Signal for Robotic Assembly | Bhaskar Ghosh, R. K. Jain, S. Majumder, S. S. Roy and S. Mukhopadhyay |
| 83 | Paper_71 | Position degradation during intense scintillation observed by GNSS receiver from Calcutta | Aditi Das, Ashik Paul |
| 87 | Paper_73 | RFID Based Real Time System for Early Detection of Avian Influenza for Poultry Based Industry | Subhashis Roy, Subir Kumar Sarkar |
| 93 | Paper_80 | *Block based Imperceptible Data Hiding using Wavelets in Wireless Communication* | Anirban Goswami, Nabin Ghoshal |
| 99 | Paper_81 | Negative Inductance and Immittance Simulators Employing Differential Voltage Current Conveyor | Khushi Banerjee, Sajal K. Paul |
| 103 | Paper_85 | Design of Substantial Delay Block using Voltage Scaled CMOS Inverter and Transmission Gate blend | R S S M R Krishna, Madhumati G L and Ashis Kumar Mal |

| Page | Paper ID | Title | Author |
|---|---|---|---|
| 109 | Paper_86 | Performance Analysis of Parallel Adders in Sub-Micron and Deep Sub-Micron Technologies | R S S M R Krishna and Ashis Kumar Mal |
| 114 | Paper_89 | Establishment of Underwater Wireless Acoustic MODEM using C-OFDM | Cheepurupalli Ch Naidu, ES Stalin |
| 120 | paper_92 | A Comparative Analysis of Different Conduction Modes in VSI with Five Phase Induction Motor | Subodh Kanta Barik, Kiran Kumar Jaladi |
| 126 | Paper_95 | Spintronics Device based Low Power RFID System: Design and Implementation | Anup Sarkar, Sk. Halim, Ankush Ghosh, Sudhabindu Roy |
| 130 | Paper_97 | Generalized Average Detection Probability of Centralized Cooperative-MIMO Cognitive Radio Network over $\eta - \mu$ Faded Reporting Channel | Sanjay Singh Yadav, S Hariharan, P Muthuchidambaranathan |
| 135 | Paper_99 | Available Transfer Capacity Evaluation through Evolutionary Algorithms | Kingsuk Majumdar, Provas Kumar Roy, Subrata Banerjee |
| 141 | Paper_103 | Transplantation of U-Boot and Linux Kernel to OMAP-L138 | Suvendu Kumar Dash, Vara Punit Ashokbhai, R. Sanmugasundaram and D. Srinivasan |
| 146 | Paper_104 | Study of DC and AC Characteristics of Gate-Stack Doping-less Tunnel FET | Deepali Vasnik, Manisha Pattanaik |
| 152 | Paper_105 | *Multiband Wearable Antennas* | Sofikul Islam Mondal, R.P.Ghosh |
| 157 | Paper_107 | High Sensitivity of Gas Sensing Properties of ZnO Microrods on FTO substrate | Madhumita Sinha, Rajat Mahapatra, Biswanath Mondal, Ranajit Ghosh |
| 161 | Paper_109 | Design of High Speed and Low Power Full Adder in Subthreshold Region | Sambhu Nath Pradhan, Vivek Rai, Angshuman Chakraborty |
| 167 | Paper_111 | An UWB Monopole Antenna With Hexagonal Patch Structure Designed Using Particle Swarm Optimization Algorithm for Wireless Applications | A. Bhattacharya, B. Roy, M. Islam, S. K. Chowdhury, A. K. Bhattacharjee |
| 172 | paper_114 | A Register-Transfer-Level Description of Synthesizable Binary Multiplier and Binary Divider | Pritam Bhattacharjee, Arindam Sadhu and Kunal Das |
| 178 | Paper_115 | Investigation of Material Gain of InGaAs/InGaAsP/InP Lasing Heterostructure | S.G. Anjum, M. J. Siddiqui, A. B. Khan, M.M.Singh |
| 182 | Paper_116 | Cascadable voltage-mode all-pass filter with single DXCCII and grounded capacitor | Ashok Kumar, Sajal K. Paul |
| 186 | Paper_119 | A Gynocology Problem Solution by Tracking Multi Moving Human Sperm using Wavelet Based Mixture of Gaussian Approach | Sushil Kumar Mahapatra, Sumant Kumar Mohapatra, Sakuntala Mahapatra, Sumit Ghosh |
| 189 | Paper_124 | *Harmonics Suppression of Microstrip Patch Antenna Using Defected Ground Structure* | Susmita Biswas, Chandan Kumar Ghosh, Amrita Medda, Durbadal Mandal |
| 193 | Paper_126 | *Using Randomization in Exponentiation Based Algorithms against Power Analysis Attacks* | Hridoy Jyoti Mahanta, Ajoy Kumar Khan |
| 198 | Paper_129 | *Comparison of FACTS Devices for Transient Stability Enhancement of Multi Machine Power System* | Mahiraj Singh Rawat, Shelly Vadhera |
| 203 | Paper_131 | *Disease associated protein complex detection: a multi-objective evolutionary approach* | Sumanta Ray, Ayaan Hossain, Ujjwal Maulik |
| 209 | Paper_132 | Analysis of Distribution Indices For Typical Rural Scenerio | Preet Lata, Shelly Vadhera |
| 213 | Paper_135 | Discrete Wavelet Transform Based Video Watermarking Technique | Sneha Kadu, Ch. Naveen, V. R. Satpute, A. G. Keskar, |

| Page | Paper ID | Title | Author |
|---|---|---|---|
| 219 | Paper_136 | Double layer hemispherical tripole slot loaded aperture type Frequency selective surface | P. Samaddar, N. Begam, S. Sarkar, S. De, D. C. Sarkar, P. P. Sarakar |
| 222 | Paper_137 | Study of Defected Grounded Structures on Both Normal and Conductor-Backed Coplanar Waveguide | Pratik Mondal and Susanta Kumar Parui |
| 226 | Paper_140 | Neural Network and Ensemble method for Hyperspectral Image Classification | Dhriti H. Rudrapal, Mansi S. Subhedar |
| 232 | Paper_142 | Computation of Photonic Bandgap in Two- Dimensional Periodic Triangular Lattice for Bandpass Filter Design | Shubhankar Mukherjee, Arpan Roy, Arpan Deyasi, Subhro Ghosal |
| 237 | Paper_143 | Self-powered rapid binary UV photoswitching with n-ZnO NW/p-Si photodiode | Avishek Das, Rajib Saha, Anupam Karmakar, Sanatan Chattopadhyay, Mainak Palit, Himadri Sekhar Dutta |
| 242 | Paper_144 | Acceleration Characterization of Dual Purpose Gyro/Accelerometer Device using MS3110 Differential Capacitive Read Out IC | Payal Verma, M. A. Butt, Svetlana N. Khonina, Nikolay L. Kazanskiy, Khamar Zaman Khan, Ram Gopal |
| 247 | Paper_146 | A Study on Handover Parameter Optimization in LTE-A Networks | A.Saraswathi Priyadharshini, P.T.V.Bhuvaneswari |
| 252 | Paper_148 | *Coils to β-Sheets Transitions and Simulated Structural Interactions in Human SOX4 and Syntenin Protein: An In silico Insight into the Cytological Regulation : Computational Approach for Determination of the Cell Fate in Humans* | Arundhati Banerjee, Sujay Ray |
| 258 | Paper_149 | *Bio-Molecular Optimized Interactions and Conformational Switches in Human ERβ and SRC- 1 Protein: An In silico Approach to Suppress Tumor in Breast Cancer Malignancies*<br>*Computational Insight for Suppression of Tumorigenesis in Breast Malignancies* | Arundhati Banerjee, Sujay Ray |
| 264 | Paper_152 | A Density-Based Algorithm for Detecting Anomalous Trajectories | Rajesh P. Barnwal, S. Baride, S. Majumder, Soumya K. Ghosh |
| 268 | Paper_153 | RFID and Pose Invariant Face Verification Based Automated Classroom Attendance System | Srivignessh Pss, Bhaskar. M |
| 274 | Paper_154 | Block Transformed with Distinctly Coded Multiple Image Bit Watermarking for Secure Mobile Communication (BTDCMIBWSMC) | Soumit Chowdhury, Nabin Ghoshal |
| 280 | Paper_156 | Compact Multiband Rectangular Antenna For Wireless Communication | B.Roy, Aradhna Jain, P.Das, S.K.Chowdhury, A.K.Bhattacharjee |
| 283 | Paper_162 | User Agnostic Error compensation for Magnetic sensor in handheld device | Jai Motwani, Ganesh Prasad Nagaraja, Nandita, Renju C Nair, A Ashok Kumar Senapati, Gude Kiran Kumar |
| 289 | Paper_164 | Design of CMOS Low Noise Amplifier for 1.57GHz | Namrata Yadav, Abhishek Pandey, Vijay Nath |
| 294 | Paper_165 | Power Control in Underlay Cooperative Cognitive Radio Network under Shadowing | Gopal Chandra Das, Abhijit Bhowmick, S. D. Roy, and Sumit Kundu |
| 298 | Paper_166 | Multimedia Support from Cloud Computing: A Review | Shilpi Harnal, Dr. R.K. Chauhan |
| 304 | Paper_168 | Review article on Analytical Models for Single Gate and Double Gate MOSFETs in Subthreshold Regime | Dhriti Duggal, Rajnish Sharma |
| 309 | Paper_170 | Performance of Weighted Fusion based Spectrum Sensing under Double Threshold in Cognitive Radio Network | S. Ghosh, A. Bhowmick, S. Nallagonda, S.D. Roy and Sumit Kundu |

| Page | Paper ID | Title | Author |
|---|---|---|---|
| 313 | paper_172 | Adaptive Gyroscope drift compensation based on Temporal Noise Modelling | Priydarshi, Renju C Nair, A Ashok Kumar Senapati, Raman Jaiswal, Naveen Krishna Yarlagadda, Prabhushetty Mulage |
| 318 | paper_173 | Analysis of NAND/NOR Gates using Subthreshold Adiabatic Logic (SAL) for Ultra Low Power Applications | Manash Chanda, Rounak Dutta, Aliyasmin Rahaman, Chandan Kumar Sarkar, |
| 323 | paper_176 | Modeling and simulation of a simple building energy system | V.S.K.V. Harish, Arun Kumar |
| 329 | paper_181 | Simulation of cantilever beam using ANSYS for nano manipulator | Vidhatri Gujela, Om Prakash Gujela |
| 334 | paper_185 | *Experimental Simulation of Low Level Hybrid Electromagnetic Pulse (EMP) for Vulnerable Studies on Electronic Sytems and Cables* | Rakesh Kichouliya, M Joy Thomas |
| 340 | paper_187 | Comparitive Study of Outlier Analysis Methods in Improving Classifier Accuracy on Categorical Data | Lakshmi Sreenivasa Reddy. D, Raveendra Babu. B, M. Ramchander, M. Geetalatha |
| 346 | paper_192 | Mutual Coupling Reduction between Microstrip Patch Antennas by Using a String of H-Shaped DGS | Juin Acharjee, Kaushik Mandal, Sujit Kumar Mandal, Partha Pratim Sarkar |
| 349 | paper_193 | Rejection and Control of Higher Harmonics in a Microstrip Patch Antenna by Using Defected Ground Structure | Juin Acharjee, Kaushik Mandal, Sujit Kumar Mandal, Partha Pratim Sarkar |
| 353 | paper_194 | A Novel approach to design Convolution Encoder using Quantum-dot Cellular Automata | Riya Sen, Sandip Das |
| 360 | paper_196 | S-Transform Based Fluctuation Analysis- A Method for Pre-Cancer Detection | Sabyasachi Mukhopadhyay, Nirmalya Ghosh, Ritwik Barman, Prasanta K Panigrahi, Sawon Pratiher, A.Pradhan |
| 365 | paper_206 | Challenges in Practical Deployment of Distributed Video Coding | Vijay Kumar Kodavalla |
| 371 | paper_216 | An Approach to Sentiment Analysis in Twitter using Expert Tweets and Retweeting Hierarchy | Apoorva G, Durga Chowdary E, Neelam R Vaishnav, Chandrasekhar Uddagiri |
| 379 | paper_225 | FPGA Implementation of Scale Invariant Feature Transform | Rekha S S, Pavitra Y J, Prabhakar Mishra |
| 386 | paper_226 | A Unified Approach for Identification and Control of MISO Systems in Delta Domain Using Time Moment | Arindam Mondal, Prasanta Sarkar |
| 392 | paper_229 | Comparative Performance of QPSO and BSA for Design of Linear Array of Parallel Dipole Antennas With Mutual Coupling | Hemant Patidar, Ananya Mahanti, Rohit Sharma and G.K. Mahanti |
| 396 | paper_239 | Negative inductance simulator using OTRA | Bal Chand Nagar and Sajal K. Paul |
| 399 | paper_244 | Effect of change in power coefficient on the performance of wind turbines with different dimensions | Himani Kala, K.S. Sandhu |
| 403 | paper_248 | FPGA based Parallel Implementation of Morphological Filters | Debasish Mukherjee, Susanta Mukhopadhyay, G.P. Biswas |
| 409 | paper_249 | Numerical study on displacement of dielectric film composed of array of differently shaped elements for capacitance based MEMS sensors | Ashish Saxena, Jithin Donny George |
| 415 | paper_251 | Green Energy Harvesting from Ambient RF Radiation | Saswati Ghosh, Ajay Chakrabarty |
| 419 | paper_256 | Microwave Frequency Quadrupling Based on Optical Intensity Modulation | Adarsh Jain, R K Bahl and Alak Banik |
| 424 | paper_257 | SiRF technology for Satellite and RADAR Use | Ayan Karmakar |
| 430 | paper_259 | An Efficient Approach to Dynamic Channel Assignment Problem using Genetic Algorithm | Joydeep Dutta, Sheuli Chakraborty, Partha Sarathi Barma, Samarjit Kar |
| 436 | paper_263 | Implementation of a Digital ΔΣ Modulator and Programmable Prescaler Divider Circuit for a Fractional-N PLL | Manas Kumar Hati and Tarun K. Bhattacharyya |

| Page | Paper ID | Title | Author |
|---|---|---|---|
| 442 | paper_268 | Performance Analysis of Induction Machine with different types of magnetic material | Md Mojibur Rahaman, K.S. Sandhu |
| 446 | paper_272 | Implementation of Real Time Image Processing System with FPGA and DSP | M V Ganeswara Rao, P Rajesh Kumar, A Mallikarjuna Prasad |
| 450 | paper_279 | Hybrid Firefly Algorithm based Distribution State Estimation with regard to Renewable Energy Sources | Ujjal Sur, Gautam Sarkar |
| 456 | paper_284 | Performance Characterization of Matched Subspace Detector for Spectrum Sensing | Astha Sharma |
| 462 | paper_287 | Implementation of a GUI to Visualize EM fields using MATLAB | Akash Sinha, Chinmay Mandal, S. K. Mandal |
| 468 | paper_288 | Delay Minimization of Multilayer Graphene Nanoribbon Based Interconnect Using Wire Sizing Method | Sandip Bhattacharya, Debaprasad Das, Hafizur Rahaman |
| 474 | paper_294 | Fabrication of Silicon Slanted Grating by using Modified Thermal Deposition Technique to Enhance Fiber-to-Chip Coupling | M. A. Butt, P. Verma, N. A., Rasshchepkina, V. S. Soloviev, N. L. Kazanskiy, R.V. Skidanov, S. N. Khonina, S. D. Poletaev, V.V. Podlipnov, S. A. Fomchenkov, S. P. Timoshenkov, A. S., Timoshenkov, A. I. Vinogradov |
| 478 | paper_295 | Slot-loaded Compact HMSIW Triangular Antenna | Soumen Banerjee, Twinkle Mohanty, Sneha Das, Biswarup Rana |
| 482 | paper_297 | Design of low power based VLSI architecture for constant multiplier and high speed implementation using retiming technique | Jalaja S, Vijaya Prakash A M |
| 488 | paper_300 | Amplifier Design Approximations in Submicron CMOS | Ashis Kumar Mal, Agnish Mal |
| 492 | paper_301 | The Effect of Mole-fraction on Power Spectral Density of Single Quantum well based $In_xGa_{1-x}N$/GaN Blue Light Emitting Diode | Ashish Prajapati, Pritam Dey, T. D. Das |
| 495 | paper_305 | *Selection of wind turbine for MPPT* | Himani Kala, K.S. Sandhu |
| 499 | paper_307 | Smart Street Lights using Piezoelectric Materials | Karima Haque, Mahmudur Rahman Khan, Narisha Nowrin and Hasan U. Zaman |
| 503 | paper_308 | A Novel Design of Line Following Robot with Multifarious Function ability | Hasan U. Zaman, Md. Majidul Haque Bhuiyan, Montashir Ahmed, and S.M Tarek Aziz |
| 508 | paper_311 | Efficient Design of A Metal Detector Equipped Remote-Controlled Robotic Vehicle | Tania Alauddin, Md. Tamzid Islam and Hasan U. Zaman |
| 513 | paper_312 | Significance of Early Thermal Management for 3D FPGAs at Partitioning Stage | Krishna Chaitanya Nunna, Farhad Mehdipour, Mostafa Said, Leenendra Chowdary Gunnam, Kazuaki Murakami |
| 518 | paper_317 | CMOS Temperature Sensor with built-in ADC | Prudhvi Raj Thota and Ashis Kumar Mal |
| 524 | paper_324 | Quick Access of Sysfs entries through Custom System Call | Sagar Maliye, Sandeep Krishnaswamy, Harish Gajula |
| 528 | paper_327 | Android activity based Intelligent Hotplug Control | K Sai Hari Chandana, Sagar Maliye |
| 532 | paper_328 | Early Diagnosis of Dengue Disease Using Fuzzy Inference System | Darshana Saikia, Jiten Chandra Dutta |
| 538 | paper_333 | An Energy-Efficient Proposal for Digital Clocks in Public Display Systems | Agnish Mal, Aakash Biswas, Debasis Samanta |

| Page | Paper ID | Title | Author |
|---|---|---|---|
| 543 | Paper_337 | Dual Tracking Efficiency Improvement Method for Photovoltaic Systems | Ahan Kak, Mohit Srinivasan, Ashwin Shirsat and J.O. Chandle |
| 548 | paper_345 | Improved Performance of Cascaded Multilevel Inverter | Asharaf Ali, Jayaram Nakka |
| 553 | paper_350 | Detection of Glaucoma using Image processing techniques: A Review | B. Naveen Kumar, R.P. Chauhan, Nidhi Dahiya |
| 559 | paper_355 | Qualitative Analysis of An Equivalent Full Adder Circuit Using MIGFET : An Alternative Approach to Full Adder Circuit via Direct Truth Table Implementation | Syed Ahsanul Karim and Hasan U. Zaman |
| 565 | paper_358 | A Single-Phase Cascaded H-Bridge Inverter for Grid-tie Photovoltaic System addressing the problem of Unbalances in H-Bridge Cells | Haimanti Bhattacherjee, Jayaram Nakka |
| 571 | paper_359 | Multi-Authority Scheme based CP-ABE with Attribute Revocation for Cloud Data Storage | Dharavath Ramesh, Rashmi Priya |
| 575 | paper_362 | Optimal Allocation of Dispersed Generation Unit in a Network System | Shreya Mahajan, Shelly Vadhera |
| 580 | paper_363 | Big data Analytics in Healthcare: A Survey Approach | Dharavath Ramesh, Pranshu Suraj, Lokendra Saini |
| 586 | paper_366 | Hydrothermal Synthesis of Carbon Quantum Dots and Study of its Photoluminecence Property | Sourav Sarkar, Diptonil Banerjee, Uttam Kumar Ghorai, Kalyan Kumar Chattopadhyay |
| 589 | paper_373 | Multi BSF Layer InGaP/GaAs Optimized Solar Cell | Jivesh Verma, Pritam Dey, Ashish Prajapati, T. D. Das |
| 593 | paper_374 | ASIC Design of Signed and Unsigned Multipliers Using Compressors | R.Abhilash, Sanjay Dubey, M.C.Chinnaiah |
| 599 | paper_375 | Touch Screen Based Wireless Multifunctional Wheelchair Using ARM and PIC Microcontroller | Soniya D. Makwana, Prof. Anuradha G. Tandon |
| 603 | paper_377 | Characterization and Analysis of Single Electron Fault of QCA Primitives | Rijoy Mukherjee, Shibbhushan Tripathi, Snehasish Sen and Bibhash Sen |
| 609 | paper_378 | Developing an E-Commerce Website | Syed Emdad Ullah, Tania Alauddin and Hasan U. Zaman |
| 613 | paper_380 | Efficient Utilization of Solar Power in High Frequency Applications | Dola Sinha, Debasis De and Sucharita Pal |
| 617 | paper_387 | A new heterogeneous droplet routing technique and its simulator to improve route performance in Digital Microfluidic Biochips | Rupam Bhattacharya, Hafizur Rahaman, Pranab Roy |
| 623 | paper_388 | An Enhancement mode GaN MOSFET with AlGaN/GaN Heterostructure | Arun Sunny, Sudakar Singh Chauhan |
| 626 | Paper_389 | A Novel Scheduling Algorithm for Phase Change Memory based Main Memory System with Multiple Ranks | Raghunathan M J, Arjun V B, Kaushik K S, Ramasubramanian N |
| 632 | paper_391 | A Comparative Study on Voltage Stability Analysis of Single Machine Infinite Bus System using Lyapunov Methods | Amresh Kumar, S. K. Bhagat |
| 638 | paper_394 | Effect of Filling Dielectric in etched trenches of Novel Unipolar Nanodiode | S. Garg, A. Garg, S. Bansal, A. Chaudhary, A. K. Singh, S. R. Kasjoo |
| 641 | paper_396 | Hysteresis in a Field-Effect Device Based on an Exfoliated Thin Film of Few-Layer Graphene | S. R. Kasjoo, Muhammad M. Ramli, M. Mohamad Isa, Siti S. Mat Isa, N. Khalid, N. I. Mohd Noor, N. Ahmad, A. K. Singh |

| Page | Paper ID | Title | Author |
|---|---|---|---|
| 644 | paper_403 | Feature Selection using Differential Evolution with Binary Mutation Scheme | Souti Chattopadhyay, Sourav Mishra, Saptarsi Goswami |
| 650 | paper_404 | Quaternion Based Wireless AHRS Data Transfer using nRF24L01 and HC-05 | Salam ThoiThoi, Krishna Chaitanya Kodur, Wasim Arif |
| 656 | paper_406 | A Wireless Framework for Environmental Monitoring and Instant Response Alert | Shreedeep Gangopadhyay, Molay Kumar Mondal |
| 662 | paper_409 | TOR Hidden Services for Supervising Remote Embedded Systems Anonymously | Krishna Chaitanya Kodur, Salam Thoi Thoi, Wasim Arif |
| 666 | paper_410 | Optimistic Design of Thinned Planar Antenna Array for Radar Operating Scenarios | V S Gangwar and A K Singh, Hemant Patidar and S P Singh |
| 670 | Paper_414 | Image Encryption Technique Using Improved A5/1 Cipher on Image Bitplanes for Wireless Data Security | Ch. Naveen, Vishal R. Satpute |
| 675 | paper_417 | Self Symmetric Phase Gradient Metasurface for Performance Improvement of Planar Antenna | Gobinda Sen, Somdotta Roy Choudhury, Santanu Das, Tapan Mandal |
| 679 | paper_418 | A Multiphase Interleaved Boost Converter for Grid-connected PV System | Preeti Kumari Sahu, Bibhu Prasad Ganthia, Anindita Mohanty, Anup Kumar Panda |
| 685 | paper_420 | Comparative Study of subthreshold leakage in CNFET & MOSFET @ 32-nm Technology Node | Pratyush Dwivedi, Krishna Kumar, Aminul Islam |
| 690 | paper_422 | Piezoelectric Energy harvesting devices for Recharging Cell-phone Batteries | Himangshu Pal, Somedutta Ghosh, Rituparna Chatterjee, Rajat Mahapatra and Somenath Chatterjee |
| 693 | paper_428 | Plant Leaf Recognition Using a Layered Approach | Jyotismita Chaki, Ranjan Parekh, Samar Bhattacharya |
| 699 | paper_430 | Measurement of Dielectric Properties of Aqueous Glucose Using Planar Ring Resonator | Vidya V Deshmukh, Rajesh B Ghongade |
| 704 | paper_431 | Flexures for Large stroke Electrostatic Comb-Drive Actuators | Rahul Chauhan and Manoj Pandey |
| 710 | paper_432 | Effects of Non-Ionizing Electromagnetic Radiation on Capsicum annuum Seed Germination and Subsequent Sapling Growth – A Time Study | Ardhendu Kundu, Bhaskar Gupta, Amirul I. Mallick, Satya K. Pal |
| 716 | paper_435 | A Kalman Filter Based Occlusion Handler for Lengthy Occlusions | Manaram Gnanasekera, Chulantha Kulasekere |
| 720 | paper_436 | Microstrip Line fed Multilayer Cylindrical Dielectric Resonator Antenna for Wideband Applications | Rudraishwarya Banerjee, Biswarup Rana, Susanta Kumar Parui |
| 724 | paper_437 | High Gain Wideband 2×2 Microstrip Array Antenna using RIS and Fabry Perot Cavity Resonator | Sneha Dalvi, Shishir Jagtap, Vijaypal Yadav and Rajiv Kumar Gupta |
| 730 | paper_439 | Center Potential Based Threshold Voltage Modelling of TM-CGAA MOSFET | Jagamohan Sahoo, Rajat Mahapatra |
| 736 | paper_440 | Faults Classification in Series Compensated Lines based on Wavelet Entropy and Neural Network | Sunil Singh, D. N. Vishwakarma |
| 742 | paper_442 | A Framework of Multivariant Statistical model based tool using Particle Swarm Optimization with Fuzzy Data for the classification of Yeast Data | Shrayasi Datta, J. Paul Choudhury |
| 749 | paper_444 | Optimize In-Kernel Swap Memory By Avoiding Duplicate Swap Out Pages | Srividya Desireddy, Dinakar Reddy Pathireddy |

| Page | Paper ID | Title | Author |
|---|---|---|---|
| 753 | paper_445 | Simulation and Analytical Study of MEMS based Piezoresistive Pressure Sensor | Kakali Das, Sunipa Roy |
| 758 | paper_447 | Double Input DC/DC Converter with PV and DC Source for Standalone Applications | Lopamudra Mitra, Ullash Kumar Rout |
| 763 | paper_448 | Numerical Study of Operational Characteristics of Dual-Gate Organic Light Emitting Transistor | Fiheon Imroze, Awnish Kumar Tripathi |
| 767 | paper_450 | Pharmacodynamic Model of Neuroendocrine Controlled Blood Pressure | Ashis Kumar Das, Suman Halder |
| 773 | paper_454 | Fuzzy Logic-based Group Formation Control of Multiple Wheeled Robots | Surajit Mondal, Dilip Kumar Pratihar |
| 779 | paper_457 | ANN and Wavelet Entropy based Approach for Fault Location in Series Compensated Lines | Sunil Singh, D. N. Vishwakarma |
| 785 | paper_459 | Slot Loaded Square Patch Antenna with CSRR at Ground Plane | Sivaranjan Goswami, Kumaresh Sarmah, Angana Sarma, Kandarpa Kumar Sarma, Sunandan Baruah |
| 790 | paper_461 | SAR Analysis in a Typical Bunch of Grapes Exposed to Radio Frequency Radiation in Indian Scenario | Ardhendu Kundu, Bhaskar Gupta, Amirul Islam Mallick |
| 795 | paper_463 | Electro-oculogram based Digit Recognition to Design Assitive Communication system for Speech Disabled Patients | Arnab Rakshit, Anwesha Banerjee, D. N. Tibarewala |
| 800 | paper_471 | A Novel Power Efficient N-MOS Based 1-Bit Full Adder | Debanjana Datta, Debarshi Datta |
| 805 | paper_479 | Documents Clustering Using Quantum Clustering Algorithm | Rupam Bhagawati, Sahinur Rahman Laskar, Bhagaban Swain |
| 809 | paper_480 | On Throughput-Reliability Tradeoff Analysis of General Fading Channels | Rajarajan Sundaramurthi, and Sanjay K. Chaturvedi |
| 815 | paper_482 | Near Field and Far Field Characteristics of a Typical Base Station Antenna Array with Variation in Radome Material Permittivity | Shyam Sundar Jash, Ananya Mahanti, Manimala Pal and Rowdra Ghatak |
| 819 | paper_487 | An Improved Measure for Data Clustering in High Dimensional Space | Snehalika lall, Rimita Lahiri, Amit Konar, Sanchita Ghosh |
| 824 | paper_489 | Substation Automation: Matlab and OPC Driven Substation Monitoring System | Ujjwal Deep Dahal, Dhendup Cheten |
| 829 | paper_492 | Robotic Link Position Control Using Brain Computer Interface | Arnab Rakshit, Rimita Lahiri, Sayan Ghosal, Abhirup Sarkar, Sanchita Ghosh, Amit Konar |
| 835 | paper_494 | Perceptual Subspace Speech Enhancement with SSDR Normalization | Sudeep Surendran, T. Kishore Kumar |
| 841 | paper_496 | Improved Speculative Apriori with Percentiles Algorithm for Website Restructuring based on Usage Patterns | Gaurav Gahlot, Sowmya Kamath S |
| 847 | paper_501 | Controlling drum level of a utility boiler during Boiler Feed Pump runback using related rate concept | Pradip Chanda, P.M.V. Subbarao |
| 853 | paper_505 | Reliability Estimation of Stochastic Flow Networks Using Pre-ordered Minimal Cuts | Esha Datta, Neeraj Kumar Goyal |
| 859 | paper_508 | Path Following of Autonomous Mobile Robot using Passive RFID Tags | S. Barai, A. Dey and B. Sau |
| 865 | paper_509 | Many-objective Feature Selection for Motor Imagery EEG Signals using Differential Evolution and Support Vector Machine | Monalisa Pal, Sanghamitra Bandyopadhyay |

| Page | Paper ID | Title | Author |
|---|---|---|---|
| 871 | paper_516 | A Dual Wideband Bandpass Filter for WLAN and 5G Wi-Fi Applications | Pinky Khundrakpam, Manimala Pal, Pankaj Sarkar and Rowdra Ghatak |
| 875 | paper_520 | Design of Efficient Multicast Routing Protocol using Limited Flooding Mechanism | Ajay Kumar Yadav, Sachin Tripathi |
| 881 | paper_524 | Motley Keenan model of In-building Coverage Analysis of IEEE 802.11n WLAN signal in Electronics and Communication Engineering Department of National Institute of Technology Durgapur | Kaustav Kar, Srijan Datta, Manimala Pal and Rowdra Ghatak |
| 887 | paper_531 | *Speech Enhancement Using β-Divergence Based NMF with Update Bases* | V. Sunnydayal, T. Kishore kumar |
| 893 | paper_535 | Peak-to-Average Power Ratio Analysis for NC-OQAM/OFDM Transmissions | Swaroop kumar. G, Sandeepkumar. V, S. Anuradha |
| 898 | paper_539 | Design of 9-Transistor Content Addressable Memory Cells using Schottky-barrier Carbon Nanotube Field Effect Transistors | Subhajit Das, Debaprasad Das, Hafizur Rahaman |
| 903 | paper_541 | Time and Frequency Domain Analysis of EEG Signals for Seizure Detection: A Review | Mrs. Varsha K. Harpale, Dr. Vinayak K. Bairagi |
| 909 | paper_544 | Gesture Based Improved Human-Computer Interaction Using Microsoft's Kinect Sensor | Sriparna Saha, Biswarup Ganguly, Amit Konar |
| 915 | paper_546 | Sentiment Analysis of Movie Reviews: A study on Feature Selection & Classification Algorithms | Tirath Prasad Sahu, Sanjeev Ahuja |
| 921 | paper_547 | Comparison between Type-1 Fuzzy Membership Functions for Sign Language Applications | Sriparna Saha, Saurav Bhattacharya, Amit Konar |
| 927 | paper_549 | Combined Committee Machine for Classifying Dengue Fever | Shiladitya Saha, Sankhadip Saha |
| 933 | paper_550 | Distance Matching Based Gesture Recognition for Healthcare Using Microsoft's Kinect Sensor | Monalisa Pal, Sriparna Saha, Amit Konar |
| 939 | paper_551 | Multi-agent Reinfocement Learning for Stochastic Power Management in Cognitive Radio Network | Snehalika Lall, Arup Kumar Sadhu, Amit Konar, Kalyan Kumar Mallik, Sanchita Ghosh |
| 945 | paper_558 | Design and Implementation of Adaptive Autoreclosure for EHV Transmission Line | Parth Upadhyay, Leena Heistrene, Chandrasekaran S |
| 951 | paper_562 | ANFIS to Estimate Damping Coefficient from EMG to Optimize the Interaction Force | Tanvir Anwar, Adel Al Jumaily, |
| 957 | paper_565 | *Parallel MRAS Rotor Speed and Stator Resistance Estimation for DTFC-SVM of a Sensorless IMD* | Aenugu Mastanaiah, Tejavathu Ramesh and A.K.Panda |
| 963 | paper_566 | Theoretical Efficiency of AlAs/GaAs/GaAs0.91Bi0.085 Based New Multijunction Solar Cell and Effects of Solar Radiation and Sun Concentration on it | Syed Nazmus Sakib, Syeda Puspita Mouri, Abu Kowsar, Mashudur Rahaman, and M. Shamim Kaiser |
| 969 | paper_567 | A High Speed Counter for Analog-to-Digital Converters | Prudhvi Raj Thota and Ashis Kumar Mal |
| 974 | paper_570 | HSRA: Hindi Stopword Removal Algorithm | Vandana Jha, Manjunath N, P Deepa Shenoy and Venugopal K R |
| 979 | paper_573 | Analytical Study of BTE Based Multilayer GFET Model | Sudipta Bardhan, Manodipan Sahoo and Hafizur Rahaman |
| 985 | paper_574 | Performance analysis of paralleled VSC-HVDC systems | Pruthvi.Y.Kalari, R.S.Geetha |
| 991 | paper_578 | Calculation of Minimum Capacitance of Isolated Three Phase Induction Generator Using Adaptive PSO Technique | H.S.Chatterjee, S.N.Mahato |

| Page | Paper ID | Title | Author |
|---|---|---|---|
| 995 | paper_589 | Graphene Quantum Dots as a Green Sensitizer for ZnO Nanorod Based Photoanodes | S. P. Mondal, T.Majumder, S. Dhar, J. J. L. Hmar, K. Debnath |
| 998 | paper_594 | Rule Set Optimization for Packet Pre-processing using Hash based Algorithm | Anand Prem Kumar, N. Ramasubramanian |
| 1003 | paper_597 | Photosensing Behaviors of S and N co-doped Graphene Quantum Dot Sensitized ZnO Nanorod/Conducting Polymer Hybrid Devices | J. J. L. Hmar, T. Majumder, S. Dhar and S. P. Mondal |
| 1006 | paper_599 | Wide Impedance and Pattern Bandwidth Leaky Wave Antenna Realized on a Substrate Integrated Waveguide using Fractal Shaped Slots | Shweta Gupta, Manimala Pal and Rowdra Ghatak |