

11th International Workshop on Semantic Evaluation (SemEval 2017)

Vancouver, Canada
3 – 4 August 2017

Volume 1 of 2

ISBN: 978-1-5108-4563-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by the Association for Computational Linguistics
All rights reserved.

Printed by Curran Associates, Inc. (2017)

For permission requests, please contact the Association for Computational Linguistics
at the address below.

Association for Computational Linguistics
209 N. Eighth Street
Stroudsburg, Pennsylvania 18360

Phone: 1-570-476-8006
Fax: 1-570-476-0860

acl@aclweb.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Table of Contents

<i>SemEval-2017 Task 1: Semantic Textual Similarity Multilingual and Crosslingual Focused Evaluation</i> Daniel Cer, Mona Diab, Eneko Agirre, Inigo Lopez-Gazpio and Lucia Specia	1
<i>SemEval-2017 Task 2: Multilingual and Cross-lingual Semantic Word Similarity</i> Jose Camacho-Collados, Mohammad Taher Pilehvar, Nigel Collier and Roberto Navigli	15
<i>SemEval-2017 Task 3: Community Question Answering</i> Preslav Nakov, Doris Hoogeveen, Lluís Màrquez, Alessandro Moschitti, Hamdy Mubarak, Timothy Baldwin and Karin Verspoor	27
<i>SemEval-2017 Task 6: #HashtagWars: Learning a Sense of Humor</i> Peter Potash, Alexey Romanov and Anna Rumshisky	49
<i>SemEval-2017 Task 7: Detection and Interpretation of English Puns</i> Tristan Miller, Christian Hempelmann and Iryna Gurevych	58
<i>SemEval-2017 Task 8: RumourEval: Determining rumour veracity and support for rumours</i> Leon Derczynski, Kalina Bontcheva, Maria Liakata, Rob Procter, Geraldine Wong Sak Hoi and Arkaitz Zubiaga	69
<i>BIT at SemEval-2017 Task 1: Using Semantic Information Space to Evaluate Semantic Textual Similarity</i> Hao Wu, Heyan Huang, Ping Jian, Yuhang Guo and Chao Su	77
<i>ConceptNet at SemEval-2017 Task 2: Extending Word Embeddings with Multilingual Relational Knowledge</i> Robert Speer and Joanna Lowry-Duda	85
<i>IIT-UHH at SemEval-2017 Task 3: Exploring Multiple Features for Community Question Answering and Implicit Dialogue Identification</i> Titus Nandi, Chris Biemann, Seid Muhie Yimam, Deepak Gupta, Sarah Kohail, Asif Ekbal and Pushpak Bhattacharyya	90
<i>HumorHawk at SemEval-2017 Task 6: Mixing Meaning and Sound for Humor Recognition</i> David Donahue, Alexey Romanov and Anna Rumshisky	98
<i>Idiom Savant at SemEval-2017 Task 7: Detection and Interpretation of English Puns</i> Samuel Doogan, Aniruddha Ghosh, Hanyang Chen and Tony Veale	103
<i>CompiLIG at SemEval-2017 Task 1: Cross-Language Plagiarism Detection Methods for Semantic Textual Similarity</i> Jérémy Ferrero, Laurent Besacier, Didier Schwab and Frédéric Agnès	109
<i>UdL at SemEval-2017 Task 1: Semantic Textual Similarity Estimation of English Sentence Pairs Using Regression Model over Pairwise Features</i> Hussein T. Al-Natsheh, Lucie Martinet, Fabrice Muhlenbach and Djamel Abdelkader ZIGHED	115
<i>DT_Team at SemEval-2017 Task 1: Semantic Similarity Using Alignments, Sentence-Level Embeddings and Gaussian Mixture Model Output</i> Nabin Maharjan, Rajendra Banjade, Dipesh Gautam, Lasang J. Tamang and Vasile Rus	120

<i>FCICU at SemEval-2017 Task 1: Sense-Based Language Independent Semantic Textual Similarity Approach</i>	
Basma Hassan, Samir AbdelRahman, Reem Bahgat and Ibrahim Farag	125
<i>HCTI at SemEval-2017 Task 1: Use convolutional neural network to evaluate Semantic Textual Similarity</i>	
Yang Shao	130
<i>LIM-LIG at SemEval-2017 Task1: Enhancing the Semantic Similarity for Arabic Sentences with Vectors Weighting</i>	
El Moatez Billah NAGOUDI, Jérémy Ferrero and Didier Schwab	134
<i>OPI-JSA at SemEval-2017 Task 1: Application of Ensemble learning for computing semantic textual similarity</i>	
Martyna Śpiewak, Piotr Sobiecki and Daniel Karaś	139
<i>Lump at SemEval-2017 Task 1: Towards an Interlingua Semantic Similarity</i>	
Cristina España-Bonet and Alberto Barrón-Cedeño	144
<i>QLUT at SemEval-2017 Task 1: Semantic Textual Similarity Based on Word Embeddings</i>	
Fanqing Meng, Wenpeng Lu, Yuteng Zhang, Jinyong Cheng, Yuehan Du and Shuwang Han . . .	150
<i>ResSim at SemEval-2017 Task 1: Multilingual Word Representations for Semantic Textual Similarity</i>	
Johannes Bjerva and Robert Östling	154
<i>ITNLP-AiKF at SemEval-2017 Task 1: Rich Features Based SVR for Semantic Textual Similarity Computing</i>	
Wenjie Liu, Chengjie Sun, Lei Lin and Bingquan Liu	159
<i>Neobility at SemEval-2017 Task 1: An Attention-based Sentence Similarity Model</i>	
WenLi Zhuang and Ernie Chang	164
<i>SEF@UHH at SemEval-2017 Task 1: Unsupervised Knowledge-Free Semantic Textual Similarity via Paragraph Vector</i>	
Mirela-Stefania Duma and Wolfgang Menzel	170
<i>STS-UHH at SemEval-2017 Task 1: Scoring Semantic Textual Similarity Using Supervised and Unsupervised Ensemble</i>	
Sarah Kohail, Amr Rekaby Salama and Chris Biemann	175
<i>UMDeep at SemEval-2017 Task 1: End-to-End Shared Weight LSTM Model for Semantic Textual Similarity</i>	
Joe Barrow and Denis Peskov	180
<i>MITRE at SemEval-2017 Task 1: Simple Semantic Similarity</i>	
John Henderson, Elizabeth Merkhofer, Laura Strickhart and Guido Zarrella	185
<i>ECNU at SemEval-2017 Task 1: Leverage Kernel-based Traditional NLP features and Neural Networks to Build a Universal Model for Multilingual and Cross-lingual Semantic Textual Similarity</i>	
Junfeng Tian, Zhiheng Zhou, Man Lan and Yuanbin Wu	191
<i>PurdueNLP at SemEval-2017 Task 1: Predicting Semantic Textual Similarity with Paraphrase and Event Embeddings</i>	
I-Ta Lee, Mahak Goindani, Chang Li, Di Jin, Kristen Marie Johnson, Xiao Zhang, Maria Leonor Pacheco and Dan Goldwasser	198

<i>RTM at SemEval-2017 Task 1: Referential Translation Machines for Predicting Semantic Similarity</i> Ergun Biçici	203
<i>LIPN-IIMAS at SemEval-2017 Task 1: Subword Embeddings, Attention Recurrent Neural Networks and Cross Word Alignment for Semantic Textual Similarity</i> Ignacio Arroyo-Fernández and Ivan Vladimir Meza Ruiz	208
<i>L2F/INESC-ID at SemEval-2017 Tasks 1 and 2: Lexical and semantic features in word and textual similarity</i> Pedro Fialho, Hugo Patinho Rodrigues, Luísa Coheur and Paulo Quaresma	213
<i>HCCL at SemEval-2017 Task 2: Combining Multilingual Word Embeddings and Transliteration Model for Semantic Similarity</i> Junqing He, Long Wu, Xuemin Zhao and Yonghong Yan	220
<i>Citius at SemEval-2017 Task 2: Cross-Lingual Similarity from Comparable Corpora and Dependency-Based Contexts</i> Pablo Gamallo	226
<i>Jmp8 at SemEval-2017 Task 2: A simple and general distributional approach to estimate word similarity</i> Josué Melka and Gilles Bernard	230
<i>QLUT at SemEval-2017 Task 2: Word Similarity Based on Word Embedding and Knowledge Base</i> Fanqing Meng, Wenpeng Lu, Yuteng Zhang, Ping Jian, Shumin Shi and Heyan Huang	235
<i>RUFINO at SemEval-2017 Task 2: Cross-lingual lexical similarity by extending PMI and word embeddings systems with a Swadesh's-like list</i> Sergio Jimenez, George Dueñas, Lorena Gaitan and Jorge Segura	239
<i>MERALI at SemEval-2017 Task 2 Subtask 1: a Cognitively Inspired approach</i> Enrico Mensa, Daniele P. Radicioni and Antonio Lieto	245
<i>HHU at SemEval-2017 Task 2: Fast Hash-Based Embeddings for Semantic Word Similarity Assessment</i> Behrang QasemiZadeh and Laura Kallmeyer	250
<i>Mahtab at SemEval-2017 Task 2: Combination of Corpus-based and Knowledge-based Methods to Measure Semantic Word Similarity</i> Niloofer Ranjbar, Fatemeh Mashhadirajab, Mehrnoush Shamsfard, Rayeh Hosseini pour and Aryan Vahid pour	256
<i>Sew-Embed at SemEval-2017 Task 2: Language-Independent Concept Representations from a Semantically Enriched Wikipedia</i> Claudio Delli Bovi and Alessandro Raganato	261
<i>Wild Devs' at SemEval-2017 Task 2: Using Neural Networks to Discover Word Similarity</i> Răzvan-Gabriel Rotari, Ionut Hulub, Stefan Oprea, Mihaela Plamada-Onofrei, Alina Beatrice Lorent, Raluca Preisler, Adrian Iftene and Diana Trandabat	267
<i>TrentoTeam at SemEval-2017 Task 3: An application of Grice Maxims in Ranking Community Question Answers</i> Mohammed R. H. Qwaider, Abed Alhakim Freihat and Fausto Giunchiglia	271
<i>UPC-USMBA at SemEval-2017 Task 3: Combining multiple approaches for CQA for Arabic</i> Yassine El Adlouni, Imane Lahbari, Horacio Rodriguez, Mohammed Mekkassi, Said Ouatik El Alaoui and Noureddine Ennahnahi	275

<i>Beihang-MSRA at SemEval-2017 Task 3: A Ranking System with Neural Matching Features for Community Question Answering</i>	
Wenzheng Feng, Yu Wu, Wei Wu, Zhoujun Li and Ming Zhou	280
<i>MoRS at SemEval-2017 Task 3: Easy to use SVM in Ranking Tasks</i>	
Miguel J. Rodrigues and Francisco M Couto	287
<i>EICA Team at SemEval-2017 Task 3: Semantic and Metadata-based Features for Community Question Answering</i>	
Yufei Xie, Maoquan Wang, Jing Ma, Jian Jiang and Zhao Lu	292
<i>FA3L at SemEval-2017 Task 3: A ThRee Embeddings Recurrent Neural Network for Question Answering</i>	
Giuseppe Attardi, Antonio Carta, Federico Errica, Andrea Madotto and Ludovica Pannitto	299
<i>SCIR-QA at SemEval-2017 Task 3: CNN Model Based on Similar and Dissimilar Information between Keywords for Question Similarity</i>	
Le Qi, Yu Zhang and Ting Liu	305
<i>LearningToQuestion at SemEval 2017 Task 3: Ranking Similar Questions by Learning to Rank Using Rich Features</i>	
Naman Goyal	310
<i>SimBow at SemEval-2017 Task 3: Soft-Cosine Semantic Similarity between Questions for Community Question Answering</i>	
Delphine Charlet and Geraldine Damnati	315
<i>FuRongWang at SemEval-2017 Task 3: Deep Neural Networks for Selecting Relevant Answers in Community Question Answering</i>	
Sheng Zhang, Jiajun Cheng, Hui Wang, Xin Zhang, Pei Li and Zhaoyun Ding	320
<i>KeLP at SemEval-2017 Task 3: Learning Pairwise Patterns in Community Question Answering</i>	
Simone Filice, Giovanni Da San Martino and Alessandro Moschitti	326
<i>SwissAlps at SemEval-2017 Task 3: Attention-based Convolutional Neural Network for Community Question Answering</i>	
Jan Milan Deriu and Mark Cieliebak	334
<i>TakeLab-QA at SemEval-2017 Task 3: Classification Experiments for Answer Retrieval in Community QA</i>	
Filip Šaina, Toni Kukurin, Lukrecija Puljić, Mladen Karan and Jan Šnajder	339
<i>GW_QA at SemEval-2017 Task 3: Question Answer Re-ranking on Arabic Fora</i>	
Nada Almarwani and Mona Diab	344
<i>NLM_NIH at SemEval-2017 Task 3: from Question Entailment to Question Similarity for Community Question Answering</i>	
Asma Ben Abacha and Dina Demner-Fushman	349
<i>bunji at SemEval-2017 Task 3: Combination of Neural Similarity Features and Comment Plausibility Features</i>	
Yuta Koreeda, Takuya Hashito, Yoshiki Niwa, Misa Sato, Toshihiko Yanase, Kenzo Kurotsuchi and Kohsuke Yanai	353

<i>QU-BIGIR at SemEval 2017 Task 3: Using Similarity Features for Arabic Community Question Answering Forums</i>	
Marwan Torki, Maram Hasanain and Tamer Elsayed	360
<i>ECNU at SemEval-2017 Task 3: Using Traditional and Deep Learning Methods to Address Community Question Answering Task</i>	
Guoshun Wu, Yixuan Sheng, Man Lan and Yuanbin Wu	365
<i>UINSUSKA-TiTech at SemEval-2017 Task 3: Exploiting Word Importance Levels for Similarity Features for CQA</i>	
Surya Agustian and Hiroya Takamura	370
<i>Talla at SemEval-2017 Task 3: Identifying Similar Questions Through Paraphrase Detection</i>	
Byron Galbraith, Bhanu Pratap and Daniel Shank	375
<i>QUB at SemEval-2017 Task 6: Cascaded Imbalanced Classification for Humor Analysis in Twitter</i>	
Xiwu Han and Gregory Toner	380
<i>Duluth at SemEval-2017 Task 6: Language Models in Humor Detection</i>	
Xinru Yan and Ted Pedersen	385
<i>DataStories at SemEval-2017 Task 6: Siamese LSTM with Attention for Humorous Text Comparison</i>	
Christos Baziotis, Nikos Pelekis and Christos Doukeridis	390
<i>TakeLab at SemEval-2017 Task 6: #RankingHumorIn4Pages</i>	
Marin Kukovačec, Juraj Malenica, Ivan Mršić, Antonio Šajatović, Domagoj Alagić and Jan Šnajder	396
<i>SRHR at SemEval-2017 Task 6: Word Associations for Humour Recognition</i>	
Andrew Cattle and Xiaojuan Ma	401
<i>#WarTeam at SemEval-2017 Task 6: Using Neural Networks for Discovering Humorous Tweets</i>	
Iuliana Alexandra Fleşcan-Lovin-Arseni, Ramona Andreea Turcu, Cristina Sirbu, Larisa Alexa, Sandra Maria Amarandei, Nichita Herciu, Constantin Scutaru, Diana Trandabat and Adrian Iftene .	407
<i>SVNIT @ SemEval 2017 Task-6: Learning a Sense of Humor Using Supervised Approach</i>	
Rutal Mahajan and Mukesh Zaveri	411
<i>Duluth at SemEval-2017 Task 7 : Puns Upon a Midnight Dreary, Lexical Semantics for the Weak and Weary</i>	
Ted Pedersen	416
<i>UWaterloo at SemEval-2017 Task 7: Locating the Pun Using Syntactic Characteristics and Corpus-based Metrics</i>	
Olga Vechtomova	421
<i>PunFields at SemEval-2017 Task 7: Employing Roget's Thesaurus in Automatic Pun Recognition and Interpretation</i>	
Elena Mikhalkova and Yuri Karyakin	426
<i>JU CSE NLP @ SemEval 2017 Task 7: Employing Rules to Detect and Interpret English Puns</i>	
Aniket Pramanick and Dipankar Das	432
<i>N-Hance at SemEval-2017 Task 7: A Computational Approach using Word Association for Puns</i>	
Özge Sevgili, Nima Ghotbi and Selma Tekir	436

<i>ELiRF-UPV at SemEval-2017 Task 7: Pun Detection and Interpretation</i>	
Lluís-F. Hurtado, Encarna Segarra, Ferran Pla, Pascual Carrasco and José-Ángel González	440
<i>BuzzSaw at SemEval-2017 Task 7: Global vs. Local Context for Interpreting and Locating Homographic English Puns with Sense Embeddings</i>	
Dieke Oele and Kilian Evang	444
<i>UWAV at SemEval-2017 Task 7: Automated feature-based system for locating puns</i>	
Ankit Vadehra	449
<i>ECNU at SemEval-2017 Task 7: Using Supervised and Unsupervised Methods to Detect and Locate English Puns</i>	
Yuhuan Xiu, Man Lan and Yuanbin Wu	453
<i>Fermi at SemEval-2017 Task 7: Detection and Interpretation of Homographic puns in English Language</i>	
Vijayasaradhi Indurthi and Subba Reddy Oota	457
<i>UWaterloo at SemEval-2017 Task 8: Detecting Stance towards Rumours with Topic Independent Features</i>	
Hareesh Bahuleyan and Olga Vechtomova	461
<i>IKM at SemEval-2017 Task 8: Convolutional Neural Networks for stance detection and rumor verification</i>	
Yi-Chin Chen, Zhao-Yang Liu and Hung-Yu Kao	465
<i>NileTMRG at SemEval-2017 Task 8: Determining Rumour and Veracity Support for Rumours on Twitter.</i>	
Omar Enayet and Samhaa R. El-Beltagy	470
<i>Turing at SemEval-2017 Task 8: Sequential Approach to Rumour Stance Classification with Branch-LSTM</i>	
Elena Kochkina, Maria Liakata and Isabelle Augenstein	475
<i>Mama Edha at SemEval-2017 Task 8: Stance Classification with CNN and Rules</i>	
Marianela García Lozano, Hanna Lilja, Edward Tjörnhammar and Maja Karasalo	481
<i>DFKI-DKT at SemEval-2017 Task 8: Rumour Detection and Classification using Cascading Heuristics</i>	
Ankit Srivastava, Georg Rehm and Julian Moreno Schneider	486
<i>ECNU at SemEval-2017 Task 8: Rumour Evaluation Using Effective Features and Supervised Ensemble Models</i>	
Feixiang Wang, Man Lan and Yuanbin Wu	491
<i>IITP at SemEval-2017 Task 8 : A Supervised Approach for Rumour Evaluation</i>	
Vikram Singh, Sunny Narayan, Md Shad Akhtar, Asif Ekbal and Pushpak Bhattacharyya	497
<i>SemEval-2017 Task 4: Sentiment Analysis in Twitter</i>	
Sara Rosenthal, Noura Farra and Preslav Nakov	502
<i>SemEval-2017 Task 5: Fine-Grained Sentiment Analysis on Financial Microblogs and News</i>	
Keith Cortis, André Freitas, Tobias Daudert, Manuela Huerlimann, Manel Zarrouk, Siegfried Handschuh and Brian Davis	519
<i>SemEval-2017 Task 9: Abstract Meaning Representation Parsing and Generation</i>	
Jonathan May and Jay Priyadarshi	536

<i>SemEval 2017 Task 10: ScienceIE - Extracting Keyphrases and Relations from Scientific Publications</i> Isabelle Augenstein, Mrinal Das, Sebastian Riedel, Lakshmi Vikraman and Andrew McCallum	546
<i>SemEval-2017 Task 11: End-User Development using Natural Language</i> Juliano Sales, Siegfried Handschuh and André Freitas	556
<i>SemEval-2017 Task 12: Clinical TempEval</i> Steven Bethard, Guergana Savova, Martha Palmer and James Pustejovsky	565
<i>BB_twtr at SemEval-2017 Task 4: Twitter Sentiment Analysis with CNNs and LSTMs</i> Mathieu Cliche	573
<i>Lancaster A at SemEval-2017 Task 5: Evaluation metrics matter: predicting sentiment from financial news headlines</i> Andrew Moore and Paul Rayson	581
<i>Sheffield at SemEval-2017 Task 9: Transition-based language generation from AMR.</i> Gerasimos Lampouras and Andreas Vlachos	586
<i>The A12 system at SemEval-2017 Task 10 (ScienceIE): semi-supervised end-to-end entity and relation extraction</i> Waleed Ammar, Matthew Peters, Chandra Bhagavatula and Russell Power	592
<i>LIMSI-COT at SemEval-2017 Task 12: Neural Architecture for Temporal Information Extraction from Clinical Narratives</i> Julien Tourille, Olivier Ferret, Xavier Tannier and Aurélie Névéol	597
<i>OMAM at SemEval-2017 Task 4: Evaluation of English State-of-the-Art Sentiment Analysis Models for Arabic and a New Topic-based Model</i> Ramy Baly, Gilbert Badaro, Ali Hamdi, Rawan Moukalled, Rita Aoun, Georges El-Khoury, Ahmad Al Sallab, Hazem Hajj, Nizar Habash, Khaled Shaban and Wassim El-Hajj	603
<i>NILC-USP at SemEval-2017 Task 4: A Multi-view Ensemble for Twitter Sentiment Analysis</i> Edilson Anselmo Corrêa Júnior, Vanessa Queiroz Marinho and Leandro Borges dos Santos	611
<i>deepSA at SemEval-2017 Task 4: Interpolated Deep Neural Networks for Sentiment Analysis in Twitter</i> Tzu-Hsuan Yang, Tzu-Hsuan Tseng and Chia-Ping Chen	616
<i>NNEMBs at SemEval-2017 Task 4: Neural Twitter Sentiment Classification: a Simple Ensemble Method with Different Embeddings</i> Yichun Yin, Yangqiu Song and Ming Zhang	621
<i>CrystalNest at SemEval-2017 Task 4: Using Sarcasm Detection for Enhancing Sentiment Classification and Quantification</i> Raj Kumar Gupta and Yiping Yang	626
<i>SINAI at SemEval-2017 Task 4: User based classification</i> Salud María Jiménez-Zafra, Arturo Montejo-Ráez, Maite Martin and L. Alfonso Urena Lopez	634
<i>HLP@UPenn at SemEval-2017 Task 4A: A simple, self-optimizing text classification system combining dense and sparse vectors</i> Abeed Sarker and Graciela Gonzalez	640
<i>ej-sa-2017 at SemEval-2017 Task 4: Experiments for Target oriented Sentiment Analysis in Twitter</i> Enkhzol Dovdon and José Saias	644

<i>SentiME++ at SemEval-2017 Task 4: Stacking State-of-the-Art Classifiers to Enhance Sentiment Classification</i>	
Raphael Troncy, Enrico Palumbo, Efstratios Sygkounas and Giuseppe Rizzo	648
<i>Amobee at SemEval-2017 Task 4: Deep Learning System for Sentiment Detection on Twitter</i>	
Alon Rozental and Daniel Fleischer	653
<i>TWINA at SemEval-2017 Task 4: Twitter Sentiment Analysis with Ensemble Gradient Boost Tree Classifier</i>	
Naveen Kumar Laskari and Suresh Kumar Sanampudi	659
<i>Tw-StAR at SemEval-2017 Task 4: Sentiment Classification of Arabic Tweets</i>	
Hala Mulki, Hatem Haddad, Mourad Gridach and Ismail Babaoğlu	664
<i>OMAM at SemEval-2017 Task 4: English Sentiment Analysis with Conditional Random Fields</i>	
Chukwuyem Onyibe and Nizar Habash	670
<i>Tweester at SemEval-2017 Task 4: Fusion of Semantic-Affective and pairwise classification models for sentiment analysis in Twitter</i>	
Athanasia Kolovou, Filippos Kokkinos, Aris Fergadis, Pinelopi Papalampidi, Elias Iosif, Nikolaos Malandrakis, Elisavet Palogiannidi, Haris Papageorgiou, Shrikanth Narayanan and Alexandros Potamianos	675
<i>NRU-HSE at SemEval-2017 Task 4: Tweet Quantification Using Deep Learning Architecture</i>	
Nikolay Karpov	683
<i>MI&T Lab at SemEval-2017 task 4: An Integrated Training Method of Word Vector for Sentiment Classification</i>	
Jingjing Zhao, Yan Yang and Bing Xu	689
<i>SiTAKA at SemEval-2017 Task 4: Sentiment Analysis in Twitter Based on a Rich Set of Features</i>	
Mohammed Jabreel and Antonio Moreno	694
<i>Senti17 at SemEval-2017 Task 4: Ten Convolutional Neural Network Voters for Tweet Polarity Classification</i>	
Hussam Hamdan	700
<i>DUTH at SemEval-2017 Task 4: A Voting Classification Approach for Twitter Sentiment Analysis</i>	
Symeon Symeonidis, Dimitrios Effrosynidis, John Kordonis and Avi Arampatzis	704
<i>SSN_MLRG1 at SemEval-2017 Task 4: Sentiment Analysis in Twitter Using Multi-Kernel Gaussian Process Classifier</i>	
Angel Deborah S, S Milton Rajendram and T T Mirnalinee	709
<i>YNUDLG at SemEval-2017 Task 4: A GRU-SVM Model for Sentiment Classification and Quantification in Twitter</i>	
Ming Wang, Biao Chu, Qingxun Liu and Xiaobing Zhou	713
<i>LSIS at SemEval-2017 Task 4: Using Adapted Sentiment Similarity Seed Words For English and Arabic Tweet Polarity Classification</i>	
Amal Htaït, Sébastien Fournier and Patrice Bellot	718
<i>ELiRF-UPV at SemEval-2017 Task 4: Sentiment Analysis using Deep Learning</i>	
José-Ángel González, Ferran Pla and Lluís-F. Hurtado	723

<i>XJSA at SemEval-2017 Task 4: A Deep System for Sentiment Classification in Twitter</i> Yazhou Hao, YangYang Lan, Yufei Li and Chen Li	728
<i>Adullam at SemEval-2017 Task 4: Sentiment Analyzer Using Lexicon Integrated Convolutional Neural Networks with Attention</i> Joosung Yoon, Kigon Lyu and Hyeoncheol Kim	732
<i>EICA at SemEval-2017 Task 4: A Simple Convolutional Neural Network for Topic-based Sentiment Classification</i> wang maoquan, Chen Shiyun, Xie yufei and Zhao lu	737
<i>funSentiment at SemEval-2017 Task 4: Topic-Based Message Sentiment Classification by Exploiting Word Embeddings, Text Features and Target Contexts</i> Quanzhi Li, Armineh Nourbakhsh, Xiaomo Liu, Rui Fang and Sameena Shah	741
<i>DataStories at SemEval-2017 Task 4: Deep LSTM with Attention for Message-level and Topic-based Sentiment Analysis</i> Christos Baziotis, Nikos Pelekis and Christos Doukeridis	747
<i>TwISe at SemEval-2017 Task 4: Five-point Twitter Sentiment Classification and Quantification</i> Georgios Balikas	755
<i>LIA at SemEval-2017 Task 4: An Ensemble of Neural Networks for Sentiment Classification</i> Mickael Rouvier	760
<i>TopicThunder at SemEval-2017 Task 4: Sentiment Classification Using a Convolutional Neural Network with Distant Supervision</i> Simon Müller, Tobias Huonder, Jan Deriu and Mark Cieliebak	766
<i>INGEOTEC at SemEval 2017 Task 4: A B4MSA Ensemble based on Genetic Programming for Twitter Sentiment Analysis</i> Sabino Miranda-Jiménez, Mario Graff, Eric Sadit Tellez and Daniela Moctezuma	771
<i>BUSEM at SemEval-2017 Task 4A Sentiment Analysis with Word Embedding and Long Short Term Memory RNN Approaches</i> Deger Ayata, Murat Saraclar and Arzucan Ozgur	777
<i>TakeLab at SemEval-2017 Task 4: Recent Deaths and the Power of Nostalgia in Sentiment Analysis in Twitter</i> David Lozić, Doria Šarić, Ivan Tokić, Zoran Medić and Jan Šnajder	784
<i>NileTMRG at SemEval-2017 Task 4: Arabic Sentiment Analysis</i> Samhaa R. El-Beltagy, Mona El kalamawy and Abu Bakr Soliman	790
<i>YNU-HPCC at SemEval 2017 Task 4: Using A Multi-Channel CNN-LSTM Model for Sentiment Classification</i> Haowei Zhang, Jin Wang, Jixian Zhang and Xuejie Zhang	796
<i>TSA-INF at SemEval-2017 Task 4: An Ensemble of Deep Learning Architectures Including Lexicon Features for Twitter Sentiment Analysis</i> Amit Ajit Deshmane and Jasper Friedrichs	802
<i>UCSC-NLP at SemEval-2017 Task 4: Sense n-grams for Sentiment Analysis in Twitter</i> José Abreu, Iván Castro, Claudia Martínez, Sebastián Oliva and Yoan Gutiérrez	807

<i>ECNU at SemEval-2017 Task 4: Evaluating Effective Features on Machine Learning Methods for Twitter Message Polarity Classification</i>	
Yunxiao Zhou, Man Lan and Yuanbin Wu	812
<i>Fortia-FBK at SemEval-2017 Task 5: Bullish or Bearish? Inferring Sentiment towards Brands from Financial News Headlines</i>	
Youness Mansar, Lorenzo Gatti, Sira Ferradans, Marco Guerini and Jacopo Staiano	817
<i>SSN_MLRG1 at SemEval-2017 Task 5: Fine-Grained Sentiment Analysis Using Multiple Kernel Gaussian Process Regression Model</i>	
Angel Deborah S, S Milton Rajendram and T T Mirnalinee	823
<i>IBA-Sys at SemEval-2017 Task 5: Fine-Grained Sentiment Analysis on Financial Microblogs and News</i>	
Zarmeen Nasim	827
<i>HHU at SemEval-2017 Task 5: Fine-Grained Sentiment Analysis on Financial Data using Machine Learning Methods</i>	
Tobias Cabanski, Julia Romberg and Stefan Conrad	832
<i>INF-UFRGS at SemEval-2017 Task 5: A Supervised Identification of Sentiment Score in Tweets and Headlines</i>	
Tiago Zini, Karin Becker and Marcelo Dias	837
<i>HCS at SemEval-2017 Task 5: Polarity detection in business news using convolutional neural networks</i>	
Lidia Pivovarova, Llorenç Escoter, Arto Klami and Roman Yangarber	842
<i>NLG301 at SemEval-2017 Task 5: Fine-Grained Sentiment Analysis on Financial Microblogs and News</i>	
Chung-Chi Chen, Hen-Hsen Huang and Hsin-Hsi Chen	847
<i>funSentiment at SemEval-2017 Task 5: Fine-Grained Sentiment Analysis on Financial Microblogs Using Word Vectors Built from StockTwits and Twitter</i>	
Quanzhi Li, Sameena Shah, Armineh Nourbakhsh, Rui Fang and Xiaomo Liu	852
<i>SentiHeros at SemEval-2017 Task 5: An application of Sentiment Analysis on Financial Tweets</i>	
Narges Tabari, Armin Seyeditabari and Wlodek Zadrozny	857
<i>DUTH at SemEval-2017 Task 5: Sentiment Predictability in Financial Microblogging and News Articles</i>	
Symeon Symeonidis, John Kordonis, Dimitrios Effrosynidis and Avi Arampatzis	861
<i>TakeLab at SemEval-2017 Task 5: Linear aggregation of word embeddings for fine-grained sentiment analysis of financial news</i>	
Leon Rotim, Martin Tutek and Jan Šnajder	866
<i>UW-FinSent at SemEval-2017 Task 5: Sentiment Analysis on Financial News Headlines using Training Dataset Augmentation</i>	
Vineet John and Olga Vechtomova	872
<i>RiTUAL-UH at SemEval-2017 Task 5: Sentiment Analysis on Financial Data Using Neural Networks</i>	
Sudipta Kar, Suraj Maharjan and Thamar Solorio	877
<i>COMMIT at SemEval-2017 Task 5: Ontology-based Method for Sentiment Analysis of Financial Headlines</i>	
Kim Schouten, Flavius Frasincar and Franciska de Jong	883

<i>ECNU at SemEval-2017 Task 5: An Ensemble of Regression Algorithms with Effective Features for Fine-Grained Sentiment Analysis in Financial Domain</i>	
Mengxiao Jiang, Man Lan and Yuanbin Wu	888
<i>IITPB at SemEval-2017 Task 5: Sentiment Prediction in Financial Text</i>	
Abhishek Kumar, Abhishek Sethi, Md Shad Akhtar, Asif Ekbal, Chris Biemann and Pushpak Bhattacharyya	894
<i>IITP at SemEval-2017 Task 5: An Ensemble of Deep Learning and Feature Based Models for Financial Sentiment Analysis</i>	
Deepanway Ghosal, Shobhit Bhatnagar, Md Shad Akhtar, Asif Ekbal and Pushpak Bhattacharyya	899
<i>FEUP at SemEval-2017 Task 5: Predicting Sentiment Polarity and Intensity with Financial Word Embeddings</i>	
Pedro Saleiro, Eduarda Mendes Rodrigues, Carlos Soares and Eugénio Oliveira	904
<i>UIT-DANGNT-CLNLP at SemEval-2017 Task 9: Building Scientific Concept Fixing Patterns for Improving CAMR</i>	
Khoa Nguyen and Dang Nguyen	909
<i>Oxford at SemEval-2017 Task 9: Neural AMR Parsing with Pointer-Augmented Attention</i>	
Jan Buys and Phil Blunsom	914
<i>FORGe at SemEval-2017 Task 9: Deep sentence generation based on a sequence of graph transducers</i>	
Simon Mille, Roberto Carlini, Alicia Burga and Leo Wanner	920
<i>RIGOTRIO at SemEval-2017 Task 9: Combining Machine Learning and Grammar Engineering for AMR Parsing and Generation</i>	
Normunds Gruzitis, Didzis Gosko and Guntis Barzdins	924
<i>The Meaning Factory at SemEval-2017 Task 9: Producing AMRs with Neural Semantic Parsing</i>	
Rik van Noord and Johan Bos	929
<i>PKU_JCL at SemEval-2017 Task 10: Keyphrase Extraction with Model Ensemble and External Knowledge</i>	
Liang Wang and Sujian Li	934
<i>NTNU-1@ScienceIE at SemEval-2017 Task 10: Identifying and Labelling Keyphrases with Conditional Random Fields</i>	
Erwin Marsi, Utpal Kumar Sikdar, Cristina Marco, Biswanath Barik and Rune Sætre	938
<i>EELECTION at SemEval-2017 Task 10: Ensemble of nEural Learners for kEyphrase ClassifIcATIOn</i>	
Steffen Eger, Erik-Lân Do Dinh, Ilia Kuznetsov, Masoud Kiaeeha and Iryna Gurevych	942
<i>LABDA at SemEval-2017 Task 10: Extracting Keyphrases from Scientific Publications by combining the BANNER tool and the UMLS Semantic Network</i>	
Isabel Segura-Bedmar, Cristóbal Colón-Ruiz and Paloma Martínez	947
<i>The NTNU System at SemEval-2017 Task 10: Extracting Keyphrases and Relations from Scientific Publications Using Multiple Conditional Random Fields</i>	
Lung-Hao Lee, Kuei-Ching Lee and Yuen-Hsien Tseng	951

<i>MayoNLP at SemEval 2017 Task 10: Word Embedding Distance Pattern for Keyphrase Classification in Scientific Publications</i>	
Sijia Liu, Feichen Shen, Vipin Chaudhary and Hongfang Liu	956
<i>Know-Center at SemEval-2017 Task 10: Sequence Classification with the CODE Annotator</i>	
Roman Kern, Stefan Falk and Andi Rexha	961
<i>NTNU-2 at SemEval-2017 Task 10: Identifying Synonym and Hyponym Relations among Keyphrases in Scientific Documents</i>	
Biswanath Barik and Erwin Marsi	965
<i>LABDA at SemEval-2017 Task 10: Relation Classification between keyphrases via Convolutional Neural Network</i>	
Víctor Suárez-Paniagua, Isabel Segura-Bedmar and Paloma Martínez	969
<i>WING-NUS at SemEval-2017 Task 10: Keyphrase Extraction and Classification as Joint Sequence Labeling</i>	
Animesh Prasad and Min-Yen Kan	973
<i>MIT at SemEval-2017 Task 10: Relation Extraction with Convolutional Neural Networks</i>	
Ji Young Lee, Franck Dernoncourt and Peter Szolovits	978
<i>TTI-COIN at SemEval-2017 Task 10: Investigating Embeddings for End-to-End Relation Extraction from Scientific Papers</i>	
Tomoki Tsujimura, Makoto Miwa and Yutaka Sasaki	985
<i>SZTE-NLP at SemEval-2017 Task 10: A High Precision Sequence Model for Keyphrase Extraction Utilizing Sparse Coding for Feature Generation</i>	
Gábor Berend	990
<i>LIPN at SemEval-2017 Task 10: Filtering Candidate Keyphrases from Scientific Publications with Part-of-Speech Tag Sequences to Train a Sequence Labeling Model</i>	
Simon David Hernandez, Davide Buscaldi and Thierry Charnois	995
<i>EUDAMU at SemEval-2017 Task 11: Action Ranking and Type Matching for End-User Development</i>	
Marek Kubis, Paweł Skórzewski and Tomasz Ziętkiewicz	1000
<i>Hitachi at SemEval-2017 Task 12: System for temporal information extraction from clinical notes</i>	
Sarath P R, Manikandan R and Yoshiki Niwa	1005
<i>NTU-1 at SemEval-2017 Task 12: Detection and classification of temporal events in clinical data with domain adaptation</i>	
Po-Yu Huang, Hen-Hsen Huang, Yu-Wun Wang, Ching Huang and Hsin-Hsi Chen	1010
<i>XJNLP at SemEval-2017 Task 12: Clinical temporal information ex-traction with a Hybrid Model</i>	
Yu Long, Zhijing Li, Xuan Wang and Chen Li	1014
<i>ULISBOA at SemEval-2017 Task 12: Extraction and classification of temporal expressions and events</i>	
Andre Lamurias, Diana Sousa, Sofia Pereira, Luka Clarke and Francisco M Couto	1019
<i>GUIR at SemEval-2017 Task 12: A Framework for Cross-Domain Clinical Temporal Information Ex-traction</i>	
Sean MacAvaney, Arman Cohan and Nazli Goharian	1024

KULeuven-LIIR at SemEval-2017 Task 12: Cross-Domain Temporal Information Extraction from Clinical Records
Artuur Leeuwenberg and Marie-Francine Moens 1030