
Sensors, Actuators, and Microsystems (General) – 224th ECS Meeting

Editors:

M. T. Carter

KWJ Engineering Inc.
Newark, California, USA

Z. Aguilar

Ocean Nanotech
Springdale, Arkansas, USA

B. Chin

Auburn University
Auburn, Alabama, USA

G. W. Hunter

NASA Glenn Research Center
Cleveland, Ohio, USA

P. K. Sekhar

Washington State University
Pullman, Washington, USA

Sponsoring Division:



Sensor



Published by

The Electrochemical Society

65 South Main Street, Building D
Pennington, NJ 08534-2839, USA

tel 609 737 1902

fax 609 737 2743

www.electrochem.org

ecstransactions™

Vol. 58, No. 21

Copyright 2014 by The Electrochemical Society.
All rights reserved.

This book has been registered with Copyright Clearance Center.
For further information, please contact the Copyright Clearance Center,
Salem, Massachusetts.

Published by:

The Electrochemical Society
65 South Main Street
Pennington, New Jersey 08534-2839, USA

Telephone 609.737.1902
Fax 609.737.2743
e-mail: ecs@electrochem.org
Web: www.electrochem.org

ISSN 1938-6737 (online)
ISSN 1938-5862 (print)
ISSN 2151-2051 (cd-rom)

ISBN 978-1-62332-144-4 (Softcover)
ISBN 978-1-60768-499-2 (PDF)

Printed in the United States of America.

Table of Contents

<i>Preface</i>	<i>iii</i>
Response Characteristics of Fuel Cell Type Alcohol Sensor Using Nafion Membrane <i>K. Kamiya, M. Sudoh</i>	1
Synthesis and Hydrogen Gas Sensing Performance of Pd-Functionalized Nanostructures <i>K. Y. Kok, I. K. Ng, N. U. Ubaidah, S. H. Ilias, L. Lombigit, K. W. Leo, T. F. Choo, C. Z. Che Abd Rahman</i>	11
Soft Actuators Prepared by Electrochemical Copolymerization of Pyrrole and Methyl 1H-Pyrrole-3-Carboxylate <i>J. Yamasaki, S. Ogihara, T. Kadoyama, F. Tsumuji, S. Takamiya, Y. Nishioka</i>	19
Two-Step Microwave Synthesis of Highly Dispersed Ordered Intermetallic PtPb Nanoparticles on Carbon Black <i>A. J. Jeevagan, T. Gunji, N. Sawano, G. Saravanan, T. Kojima, S. Kaneko, G. Kobayashi, F. Matsumoto</i>	25
Toxic Gas Sensors Using Ionic Liquids <i>A. Nauber, P. Tschuncky</i>	33
Author Index	39