

3rd International Symposium on Fatigue Design and Material Defects (FDMD 2017)

Procedia Structural Integrity Volume 7

Lecco, Italy
19 – 22 September 2017

Editors:

Stefano Beretta
Stefano Foletti

Gianni Nicoletto
Roberto Tovo

ISBN: 978-1-5108-5600-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2018)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

EDITORIAL	1
<i>S. Beretta, S. Foletti, G. Nicoletto, R. Tovo</i>	
FATIGUE BEHAVIOUR OF ADDITIVELY-MANUFACTURED METALLIC PARTS	3
<i>Nima Shamsaei, Jutima Simsiriwong</i>	
DEFECT ANALYSIS AND FATIGUE DESIGN BASIS FOR NI-BASED SUPERALLOY 718 MANUFACTURED BY ADDITIVE MANUFACTURING	11
<i>Yoichi Yamashita, Takao Murakami, Rei Mihara, Masami Okada, Yukitaka Murakami</i>	
EFFECTS OF DEFECTS, SURFACE ROUGHNESS AND HIP ON FATIGUE STRENGTH OF TI- 6AL-4V MANUFACTURED BY ADDITIVE MANUFACTURING	19
<i>Hiroshige Masuo, Yuzo Tanaka, Shotaro Morokoshi, Hajime Yagura, T. Uchida, Y. Yamamoto, Yukitaka Murakami</i>	
FATIGUE CRACK INITIATION AND PROPAGATION FROM DEFECTS IN METALS: IS 3D CHARACTERIZATION IMPORTANT?	27
<i>Jean-Yves Buffiere</i>	
CHALLENGES FOR GAS TURBINE ENGINE COMPONENTS IN POWER GENERATION	33
<i>Martin Hughes</i>	
ON THE ROLE OF INTERNAL DEFECTS IN THE FATIGUE DAMAGE PROCESS OF A CAST AL-SI-CU ALLOY	36
<i>A. Brueckner-Foit, M. Luetje, I. Bacalco, A. Geisert, M. Fehlbier</i>	
INITIATION OF FATIGUE CRACKS AND LIFETIME OF NI-BASE SUPERALLOYS AT HIGH MEAN STRESS AND TEMPERATURE	44
<i>Ludvík Kunz, Vít Horník, Pavel Hutar, Stanislava Fintová</i>	
MICROSTRUCTURE AND PRELIMINARY FATIGUE ANALYSIS ON ALSI10MG SAMPLES MANUFACTURED BY SLM	50
<i>C. A. Biffi, J. Fiocchi, P. Bassani, D. S. Paolino, A. Tridello, G. Chiandussi, M. Rossetto, A. Tuissi</i>	
FATIGUE PROPERTIES OF ADDITIVELY MANUFACTURED ALSI10MG – SURFACE TREATMENT EFFECT	58
<i>Ana D. Brandão, Johannes Gumpinger, Michael Gschweidl, Christoph Seyfert, P. Hofbauer, Tommaso Ghidini</i>	
A NOVEL TEST METHOD FOR THE FATIGUE CHARACTERIZATION OF METAL POWDER BED FUSED ALLOYS	67
<i>Gianni Nicoletto</i>	
INFLUENCE OF DEFECT SIZE ON THE FATIGUE RESISTANCE OF ALSI10MG ALLOY ELABORATED BY SELECTIVE LASER MELTING (SLM)	75
<i>Julius N. Domfang Ngnekou, Yves Nadot, Gilbert Henaff, Julien Nicolai, Lionel Ridosz</i>	
EXPERIMENTAL EVALUATION OF FATIGUE BEHAVIORS AND TENSILE PROPERTIES OF SELECTIVE LASER MELTED K536 ALLOY AT ELEVATED TEMPERATURES	84
<i>R. D. Xu, Z. H. Jiao, H. C. Yu</i>	
AS-BUILT SURFACE LAYER CHARACTERIZATION AND FATIGUE BEHAVIOR OF DMLS TI6AL4V	92
<i>R. Konecná, G. Nicoletto, S. Fintová, M. Frkán</i>	
HCF RESISTANCE OF ALSI10MG PRODUCED BY SLM IN RELATION TO THE PRESENCE OF DEFECTS	101
<i>S. Romano, S. Beretta, A. Brandão, J. Gumpinger, T. Ghidini</i>	
AIRBUS APPROACH FOR F&DT STRESS JUSTIFICATION OF ADDITIVE MANUFACTURING PARTS	109
<i>Jon Mardaras, Philippe Emile, Alain Santgerma</i>	
FATIGUE PROPERTIES OF TI6AL4V CELLULAR SPECIMENS FABRICATED VIA SLM: CAD VS REAL GEOMETRY	116
<i>M. Dallago, V. Fontanari, B. Winiarski, F. Zanini, S. Carmignato, M. Benedetti</i>	
EVALUATION ON TENSILE AND FATIGUE CRACK GROWTH PERFORMANCES OF TI6AL4V ALLOY PRODUCED BY SELECTIVE LASER MELTING	124
<i>Z. H. Jiao, R. D. Xu, H. C. Yu, X. R. Wu</i>	
INFLUENCE OF POST FABRICATION HEAT TREATMENTS ON THE FATIGUE BEHAVIOR OF TI-6AL-4V PRODUCED BY SELECTIVE LASER MELTING	133
<i>Gianni Nicoletto, Stefania Maisano, Michele Antolotti, Filippo Dall'Aglio</i>	

DAMAGE DEVELOPMENT AND DAMAGE TOLERANCE OF STRUCTURES MANUFACTURED BY SELECTIVE LASER MELTING – A REVIEW	141
<i>U. Zerbst, K. Hilgenberg</i>	
INFLUENCE OF BUILD ORIENTATION ON STATIC AND AXIAL FATIGUE PROPERTIES OF MARAGING STEEL SPECIMENS PRODUCED BY ADDITIVE MANUFACTURING.....	149
<i>G. Meneghetti, D. Rigon, D. Cozzi, W. Waldhauser, M. Dabalà</i>	
FATIGUE PROPERTIES OF EBM AS-BUILT AND CHEMICALLY ETCHED THIN PARTS.....	158
<i>Theo Persenot, Jean-Yves Buffiere, Eric Maire, Remy Dendievel, Guilhem Martin</i>	
STRAIN CONCENTRATIONS IN BCC MICRO LATTICES OBTAINED BY AM	166
<i>L. Boniotti, S. Beretta, S. Foletti, L. Patriarca</i>	
EFFECT OF GRAIN SIZE ON LOW CYCLE FATIGUE LIFE IN COMPRESSOR DISC SUPERALLOY GH4169 AT 600 C.....	174
<i>L. L. Liu, D. Y. Hu, D. Li, R. G. Hu, Y. Gu, R. Q. Wang</i>	
SAFE LIFE APPROACH CONSIDERING CREEP-FATIGUE INTERACTION AND WEIBULL STATISTICS FOR CRACK GROWTH EVALUATION BASED ON FIELD FEEDBACK APPLIED TO A GT FIRST STAGE BLADE	182
<i>E. Vacchieri, B. G. Gallo, P. Guarnone, E. Poggio, P. Villari, S. R. Holdsworth</i>	
AN ASSESSMENT OF THERMO-MECHANICALLY INDUCED FATIGUE DAMAGE OF A STEAM TURBINE SHAFT.....	190
<i>M. Nesládek, J. Jurenka, M. Lutovinov, M. Ružicka, P. Mestánek, J. Džugan</i>	
FATIGUE ASSESSMENT OF A NOTCHED MEMBER UNDER COMBINED LCF AND HCF LOADING	198
<i>Dalila Dimaggio, Andrea Riva, Caterina Bardetta, Andrea Sanguineti, K. Storzel, Sven Käfer</i>	
HIGH TEMPERATURE FATIGUE TESTING OF GAS TURBINE BLADES.....	206
<i>M. Beghini, L. Bertini, C. Santus, B. D. Monelli, E. Scrinzi, N. Pieroni, I. Giovannetti</i>	
CRACK PROPAGATION UNDER COMBINED CYCLE FATIGUE FOR A PRECIPITATION HARDENED STEEL.....	214
<i>L. Patriarca, S. Foletti, S. Beretta, S. Parodi, A. Riva</i>	
KINETICS OF CRACKS NUCLEATION ON MATERIALS INTERFACE.....	222
<i>Robert Goldstein, Mikhail Perelmuter</i>	
HARDNESS AS A TOOL FOR THE ESTIMATION OF THE MICROSTRUCTURAL THRESHOLD.....	229
<i>Mirco D. Chapetti</i>	
ANALYSIS OF CRACK EXTENSION MECHANISM IN THE NEAR-THRESHOLD REGIME IN AN ALUMINUM ALLOY	235
<i>M. Wicke, A. Brueckner-Foit, T. Kirsten, M. Zimmermann, F. Buel Buel, H.-J. Christ</i>	
INTERACTIONS BETWEEN GRAIN SIZE AND GEOMETRICAL DEFECTS IN PURE ALUMINIUM IN THE HIGH CYCLE FATIGUE REGIME.....	242
<i>Benoît Bracquart, Charles Mareau, Nicolas Saintier, Franck Morel</i>	
FATIGUE BEHAVIOUR OF AGE-HARDENED CU-NI-SI ALLOY AND EFFECT OF SPORADIC DISCONTINUOUS PRECIPITATES ON FATIGUE STRENGTH.....	248
<i>M. Goto, S. Z. Han, T. Yamamoto, J. Kitamura, J. Ahn, T. Iwamura, S. H. Lim</i>	
DETERMINATION OF LOCAL STRESS INTENSITY FACTORS AT MICROSTRUCTURALLY TORTUOUS CRACK FRONTS UNDER REMOTE MODE II LOADING	254
<i>Stanislav Žák, Jana Horníková, Pavel Šandera, Tomáš Vojtek, Jaroslav Pokluda</i>	
POSSIBILITY OF FATIGUE DAMAGE DETECTION BY NON-DESTRUCTIVE MEASUREMENT OF THE SURFACE HARDNESS	262
<i>Šulko Miroslav, Chmelko Vladimír, Miloslav Kepka</i>	
IN-SITU INVESTIGATIONS OF STRUCTURAL CHANGES DURING CYCLIC LOADING BY HIGH RESOLUTION RECIPROCAL SPACE MAPPING	268
<i>Annika M. Diederichs, Felix Thiel, Ulrich Lienert, Wolfgang Pantleon</i>	
QUALITY CONTROL OF CAST IRON: EXTREME VALUE STATISTICS APPLIED TO CT MEASUREMENTS.....	275
<i>S. Romano, S. Beretta, M. Cova</i>	
DAMAGE DETECTION USING INFRARED THERMOGRAPHY IN A CARBON-FLAX FIBER HYBRID COMPOSITE.....	283
<i>Raghu V Prakash, Monalisha Maharana</i>	
STATIC AND CYCLIC STRENGTH PROPERTIES OF BRITTLE ADHESIVES WITH POROSITY	291
<i>G. Fernandez, D. Vandepitte, H. Usabiaga, S. Debruyne</i>	

ULTRASONIC INSPECTION AND DATA ANALYSIS OF GLASS- AND CARBON-FIBRE-REINFORCED PLASTICS	299
<i>F. Schadow, D. Brackrock, M. Gaal, T. Heckel</i>	
IN-SITU OBSERVATION OF CRACK PROPAGATION IN SILICON NITRIDE CERAMICS	307
<i>Yuri Kadin, Stefan Strobl, Charlotte Vieillard, Paul Wijnbergen, Vaclav Ocelik</i>	
FATIGUE LIMIT EVALUATION OF STRUCTURE MATERIALS BASED ON THERMOGRAPHIC ANALYSIS	315
<i>R. Prochazka, J. Dzugan, P. Konopik</i>	
INVESTIGATION OF CHANGING FAILURE MECHANISMS IN THE VHCF REGIME CAUSED BY DIFFERENT STRENGTHS OF A MARTENSITIC STEEL	321
<i>A. Giertler, K. Koschella, U. Krupp</i>	
EFFECTS OF INCLUSIONS ON THE VERY HIGH CYCLE FATIGUE PROPERTIES OF A HIGH STRENGTH MARTENSITIC STEEL WITHIN THE TRANSITION AREA	327
<i>I. Milošević, C. Garb, G. Winter, F. Grün, M. Kober</i>	
EFFECT OF DEFECT SIZE ON P-S-N CURVES IN VERY-HIGH-CYCLE FATIGUE	335
<i>Davide S. Paolino, Andrea Tridello, Giorgio Chiandussi, Massimo Rossetto</i>	
COMPARISON BETWEEN DIFFERENT METHODS FOR THE PREDICTION OF THE FATIGUE LIMIT OF A MEMBER WITH A SMALL CRACK	343
<i>G. Härkegård</i>	
FATIGUE STRENGTH EVALUATION OF SMALL DEFECT AT STRESS CONCENTRATION	351
<i>Mari Åman, Yuzo Tanaka, Yukitaka Murakami, Heikki Remes, Gary Marquis</i>	
STUDY ON FATIGUE CRACK INITIATION AND PROPAGATION FROM FORGING DEFECTS	359
<i>Igor Varfolomeev, Sergii Moroz, Dieter Siegele, Kai Kadau, Christian Amann</i>	
EVALUATION OF SIZE EFFECT IN LOW CYCLE FATIGUE FOR Q&T ROTOR STEEL	368
<i>S. P. Zhu, S. Foletti, S. Beretta</i>	
EFFECT OF HYDROGEN ON VERY HIGH CYCLE FATIGUE BEHAVIOR OF A LOW-STRENGTH CR-NI-MO-V STEEL CONTAINING MICRO-DEFECTS	376
<i>Ning Wang, Long Jin, Ming-Liang Zhu, Fu-Zhen Xuan, Shan-Tung Tu</i>	
AN ANALYTICAL APPROACH TO QUANTIFY THE EFFECT OF THE R-RATIO ON DA/DN IN THE PARIS REGIME	383
<i>Hans-Jakob Schindler</i>	
FATIGUE CRACK THRESHOLD OF BEARING STEEL AT A VERY LOW STRESS RATIO	391
<i>Kentaro Wada, Adeyinka Abass, Saburo Okazaki, Yoshihiro Fukushima, H. Matsunaga, Kaneaki Tsuzaki</i>	
OPTIMIZATION OF THE COLD-ROLLING PROCESS TO ENHANCE SERVICE LIFE OF RAILWAY AXLES	399
<i>D. Regazzi, S. Cantini, S. Cervello, S. Foletti</i>	
FATIGUE STRENGTH AND LIFE DETERMINATION OF WELDMENTS BASED ON FRACTURE MECHANICS	407
<i>U. Zerbst, M. Madia, H. Th. Beier</i>	
INFLUENCE OF POROSITY ON THE HIGH CYCLE FATIGUE BEHAVIOUR OF LASER BEAM WELDED Ti-6Al-4V BUTT JOINTS	415
<i>F. Fomin, N. Kashaev</i>	
MULTIPLE CRACK INITIATION AND PROPAGATION IN WELDMENTS UNDER FATIGUE LOADING	423
<i>M. Madia, B. Schork, J. Bernhard, M. Kaffenberger</i>	
EXAMPLES OF ACTUAL DEFECTS IN HIGH PRESSURE PIPELINES AND PROBABILISTIC ASSESSMENT OF RESIDUAL LIFE FOR DIFFERENT TYPES OF PIPELINE STEELS	431
<i>Ivo Cerný, Dagmar Mikulová, Jirí Šís</i>	
FATIGUE BEHAVIOUR OF DEFECTIVE CAST IRON	438
<i>Marton Groza, Yves Nadot, Karoly Varadi</i>	
A PRELIMINARY INVESTIGATION OF STRENGTH MODELS FOR DEGENERATE GRAPHITE CLUSTERS IN GREY CAST IRON	446
<i>M. Cova, P. Livieri, R. Rizzoni, R. Tovo</i>	
QUANTITATIVE EVALUATION OF THE FLAKING STRENGTH OF ROLLING BEARINGS WITH SMALL DEFECTS: (PART 1: FEM ANALYSES OF THE STRESS INTENSITY FACTOR, KII, UNDER ROLLING CONTACT)	453
<i>Sho Hashimoto, Hiroki Komata, Hisao Matsunaga</i>	
QUANTITATIVE EVALUATION OF THE FLAKING STRENGTH OF ROLLING BEARINGS WITH SMALL DEFECTS: (PART 2: EVALUATION OF THE FLAKING STRENGTH OF ROLLING BEARINGS WITH SMALL DRILLED HOLES, BASED ON THE STRESS INTENSITY FACTOR)	460
<i>Hisao Matsunaga, Sho Hashimoto, Hiroki Komata</i>	

ROLLING CONTACT FATIGUE DAMAGE FROM ARTIFICIAL DEFECTS AND SULPHIDE INCLUSIONS IN HIGH STRENGTH STEEL	468
<i>Taizo Makino, Yutaka Neishi, Daiki Shiozawa, Shoichi Kikuchi, H. Saito, K. Kajiwara, Yoshikazu Nakai</i>	
INVESTIGATION OF CRACK PROPAGATION PATH IN TUBE GEARS	476
<i>Francesca Curà, Andrea Mura, Carlo Rosso</i>	
EXPERIMENTS ON CRACK PROPAGATION AND THRESHOLD AT DEFECTS IN PRESS-FITS OF RAILWAY AXLES	484
<i>S. Foletti, S. Beretta, F. Bertozzi, M. Carboni, S. Cervello, D. Regazzi</i>	
INFLUENCE OF SMALL DEFECTS ON THE UNIAXIAL AND TORSIONAL FATIGUE STRENGTH OF 17-4PH STAINLESS STEEL	492
<i>B. M. Schönbauer, H. Mayer, K. Yanase, M. Endo</i>	
EFFECT OF ELEVATED TEMPERATURE ON THE FATIGUE STRENGTH OF CASTED ALSI8CU3 ALUMINIUM ALLOYS	497
<i>C. Garb, M. Leitner, F. Grün</i>	
EFFECTS OF MICROSTRUCTURE AND CASTING DEFECTS ON THE FATIGUE BEHAVIOR OF THE HIGH-PRESSURE DIE-CAST ALSI9CU3(Fe) ALLOY	505
<i>L. Lattanzi, A. Fabrizi, A. Fortini, M. Merlin, G. Timelli</i>	
INFLUENCE OF NATURAL DEFECTS ON THE FATIGUE LIMIT OF A CAST AL-SI ALLOY	513
<i>A. Rotella, Y. Nadot, M. Piellard, R. Augustin</i>	
ESTIMATION OF FATIGUE LIMIT OF A A356-T6 AUTOMOTIVE WHEEL IN PRESENCE OF DEFECTS	521
<i>M. Tebaldini, C. Petrogalli, G. Donzella, G. M. La Vecchia</i>	
COMPETITION BETWEEN SURFACE DEFECT AND GRAIN SIZE UNDER FATIGUE LOADING - ARMCO IRON	530
<i>Y. Nadot, C. Nadot-Martin, A. Dragon, M. Vincent</i>	
Author Index	