

Sensors 2017

Topical Conference at the 2017 AIChE Annual Meeting

Minneapolis, Minnesota, USA
29 October – 3 November 2017

ISBN: 978-1-5108-5787-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by AIChE
All rights reserved.

Printed by Curran Associates, Inc. (2018)

For permission requests, please contact AIChE
at the address below.

AIChE
120 Wall Street, FL 23
New York, NY 10005-4020

Phone: (800) 242-4363
Fax: (203) 775-5177

www.aiche.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

(130h) The Development of a Sensitive Electrochemical Method for Carotenoid Detection	1
<i>Sabrina Marnoto, Jeffrey M. Halpern</i>	
(130b) A Radio-Colorimetric Hydrogel for Detection of Therapeutic Levels of Ionizing Radiation Using Plasmonic Nanoparticles in 3D	2
<i>Karthik Pushpavanam, Sahil Inamdar, Tomasz Bista, Stephen Sapareto, Kaushal Rege</i>	
(130c) Wireless Measurement of Enzymatic Degradation Kinetics with a Resonant Antenna Biosensor	3
<i>Sadaf Charkhabi, Andee Beierle, Nigel Reuel</i>	
(130d) Thermodynamic Control of Response in Ionophore-Based Optical Nanosensors	4
<i>Mark S. Ferris, Aakash G. Katageri, Makayla K. Elms, Greta M. Gohring, Kevin J. Cash</i>	
(130e) Combining Forward Osmosis with Electrochemistry to Detect Ultra-Low Concentrations of Bacterial Virulence Factors and Quorum Sensing Molecules in Bodily Fluids	5
<i>Martin K. Kimani, Hunter J. Sismaet, Edgar D. Goluch</i>	
(130f) Healthcare Technology Platforms: Engineering a Cellulose Strip for Biomarker Detection	6
<i>Akshay Subramaniam, Ramchander Chepyala, Serena Stephen D Souza, Santosh B. Noronha</i>	
(130g) A Novel Modified DOT Blot Approach for Early Detection of Osteoporosis on Cellulose Substrates	7
<i>Serena Stephen D Souza, Ramchander Chepyala, Santosh B. Noronha</i>	
(241a) Principles for Biosensing Based on Liquid Crystals	8
<i>Nicholas L. Abbott</i>	
(241b) In Search of an In Vivo Biopsy: Studies in Stimulus-Responsive Colloids for Biosensing	9
<i>Andrew P. Goodwin</i>	
(241c) Printed Electronic Biosensors for Protein Detection	10
<i>Kevin D. Dorfman</i>	
(241d) Nanostructures for Biosensing	11
<i>Sang-Hyun Oh</i>	
(297a) Point-of-Care Determining Small Molecule Drug with Multi Hydrogen Bonding Manipulated Single-Molecule Recognition	12
<i>Zhe Wang</i>	
(297b) Analysis of Multiplexed Nanosensor Arrays Based on Nir Fluorescent Single Walled Carbon Nanotubes	13
<i>Juyao Dong, Michael Strano</i>	
(297c) A Biomimetic Tongue By Photoluminescent Metal-Organic Frameworks	14
<i>Wei-Ming Chiu, Hung-Lin Lee, Meng-Hsun Tsai, Tu Lee</i>	
(297d) Outstanding Surface Plasmon Resonance Sensitivity and Figure of Merit Enabled By Periodic Gratings Templated from Optical Discs	15
<i>Zhuxiao Gu, Peng Jiang</i>	
(372a) Development of Highly Sensitive Pico-Calorimetric Sensors Based on Thermoelectric Effect	16
<i>Jinhye Bae, Haitao Zhang, Joost J. Vlassak</i>	
(372b) A Micro-Fabricated Electrochemical Gas Sensor for VOCs Detection	17
<i>Pierre-Alexandre Gross, Sadeghipour Ehsan, Thomas F. Jaramillo, Beth L. Pruitt</i>	
(372c) Highly Selective, Flame-Made Sensors for Breath Analysis	23
<i>Andreas T. Guntner, Sotiris E. Pratsinis</i>	
(372d) A Drinking Water Sensor for Lead and Other Heavy Metals	24
<i>Wen-Chi Lin, Zhongrui Li, Sarah E. Mena, Mark A. Burns</i>	
(372e) Real-Time Underwater Detection of Trace Organic Analytes	25
<i>Andrew L. Wagner, Paul E. Yelvington</i>	
(372f) Application of Hydrophobic-Polymer Coated TiO₂ Nanotube Electrochemical Sensors in Humid Environments	26
<i>Christina Willis, Yalda Saffary, Manoranjan Misra, Swomitra Mohanty</i>	
(372g) Micro-Tensiometer -- A Sensor That Measures the Chemical Potential of Water	27
<i>Siyu Zhu, Michael Santiago, Abraham D. Stroock</i>	
Author Index	