

PROCEEDINGS OF SPIE


# ***Physics and Simulation of Optoelectronic Devices XV***

**Marek Osiński  
Fritz Henneberger  
Yasuhiko Arakawa**  
*Editors*

**22–25 January 2007  
San Jose, California, USA**

*Sponsored and Published by*  
SPIE—The International Society for Optical Engineering

Volume 6468



Proceedings of SPIE—The International Society for Optical Engineering, 9780819465818, v. 6468

SPIE is an international technical society dedicated to advancing engineering and scientific applications of optical, photonic, imaging, electronic, and optoelectronic technologies.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Physics and Simulation of Optoelectronic Devices XV*, edited by Marek Osinski, Fritz Henneberger, Yasuhiko Arakawa, Proceedings of SPIE Vol. 6468 (SPIE, Bellingham, WA, 2007) Article CID Number.

ISSN 0277-786X  
ISBN 9780819465818

Published by  
**SPIE—The International Society for Optical Engineering**  
P.O. Box 10, Bellingham, Washington 98227-0010 USA  
Telephone 1 360/676-3290 (Pacific Time) · Fax 1 360/647-1445  
<http://www.spie.org>

Copyright © 2007, The Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at <http://www.copyright.com>. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/07/\$18.00.

Printed in the United States of America

# Contents

ix *Conference Committee*

---

## SESSION 1 MID-INFRARED DEVICES

---

- 646802 **Small footprint InGaSb/AlGaAsSb multiple-quantum-well light-emitting diodes** [6468-43]  
N. J. Withers, G. A. Smolyakov, H. Cao, CHTM/Univ. of New Mexico (USA); R. Kaspi, Air Force Research Lab. (USA); M. Osiński, CHTM/Univ. of New Mexico (USA)
- 646803 **Design analysis of lattice-matched AlInGaN-GaN QW for optimized intersubband absorption in the Mid-IR regime** [6468-44]  
R. A. Arif, R. S. Tummidi, Y. K. Ee, N. Tansu, Lehigh Univ. (USA)
- 646805 **Microscopic theory of light-intersubband-excitation coupling in semiconductors** [6468-46]  
M. F. Pereira, Jr., Sheffield Hallam Univ. (United Kingdom)

---

## SESSION 2 MODELING AND SIMULATION OF PLANAR WAVEGUIDES AND OPTICAL FIBERS

---

- 646806 **GPU-based accelerated 2D and 3D FDTD solvers** [6468-05]  
D. K. Price, J. R. Humphrey, E. J. Kelmelis, EM Photonics, Inc. (USA)
- 646807 **Simulation of various configurations of single-pump dispersion-compensating Raman/EDFA hybrid amplifiers** [6468-06]  
M. A. P. M. de Andrade, J. Anacleto, J. M. M. M. de Almeida, Univ. de Trás-os-Montes e Alto Douro (Portugal)
- 646808 **Simplified gain calculation in erbium-doped LiNbO<sub>3</sub> waveguides** [6468-07]  
A. Kapoor, G. Jain, E. K. Sharma, Univ. of Delhi (India)
- 646809 **A novel approach for the analysis of Ti-PE:LiNbO<sub>3</sub> distributed parameter waveguides** [6468-57]  
G. Bou Abboud, B.-E. Benkelfat, GET-INT, CNRS 5157 (France); N. Grossard, PHOTLINE Technologies S.A. (France)

---

**Pagination:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication.

SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages.

---

**SESSION 3 PHYSICS OF RING LASERS AND DIODE LASER FREQUENCY STABILIZATION**

---

- 64680B **Influence of nonlinear dispersion of the refraction index on the Sagnac effect in semiconductor ring lasers** [6468-08]  
P. G. Eliseev, M. Osiński, CHTM, Univ. of New Mexico (USA)
- 64680C **Rb-saturated-absorption-profile-based enhancement of semiconductor laser frequency stability** [6468-09]  
K. Nakano, S. Maehara, M. Yanagisawa, Y. Sekiya, T. Sato, M. Ohkawa, T. Maruyama, Niigata Univ. (Japan); S. Kawamura, National Astronomical Observatory (Japan)
- 64680D **Laser diode frequency stabilization by means of optical feedback and the magneto-optical effect** [6468-10]  
T. Uehara, S. Maehara, T. Nimonji, T. Sato, M. Ohkawa, T. Maruyama, Niigata Univ. (Japan); S. Kawamura, National Astronomical Observatory (Japan)
- 64680E **Compact double optical feedback external-cavity diode laser system and its frequency stabilization** [6468-11]  
K. Doi, Y. Minabe, T. Sato, T. Maruyama, M. Ohkawa, Niigata Univ. (Japan); T. Tsubokawa, National Astronomical Observatory of Japan (Japan)

---

**SESSION 4 PHYSICS AND MODELING OF EDGE-EMITTING AND VERTICAL-CAVITY SURFACE-EMITTING LASERS**

---

- 64680F **Optimization on the design of an ultra-high-power multisection tunable laser gain epilayers** [6468-21]  
Y. Zhang, T. M. Benson, C. Christopoulos, The Univ. of Nottingham (United Kingdom)
- 64680G **Gain eigenvalue calculations for antiguided and ARROW VCSELs** [6468-22]  
B. Klein, Georgia Institute of Technology (USA)
- 64680H **Investigation of optical far-field stability in long-wavelength VCSELs: thermal and carrier-induced effects** [6468-23]  
A. Bäcker, R. Santschi, S. Odermatt, F. Römer, ETH Zürich (Switzerland); M. Pfeiffer, Synopsys Switzerland LLC (Switzerland); P. Royo, V. Iakovlev, A. Syrbu, A. Caliman, A. Mereuta, Beam Express SA (Switzerland); E. Kapon, EPF Lausanne (Switzerland); B. Witzigmann, ETH Zürich (Switzerland)
- 64680I **Size reduction of a semiconductor nanowire laser by using metal coating** [6468-62]  
A. V. Maslov, NASA Ames Research Ctr. (USA); C. Z. Ning, Arizona State Univ. (USA)
- 64680J **Analysis of power harmonic content and relaxation resonant frequency of a diode laser** [6468-54]  
H. Zandi, M. Bavafa, Sharif Univ. of Technology (Iran); M. Chamanzar, Georgia Institute of Technology (USA); S. Khorasani, Sharif Univ. of Technology (Iran)

---

**SESSION 5 PHOTONIC LATTICE DEVICES**

---

- 64680K **Active photonic lattices: the physics of coupled microlaser arrays (Invited Paper)** [6468-01]  
S. Ruyopoulos, Science Applications International Corp. (USA)

- 64680L **Optical simulation of photonic crystal patterned layer lasers** [6468-02]  
V. Krishnamurthy, B. Klein, Georgia Institute of Technology (USA)
- 64680M **Effective index perturbation: correlations between the photonic bandgap and the donor-like defect mode in photonic crystal slabs** [6468-03]  
Z. Qiang, W. Zhou, Univ. of Texas, Arlington (USA)
- 64680N **Design and simulation of an ultra compact integrated wave plate using photonic crystal slab waveguide** [6468-04]  
K. Bayat, S. K. Chaudhuri, S. Safavi-Naeini, Univ. of Waterloo (Canada)

---

#### SESSION 6 WIDE-BANDGAP LASERS AND LEDS, AND NEUTRON DETECTORS

---

- 64680P **Optimization of GaAs PIN diodes for neutron detection** [6468-56]  
A. V. Thompson, J. W. Mares, H. Seigneur, W. V. Schoenfeld, College of Optics & Photonics, Univ. of Central Florida (USA)
- 64680Q **Analysis of substrate modes in GaN/InGaN lasers** [6468-12]  
B. Witzigmann, V. Laino, F. Roemer, ETH Zürich (Switzerland); C. Lauterbach, U. T. Schwarz, C. Rumbolz, Univ. of Regensburg (Germany); M. O. Schillgalies, A. Lell, U. Strauss, V. Härle, Osram Opto Semiconductors (Germany)
- 64680R **Comparison of the simulation and experiments of the nitride-based UV light emitting diodes** [6468-13]  
K. Iida, H. Watanabe, K. Takeda, T. Nagai, T. Sumii, K. Nagamatsu, K. Balakrishnan, M. Iwaya, S. Kamiyama, H. Amano, I. Akasaki, Meijo Univ. (Japan); A. Bandoh, Showa-Denko K.K. (Japan)
- 64680S **Characterization of low-defect-density a-plane and m-plane GaN and fabrication of a-plane and m-plane LEDs** [6468-14]  
T. Kawashima, T. Nagai, D. Iida, A. Miura, Y. Okadome, Y. Tsuchiya, M. Iwaya, S. Kamiyama, H. Amano, I. Akasaki, Meijo Univ. (Japan)
- 64680T **The effect of junction temperature on the optoelectrical properties of green InGaN/GaN multiple quantum well light-emitting diodes** [6468-15]  
W.-J. Chen, D.-C. Kuo, C.-W. Hung, C.-C. Ke, H.-T. Shen, J.-C. Wang, Y.-F. Wu, T.-E. Nee, Chang Gung Univ. (Taiwan)
- 64680U **New results of InGaN LED simulation** [6468-55]  
O. I. Rabinovich, Technological Univ., Moscow State Institute of Steel and Alloys (Russia); S. G. Nikiforov, ATV Outdoor Systems (Russia); V. P. Sushkov, Technological Univ., Moscow State Institute of Steel and Alloys (Russia); A. V. Shishov, Acol Technologies S.A. (Russia)

---

#### SESSION 7 OPTICAL COMMUNICATION COMPONENTS AND SYSTEMS

---

- 64680V **Implications of injection current and optical input power on the performance of reflective semiconductor optical amplifiers** [6468-24]  
N. Cheng, L. G. Kazovsky, Stanford Univ. (USA)

- 64680W **A simple analytical model to determine gain in 1064-nm pumped Tm-doped 1470-nm amplifier** [6468-25]  
P. R. Watekar, S. Ju, W.-T. Han, Gwangju Institute of Science and Technology (South Korea)
- 64680X **Vertical-illumination InGaAs/InP quasi-unipolar photodetector with high-bandwidth, quantum efficiency, and resistance to bandwidth collapse** [6468-26]  
P. D. Yoder, Georgia Institute of Technology (USA); E. J. Flynn, CyOptics, Inc. (USA); S. Sridharan, Georgia Institute of Technology (USA)
- 64680Y **Tailoring the transmission spectrum of the long period gratings by variation in the length of the grating** [6468-27]  
R. Singh, E. K. Sharma, Univ. of Delhi (India)
- 64680Z **Discrimination characteristics of a wire-grid polarizer for polarimetric detection of multiple polarized beams** [6468-59]  
D. Kim, S. Moon, Yonsei Univ. (South Korea)

---

#### SESSION 8 NONLINEAR DYNAMICS AND CHAOS IN SEMICONDUCTOR LASERS

---

- 646810 **Comparative analysis on the observed non-linear dynamics between single diode lasers and lateral coupled diode lasers** [6468-29]  
R. Santos, H. Lamela, Univ. Carlos III de Madrid (Spain)
- 646811 **Radio-over-fiber transmission from an optically injected semiconductor laser in period-one state** [6468-30]  
S.-C. Chan, Univ. of California, Los Angeles (USA); S.-K. Hwang, National Chung Cheng Univ. (Taiwan); J.-M. Liu, Univ. of California, Los Angeles (USA)

---

#### SESSION 9 PHYSICS OF QUANTUM DOT LASERS

---

- 646816 **Quantum kinetic approach to electron-LO-phonon relaxation: Is there a phonon bottleneck problem in optoelectronic devices? (Invited Paper)** [6468-35]  
P. Gartner, J. Seebeck, F. Jahnke, Univ. of Bremen (Germany)
- 646817 **Maximising the gain: optimizing the carrier distribution in InGaAs quantum dot lasers (Invited Paper)** [6468-36]  
P. M. Smowton, I. C. Sandall, Cardiff Univ. (United Kingdom); D. J. Mowbray, H.-Y. Liu, M. Hopkinson, Univ. of Sheffield (United Kingdom)
- 646818 **A microscopic theory for optical gain in semiconductor quantum dots** [6468-37]  
M. Lorke, Univ. of Bremen (Germany); W. W. Chow, Sandia National Labs. (USA); J. Seebeck, P. Gartner, F. Jahnke, Univ. of Bremen (Germany)
- 646819 **Multi-section gain-lever quantum dot lasers** [6468-38]  
Y. Li, N. A. Naderi, Y.-C. Xin, C. Dziak, L. F. Lester, CHTM, Univ. of New Mexico (USA)
- 64681A **Lateral mode dynamics in high-power wide-aperture quantum dot laser** [6468-39]  
J. Mukherjee, J. G. McInerney, Tyndall National Institute, National Univ. of Ireland (Ireland)

---

**SESSION 10    PHYSICS AND SIMULATION OF LOW-DIMENSIONAL STRUCTURES AND DEVICES**

---

- 64681B    **Pattern formation in multistacked-quantum-dot-based microcavities: modelization and role of gain asymmetries in the alpha factor (Invited Paper)** [6468-16]  
T. Maggipinto, M. Brambilla, I. M. Perrini, CNR-INFM, Univ. e Politecnico di Bari (Italy);  
S. Barbay, R. Kuszelewicz, Lab. de Photonique et Nanostructures/CNRS (France)
- 64681C    **Quantum-confined Stark effects in interdiffused semiconductor quantum dots** [6468-17]  
Y. Wang, D. Negro, H. S. Djie, B. S. Ooi, Lehigh Univ. (USA)
- 64681D    **Quantum 3D finite-difference-time-domain (Q-FDTD) analysis of InGaAs-GaAsP quantum-dot nanostructures** [6468-18]  
Y.-K. Ee, Y. P. Gupta, R. A. Arif, N. Tansu, Lehigh Univ. (USA)
- 64681E    **Simulation of p-n junction properties of nanowires and nanowire arrays** [6468-19]  
J. Hu, Univ. of California, Santa Cruz (USA); Y. Liu, Stanford Univ. (USA); A. Maslov, NASA Ames Research Ctr. (USA); C.-Z. Ning, NASA Ames Research Ctr. (USA) and Arizona State Univ. (USA); R. Dutton, Stanford Univ. (USA); S.-M. Kang, Univ. of California, Santa Cruz (USA)
- 64681F    **Solution of the 3D Schrödinger equation with tensor effective mass based on perfectly matched layer and spectral element methods** [6468-20]  
C. Cheng, J. Lee, K. H. Lim, H. Z. Massoud, Q. H. Liu, Duke Univ. (USA)

---

**SESSION 11    PHOTONICS WITH SINGLE-QUANTUM-DOT DEVICES**

---

- 64681G    **Quantum light generation with a semiconductor quantum dot (Invited Paper)** [6468-40]  
R. J. Young, Toshiba Research Europe Ltd. (United Kingdom); D. J. P. Ellis, Toshiba Research Europe Ltd. (United Kingdom) and Cavendish Lab. (United Kingdom); M. R. Stevenson, A. J. Bennett, Toshiba Research Europe Ltd. (United Kingdom); P. Atkinson, K. Cooper, D. A. Ritchie, Cavendish Lab. (United Kingdom); A. J. Shields, Toshiba Research Europe Ltd. (United Kingdom)
- 64681H    **Optical manipulation of semiconductor quantum dots in superfluid helium (Invited Paper)** [6468-41]  
M. Ashida, K. Inaba, T. Itoh, Osaka Univ. (Japan) and CREST/Japan Science and Technology Agency (Japan)

---

**SESSION 12    MODE-LOCKED DEVICES**

---

- 64681L    **Monolithic passively mode-locked lasers using quantum-dot or quantum-well materials grown on GaAs substrates** [6468-51]  
Y.-C. Xin, A. Stintz, H. Cao, CHTM/Univ. of New Mexico (USA); L. Zhang, A. L. Gray, Zia Laser, Inc. (USA); S. R. Bank, Stanford Univ. (USA); M. Osinski, CHTM/Univ. of New Mexico (USA); J. Harris, Zia Laser, Inc. (USA); L. F. Lester, CHTM/Univ. of New Mexico (USA)
- 64681M    **Automated analysis of stable operation in two-section quantum dot passively mode locked lasers** [6468-52]  
K. Brown, M. Fanto, D. Murrell, V. Kovanis, Air Force Research Lab. (USA); Y.-C. Xin, L. F. Lester, CHTM/Univ. of New Mexico (USA)

- 64681N **If EM fields do not operate on each other, why do we need many modes and large gain bandwidth to generate short pulses?** [6468-53]  
C. Roychoudhuri, Univ. of Connecticut (USA); N. Tirfessa, Manchester Community College (USA); C. Kelley, R. Crudo, Univ. of Connecticut (USA)

---

**SESSION 13 ULTRAFast DEVICES**

---

- 64681O **Novel concepts for ultrahigh-speed quantum-dot VCSELs and edge-emitters (Invited Paper)** [6468-47]  
N. N. Ledentsov, Technische Univ. Berlin (Germany) and Abraham Ioffe Physical Technical Institute (Russia); F. Hopfer, A. Mutig, Technische Univ. Berlin (Germany); V. A. Shchukin, A. V. Savel'ev, Technische Univ. Berlin (Germany) and Abraham Ioffe Physical Technical Institute (Russia); G. Fiol, M. Kuntz, Technische Univ. Berlin (Germany); V. A. Haisler, Technische Univ. Berlin (Germany) and Institute of Semiconductor Physics (Russia); T. Warming, E. Stock, Technische Univ. Berlin (Germany); S. S. Mikhlin, A. R. Kovsh, NL-Nanosemiconductor GmbH (Germany); C. Bornholdt, Fraunhofer Institut für Nachrichtentechnik (Germany); A. Lenz, H. Eisele, M. Dähne, Technische Univ. Berlin (Germany); N. D. Zakharov, P. Werner, Max-Planck Institute (Germany); D. Bimberg, Technische Univ. Berlin (Germany)
- 64681Q **Investigation of photodetector structures for THz emission by photomixing using numerical simulation** [6468-49]  
A. Dyson, I. D. Henning, M. J. Adams, Univ. of Essex (United Kingdom)
- 64681R **Generation of terahertz radiation using semiconductor heterostructures** [6468-61]  
J. Steiner, M. Kira, S. W. Koch, Philipps-Univ. Marburg (Germany)
- 64681S **Optimum design of NOLM for compression of low power gain-switching pulses** [6468-50]  
C. de Dios, H. Lamela, Univ. Carlos III Madrid (Spain)

*Author Index*