Medical Imaging 2018

Physics of Medical Imaging

Joseph Y. Lo Taly Gilat Schmidt Guang-Hong Chen Editors

12–15 February 2018 Houston, Texas, United States

Sponsored by SPIE

Co-sponsored by DECTRIS Ltd. (Switzerland)

Cooperating Organizations

AAPM—American Association of Physicists in Medicine (United States)
IFCARS—International Foundation for Computer Assisted Radiology and Surgery (Germany)
MIPS—Medical Image Perception Society (United States)
RSNA—Radiological Society of North America (United States)
WMIS—World Molecular Imaging Society

Published by SPIE

Volume 10573

Part One of Three Parts

Proceedings of SPIE, 1605-7422, V. 10573

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Medical Imaging 2018: Physics of Medical Imaging*, edited by Joseph Y. Lo, Taly Gilat Schmidt, Guang-Hong Chen, Proceedings of SPIE Vol. 10573 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 1605-7422

ISSN: 2410-9045 (electronic)

ISBN: 9781510616356

ISBN: 9781510616363 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445

SPIE.org

Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/18/\$18.00

Printed in the United States of America Vm7 i ffUb 5 ggc WJUHY gz +bWz i bXYf" JW bgY Zfca 'GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xvii Authorsxxv Conference Committeexxix 2018 Medical Imaging Award Recipients

Part One

SESSION 1	BREAST IMAGING
10573 02	Comparison of direct-conversion a-Se and CsI scintillator-based CMOS FFDM/DBT flat- panel detectors using an anthropomorphic breast phantom with embedded microcalcification signals [10573-1]
10573 03	A linear systems approach to modeling anatomic noise in digital mammography [10573-2]
10573 04	Towards determination of individual glandular dose [10573-3]
10573 05	Classification of breast microcalcifications using dual-energy mammography [10573-4]
10573 06	Virtual clinical trial of lesion detection in digital mammography and digital breast tomosynthesis [10573-5]
SESSION 2	BREAST PHANTOMS
10573 07	Evaluation of statistical breast phantoms with higher resolution [10573-6]
10573 08	Anthropomorphic breast phantoms for evaluation of FFDM/DBT and breast CT using inkjet printing [10573-7]
10573 09	Improved simulation of Cooper ligaments in breast phantoms [10573-8]
10573 0A	Development of a physical 3D anthropomorphic breast texture model using selective laser sintering rapid prototype printing [10573-9]
10573 OB	Design and validation of biologically inspired spiculated breast lesion models utilizing structural tissue distortion [10573-10]
10573 0C	3D printed anthropomorphic physical phantom for mammography and DBT with high contrast custom materials, lesions, and uniform chest wall region [10573-11]

SESSION 3	TOMOSYNTHESIS
10573 0D	Geometric calibration for a next-generation digital breast tomosynthesis system using virtual line segments [10573-12]
10573 OE	Stationary digital intraoral tomosynthesis: demonstrating the clinical potential of the first-generation system [10573-13]
10573 OF	Application of three-pass metal artefact reduction to photon-counting breast tomosynthesis [10573-14]
10573 0G	Parallel-shift tomosynthesis for orthopedic applications [10573-15]
10573 0H	Investigating the contributions of anatomical variations and quantum noise to image texture in digital breast tomosynthesis [10573-16]
10573 OI	Initial clinical evaluation of gated stationary digital chest tomosynthesis [10573-17]
10573 OJ	Application of neural networks to model the signal-dependent noise of a digital breast tomosynthesis unit [10573-18]
SESSION 4	DETECTORS
10573 OK	Evaluation of novel multilayer x-ray detector designs using rapid Monte Carlo simulation [10573-19]
10573 OL	Empirical and theoretical examination of the noise performance of a prototype polycrystalline silicon active pixel array [10573-20]
10573 OM	Imaging performance of CMOS and a-Si:H flat-panel detectors for C-arm fluoroscopy and cone-beam CT [10573-21]
10573 ON	X-ray performance of new high dynamic range CMOS detector [10573-22]
10573 00	Investigation of random gain variations in columnar CsI:TI using single x-ray photon imaging [10573-23]
SESSION 5	CT SYSTEMS AND ALGORITHMS
10573 OP	CT metal artifact reduction using MR image patches [10573-24]
10573 OQ	Metal artifact reduction for radiation therapy: a simulation study [10573-25]
10573 OR	High-resolution extremity cone-beam CT with a CMOS detector: evaluation of a clinical prototype in quantitative assessment of bone microarchitecture [10573-26]
10573 OS	X-ray cone-beam imaging of the entire spine in the weight-bearing position [10573-27]
10573 OT	Implementation of a piecewise-linear dynamic attenuator [10573-28]

10573 OU	Dynamic beam filtering for miscentered patients (First Place Robert F. Wagner All-Conference Best Student Paper Award, First Place Physics of Medical Imaging Student Paper Award) [10573-29]
SESSION 6	KEYNOTE AND INNOVATIONS IN IMAGING SYSTEMS
10573 0V	Clinical applications of optical and optoacoustic imaging techniques in the breast (Keynote Paper) [10573-30]
10573 OW	Design, construction, and initial results of a prototype multi-contrast x-ray breast imaging system [10573-31]
10573 OX	Lung cancer, respiratory 3D motion imaging, with a 19 focal spot kV x-ray tube and a 60 fps flat panel imager [10573-32]
SESSION 7	PHOTON COUNTING DETECTORS
10573 OZ	Count statistics and pileup correction for nonparalyzable photon counting detectors with finite pulse length [10573-34]
10573 10	Spatio-energetic cross-talk in photon counting detectors: numerical detector model (PcTK) and workflow for CT image quality assessment [10573-35]
10573 11	A count rate-dependent method for spectral distortion correction in photon counting CT [10573-36]
10573 12	Frequency dependent DQE of photon counting detector with spectral degradation and cross-talk [10573-37]
SESSION 8	CT IMAGE QUALITY AND DOSE
10573 13	Joint optimization of fluence field modulation and regularization for multi-task objectives [10573-38]
10573 14	Can image-domain filtering of FBP CT reconstructions match low-contrast performance of iterative reconstructions? [10573-39]
10573 15	From patient-informed to patient-specific organ dose estimation in clinical computed tomography [10573-40]
10573 16	Automated exposure control for CT using a task-based image quality metric [10573-41]
10573 17	Virtual clinical trial in action: textured XCAT phantoms and scanner-specific CT simulator to characterize noise across CT reconstruction algorithms [10573-42]

SESSION 9	PHOTON COUNTING IMAGING
10573 18	Ultra-high resolution photon-counting detector CT reconstruction using spectral prior image constrained compressed-sensing (UHR-SPICCS) [10573-43]
10573 19	Photon counting dual energy x-ray imaging at CT count rates: measurements and implications of in-pixel charge sharing correction [10573-44]
10573 1A	Generalized linear-systems framework for performance assessment of energy-resolving photon-counting detectors [10573-45]
10573 1B	Experimental evaluation of the influence of scattered radiation on quantitative spectral CT imaging [10573-46]
10573 1C	Impact of photon counting detector technology on kV selection and diagnostic workflow in CT [10573-47]
10573 1D	Development of a spectral photon-counting micro-CT system with a translate-rotate geometry [10573-48]
SESSION 10	MULTI-ENERGY CT
10573 1E	A general CT reconstruction algorithm for model-based material decomposition [10573-49]
10573 1F	Energy dependence of SNR and DQE for effective monoenergetic imaging in spectral CT [10573-50]
10573 1G	Three-material decomposition in multi-energy CT: impact of prior information on noise and bias [10573-51]
10573 1H	Calcium decomposition and phantomless bone mineral density measurements using dual-layer-based spectral computed tomography [10573-52]
10573 11	Spectral imaging of iodine and gadolinium nanoparticles using dual-energy CT [10573-53]
SESSION 11	DEEP LEARNING FOR CT
10573 1K	Improve angular resolution for sparse-view CT with residual convolutional neural network [10573-55]
10573 1L	Deep scatter estimation (DSE): feasibility of using a deep convolutional neural network for real-time x-ray scatter prediction in cone-beam CT [10573-56]
10573 1M	Assessment of diagnostic image quality of computed tomography (CT) images of the lung using deep learning [10573-57]
10573 1N	Deep learning angiography (DLA): three-dimensional C-arm cone beam CT angiography generated from deep learning method using a convolutional neural network [10573-58]

10573 10	Multi-energy CT decomposition using convolutional neural networks [10573-59]
SESSION 12	NEUROIMAGING
10570.10	
10573 1P	Task-driven optimization of an experimental photon counting detector CT system for intracranial hemorrhage detection [10573-60]
10573 1Q	Design and evaluation of a diffusion MRI fibre phantom using 3D printing [10573-61]
10573 1R	Evaluation of the reconstruction-of-difference (RoD) algorithm for cone-beam CT neuro-angiography [10573-62]
10573 1S	Artifacts reduction in low-contrast neurological imaging with C-arm system [10573-63]
10573 1T	Time-resolved C-arm cone beam CT angiography using SMART-RECON: quantification of temporal resolution and reconstruction accuracy [10573-64]
SESSION 13	CARDIOTHORACIC
10573 1U	Realistic lesion simulation: application of hyperelastic deformation to lesion-local
10373 10	environment in lung CT [10573-65]
10573 1V	CT investigation of patient-specific phantoms with coronary artery disease [10573-66]
10573 1W	Evaluation of radiation dose reduction via myocardial frame reduction in dynamic cardiac CT for perfusion quantitation [10573-67]
10573 1X	Stack transition artifact removal for cardiac CT using patch-based similarities [10573-68]
10573 1Z	Bias and variability in morphology features of lung lesions across CT imaging conditions [10573-70]
Part Two	
SESSION 14	PHASE CONTRAST IMAGING
10573 20	Monochromatic breast CT: absorption and phase-retrieved images [10573-71]
10573 21	Towards a dual phase grating interferometer on clinical hardware [10573-72]
10573 22	Joint-reconstruction-enabled data acquisition design for single-shot edge-illumination x-ray phase-contrast tomography [10573-73]
10573 23	Two-dimensional single grating phase contrast system [10573-74]
10573 24	Examining phase contrast sensitivity to signal location and tissue thickness in breast imaging [10573-75]

SESSION 15	IMAGE RECONSTRUCTION
10573 25	Fast low-dose compressed-sensing (CS) image reconstruction in four-dimensional digital tomosynthesis using on-board imager (OBI) [10573-76]
10573 26	Organ-specific context-sensitive CT image reconstruction and display [10573-77]
10573 27	Sensitivity and specificity of a sparse reconstruction algorithm for superparamagnetic relaxometry (Runner Up Physics of Medical Imaging Student Paper Award) [10573-78]
10573 28	Content-oriented sparse representation (COSR) denoising in CT images [10573-79]
10573 29	Prospective image quality analysis and control for prior-image-based reconstruction of low-dose CT [10573-80]
10573 2A	Data-efficient methods for multi-channel x-ray CT reconstruction [10573-81]
	POSTER SESSION: NEW IMAGING SYSTEMS
10573 2B	Ex-vivo mice mammary glands characterization using energy-dispersive x-ray diffraction and spacially resolved CdZnTe detectors [10573-82]
10573 2C	Compton scatter tomography with photon-counting detector: a preliminary study [10573-83]
10573 2D	Contrast-enhanced x-ray microscopy of bovine articular cartilage [10573-84]
10573 2E	Towards bimodal intravascular OCT MPI volumetric imaging [10573-85]
10573 2F	Projection tomography in the NIR-IIa window: challenges, advantages, and comparison with classical optical approach [10573-86]
10573 2G	A fully vacuum-sealed miniature x-ray tube with carbon nanotube field emitters for compact portable dental x-ray system [10573-87]
10573 2H	Proton radiography for relativistic proton beam therapy [10573-88]
10573 21	Transrectal ultrasound-waveform tomography using plane-wave ultrasound reflection data for prostate cancer imaging [10573-89]
10573 2J	Real-time in-situ monitoring of electrotherapy process using electric pulse-induced acoustic tomography (EpAT) [10573-90]
10573 2K	Sensitivity of diffuse correlation spectroscopy to flow rates: a study with tissue simulating optical phantoms [10573-91]
10573 2L	Assessment of image quality parameters of a novel micro-CT system compared to a conventional CT geometry [10573-92]

10573 2M	Use of silicon photomultipliers for detection of Cherenkov light from Compton scattered electrons for medical imaging [10573-93]
10573 2N	High-concentration gadolinium nanoparticles for pre-clinical vascular imaging [10573-94]
10573 20	Towards non-invasive electrocardiographic imaging using regularized neural networks (Cum Laude Poster Award) [10573-95]
10573 2P	Hyperspectral imaging: comparison of acousto-optic and liquid crystal tunable filters [10573-96]
	POSTER SESSION: QUANTITATIVE IMAGING
10573 2R	An investigation into how the radiotherapy dose response of normal appearing brain tissue in glioma patients influences ADC measurements [10573-98]
10573 2T	Quantitative image-based phosphorus-31 MR spectroscopy for evaluating age-based differences in skeletal muscle metabolites [10573-100]
10573 2U	A rapid, robust multi-echo phase unwrapping method for quantitative susceptibility mapping (QSM) using strategically acquired gradient echo (STAGE) data acquisition [10573-101]
	POSTER SESSION: PHANTOMS
10573 2V	Anatomical DCE-MRI phantoms generated from glioma patient data [10573-102]
10573 2W	Development of solid water phantom using wax [10573-103]
10573 2X	Development of a novel respiring phantom for motion correction studies in PET imaging [10573-104]
10573 2Y	Scatter profiles of the MIRD phantom with Geant4 [10573-105]
10573 2Z	Investigating the depth-sensitivity of laser speckle contrast imaging in flow phantoms [10573-106]
	POSTER SESSION: IMAGE RECONSTRUCTION
10573 30	Noise and spatial resolution characteristics of unregularized statistical iterative reconstruction: an experimental phantom study [10573-107]
10573 31	Motion compensated reconstruction of the aortic valve for computed tomography (Runner Up Physics of Medical Imaging Student Paper Award) [10573-108]
10573 32	Real-time image reconstruction for low-dose CT using deep convolutional generative adversarial networks (GANs) [10573-109]

10573 33	Motion-compensated reconstruction for limited-angle multiphase cardiac CT [10573-110]
10573 34	Low-dose CT reconstruction with MRF prior predicted from patch samples of normal-dose CT database [10573-111]
10573 35	A deep learning-enabled iterative reconstruction of ultra-low-dose CT: use of synthetic sinogram-based noise simulation technique [10573-112]
10573 36	Cone-beam x-ray luminescence computed tomography reconstruction from single-view based on total variance [10573-113]
10573 37	CPCT-LRTDTV: cerebral perfusion CT image restoration via a low rank tensor decomposition with total variation regularization [10573-114]
10573 38	Model-based image reconstruction with a hybrid regularizer [10573-115]
10573 39	Reconstruction of micro CT-like images from clinical CT images using machine learning: a preliminary study [10573-116]
10573 3A	Information theory optimization of acquisition parameters for improved synthetic MRI reconstruction [10573-117]
10573 3B	A novel reconstruction algorithm for arm-artifact reduction in computed tomography [10573-118]
10573 3C	A feasibility study of extracting tissue textures from a previous normal-dose CT database as prior for Bayesian reconstruction of current ultra-low-dose CT images [10573-119]
10573 3D	Low-dose computed tomography image reconstruction via structure tensor total variation regularization [10573-120]
10573 3E	Motion-compensated reconstruction based on filtered backprojection for helical head CT [10573-121]
10573 3F	High-resolution CT image retrieval using sparse convolutional neural network [10573-122]
10573 3G	LdCT-Net: low-dose CT image reconstruction strategy driven by a deep dual network [10573-124]
	POSTER SESSION: ALGORITHMS
10573 3H	Motion compensation for non-gated helical CT: application to lung imaging [10573-125]
10573 3I	Use of a CMOS-based micro-CT system to validate a ring artifact correction algorithm on low-dose image data [10573-126]
10573 3J	Windmill artifact reduction based on the combined reconstructed image [10573-127]
10573 3K	Scatter correction for multi-slice CT system [10573-128]
10573 3L	Optimal cardiac phase in prospectively gated axial cardiac CT scans [10573-129]

10573 3M	A denoising auto-encoder based on projection domain for low dose CT [10573-130]
10573 3N	Phantom-based field maps for gradient nonlinearity correction in diffusion imaging [10573-131]
10573 3O	Deep residual learning enabled metal artifact reduction in CT [10573-132]
10573 3P	A deeper convolutional neural network for denoising low-dose CT images [10573-133]
10573 3R	Automated algorithms for improved pre-processing of magnetic relaxometry data [10573-135]
10573 3T	Algorithm enabled TOF-PET imaging with reduced scan time [10573-137]
	POSTER SESSION: CT IMAGE QUALITY AND DOSE
10573 3U	Development of a fast, voxel-based, and scanner-specific CT simulator for image-quality-based virtual clinical trials [10573-138]
10573 3V	A rapid GPU-based Monte Carlo simulation tool for individualized dose estimations in CT [10573-139]
10573 3W	How reliable are texture measurements? [10573-140]
10573 3X	Focal spot rotation for improving CT resolution homogeneity [10573-141]
10573 3Y	Technical considerations for automated low-pitch spiral 4D CT scanning protocol selection [10573-142]
10573 3Z	Variability of stenosis characterization: impact of coronary vessel motion in cardiac CT [10573-143]
10573 40	Diagnostic value of sparse sampling computed tomography for radiation dose reduction: initial results [10573-144]
10573 41	The effects of tube current modulation on the noise power spectra of patients with different size: consequences for quality monitoring [10573-145]
10573 42	Evaluation of SparseCT on patient data using realistic undersampling models [10573-147]
10573 43	Can a 3D task transfer function accurately represent the signal transfer properties of low-contrast lesions in non-linear CT systems? [10573-148]
10573 44	Accurate centroid determination for evaluating the modulation transfer function with a circular edge in CT images [10573-150]

Part Three

	POSTER SESSION: CONE-BEAM CT
10573 45	Improving image quality of cone-beam CT using alternating regression forest [10573-153]
10573 46	Spatial resolution and noise prediction in flat-panel cone-beam CT penalized-likelihood reconstruction [10573-154]
10573 47	Simulating low-dose cone-beam CT: a phantom study [10573-156]
10573 48	Motion artifacts reduction in 4DCBCT based on motion-compensated robust principal component analysis [10573-157]
10573 49	Influence of data completion on scatter artifact correction for truncated cone-beam CT data [10573-158]
10573 4A	Optimization-based design for artifact reduction in advanced diagnostic CT [10573-159]
10573 4B	Gantry rotational motion-induced blur in cone-beam computed tomography [10573-160]
10573 4C	Intensity-modulated dental CBCT: noise and absorbed dose study [10573-161]
10573 4D	Investigation of organ dose variation with adult head size and pediatric age for neuro-interventional projections [10573-162]
10573 4E	Image quality, scatter, and dose in compact CBCT systems with flat and curved detectors [10573-163]
	POSTER SESSION: PHASE CONTRAST IMAGING
10573 4F	Hairline fracture detection using Talbot-Lau x-ray imaging [10573-164]
10573 4G	Application of a test object free method for determination of the modulation transfer function in grating-based phase-contrast imaging [10573-165]
10573 4H	Minimizing the scatter contribution and spatial spread due to the absorption grating G2 in grating-based phase-contrast imaging [10573-166]
10573 41	3D imaging of theranostic nanoparticles in mice organs by means of x-ray phase contrast tomography [10573-167]
	POSTER SESSION: MULTI-ENERGY X-RAY AND CT
10573 4J	A multi-energy material decomposition method for spectral CT using neural network [10573-168]
10573 4K	A sensitivity analysis on parameters that affect a multi-step material decomposition for spectral CT [10573-169]

10573 4L	Intrinsic limitations on quantification accuracy of dual energy CT at low dose levels [10573-170]
10573 4M	Multiscale dual energy micro-CT for imaging using iodinated and gold nanoparticles [10573-171]
10573 4N	Pseudo dual energy CT imaging using deep learning-based framework: basic material estimation [10573-172]
10573 4P	Algorithmic scatter correction based on physical model and statistical iterative reconstruction for dual energy cone beam CT [10573-175]
10573 4Q	Determination of the limit of detection for iodinated contrast agents with multi-energy computed tomography [10573-176]
10573 4R	Feasibility of material decomposition using non-radioactive Xe for pulmonary function test in spectral x-ray system: a Monte Carlo simulation study [10573-177]
	POSTER SESSION: PHOTON-COUNTING IMAGING
10573 4S	Effect of electronic noise and lowest energy threshold selection in photon counting detectors [10573-178]
10573 4T	Impact of radiation dose level on CT number accuracy in photon counting CT (Honorable Mention Poster Award) [10573-179]
10573 4U	Determination of optimal image type and lowest detectable concentration for iodine detection on a photon counting detector-based multi-energy CT system [10573-180]
10573 4V	Cascaded systems analysis of photon-counting field-shaping multi-well avalanche detectors (SWADs) [10573-181]
10573 4W	Increasing the dose efficiency in silicon photon-counting detectors utilizing dual shapers [10573-182]
10573 4X	Spatio-energetic cross-talk in photon counting detectors: N×N binning and sub-pixel masking [10573-183]
10573 4Y	Evaluation of a new photon-counting imaging detector (PCD) with various acquisition modes [10573-184]
10573 4Z	Feasibility study of contrast enhanced digital mammography based on photon-counting detector by projection-based weighting technique: a simulation study [10573-185]
10573 50	Spectrally varying spatial frequency properties of a small pixel photon counting detector [10573-186]
10573 51	Multi-energy spectral photon-counting CT in crystal-related arthropathies: initial experience and diagnostic performance in vitro [10573-187]

10573 52	Spectroscopy with a CdTe-based photon-counting imaging detector (PCD) having charge sharing correction capability [10573-188]
10573 53	Spectral CT reconstruction with an explicit photon-counting detector model: a one-step approach [10573-189]
10573 54	Development of virtual monochromatic imaging technique with spectral CT based on a photon-counting detector [10573-190]
10573 55	Simulation study of scatter correction in photon counting CT [10573-191]
	POSTER SESSION: BREAST IMAGING
10573 56	Characterization of adipose compartments in mastectomy CT images [10573-192]
10573 57	Binary implementation of fractal Perlin noise to simulate fibroglandular breast tissue [10573-193]
10573 58	OpenVCT: a GPU-accelerated virtual clinical trial pipeline for mammography and digital breast tomosynthesis [10573-194]
10573 59	Analysis of volume overestimation artifacts in the breast outline segmentation in tomosynthesis [10573-195]
10573 5A	Simulation of breast compression using a new biomechanical model [10573-196]
10573 5B	Multi-layer dual-energy detectors with fiber optic faceplate [10573-197]
10573 5C	Improvement of image quality and density accuracy of breast peripheral area in mammography [10573-198]
10573 5D	Validation of noise estimation for a clinical contrast-to-noise ratio for digital mammographic imaging [10573-199]
10573 5E	Validation and application of a new image reconstruction software toolbox (TIGRE) for breast cone-beam computed tomography [10573-200]
10573 5F	Breast density assessment: image feature extraction and density classification with machine intelligence [10573-201]
10573 5G	Methodology for the objective assessment of lesion detection performance with breast tomosynthesis and digital mammography using a physical anthropomorphic phantom [10573-202]
10573 5H	Laboratory designs and validations of a glandularity-adjustable dual-purpose breast tissue phantom [10573-203]
10573 5I	Comparison of three breast imaging techniques using 4-AFC human observation study [10573-204]

10573 5J	Breast imaging using micro-resolution field emission x-ray system with carbon nanotube emitter [10573-205]
10573 5K	A proposed new image display method with high contrast-to-noise ratio using energy resolved photon-counting mammography with a CdTe series detector [10573-206]
10573 5L	Developing a unique portable device to non-invasively detect bio-electrochemical characteristics of human tissues [10573-207]
	POSTER SESSION: TOMOSYNTHESIS
10573 5M	The first freely available open source software package for performing 3D image reconstruction for digital breast tomosynthesis [10573-208]
10573 5N	In-plane MTF measurement using sphere phantoms for step-and-shoot mode and continuous mode digital tomosynthesis systems [10573-209]
10573 5O	Quantitative lung nodule detectability and dose reduction in low-dose chest tomosynthesis [10573-210]
10573 5P	Development of respiratory-correlated 4D digital tomosynthesis imaging technique for image-guided radiation therapy [10573-211]
10573 5Q	Development of a next generation tomosynthesis system [10573-212]
10573 5R	Optimization of shutter scan parameters in digital tomosynthesis system [10573-213]
10573 5S	A framework for optimization of digital tomosynthesis imaging configurations [10573-214]
10573 5T	Comparison study of task-based detectability index according to angular distribution in a prototype breast tomosynthesis [10573-215]
	POSTER SESSION: DETECTORS
10573 5U	Dual screen sandwich configurations for digital radiography [10573-216]
10573 5V	Latest advancements in state-of-the-art aSi-based x-ray flat panel detectors [10573-217]
10573 5W	Increased temporal resolution of amorphous selenium detector using preferential charge sensing approach [10573-218]
10573 5X	A novel radiation imaging detector with proportional charge gain (Honorable Mention Poster Award) [10573-220]
10573 5Y	Photon counting performance of amorphous selenium and its dependence on detector structure [10573-221]
10573 5Z	Detector output prediction for CT detector array manufacturing [10573-222]

POSTER SESSION: RADIOGRAPHY AND FLUOROSCOPY

10573 60	Developing a database of 3D scattered radiation distributions for a C-arm fluoroscope as a function of exposure parameters and phantom [10573-223]
10573 61	Precision analysis of the noise power spectrum estimate in radiography imaging [10573-224]
10573 62	Oversampling digital radiography imaging based on the 2x2 moving average filter for mammography detectors [10573-225]
10573 63	Calculation of forward scatter dose distribution at the skin entrance from the patient table for fluoroscopically guided interventions using a pencil beam convolution kernel [10573-226]
10573 65	Initial investigations of a special high-definition (Hi-Def) zoom capability in a new detector system for neuro-interventional procedures [10573-228]
10573 66	Evaluation of methods of displaying the real-time scattered radiation distribution during fluoroscopically guided interventions for staff dose reduction [10573-229]
10573 67	Anti-scatter grid artifact elimination for high-resolution x-ray imaging detectors without a prior scatter distribution profile [10573-230]
10573 68	Use of high purity aluminum filter with different processing methods in the DQE measurement [10573-231]
10573 69	Quantitative analysis of age-dependent backscatter factor (BSF) in x-ray examinations with a Monte Carlo method using XCAT phantoms [10573-232]