

5th International Conference Recent Trends in Structural Materials (COMAT 2018)

IOP Conference Series: Materials Science
and Engineering Volume 461

Pilsen, Czech Republic
14 – 16 November 2018

ISBN: 978-1-5108-8007-8
ISSN: 1757-8981

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

This work is licensed under a Creative Commons Attribution 3.0 International Licence. Licence details:
<http://creativecommons.org/licenses/by/3.0/>.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact the Institute of Physics
at the address below.

Institute of Physics
Dirac House, Temple Back
Bristol BS1 6BE UK

Phone: 44 1 17 929 7481
Fax: 44 1 17 920 0979

techtracking@iop.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|---|-----|
| RELATIONSHIP BETWEEN HYDROGEN STATES PRESENT IN THE VICINITY OF THE FRACTURE SURFACE AND HYDROGEN EMBRITTLEMENT SUSCEPTIBILITY FOR FERRITE-MARTENSITIC DUAL-PHASE STEELS | 1 |
| <i>D Asari, S Mizokami, M Fukahori, K Takai</i> | |
| MODELING OF A COMBINED PROCESS FOR THE PRODUCTION OF CONTACT WIRES FOR HIGH-SPEED RAILWAYS | 6 |
| <i>R N Asfandiyarov, G I Raab, D A Aksenov</i> | |
| RESEARCH ON THE USE OF ZEOLITE FOR SMOOTHING SURFACES IN TUMBLER MACHINING | 12 |
| <i>D Bankowski, S Spadlo</i> | |
| MICROSTRUCTURE AND MICROHARDNESS OF THE Ti15MO ALLOY SUBJECTED TO SEVERE PLASTIC DEFORMATION IN $\alpha+\beta$ CONDITION | 18 |
| <i>K Bartha, A Terynková, J Stráský, I Semenova, S Gatina, M Janecek</i> | |
| FABRICATION AND CHARACTERISTICS OF SINTERED COPPER-SILICA COMPOSITES | 24 |
| <i>M Kargul, J Borowiecka-Janrozek, M Konieczny</i> | |
| CHARACTERIZATION OF THE POLYLACTIC ACID STRETCHED UNIAXIAL AND ANNEALED BY RAMAN SPECTROMETRY AND DIFFERENTIAL SCANNING CALORIMETRY | 30 |
| <i>A Bouamer, N Benrekaa, A Younes, H Amar</i> | |
| INFLUENCE OF STRAIN RATE ON STRESS CHANGES DURING LÜDERS BANDS FORMATION AND PROPAGATION | 36 |
| <i>T Brlic, S Reškovic, I Jandrljic, F Skender</i> | |
| METALLURGICAL ASPECTS INVOLVED IN SELECTIVE LASER MELTING | 42 |
| <i>B Buchmayr, G. Panzl</i> | |
| ANALYSIS OF STRESSES IN FESI SHEETS INDUCED BY LASER CUTTING | 48 |
| <i>T Bulin, P Roupцова, C Ondrusek, O. Schneeweiss</i> | |
| EVOLUTION OF DEFORMATION TEXTURE IN COLD DRAWING OF STEEL TUBES USING EBSD ANALYSIS AND FEM SIMULATION | 54 |
| <i>L' Parilák, P Burik, P Bella, M Mojžiš, P Kejzlar</i> | |
| THE HOT ROLLED DUPLEX LAMINATED STEEL PRESENTING BOTH HIGH STRENGTH AND HIGH TOUGHNESS | 60 |
| <i>S L Chen, Z X Cao, M D Zhang, H F Xu, J Dzugan, W Q Cao</i> | |
| MULTISTAGE CRYOGENIC TREATMENT OF X153CRMOV12 COLD WORK STEEL | 66 |
| <i>A. Ciski, P. Nawrocki, T. Babul, D. Hradil</i> | |
| FABRICATION OF FE / AL₂O₃ COMPOSITE FOAM BY SINTERING TECHNIQUES | 72 |
| <i>W Depczynski</i> | |
| FERRITIC-MARTENSITIC STRUCTURE IN STEEL HARDENABLE BY COPPER PRECIPITATION | 78 |
| <i>J Dlouhy, T Studecky, P Podany</i> | |
| COMPARATIVE RESEARCH ON ABRASIVE BLASTING OF 145CR6 STEEL FOR VARIOUS WORKING MEDIA | 84 |
| <i>D Dudek</i> | |
| IMPROVED CORROSION RESISTANCE OF WE43 MAGNESIUM ALLOY WITH CONTINUOUS NETWORK OF MGF₂ PREPARED BY POWDER METALLURGY | 90 |
| <i>Drahomir Dvorsky, Jiri Kubasek, Eva Kristianová, Dalibor Vojtech</i> | |
| FORCE-TO-STRESS CONVERSION METHODS IN SMALL PUNCH TESTING EXEMPLIFIED BY CREEP RESULTS OF FE-AL ALLOY WITH CHROMIUM AND CERIUM ADDITIONS | 96 |
| <i>F Dobeš, P Dymáček, M Friák</i> | |
| CALIBRATION OF THE CONSTITUTIVE EQUATIONS FOR MATERIALS WITH DIFFERENT LEVELS OF STRENGTH AND PLASTICITY CHARACTERISTIC BASED ON THE UNIAXIAL TENSILE TEST DATA | 102 |
| <i>Ihor Dzioba, Sebastian Lipiec</i> | |
| DETERMINATION OF FORMING LIMITS OF TWIP STEEL SHEET USING LINEAR AND NONLINEAR STRAIN PATHS | 108 |
| <i>P Farahnak, M Urbanek, M Rund, J Dzugan</i> | |

| | |
|--|-----|
| DETERMINATION OF EDGE STRAIN IN DP STEEL SHEET FOR PREDICTING EDGE CRACKING | 114 |
| <i>M. Fedorko, M. Urbánek, J. Machálek</i> | |
| MICROSTRUCTURE AND TRIBOLOGICAL BEHAVIOR OF HVOF SPRAYED AND LASER TREATED COCRTAALCSIY COATINGS | 120 |
| <i>A Glanc, Š Houdková, M Vostrák</i> | |
| INVESTIGATION OF THE EFFECT OF ALUMINUM ALLOY POSITION ON RESIDUAL STRESSES IN DISSIMILAR FSW WELD BY USING THE ULTRASONIC METHOD | 126 |
| <i>I Hadji, R Badji, M Gaceb, N Kherrouba, L Rabahi</i> | |
| THE STATES OF HYDROGEN AND HYDROGEN EMBRITTLEMENT SUSCEPTIBILITY OF PRECIPITATION HARDENED SUS630 STAINLESS STEEL | 132 |
| <i>Y Hayashi, T Ito, Y Nishimura, K Takai</i> | |
| COMPARISON OF HYDROGEN BEHAVIOR TRAPPED AT PRECIPITATED AND UNDISSOLVED VANADIUM CARBIDE IN VANADIUM-BEARING HIGH STRENGTH STEELS | 138 |
| <i>K. Hokazono, M. Kawamori, Y. Matsumoto, K. Takai</i> | |
| THE NATURE OF HYDROGEN-RELATED FRACTURE IN X80 PIPELINE STEEL WITH STRESS CONCENTRATION | 143 |
| <i>T Homma, S Onuki, H Suzuki, K Takai</i> | |
| THE EFFECT OF HEAT TREATMENT ON MECHANICAL PROPERTIES AND MICROSTRUCTURE OF ADDITIVELY MANUFACTURED COMPONENTS | 148 |
| <i>T Hrbáčková, T Šimson, J Koch, G Wolf</i> | |
| THE INFLUENCE OF OXIDE LAYER PATTERN SIZE CREATED ON THE SURFACE OF C45 STEEL ON LASER LIGHT ABSORPTION DURING LASER QUENCHING PROCEDURE | 154 |
| <i>M Hruška, M Vostrák, J Tesar</i> | |
| COATINGS ON STEELS T91 AND 316L IN LEAD-BISMUTH EUTECTIC ENVIRONMENT | 159 |
| <i>M Chocholousek, L Rozumova, Z Spirit, F Di Gabriele</i> | |
| MODELLING AND PARAMETRIC ANALYSIS OF COHESIVE BEHAVIOUR OF INTERFACE DELAMINATION OF GRAPHENE MONOLAYER NANOCOMPOSITES | 165 |
| <i>E Kirilova, T Petrova, W Becker, J Ivanova</i> | |
| EFFECT OF DEFORMATION RATE ON LOW CARBON STEELS MECHANICAL PROPERTIES | 171 |
| <i>I Jandrlíc, S Reškovic, T Brlic, V Furlan</i> | |
| INSTRUMENTATION FOR SCC TESTING IN LOW PRESSURE SUPERHEATED HYDROGEN STEAM ENVIRONMENTS | 177 |
| <i>J Janoušek, F Scenini, A Volpe, A Hojná, T Trojan</i> | |
| ANALYSIS OF THE INITIAL CAVITATION EROSION PERIOD OF SELECTED NICKEL ALLOYS | 182 |
| <i>R Jasionowski, W Depczynski, D Zasada</i> | |
| STUDY OF LAMINATION IN BETA-PHASE OF TI-5553 TITANIUM ALLOY | 188 |
| <i>M Kalienko, A Volkov, M Leder, A Zhelnina, P Panfilov</i> | |
| CHANGE IN DISLOCATION MOBILITY OF TEMPERED MARTENSITIC STEEL THROUGH CHARGED HYDROGEN | 194 |
| <i>H Kamei, Y Matsumoto, H Suzuki, K Takai</i> | |
| THE EFFECT OF REINFORCEMENT PARTICLE SIZE ON THE PROPERTIES OF CU-AL₂O₃ COMPOSITES | 200 |
| <i>M Kargul, J Borowiecka-Jamrozek, M Konieczny</i> | |
| BEHAVIOUR OF DISSIMILAR WELD JOINT OF STEELS FB2 AND F DURING LONG-TERM CREEP TEST | 206 |
| <i>J Kasl, D Jandová, V Kanta</i> | |
| PARAMETRIC STUDY OF THE POTENTIAL OF APPLICATION OF HIGH-STRENGTH STEELS TO INCREASING THE SERVICE FATIGUE LIFE OF VEHICLE STRUCTURES | 212 |
| <i>M Kepka Jr., M Kepka, J Tittel</i> | |
| THE EFFECT OF THE LASER SPOTS OVERLAP ON THE STRUCTURE DURING SQUARE PARTS QUENCHING OF 1.7225 STEEL | 218 |
| <i>V Kirschner, M Švec, A Škrátová, L Dvorák</i> | |
| ASSESSMENT OF THE PREDICTIVE CAPABILITIES OF COMMERCIAL SIMULATION SOFTWARE PACKAGES FOR THE ANALYSIS OF THE C REDISTRIBUTION DURING Q&P PROCESSING | 224 |
| <i>T Klein, M Lukas, M Galler, G Ressel</i> | |

| | |
|---|-----|
| EXPERIMENTAL-NUMERICAL APPROACH TO EFFICIENT TTT-GENERATION FOR SIMULATION OF PHASE TRANSFORMATIONS IN THERMOMECHANICAL FORMING PROCESSES | 230 |
| <i>B.-A. Behrens, A. Chugreev, C. Kock</i> | |
| ON THE SENSITIVITY OF THE MOHR-COULOMB DUCTILE FRACTURE CRITERION IN THE MIXED STRESS-STRAIN SPACE ON VARYING HARDENING CURVE APPROXIMATIONS | 236 |
| <i>T Komischke, P Hora</i> | |
| MECHANICAL PROPERTIES OF LAMINATED CuAl10Fe3Mn2 ALUMINUM BRONZE - INTERMETALLICS COMPOSITES | 242 |
| <i>M Konieczny</i> | |
| APPLICABILITY OF MINIATURE TENSILE TEST IN THE AUTOMOTIVE SECTOR | 248 |
| <i>P Konopík, P Farahnak, M Rund, J Džugan, S Rzepa</i> | |
| ACCELERATED CARBIDE SPHEROIDISATION AND REFINEMENT IN SPRING STEEL 54SiCr6 | 254 |
| <i>J Kotous, J Dlouhy, D Nachazelova, D Hradil</i> | |
| STUDY OF THE GEOMETRICAL STRUCTURE OF COPPER SURFACE AFTER ABRASIVE WATERJET CUTTING | 260 |
| <i>S Spadlo, D Krajcarz</i> | |
| INFLUENCE OF PROCESSING TECHNOLOGY ON FRACTURE FEATURE OF Ti6Al4V | 266 |
| <i>V Kubeš, M Losertová, J Škoda, K Konečná, F M Ijaz</i> | |
| THE BEHAVIOUR OF Al₂O₃ PRECIPITATION AT THE STEEL-SLAG INTERFACE | 272 |
| <i>P L Zak, K. Kuglin, D Kalisz</i> | |
| CHARACTERIZATION OF Ti-6Al-2Sn-4Zr-6Mo ALLOY FLOW BEHAVIOUR USING MALAS'S STABILITY CRITERION | 278 |
| <i>O Lypchanskyi, K Zygula, T Sleboda, M Wojtaszek, A Lukaszek-Solek</i> | |
| INVESTIGATION OF THE COMPOSITE STRENGTH OF HYBRID STEEL-STEEL SEMI-FINISHED PRODUCTS MANUFACTURED BY LASER BEAM WELDING AND FRICTION WELDING | 284 |
| <i>B-A Behrens, A Chugreev, T Matthias, S Nothdurft, J Hermsdorf, S Kaierle, H Ohrdes, J Twiefel, J Wallaschek, M Mildebrath, T Hassel</i> | |
| ELECTROSPINNING PROCESS AND CHARACTERIZATION OF PVP/HEMATITE NANOFIBERS | 290 |
| <i>W Matysiak, T Tanski, M Zaborowska</i> | |
| FORECASTING THE MEAN FLOW STRESS OF CARBON AND LOW-ALLOY STEELS IN HOT ROLLING ON A STRIP MILL | 296 |
| <i>Valeriy V Shkatov, Igor P Mazur, Victor V Shkatov</i> | |
| FATIGUE PROPERTIES OF SLM-PRODUCED Ti6Al4V WITH VARIOUS POST-PROCESSING PROCESSES | 302 |
| <i>K Mertova, J Džugan, M Roudnicka</i> | |
| AZ31 MAGNESIUM ALLOY SUBJECTED TO SEVERE PLASTIC DEFORMATION AT DIFFERENT TEMPERATURES: MICROSTRUCTURE AND HARDNESS | 308 |
| <i>J Michalski, J Till, J Petru, S Rusz, O Hilšer, J Vontorová</i> | |
| THE INFLUENCE OF RELATIVE ROLLING REDUCTION OF SHEET METAL ON THE CHANGES OF DEEP DRAWING FORCES IN MULTI DRAWING STEPS FOR CYLINDRICAL DRAWPIECE WITHOUT COLLAR MADE FROM EN AW-1050A ALUMINIUM | 314 |
| <i>T Milek, K Glowacki</i> | |
| SELECTED PROPERTIES OF ELECTRO-SPARK DEPOSITION ON CARBON STEEL USING THE ALLOY 400 ELECTRODES | 320 |
| <i>P. Mlynarczyk, S. Spadlo, J. Bartos'</i> | |
| PECULIARITIES OF MICROSTRUCTURE AND MECHANICAL BEHAVIOR OF VT8M-1 ALLOY PROCESSED BY ROTARY SWAGING | 326 |
| <i>Iu M Modina, A V Polyakov, G S Dyakonov, T V Yakovleva, A G Raab, I P Semenova</i> | |
| IDENTIFICATION OF THE ELASTO-VISCOPLASTIC PARAMETERS FOR A THERMOPLASTIC POLYMER BY INSTRUMENTED INDENTATION | 332 |
| <i>A. Mokhtari, N. Tala Ighil</i> | |
| CHARACTERISTICS OF ALSI11-AM60 BIMETALLIC JOINTS PRODUCED BY DIFFUSION BONDING | 338 |
| <i>R Mola, M Cieslik, K Odo</i> | |
| STUDY HYDROGEN EMBRITTLEMENT AND DETERMINATION OF E110 FUEL CLADDING MECHANICAL PROPERTIES BY RING COMPRESSION TESTING | 344 |
| <i>H K Namburi, L Ottazzi, M Chocholousek, G Lomonaco, P Gavelova, J Krejci</i> | |

| | |
|---|------------|
| DETERMINATION OF SUSCEPTIBILITY OF CAST IRON WITH A PREDETERMINED CHEMICAL COMPOSITION TO SHAPE PROPERTIES AND MICROSTRUCTURE THROUGH BAINITIC TRANSFORMATION | 350 |
| <i>P. Nawrocki, D. Myszka</i> | |
| IDENTIFICATION OF LATTICE DEFECTS BENEATH FRACTURE SURFACES OF COLD-DRAWN PEARLITIC STEEL FRACTURED IN ELASTIC/PLASTIC REGIONS IN THE PRESENCE OF HYDROGEN | 356 |
| <i>K Nishiyama, T Manabe, D Hiramami, K Takai</i> | |
| CHANGES IN THE SUBSTRUCTURE OF TEMPERED MARTENSITIC STEEL DURING THE APPLICATION OF CYCLIC ELASTIC STRESS IN THE PRESENCE OF HYDROGEN | 362 |
| <i>M Ogori, T Chiba, Y Matsumoto, H Suzuki, K Takai</i> | |
| POSSIBILITIES OF ASSEMBLING OF PROCESSING MAPS BY UTILIZING OF AN ARTIFICIAL NEURAL NETWORK APPROACH | 368 |
| <i>P Opela, I Schindler, S Ruzs, P Kawulok, R Kawulok, V Ševcák</i> | |
| INFLUENCE OF THE STEEL ROLLING DIRECTION ON THE MECHANICAL PROPERTIES AND DISTRIBUTION OF THE LOCAL STRESS IN FRONT CRACK | 374 |
| <i>R Pala, S Lipiec, I Dzioba</i> | |
| OBTAINING OF LONG-LENGTH RODS WITH ULTRAFINE-GRAINED STRUCTURE BY THE RADIAL-SHEAR ROLLING | 379 |
| <i>A B Naizabekov, S N Lezhnev, A S Arbut, E A Panin</i> | |
| ADDITIVELY MANUFACTURED CP-TI (GRADE 2) SINGLE STRUT SIZE EFFECT OF MECHANICAL RESPONSE UNDER BUILDING DIRECTION | 384 |
| <i>E. Pehlivan, M. Daniel, J. Dzugan</i> | |
| MODELLING OF INTERFACE STRESS TRANSFER IN GRAPHENE MONOLAYER NANOCOMPOSITES UNDER STATIC EXTENSION LOAD | 390 |
| <i>T Petrova, E Kirilova, W Becker, J Ivanova</i> | |
| BETA PHASE STABILITY OF TI-35NB-6TA-7ZR-0.7O BETA TITANIUM ALLOY | 396 |
| <i>D Preisler, J Stráský, K Bartha, J Džugan, M Janecek</i> | |
| MECHANICAL PROPERTY OF THIN WALLED SELECTIVE LASER MELTED PARTS AND THE EFFECT OF HEAT TREATMENT | 402 |
| <i>S Raghavan, N Soh, L J Hao, R Muthu, H K Rafi, N A Khan, J Dzugan</i> | |
| THE INFLUENCE OF NIOBIUM CONTENT AND INITIAL MICROSTRUCTURE OF STEEL ON THE OCCURRENCE OF LÜDERS BAND AT THE START OF THE PLASTIC FLOW DURING COLD DEFORMATION | 408 |
| <i>S Reškovic, I Jandrlíc, T Brlic</i> | |
| THE EFFECT OF HEAT TREATMENT ON THE MICROSTRUCTURE AND MECHANICAL PROPERTIES OF 3D-PRINTED ALSI9CU3FE ALLOY | 414 |
| <i>M Roudnicka, D Dvorsky, D Vojtech</i> | |
| INVESTIGATION OF HOLD PERIOD INFLUENCE ON RESIDUAL FATIGUE LIFE IN STEAM TURBINE SHAFT DESIGN | 420 |
| <i>M Rund, R Procházka, J Džugan, P Konopík, M Nesládek, J Jurenka, M Ružicka, P Mešt'ánek</i> | |
| REFINING STRUCTURE OF COPPER BY SPD PROCESS | 426 |
| <i>J Švec, P Szkandera, S Ruzs, O Hilšer, J Petru</i> | |
| ATOMISTIC SIMULATION OF HEAVILY PLASTIC DEFORMATION OF PEARLITIC STEEL: NANO-SIZED PROCESSES OF WIREDRAWING AND INDENTATION | 432 |
| <i>K Saitoh, K. Oda, K. Yoshida, M. Takuma, Y. Takahashi, T. Sato</i> | |
| SHAPE SETTING IN SUPER-ELASTIC NITI RIBBON | 438 |
| <i>S Samal, E. De Prado, O. Tyc, P. Sittner</i> | |
| DEPENDENCE OF TRAPPING STATES ON THE HYDROGEN CONTENT OF HIGH-CARBON FERRITE-AUSTENITE DUAL-PHASE STEEL | 444 |
| <i>D Sekine, Y Sakiyama, T Omura, K Takai</i> | |
| ULTRA-FINE GRAINED β-TYPE TNZT ELI ALLOY WITH HIGH STRENGTH AND LOW ELASTIC MODULUS | 450 |
| <i>A V Polyakov, I P Semenova, E Ivanov, R Z Valiev</i> | |
| POWER INCREASE OF SUPERSONIC JETS IN OXYGEN CONVERTER | 456 |
| <i>V O Sinelnikov, D Kalisz, P L Zak, R D Kuzemko</i> | |
| SURFACE ELECTROLYTIC-PLASMA POLISHING OF TI-6AL-4V ALLOY WITH ULTRAFINE-GRAINED STRUCTURE PRODUCED BY SEVERE PLASTIC DEFORMATION | 462 |
| <i>M K Smyslova, D R Tamindarov, N V Plotnikov, Iu M Modina, I P Semenova</i> | |
| MICROSTRUCTURAL EVALUATION OF AN AL-MG ALLOY AFTER ECAP AND POST ECAP PROCESSING | 468 |
| <i>P. Snopinski</i> | |

| | |
|--|------------|
| EVALUATION OF CORROSION RESISTANCE OF TITANIUM/STAINLESS STEEL DIFFUSION JOINTS BONDED BY INTERLAYERS MADE OF PURE METALS | 474 |
| <i>B Szwed, M Konieczny</i> | |
| STRUCTURAL CHANGES DURING THE FORMATION OF DIFFUSION BONDED JOINTS BETWEEN TITANIUM AND STAINLESS STEEL | 480 |
| <i>B Szwed, M Konieczny</i> | |
| STUDY OF FATIGUE FRACTURES OF AL-MN ALLOY | 486 |
| <i>J Škoda, M Losertová, V Kubeš, K Konečná, P Hlinka, P Czyz</i> | |
| EFFECT OF LASER SHOCK PEENING ON FATIGUE LIFE OF AUSTENITIC STAINLESS STEELS | 492 |
| <i>Z Špirit, J Brajer, J Kaufman, M Chocholoušek, M Bohm, J Kott, J Strejcius</i> | |
| THERMAL STABILITY AND MICROSTRUCTURE EVOLUTION OF ULTRA-FINE GRAINED AL-MG ALLOY | 498 |
| <i>P. Snopinski, T. Tanski</i> | |
| DAMAGE CRITERION COMPARISON AT UNIDIRECTIONAL AND ALTERNATING TORSION OF SAMPLES..... | 504 |
| <i>A A Bogatov, S N Lezhnev, A O Tolkushkin</i> | |
| THE COMPARISON OF MEASURED SURFACE TEMPERATURE OF ROLL IN STRETCH REDUCING MILL WITH A SIMULATION OF PROCESS | 510 |
| <i>J Turna, R Durcik, P Bucek, L' Parilák, P Mat'Aš</i> | |
| REFINEMENT OF A MATERIAL MODEL FOR SPRINGBACK AFTER PRESS FORMING | 516 |
| <i>M. Urbánek, J. Mištera, M. Fedorko</i> | |
| BULK NANOSTRUCTURED METALS FOR ADVANCED MEDICAL IMPLANTS AND DEVICES | 522 |
| <i>Ruslan Z. Valiev, Evgeny V. Parfenov, Georgy I. Raab, Irina P. Semenova, Ludek Dluhoš</i> | |
| LOW TEMPERATURE SUPERPLASTICITY OF HIGH-STRENGTH ULTRAFINE-GRAINED AL 7050 ALLOY | 528 |
| <i>E. V. Bobruk, M. Yu. Murashkin, I. V. Lomakin, V. U. Kazykhanov, R. Z. Valiev</i> | |
| EVALUATION OF DIELECTRIC PROPERTIES OF 3D PRINTED OBJECTS BASED ON PRINTING RESOLUTION..... | 534 |
| <i>P Veselý, T Tichý, O Šefl, E Horynová</i> | |
| COMPARISON OF WC AND (TI)WC IN NICKEL-BASED ALLOY COATINGS PREPARED BY LASER CLADDING | 540 |
| <i>M Vostrák, Š Houdková, M Hruška</i> | |
| THE EFFECT OF YTTRIUM ADDITION ON THE CHEMICAL COMPOSITION OF THE NON- METALLIC PHASE IN LIQUID STEEL..... | 546 |
| <i>S Gerasin, D Kalisz, P L Zak, K. Kuglin, J Iwanciw</i> | |
| THERMAL EXPANSION EVOLUTION OF METASTABLE β Ti-15MO ALLOY DURING LINEAR HEATING | 552 |
| <i>P. Zhánal, P. Beran, T. Hansen, J. Šmilauerová, J. Stráský, M. Janecek, P. Harcuba</i> | |
| DETERMINING OF THE MACHINE COMPLIANCE USING INSTRUMENTED INDENTATION TEST AND FINITE ELEMENT METHOD..... | 558 |
| <i>D Zíta, P Hanus, E Schmidová, J Zajíc</i> | |
| EXTRUSION OF AL-SI ALLOY COMPACTS UNDER CONVENTIONAL CONDITIONS AND IN THE SEMI-SOLID STATE..... | 564 |
| <i>K Zygula, O Lypchanskyi, M Wojtaszek, T Sleboda</i> | |
| Author Index | |