

PROCEEDINGS OF SPIE

# ***Fiber Optic Sensing and Optical Communication***

**Jie Zhang**  
**Songnian Fu**  
**Qunbi Zhuge**  
**Ming Tang**  
**Tuan Guo**  
*Editors*

**22–24 May 2018**  
**Beijing, China**

*Organized by*

Chinese Society for Optical Engineering (CSOE) (China)  
Photoelectronic Technology Committee, Chinese Society of Astronautics (China)  
Photoelectronic Industrialization Committee, CHIA (China)  
Department of Cooperation and Coordination for Industry, Academe and Research, CHIA (China)  
Science and Technology on Low-light-level Night Vision Laboratory (China)

*Sponsored by*

Division of Information and Electronic Engineering of Chinese Academy of Engineering (China)  
Chinese Society for Optical Engineering (CSOE) (China)

*Published by*

SPIE

**Volume 10849**

Proceedings of SPIE 0277-786X, V. 10849

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Fiber Optic Sensing and Optical Communication*, edited by Jie Zhang, Songnian Fu, Qunbi Zhuge, Ming Tang, Tuan Guo, Proceedings of SPIE Vol. 10849 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510623408

ISBN: 9781510623415 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

[SPIE.org](http://SPIE.org)

Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

vii	<i>Authors</i>
ix	<i>Conference Committee</i>
xi	<i>Introduction</i>

---

## FIBER OPTIC SENSING AND OPTICAL COMMUNICATION

---

10849 02	<b>Monolithic integrated athermal arrayed-waveguide grating multiplexer and demultiplexer [10849-1]</b>
10849 03	<b>Research on quantum communication multi-dimensional modulation system in atmospheric turbulence [10849-2]</b>
10849 04	<b>Generation of parametric frequency combs with a Brillouin frequency shift spacing based on one CW laser [10849-4]</b>
10849 05	<b>Cost comparison and adaptability analysis for OTN switching and IP switching [10849-5]</b>
10849 06	<b>Photonic based RF self-interference cancellation for 5G mobile communication systems [10849-6]</b>
10849 07	<b>Quantitative research of the sidelobe in AOTF-based hyperspectral imaging [10849-7]</b>
10849 08	<b>Detection of water pipeline leakage based on Raman distributed optical fiber sensing [10849-9]</b>
10849 09	<b>Efficiency-improved silicon thermo-optic switches with deep trenches [10849-10]</b>
10849 0A	<b>An ameliorated phase-generated-carrier demodulation algorithm for sinusoidal phase-modulating fiber-optic interferometer [10849-12]</b>
10849 0B	<b>Optical fiber hydrophone based on distributed acoustic sensing [10849-13]</b>
10849 0C	<b>Enhanced SNR phase-sensitive OTDR system with active fiber [10849-14]</b>
10849 0D	<b>Field test of surface seismic measurement with a distributed acoustic sensing system [10849-15]</b>
10849 0E	<b>Multiple disturbance detection and intrusion recognition in distributed acoustic sensing [10849-16]</b>
10849 0F	<b>Research on the classification algorithm of distributed optical fiber sensing system based on image [10849-17]</b>

- 10849 OG **A method to increase fiber extinction ratio based on the influence of mirrors on beam polarization** [10849-18]
- 10849 OH **Tunable dual-bandpass microwave photonic filter based on a single broadband light source** [10849-20]
- 10849 OI **Hypersonic aerodynamics measurement with fiber optic balance based on MEMS Fabry-Perot strain sensor** [10849-21]
- 10849 OJ **Enlightenment for the development of foreign satellite laser communication technology** [10849-22]
- 10849 OK **A fast response and highly sensitivity relative humidity sensor with polymer-coated micro-nano fiber Bragg grating** [10849-23]
- 10849 OL **Characteristic analysis of environmental parameters detection based on dual-mode EMCF** [10849-25]
- 10849 OM **InGaAsP/InP based Q-modulated slotted Fabry-Perot laser employing lossy half-wave trenches** [10849-27]
- 10849 ON **Highly nonlinear fiber sensor for distributed monitoring** [10849-29]
- 10849 OO **Experimental investigation on Er-doped super fluorescent photonic crystal fiber sources** [10849-30]
- 10849 OP **Multi-optical sensor cross-communication based on auction algorithm** [10849-31]
- 10849 OQ **The application of the Narrowband-IoT in the smoke alarm** [10849-32]
- 10849 OR **Performance analysis of FSO-OFDM airborne communication system over exponentiated Weibull atmospheric turbulence** [10849-33]
- 10849 OS **Microwave photonics and its optical wireless access systems** [10849-34]
- 10849 OT **Simultaneous measurement of seawater temperature and depth using polarization-maintaining fiber Bragg grating and extrinsic Fabry-Perot interferometer** [10849-35]
- 10849 OU **Influence of mode-dependent loss on nonlinear propagation in few-mode fiber transmission** [10849-36]
- 10849 OV **Macro-bending biconical tapered plastic optical fiber humidity sensor** [10849-37]
- 10849 OW **Design of digital tracking and communication composite receiver for four quadrant detector** [10849-39]
- 10849 OX **Geography-based Service Function Path (SFP) provisioning in inter-datacenter elastic optical networks** [10849-40]
- 10849 OY **Study on life evaluation technology of fiber optic gyroscope in space application** [10849-41]

- 10849 0Z **Study on light source techniques of underwater full-duplex optical communication system** [10849-42]
- 10849 10 **Roughness estimation of inhomogeneous paint based on polarization imaging detection** [10849-43]
- 10849 11 **Dynamic simulation platform for software defined optical satellite networking** [10849-44]
- 10849 12 **Artificial neural network based link OSNR estimation with a network approach** [10849-45]
- 10849 13 **Research on static and dynamic strain monitoring for a certain spacecraft based on optical fiber grating sensor** [10849-46]
- 10849 14 **Realization of an 8×8 AWG router using silicon oxynitride waveguides** [10849-47]
- 10849 15 **Fiber-optic laser-ultrasound generation on a fiber side wall based on peanut-shape structure** [10849-48]
- 10849 16 **High sensitivity Fabry-Perot interferometer based on offset splicing fibers and Vernier effect for strain measurement** [10849-49]
- 10849 17 **Design of fiber optic F-P cavity pressure sensor based on bellows** [10849-50]
- 10849 18 **Temperature sensor based on highly germanium-doped fiber with rounded tip** [10849-51]
- 10849 19 **Multichannel fiber Bragg grating for distributed sensing with high spatial resolution** [10849-52]
- 10849 1A **Research on accurate position method based on code division multiplexing technology for distributed FBG system** [10849-53]
- 10849 1C **User distribution based dynamic coverage adjustment method for low earth orbit satellite communication** [10849-55]
- 10849 1D **Signal decision employing density-based spatial clustering of machine learning in PAM-4 VLC system** [10849-57]
- 10849 1E **Research on manufacturing technology of high-precision aerostatic rotary tables based on LODTM** [10849-59]
- 10849 1F **Wavelength-division-multiplexed fiber Bragg grating sensor integrated with surface plasmon resonance with the capability of multipoint, real-time remote sensing** [10849-62]
- 10849 1G **Intrusion signal recognition based on optoelectronic reservoir computing in optical fiber perimeter systems** [10849-65]
- 10849 1I **All-optical accelerometer based on micromachined silicon wafer** [10849-68]

10849 1J **Real-time distributed optical fiber vibration sensing based on phase-sensitive OTDR** [10849-69]

10849 1K **Multi-parameter CBM pipeline safety monitoring system based on optical fiber sensing**  
[10849-70]