# Tenth International Symposium on Precision Engineering Measurements and Instrumentation

**Jiubin Tan Jie Lin** Editors

8–10 August 2018 Kunming, China

Organized by

International Committee on Measurements and Instrumentation (ICMI) • Instrumentation Committee of CSM (IC-CSM) • Harbin Institute of Technology (HIT)

Sponsored by

International Committee on Measurements and Instrumentation (ICMI) • National Natural Science Foundation of China (NSFC) • Chinese Society for Measurement (CSM) • China Instrument and Control Society (CIS)

Cooperating Organizations

Kunming University of Science and Technology (KUST) • Beijing Information Science and Technology University (BISTU) • Hefei University of Technology (HFUT) • Electricity and Magnetism Committee of CSM (EMC-CSM)

Published by SPIE

Volume 11053

Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 11053

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Tenth International Symposium on Precision Engineering Measurements and Instrumentation, edited by Jiubin Tan, Jie Lin, Proceedings of SPIE Vol. 11053 (SPIE, Bellingham, WA, 2019) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510627819 ISBN: 9781510627826 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org Copyright © 2019, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/19/\$18.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

### Contents

- xix Conference Committee
- xxv Plenary Speaker Biographies
- xxxvii Introduction

#### Part One

## TENTH INTERNATIONAL SYMPOSIUM ON PRECISION ENGINEERING MEASUREMENTS AND INSTRUMENTATION

11053 02	Development of optic-electronic autocollimators for monitoring the angular displacements of large objects (Invited Paper) [11053-137]
11053 03	Development of auto defect inspection system for cell phone silicone rubber gasket (Invited Paper) [11053-1]
11053 04	Review of the opaque coolant barrier removal techniques for in-process form profile optical measurement (Invited Paper) [11053-206]
11053 05	Holographic fabrication of two-dimensional scale gratings for surface encoder by using an orthogonal type two-axis Lloyd's mirror interference lithography (Invited Paper) [11053-156]
11053 06	Autonomous time synchronization method of wireless ad hoc sensor network and its implementation on CC1350 system [11053-177]
11053 07	Multi-matrix optic-electronic systems for measuring the line shifts of the points on the radio-telescope main mirror (Invited Paper) [11053-138]
11053 08	All-optical difference engine for in-process defect inspection for roll-to-roll printed electronics (Invited Paper) [11053-19]
11053 09	Measurement of 3-dB linewidth of FBG Fabry-Perot interferometer using tunable fiber laser (Invited Paper) [11053-11]
11053 0A	Sensing the atmosphere of coastal areas of laser detection methods [11053-84]
11053 OB	Research of the polarization-optical parameters of a solid-state matrix photomultiplier [11053-15]
11053 OC	A fast infrared thermal imaging detection method based on spatial correlation (Invited Paper) [11053-17]

11053 0D	Research and application of a novel randomly encoded hybrid grating interferometric wavefront sensor (Invited Paper) [11053-13]
11053 OE	Energy analysis method of the laser tracing measurement optical system (Invited Paper) [11053-27]
11053 OF	Precision assessment of high-speed railway slab intelligent inspection system (Invited Paper) [11053-30]
11053 0G	Equivalent circuit model based on the average period for periodic overlapping circle metallic mesh (Invited Paper) [11053-33]
11053 OH	Process optimization: internal feature measurement for additive-manufacturing parts using x-ray computed tomography (Invited Paper) [11053-40]
11053 01	Statistical measurement method of the standard particles through airborne particle counter based on FESEM (Invited Paper) [11053-55]
11053 OJ	Method for high-precision distance estimation and dispersion mismatch compensation in frequency scanning interferometry (Invited Paper) [11053-74]
11053 OK	Development of surface profile measurement system based on super luminescent diode light source (Invited Paper) [11053-79]
11053 OL	The optimization of segment's axial support point for large astronomical telescopes (Invited Paper) [11053-81]
11053 0M	Multiple-exposure adaptive selection algorithm for high dynamic range 3D fringe projection measurement (Invited Paper) [11053-92]
11053 ON	Applications of wavefront modulation devices in aspheric and freeform measurement (Invited Paper) [11053-100]
11053 0O	Dual-wavelength off-axis quasi-common path digital holography using polarization multiplexing and flipping (Invited Paper) [11053-105]
11053 OP	Micro-LED optical engine with biologically inspired artificial compound eyes for pico- projection display (Invited Paper) [11053-115]
11053 0Q	Real-time 3D shape measurement by fringe projection and GPU parallel computing (Invited Paper) [11053-148]
11053 OR	A new non-contact coordinate measuring machine equipped with light-duty optical probe based on fringe projection profilometry (Invited Paper) [11053-164]
11053 OS	The measurement technology for precision peg-in-hole assembly (Invited Paper) [11053-183]
11053 OT	A novel breakpoint detection method based on dynamic programming for linear laser scanner (Invited Paper) [11053-205]
11053 OU	Establishment of standard device for high rotational speed generation (Invited Paper) [11053-207]

- 11053 0V A two-probe linear encoder by using an arrayed scale grating stitched by multiple separate short gratings [11053-166]
- 11053 0W GMA internal magnetic field measurement based on FBG [11053-78]
- 11053 0X Development of hybrid measuring system for the complex micro-arrayed surface [11053-7]
- 11053 0Y Error analysis of target trajectory tracking applied for measurement of high speed spindle [11053-3]
- 11053 0Z Online vision system for battery FPC connector defect detection based on active shape model template matching [11053-35]
- 11053 10 Misalignment recognition of mass pan in joule balance [11053-23]
- 11053 11 The possibility of measuring low altitudes above the sea surface with pulsed laser altimeter under conditions of fog [11053-213]
- 11053 12 Improved design principle of Dyson concentric infrared imaging spectrometer [11053-217]
- 11053 13 **Two-dimensional reflective optical encoder based on point source illuminated grating imaging** [11053-44]
- 11053 14 Research of the temperature influence on the error rate of incremental optical-electronic encoders of linear displacements based on raster structures [11053-222]
- 11053 15 A domain adaptation deep transfer method for image classification [11053-5]
- 11053 16 Control circuit design of magnetic suspension stylus measuring instrument [11053-26]
- 11053 17 **Optimization on metering accuracy of smart electricity meter by temperature compensation** [11053-6]
- 11053 18 Study on temperature characteristics of triangular prisms ring cavity [11053-8]
- 11053 19 Construction of a compact laser wavemeter with compensation of laser beam drift [11053-9]
- 11053 1A An integrated linear time-grating displacement sensor with single alternating light field [11053-10]
- 11053 1B Laser frequency locking system using orthogonally demodulated Pound-Drever-Hall method [11053-12]
- 11053 1C Dynamic sensitivity distribution of linear electrostatic sensor matrix [11053-16]
- 11053 1D An exchangeable end effector for multi-part-assembly system [11053-18]
- 11053 1E Using carbon nanotube membrane as counter electrode in voltammetric electronic tongue system [11053-20]

11053 1F	Analysis of contacting characteristics on aerostatic bearing stylus displacement sensor [11053-22]
11053 1G	Synthesis and metrology of cellulose nanocrystal films [11053-24]
11053 1H	An interrogation method with high resolution and high response speed for FBGs-based sensors [11053-25]
11053 11	Combining compound eyes and human eye: a hybrid bionic imaging method for FOV extension and foveated vision [11053-31]
11053 1J	Bionic vision improves the performances of super resolution imaging [11053-32]
11053 1K	Robust concrete crack recognition based on improved image segmentation and machine learning [11053-34]
11053 1L	Complicated intermittent scratches detection research on surface of optical components based on adaptive sector scanning algorithm cascading mean variance threshold algorithm [11053-36]
11053 1M	Characterization of beam splitter using Mueller matrix ellipsometry [11053-48]
11053 1N	A chi-square statistics of arithmetic mean and applications to inter-laboratory comparison [11053-37]
11053 10	Extracting road edges from MLS point clouds via a local planar fitting algorithm [11053-39]
11053 1P	A novel signal process system for angular displacement sensor of time-grating [11053-41]
11053 1Q	Characterization of a liquid crystal variable retarder by Mueller matrix ellipsometry [11053-42]
11053 1R	Defect detection method for complex surface based on human visual characteristics and feature extracting [11053-46]
11053 1S	Micro Coordinate Measurement Machine ( $\mu$ CMM) using voice coil actuator with interferometric position feedback [11053-49]
11053 1T	A measurement method for probe microsphere of micro-CMM with double SPMs [11053-50]
11053 1U	Aerosol particle size distribution retrieval algorithm and error analysis based on multi- wavelength radar [11053-51]
11053 1V	Investigation on the dynamic characteristics of CG-6 relative gravimeter for the micro-gravity network [11053-52]
11053 1W	Optical fiber Fabry-Perot acoustic sensor based on large PDMS diaphragm [11053-56]
11053 1X	A research on bolt loosening monitoring based on Lamb wave [11053-57]

11053 1Y	Development of in-situ measuring geometrical characteristics method for crankshaft [11053-63]
11053 1Z	A novel miniaturized capacitive absolute angular position sensor based on time-grating with reflective structure [11053-64]
11053 20	The analysis of key comparison reference value and its uncertainty using Markov chain Monte Carlo method [11053-53]
11053 21	Deformation measurement of testing machine based on laser interference method [11053-66]
11053 22	Corrected differential fitting for height extraction in chromatic confocal microscopy [11053-67]
11053 23	Evaluation of task specific measurement uncertainty for gear measuring instrument using VGMI [11053-68]
11053 24	Dual-comb generation from a dual-ring hybrid mode-locked fiber laser [11053-70]
11053 25	Critical point determination method of thermal-force coupling deformation of CNC machine tool bed [11053-72]
11053 26	Soil moisture sensor design based on fiber Bragg grating [11053-75]
11053 27	Kinematics identification and measurement accuracy verification of articulated arm coordinate measuring machines [11053-77]
11053 28	Self-calibration method of precision shafting angle measurement error based on multiple reading heads [11053-80]
11053 29	Theoretical analysis and digital simulation of a new capacitive sensor [11053-82]
11053 2A	Error mapping for rotary axes of machine tools based on pose measurement principle [11053-83]
11053 2B	Method of squareness measurement based on laser alignment measuring system [11053-85]
11053 2C	Super-resolution scanning microscopy with virtually structured illumination [11053-86]
11053 2D	Angle measurement for cross-line target image based on fourier-polar transform algorithm [11053-87]
11053 2E	Microfluidic contact lenses for continuous non-invasive intraocular pressure monitoring [11053-88]
11053 2F	Eye positioning based on windowed gray-scale integral projection algorithm [11053-89]

#### Part Two

11053 2G	A novel Earth's gravity method for accelerometer calibration [11053-93]
11053 2H	Self-calibrating phase shifting shadow moiré technique [11053-94]
11053 21	Research on key technologies of quadrupole electromagnetic tweezer [11053-96]
11053 2J	Error analysis method of weighing cycles based on robotic mass measurement system [11053-97]
11053 2K	A high precision edge detection method for the blurred image in motion measurement [11053-98]
11053 2L	A filter algorithm based on ARMA model to suppress the influence of atmospheric disturbance in laser straightness measurement [11053-99]
11053 2M	Torque standard machine for calibration of reference torque wrench and torque transducer at Nim [11053-102]
11053 2N	Strain transfer characteristics of resistance strain-type transducer [11053-103]
11053 2O	Design of flexure hinges in an H-drive precision stage with a large span [11053-104]
11053 2P	Investigation on gPhone gravimeter-119 for gravity variations observation during the 10th International Comparison of Absolute Gravimeters (ICAG-2017) [11053-106]
11053 2Q	Multi-structure elements morpholoy for improved anti-noise edge detection [11053-107]
11053 2R	Analysis of the extraction accuracy of the corner point of the camera using polarization imaging [11053-108]
11053 2S	Evaluation of the diffraction correction during the 10th International Comparison of Absolute Gravimeters (ICAG-2017) [11053-110]
11053 2T	Improved two dimensional micro-/nanoradian angle generator with single rotation center located on tilting plane and error compensation of capacitive sensors [11053-111]
11053 2U	Dependence of micro-morphology of electrical strain gauges on stress distribution [11053-114]
11053 2V	Research and evaluation of geometric element data fitting software for coordinate measurement machine [11053-117]
11053 2W	Comparison of spacing detection algorithms for optical straight fringes images [11053-118]
11053 2X	Phase measuring method and error compensation in 3D profile measurement [11053-119]
11053 2Y	A design of high-accuracy angle measurement system for satellite AIT processing [11053-120]

11053 2Z	FPGA-accelerated one-dimensional Fourier reconstruction LCD defect detection algorithm [11053-121]
11053 30	Keysight B1505A power device analyzer output pulse current calibration method [11053-122]
11053 31	<b>Review of convolutional neural network optimization and training in image processing</b> [11053-125]
11053 32	A passively Q-switched dual-frequency Nd:YAG laser for SBS generation and amplification [11053-127]
11053 33	Effect of varying load on angle measurement deviation of rotary table [11053-128]
11053 34	Measurement method of the compression coefficient of near-monocrystalline silicon density liquid [11053-129]
11053 35	Research on omnidirectional motion of AGV based on vision guidance [11053-135]
11053 36	Measurement of deionized water density based on single silicon sphere [11053-130]
11053 37	Non-destructive rapid inspection methods for spatial light modulator using swept source optical coherence tomography [11053-131]
11053 38	More efficient optical sectioning structured illumination microscopy [11053-133]
11053 39	Probe error analysis of articulated arm coordinate measuring machine [11053-134]
11053 3A	Parameter identification of inertial velocity sensor for low-frequency vibration measurement [11053-136]
11053 3B	Design, fabrication, identification and test of a closed-loop moving magnetic scanning module for RGB laser projector [11053-139]
11053 3C	Force control and visual measurement in precision assembly [11053-142]
11053 3D	Adaptive segmentation method of pressed character image based on Wellner algorithm [11053-143]
11053 3E	Research on calibration method of rotating axis in line structure light measurement system [11053-144]
11053 3F	Decoupling atmosphere Rayleigh-Brillouin scattering spectrum in kinetic regime [11053-145]
11053 3G	Automatic real-time compensation of wavelength of heterodyne interferometer [11053-146]
11053 3H	A real-time nonlinear error measurement method with picometer accuracy and free from target motion state [11053-147]

11053 31	Design and testing of a chromatic dispersion system for displacement application by using a spatial-bandpass-filter [11053-149]
11053 3J	Instrument and equipment monitoring system based on the internet of things technology [11053-150]
11053 3K	Directional phase-shift circular arrays targets for out-of-focus camera calibration [11053-140]
11053 3L	Accurate measurement of displacement using acceleration signal [11053-151]
11053 3M	Development of portable digital ultrasonic guided wave detector based on COM Express [11053-152]
11053 3N	A measuring method of coaxiality errors for apart axis [11053-153]
11053 3O	Fabrication process and measurement of injection molding aspheric lens [11053-154]
11053 3P	A compact design of optical scheme for a two-probe absolute surface encoders [11053-155]
11053 3Q	Wavelength calibration system for diode laser [11053-157]
11053 3R	Choice of optimal resolution and array for integrated photosynthetically active radiation spectroradiometer [11053-159]
11053 3S	Characterization of surface roughness by double blanket model from laser speckle images [11053-160]
11053 3T	Embedded intelligent camera algorithm based on hardware IP [11053-162]
11053 3U	Detection of ring gear surface defects of wheel speed sensor based on neural network [11053-163]
11053 3V	The optical-electronic autoreflection sensor for angular deformations measurement [11053-161]
11053 3W	Design and testing of a compact optical prism module for multi-degree-of freedom grating interferometry application [11053-165]
11053 3X	Design and implementation of flexible display reliability testing instrument [11053-168]
11053 3Y	A real-time distance measurement data processing platform for multi-axis grating interferometry type optical encoders [11053-170]
11053 3Z	A differential giant magnetostrictive mitro-displacement actuator [11053-171]
11053 40	Defect detection of small modulus gear based on machine vision [11053-176]
11053 41	<b>Experimental study on non-linear calibration of two-dimensional nano-positioning stage</b> [11053-178]

11053 42	Reverse compensation to the angle estimate error using multi-groups sensor [11053-179]
11053 43	Precise measurement of large roll angle using digital speckle pattern interferometry [11053-180]
11053 44	Ultrasonic characteristics of contact stress of small interference fitting parts [11053-182]
11053 45	Bias electric field distribution analysis based on finite difference method with non-uniform grids for a non-contact tunneling current probe [11053-184]
11053 46	An enhanced homodyne laser vibrometer based on an auto-gain module [11053-185]
11053 47	Research on multi-degree-of-freedom and high-precision touch screen characteristic test instrument [11053-169]
11053 48	Ultra-precision temperature control of circulating cooling water based on fuzzy-PID algorithm [11053-186]
11053 49	An identification method for casing weld in complex environment [11053-187]
11053 4A	Image displacement analysis for electro-optical system for deflection measurement of floating docks [11053-188]
11053 4B	Design and simulation of a 2-DOF parallel linear precision platform utilizing piezoelectric impact drive mechanism [11053-189]
11053 4C	Parameter optimization of measuring and control elements in the monitoring systems of complex technical objects with triple reflector [11053-190]
11053 4D	The meat product quality control by a polarimetric method [11053-191]
11053 4E	Online test method and standard instruments for verification of traffic speed meters based on actual traffic [11053-193]
11053 4F	Field test method and standard instruments for verification of traffic speed meters based on test vehicle [11053-194]
11053 4G	Design and performance analysis of a novel thermos-structure for measuring thermal drift of optics in a next generation interferometer [11053-195]
11053 4H	Choosing parameters of active reference mark optical-electronic systems spatial position control [11053-196]
11053 4I	CMC based on unitary linear regression equation [11053-197]
11053 4J	Method for spherical form error evaluation using cuckoo search algorithm [11053-199]
11053 4K	Design of Gaussian filters based on odd and even functions used for non-closed circular profile [11053-200]

11053 4L	Research of variable-frequency big current calibration [11053-201]
----------	--

- 11053 4M Long-range automatic precision displacement measuring of winding system using double timing belt transmission [11053-202]
- 11053 4N A uniform and flexible model for three-dimensional measurement of line-structured light sensor [11053-203]
- 11053 40 Subwavelength focusing and experimental detection of large-scale metallic multi-annular metasurfaces [11053-208]
- 11053 4P The internal air gap measurement equipment for dynamic pressure motor [11053-209]
- 11053 4Q Study on resonant high-acceleration calibration system [11053-211]
- 11053 4R Design of optical accelerometer using four-quadrant photodetector [11053-212]
- 11053 4S A novel two-dimensional inductive sensor based on planar coils [11053-218]
- 11053 4T Establishment of measuring coordinate system for large gears measurement by using gauge blocks [11053-221]
- 11053 4U Equivalent thin film model with complex refractive index of resonant micromesh [11053-223]
- 11053 4V System design of lithium battery internal resistance measurement using LabVIEW [11053-224]