

13th International Workshop on Semantic Evaluation (SemEval 2019)

Minneapolis, Minnesota, USA
6 – 7 June 2019

Volume 1 of 2

ISBN: 978-1-5108-8763-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2019) by the Association for Computational Linguistics
All rights reserved.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact the Association for Computational Linguistics
at the address below.

Association for Computational Linguistics
209 N. Eighth Street
Stroudsburg, Pennsylvania 18360

Phone: 1-570-476-8006

Fax: 1-570-476-0860

acl@aclweb.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Table of Contents

<i>SemEval-2019 Task 1: Cross-lingual Semantic Parsing with UCCA</i> Daniel Hershcovich, Zohar Aizenbud, Leshem Choshen, Elijior Sulem, Ari Rappoport and Omri Abend.....	1
<i>HLT@SUDA at SemEval-2019 Task 1: UCCA Graph Parsing as Constituent Tree Parsing</i> Wei Jiang, Zhenghua Li, Yu Zhang and Min Zhang.....	11
<i>SemEval-2019 Task 2: Unsupervised Lexical Frame Induction</i> Behrang QasemiZadeh, Miriam R L Petruck, Regina Stodden, Laura Kallmeyer and Marie Candito	16
<i>Neural GRANNy at SemEval-2019 Task 2: A combined approach for better modeling of semantic relationships in semantic frame induction</i> Nikolay Arefyev, Boris Sheludko, Adis Davletov, Dmitry Kharchev, Alex Nevidomsky and Alexander Panchenko	31
<i>SemEval-2019 Task 3: EmoContext Contextual Emotion Detection in Text</i> Ankush Chatterjee, Kedhar Nath Narahari, Meghana Joshi and Puneet Agrawal	39
<i>ANA at SemEval-2019 Task 3: Contextual Emotion detection in Conversations through hierarchical LSTMs and BERT</i> Chenyang Huang, Amine Trabelsi and Osmar Zaiane.....	49
<i>SemEval-2019 Task 5: Multilingual Detection of Hate Speech Against Immigrants and Women in Twitter</i> Valerio Basile, Cristina Bosco, Elisabetta Fersini, Debora Nozza, Viviana Patti, Francisco Manuel Rangel Pardo, Paolo Rosso and Manuela Sanguinetti	54
<i>Atalaya at SemEval 2019 Task 5: Robust Embeddings for Tweet Classification</i> Juan Manuel Pérez and Franco M. Luque	64
<i>FERMI at SemEval-2019 Task 5: Using Sentence embeddings to Identify Hate Speech Against Immigrants and Women in Twitter</i> Vijayasaradhi Indurthi, Bakhtiyar Syed, Manish Shrivastava, Nikhil Chakravartula, Manish Gupta and Vasudeva Varma.....	70
<i>SemEval-2019 Task 6: Identifying and Categorizing Offensive Language in Social Media (OffensEval)</i> Marcos Zampieri, Shervin Malmasi, Preslav Nakov, Sara Rosenthal, Noura Farra and Ritesh Kumar	75
<i>NULI at SemEval-2019 Task 6: Transfer Learning for Offensive Language Detection using Bidirectional Transformers</i> Ping Liu, Wen Li and Liang Zou	87
<i>CUNY-PKU Parser at SemEval-2019 Task 1: Cross-Lingual Semantic Parsing with UCCA</i> Weimin Lyu, Sheng Huang, Abdul Rafae Khan, Shengqiang Zhang, Weiwei Sun and Jia Xu....	92
<i>DANGNT@UIT.VNU-HCM at SemEval 2019 Task 1: Graph Transformation System from Stanford Basic Dependencies to Universal Conceptual Cognitive Annotation (UCCA)</i> Dang Tuan Nguyen and Trung Tran.....	97

<i>GCN-Sem at SemEval-2019 Task 1: Semantic Parsing using Graph Convolutional and Recurrent Neural Networks</i>	
Shiva Taslimipoor, Omid Rohanian and Sara Može	102
<i>MaskParse@Deskin at SemEval-2019 Task 1: Cross-lingual UCCA Semantic Parsing using Recursive Masked Sequence Tagging</i>	
Gabriel Marzinotto, Johannes Heinecke and Geraldine Damnati	107
<i>Tüpa at SemEval-2019 Task1: (Almost) feature-free Semantic Parsing</i>	
Tobias Pütz and Kevin Glocker	113
<i>UC Davis at SemEval-2019 Task 1: DAG Semantic Parsing with Attention-based Decoder</i>	
Dian Yu and Kenji Sagae	119
<i>HHMM at SemEval-2019 Task 2: Unsupervised Frame Induction using Contextualized Word Embeddings</i>	
Saba Anwar, Dmitry Ustalov, Nikolay Arefyev, Simone Paolo Ponzetto, Chris Biemann and Alexander Panchenko	125
<i>L2F/INESC-ID at SemEval-2019 Task 2: Unsupervised Lexical Semantic Frame Induction using Contextualized Word Representations</i>	
Eugénio Ribeiro, Vânia Mendonça, Ricardo Ribeiro, David Martins de Matos, Alberto Sardinha, Ana Lúcia Santos and Luísa Coheur	130
<i>BrainEE at SemEval-2019 Task 3: Ensembling Linear Classifiers for Emotion Prediction</i>	
Vachagan Gratian	137
<i>CAiRE_HKUST at SemEval-2019 Task 3: Hierarchical Attention for Dialogue Emotion Classification</i>	
Genta Indra Winata, Andrea Madotto, Zhaojiang Lin, Jamin Shin, Yan Xu, Peng Xu and Pascale Fung	142
<i>CECL at SemEval-2019 Task 3: Using Surface Learning for Detecting Emotion in Textual Conversations</i>	
Yves Bestgen	148
<i>CLaC Lab at SemEval-2019 Task 3: Contextual Emotion Detection Using a Combination of Neural Networks and SVM</i>	
Elham Mohammadi, Hessam Amini and Leila Kosseim	153
<i>CLARK at SemEval-2019 Task 3: Exploring the Role of Context to Identify Emotion in a Short Conversation</i>	
Joseph Cummings and Jason Wilson	159
<i>CLP at SemEval-2019 Task 3: Multi-Encoder in Hierarchical Attention Networks for Contextual Emotion Detection</i>	
Changjie Li and Yun Xing	164
<i>CoASTal at SemEval-2019 Task 3: Affect Classification in Dialogue using Attentive BiLSTMs</i>	
Ana Valeria Gonzalez, Victor Petrén Bach Hansen, Joachim Bingel, Isabelle Augenstein and Anders Søgaard	169
<i>ConSSED at SemEval-2019 Task 3: Configurable Semantic and Sentiment Emotion Detector</i>	
Rafał Poświata	175

<i>CX-ST-RNM at SemEval-2019 Task 3: Fusion of Recurrent Neural Networks Based on Contextualized and Static Word Representations for Contextual Emotion Detection</i>	
Michał Perelkiewicz	180
<i>ParallelDots at SemEval-2019 Task 3: Domain Adaptation with feature embeddings for Contextual Emotion Analysis</i>	
Akansha Jain, Ishita Aggarwal and Ankit Singh	185
<i>E-LSTM at SemEval-2019 Task 3: Semantic and Sentimental Features Retention for Emotion Detection in Text</i>	
Harsh Patel	190
<i>ELiRF-UPV at SemEval-2019 Task 3: Snapshot Ensemble of Hierarchical Convolutional Neural Networks for Contextual Emotion Detection</i>	
José-Ángel González, Lluís-F. Hurtado and Ferran Pla	195
<i>EmoDet at SemEval-2019 Task 3: Emotion Detection in Text using Deep Learning</i>	
Hani Al-Omari, Malak Abdullah and Nabeel Bassam	200
<i>EMOMINER at SemEval-2019 Task 3: A Stacked BiLSTM Architecture for Contextual Emotion Detection in Text</i>	
Nikhil Chakravartula and Vijayasaradhi Indurthi	205
<i>EmoSense at SemEval-2019 Task 3: Bidirectional LSTM Network for Contextual Emotion Detection in Textual Conversations</i>	
Sergey Smetanin	210
<i>EPITA-ADAPT at SemEval-2019 Task 3: Detecting emotions in textual conversations using deep learning models combination</i>	
Abdessalam Boucekif, Praveen Joshi, Latifa Boucekif and Haithem Afli	215
<i>Figure Eight at SemEval-2019 Task 3: Ensemble of Transfer Learning Methods for Contextual Emotion Detection</i>	
Joan Xiao	220
<i>GenSMT at SemEval-2019 Task 3: Contextual Emotion Detection in tweets using multi task generic approach</i>	
Dumitru Bogdan	225
<i>GWU NLP Lab at SemEval-2019 Task 3 :EmoContext: Effectiveness ofContextual Information in Models for Emotion Detection inSentence-level at Multi-genre Corpus</i>	
Shabnam Tafreshi and Mona Diab	230
<i>IIT Gandhinagar at SemEval-2019 Task 3: Contextual Emotion Detection Using Deep Learning</i>	
Arik Pamnani, Rajat Goel, Jayesh Choudhari and Mayank Singh	236
<i>KGPCamps at SemEval-2019 Task 3: A deep learning approach to detect emotions in the dialog utterances.</i>	
Jasabanta Patro, Nitin Choudhary, Kalpit Chittora and Animesh Mukherjee	241
<i>KSU at SemEval-2019 Task 3: Hybrid Features for Emotion Recognition in Textual Conversation</i>	
Nourah Alswaidan and Mohamed El Bachir Menai	247

<i>LIRMM-Advance at SemEval-2019 Task 3: Attentive Conversation Modeling for Emotion Detection and Classification</i>	
Waleed Ragheb, Jérôme Azé, Sandra Bringay and Maximilien Servajean	251
<i>MILAB at SemEval-2019 Task 3: Multi-View Turn-by-Turn Model for Context-Aware Sentiment Analysis</i>	
Yoonhyung Lee, Yanghoon Kim and Kyomin Jung	256
<i>MoonGrad at SemEval-2019 Task 3: Ensemble BiRNNs for Contextual Emotion Detection in Dialogues</i>	
Chandrakant Bothe and Stefan Wermter	261
<i>NELEC at SemEval-2019 Task 3: Think Twice Before Going Deep</i>	
Parag Agrawal and Anshuman Suri	266
<i>NL-FIIT at SemEval-2019 Task 3: Emotion Detection From Conversational Triplets Using Hierarchical Encoders</i>	
Michal Farkas and Peter Lacko	272
<i>NTUA-ISLab at SemEval-2019 Task 3: Determining emotions in contextual conversations with deep learning</i>	
Rolandos Alexandros Potamias and Gergios Siolas	277
<i>ntuer at SemEval-2019 Task 3: Emotion Classification with Word and Sentence Representations in RCNN</i>	
Peixiang Zhong and Chunyan Miao	282
<i>PKUSE at SemEval-2019 Task 3: Emotion Detection with Emotion-Oriented Neural Attention Network</i>	
Luyao Ma, Long Zhang, Wei Ye and Wenhui Hu	287
<i>Podlab at SemEval-2019 Task 3: The Importance of Being Shallow</i>	
Andrew Nguyen, Tobin South, Nigel Bean, Jonathan Tuke and Lewis Mitchell	292
<i>SCIA at SemEval-2019 Task 3: Sentiment Analysis in Textual Conversations Using Deep Learning</i>	
Zinedine Rebiai, Simon Andersen, Antoine Debrenne and Victor Lafargue	297
<i>Sentim at SemEval-2019 Task 3: Convolutional Neural Networks For Sentiment in Conversations</i>	
Jacob Anderson	302
<i>SINAI at SemEval-2019 Task 3: Using affective features for emotion classification in textual conversations</i>	
Flor Miriam Plaza del Arco, M. Dolores Molina González, Maite Martin and L. Alfonso Urena Lopez	307
<i>SNU IDS at SemEval-2019 Task 3: Addressing Training-Test Class Distribution Mismatch in Conversational Classification</i>	
Sanghwan Bae, Jihun Choi and Sang-goo Lee	312
<i>SSN_NLP at SemEval-2019 Task 3: Contextual Emotion Identification from Textual Conversation using Seq2Seq Deep Neural Network</i>	
Senthil Kumar B, Thenmozhi D, Aravindan Chandrabose and Srinethe Sharavanan	318
<i>SWAP at SemEval-2019 Task 3: Emotion detection in conversations through Tweets, CNN and LSTM deep neural networks</i>	
Marco Polignano, Marco de Gemmis and Giovanni Semeraro	324

<i>SymantoResearch at SemEval-2019 Task 3: Combined Neural Models for Emotion Classification in Human-Chatbot Conversations</i>	
Angelo Basile, Marc Franco-Salvador, Neha Pawar, Sanja Štajner, Mara China Rios and Yassine Benajiba	330
<i>TDBot at SemEval-2019 Task 3: Context Aware Emotion Detection Using A Conditioned Classification Approach</i>	
Sourabh Maity	335
<i>THU_NGN at SemEval-2019 Task 3: Dialog Emotion Classification using Attentional LSTM-CNN</i>	
Suyu Ge, Tao Qi, Chuhan Wu and Yongfeng Huang	340
<i>THU-HCSI at SemEval-2019 Task 3: Hierarchical Ensemble Classification of Contextual Emotion in Conversation</i>	
Xihao Liang, Ye Ma and Mingxing Xu	345
<i>TokyoTech_NLP at SemEval-2019 Task 3: Emotion-related Symbols in Emotion Detection</i>	
Zhishen Yang, Sam Vijlbrief and Naoaki Okazaki	350
<i>UAIC at SemEval-2019 Task 3: Extracting Much from Little</i>	
Cristian Simionescu, Ingrid Stoleru, Diana Lucaci, Gheorghe Balan, Iulian Bute and Adrian Iftene	355
<i>YUN-HPCC at SemEval-2019 Task 3: Multi-Step Ensemble Neural Network for Sentiment Analysis in Textual Conversation</i>	
Dawei Li, Jin Wang and Xuejie Zhang	360
<i>KDEHatEval at SemEval-2019 Task 5: A Neural Network Model for Detecting Hate Speech in Twitter</i>	
Umme Aymun Siddiqua, Abu Nowshed Chy and Masaki Aono	365
<i>ABARUAH at SemEval-2019 Task 5 : Bi-directional LSTM for Hate Speech Detection</i>	
Arup Baruah, Ferdous Barbhuiya and Kuntal Dey	371
<i>Amobee at SemEval-2019 Tasks 5 and 6: Multiple Choice CNN Over Contextual Embedding</i>	
Alon Rozental and Dadi Biton	377
<i>CIC at SemEval-2019 Task 5: Simple Yet Very Efficient Approach to Hate Speech Detection, Aggressive Behavior Detection, and Target Classification in Twitter</i>	
Iqra Ameer, Muhammad Hammad Fahim Siddiqui, Grigori Sidorov and Alexander Gelbukh ..	382
<i>CiTIUS-COLE at SemEval-2019 Task 5: Combining Linguistic Features to Identify Hate Speech Against Immigrants and Women on Multilingual Tweets</i>	
Sattam Almatarneh, Pablo Gamallo and Francisco J. Ribadas Pena	387
<i>Grunn2019 at SemEval-2019 Task 5: Shared Task on Multilingual Detection of Hate</i>	
Mike Zhang, Roy David, Leon Graumans and Gerben Timmerman	391
<i>GSI-UPM at SemEval-2019 Task 5: Semantic Similarity and Word Embeddings for Multilingual Detection of Hate Speech Against Immigrants and Women on Twitter</i>	
Diego Benito, Oscar Araque and Carlos A. Iglesias	396
<i>HATEMINER at SemEval-2019 Task 5: Hate speech detection against Immigrants and Women in Twitter using a Multinomial Naive Bayes Classifier</i>	
Nikhil Chakravartula	404

<i>HATERrecognizer at SemEval-2019 Task 5: Using Features and Neural Networks to Face Hate Recognition</i>	
Victor Nina-Alcocer	409
<i>GL at SemEval-2019 Task 5: Identifying hateful tweets with a deep learning approach.</i>	
Gretel Liz De la Peña	416
<i>INF-HatEval at SemEval-2019 Task 5: Convolutional Neural Networks for Hate Speech Detection Against Women and Immigrants on Twitter</i>	
Alison Ribeiro and Nádia Silva	420
<i>JCTDHS at SemEval-2019 Task 5: Detection of Hate Speech in Tweets using Deep Learning Methods, Character N-gram Features, and Preprocessing Methods</i>	
Yaakov HaCohen-Kerner, Elyashiv Shayovitz, Shalom Rochman, Eli Cahn, Gal Didi and Ziv Ben-David	426
<i>Know-Center at SemEval-2019 Task 5: Multilingual Hate Speech Detection on Twitter using CNNs</i>	
Kevin Winter and Roman Kern	431
<i>LT3 at SemEval-2019 Task 5: Multilingual Detection of Hate Speech Against Immigrants and Women in Twitter (hatEval)</i>	
Nina Bauwelinck, Gilles Jacobs, Veronique Hoste and Els Lefever	436
<i>ltl.uni-due at SemEval-2019 Task 5: Simple but Effective Lexico-Semantic Features for Detecting Hate Speech in Twitter</i>	
Huangpan Zhang, Michael Wojatzki, Tobias Horsmann and Torsten Zesch	441
<i>MineriaUNAM at SemEval-2019 Task 5: Detecting Hate Speech in Twitter using Multiple Features in a Combinatorial Framework</i>	
Luis Enrique Argota Vega, Jorge Carlos Reyes Magaña, Helena Gómez-Adorno and Gemma Bel-Enguix	447
<i>MITRE at SemEval-2019 Task 5: Transfer Learning for Multilingual Hate Speech Detection</i>	
Abigail Gertner, John Henderson, Elizabeth Merkhofer, Amy Marsh, Ben Wellner and Guido Zarrella	453
<i>Multilingual Detection of Hate Speech Against Immigrants and Women in Twitter at SemEval-2019 Task 5: Frequency Analysis Interpolation for Hate in Speech Detection</i>	
Òscar Garibo i Orts	460
<i>STUFIT at SemEval-2019 Task 5: Multilingual Hate Speech Detection on Twitter with MUSE and ELMO Embeddings</i>	
Michal Bojkovsky and Matus Pikuliak	464
<i>Saagie at Semeval-2019 Task 5: From Universal Text Embeddings and Classical Features to Domain-specific Text Classification</i>	
Miriam Benballa, Sebastien Collet and Romain Picot-Clemente	469
<i>SINAI at SemEval-2019 Task 5: Ensemble learning to detect hate speech against inmigrants and women in English and Spanish tweets</i>	
Flor Miriam Plaza del Arco, M. Dolores Molina González, Maite Martin and L. Alfonso Urena Lopez	476

<i>SINAI-DL at SemEval-2019 Task 5: Recurrent networks and data augmentation by paraphrasing</i> Arturo Montejo-Ráez, Salud María Jiménez-Zafra, Miguel A. García-Cumbreras and Manuel Carlos Díaz-Galiano	480
<i>sthuggle at SemEval-2019 Task 5: An Ensemble Approach to Hate Speech Detection</i> Aria Nourbakhsh, Frida Vermeer, Gijs Wiltvank and Rob van der Goot	484
<i>The binary trio at SemEval-2019 Task 5: Multitarget Hate Speech Detection in Tweets</i> Patricia Chiril, Farah Benamara Zitoune, Véronique Moriceau and Abhishek Kumar	489
<i>The Titans at SemEval-2019 Task 5: Detection of hate speech against immigrants and women in Twitter</i> Avishek Garain and Arpan Basu	494
<i>TuEval at SemEval-2019 Task 5: LSTM Approach to Hate Speech Detection in English and Spanish</i> Mihai Manolescu, Denise Löfflad, Adham Nasser Mohamed Saber and Masoumeh Moradipour Tari	498
<i>Tw-StAR at SemEval-2019 Task 5: N-gram embeddings for Hate Speech Detection in Multilingual Tweets</i> Hala Mulki, Chedi Bechikh Ali, Hatem Haddad and Ismail Babaoğlu	503
<i>UA at SemEval-2019 Task 5: Setting A Strong Linear Baseline for Hate Speech Detection</i> Carlos Perelló, David Tomás, Alberto Garcia-Garcia, Jose Garcia-Rodriguez and Jose Camacho-Collados	508
<i>UNBNLP at SemEval-2019 Task 5 and 6: Using Language Models to Detect Hate Speech and Offensive Language</i> Ali Hakimi Parizi, Milton King and Paul Cook	514
<i>UTFPR at SemEval-2019 Task 5: Hate Speech Identification with Recurrent Neural Networks</i> Gustavo Henrique Paetzold, Marcos Zampieri and Shervin Malmasi	519
<i>Vista.ue at SemEval-2019 Task 5: Single Multilingual Hate Speech Detection Model</i> Kashyap Raiyani, Teresa Gonçalves, Paulo Quaresma and Vitor Nogueira	524
<i>YNU NLP at SemEval-2019 Task 5: Attention and Capsule Ensemble for Identifying Hate Speech</i> Bin Wang and Haiyan Ding	529
<i>YNU_DYX at SemEval-2019 Task 5: A Stacked BiGRU Model Based on Capsule Network in Detection of Hate</i> Yunxia Ding, Xiaobing Zhou and Xuejie Zhang	535
<i>Amrita School of Engineering - CSE at SemEval-2019 Task 6: Manipulating Attention with Temporal Convolutional Neural Network for Offense Identification and Classification</i> Murali Sridharan and Swapna TR	540
<i>bhanodaig at SemEval-2019 Task 6: Categorizing Offensive Language in social media</i> Ritesh Kumar, Guggilla Bhanodai, Rajendra Pamula and Maheswara Reddy Chennuru	547
<i>BNU-HKBU UIC NLP Team 2 at SemEval-2019 Task 6: Detecting Offensive Language Using BERT model</i> Zhenghao Wu, Hao Zheng, Jianming Wang, Weifeng Su and Jefferson Fong	551

<i>CAMsterdam at SemEval-2019 Task 6: Neural and graph-based feature extraction for the identification of offensive tweets</i>	
Guy Aglionby, Chris Davis, Pushkar Mishra, Andrew Caines, Helen Yannakoudakis, Marek Rei, Ekaterina Shutova and Paula Buttery	556
<i>CN-HIT-MIT at SemEval-2019 Task 6: Offensive Language Identification Based on BiLSTM with Double Attention</i>	
Yaojie Zhang, Bing Xu and Tiejun Zhao	564
<i>ConvAI at SemEval-2019 Task 6: Offensive Language Identification and Categorization with Perspective and BERT</i>	
John Pavlopoulos, Nithum Thain, Lucas Dixon and Ion Androutsopoulos	571
<i>DA-LD-Hildesheim at SemEval-2019 Task 6: Tracking Offensive Content with Deep Learning using Shallow Representation</i>	
Sandip Modha, Prasenjit Majumder and Daksh Patel	577
<i>DeepAnalyzer at SemEval-2019 Task 6: A deep learning-based ensemble method for identifying offensive tweets</i>	
Gretel Liz De la Peña and Paolo Rosso	582
<i>NLP at SemEval-2019 Task 6: Detecting Offensive language using Neural Networks</i>	
Prashant Kapil, Asif Ekbal and Dipankar Das	587
<i>Duluth at SemEval-2019 Task 6: Lexical Approaches to Identify and Categorize Offensive Tweets</i>	
Ted Pedersen	593
<i>Emad at SemEval-2019 Task 6: Offensive Language Identification using Traditional Machine Learning and Deep Learning approaches</i>	
Emad Kebriaei, Samaneh Karimi, Nazanin Sabri and Azadeh Shakery	600
<i>Embeddia at SemEval-2019 Task 6: Detecting Hate with Neural Network and Transfer Learning Approaches</i>	
Andraž Pelicon, Matej Martinc and Petra Kralj Novak	604
<i>Fermi at SemEval-2019 Task 6: Identifying and Categorizing Offensive Language in Social Media using Sentence Embeddings</i>	
Vijayasaradhi Indurthi, Bakhtiyar Syed, Manish Shrivastava, Manish Gupta and Vasudeva Varma	611
<i>Ghmerti at SemEval-2019 Task 6: A Deep Word- and Character-based Approach to Offensive Language Identification</i>	
Ehsan Doostmohammadi, Hossein Sameti and Ali Saffar	617
<i>HAD-Tübingen at SemEval-2019 Task 6: Deep Learning Analysis of Offensive Language on Twitter: Identification and Categorization</i>	
Himanshu Bansal, Daniel Nagel and Anita Soloveva	622
<i>HHU at SemEval-2019 Task 6: Context Does Matter - Tackling Offensive Language Identification and Categorization with ELMo</i>	
Alexander Oberstrass, Julia Romberg, Anke Stoll and Stefan Conrad	628
<i>Hope at SemEval-2019 Task 6: Mining social media language to discover offensive language</i>	
Gabriel Florentin Patras, Diana Florina Lungu, Daniela Gifu and Diana Trandabat	635

<i>INGEOTEC at SemEval-2019 Task 5 and Task 6: A Genetic Programming Approach for Text Classification</i>	
Mario Graff, Sabino Miranda-Jiménez, Eric Tellez and Daniela Alejandra Ochoa	639
<i>JCTICOL at SemEval-2019 Task 6: Classifying Offensive Language in Social Media using Deep Learning Methods, Word/Character N-gram Features, and Preprocessing Methods</i>	
Yaakov HaCohen-Kerner, Ziv Ben-David, Gal Didi, Eli Cahn, Shalom Rochman and Elyashiv Shayovitz	645
<i>jhan014 at SemEval-2019 Task 6: Identifying and Categorizing Offensive Language in Social Media</i>	
Jiahui Han, Shengtan Wu and Xinyu Liu	652
<i>JTML at SemEval-2019 Task 6: Offensive Tweets Identification using Convolutional Neural Networks</i>	
Johnny Torres and Carmen Vaca	657
<i>JU_ETCE_17_21 at SemEval-2019 Task 6: Efficient Machine Learning and Neural Network Approaches for Identifying and Categorizing Offensive Language in Tweets</i>	
Preeti Mukherjee, Mainak Pal, Somnath Banerjee and Sudip Kumar Naskar	662
<i>KMI-Coling at SemEval-2019 Task 6: Exploring N-grams for Offensive Language detection</i>	
Priya Rani and Atul Kr. Ojha	668
<i>LaSTUS/TALN at SemEval-2019 Task 6: Identification and Categorization of Offensive Language in Social Media with Attention-based Bi-LSTM model</i>	
Lutfiye Seda Mut Altin, Àlex Bravo Serrano and Horacio Saggion	672
<i>LTL-UDE at SemEval-2019 Task 6: BERT and Two-Vote Classification for Categorizing Offensiveness</i>	
Piush Aggarwal, Tobias Horsmann, Michael Wojatzki and Torsten Zesch	678
<i>MIDAS at SemEval-2019 Task 6: Identifying Offensive Posts and Targeted Offense from Twitter</i>	
Debanjan Mahata, Haimin Zhang, Karan Uppal, Yaman Kumar, Rajiv Ratn Shah, Simra Shahid, Laiba Mehnaz and Sarthak Anand	683
<i>Nikolov-Radivchev at SemEval-2019 Task 6: Offensive Tweet Classification with BERT and Ensembles</i>	
Alex Nikolov and Victor Radivchev	691
<i>NIT_Agartala_NLP_Team at SemEval-2019 Task 6: An Ensemble Approach to Identifying and Categorizing Offensive Language in Twitter Social Media Corpora</i>	
Steve Durairaj Swamy, Anupam Jamatia, Björn Gambäck and Amitava Das	696
<i>NLP@UIOWA at SemEval-2019 Task 6: Classifying the Crass using Multi-windowed CNNs</i>	
Jonathan Ruser and Padmini Srinivasan	704
<i>NLPR@SRPOL at SemEval-2019 Task 6 and Task 5: Linguistically enhanced deep learning offensive sentence classifier</i>	
Alessandro Seganti, Helena Sobol, Iryna Orlova, Hannam Kim, Jakub Staniszewski, Tymoteusz Krumholz and Krystian Koziel	712
<i>nlpUP at SemEval-2019 Task 6: A Deep Neural Language Model for Offensive Language Detection</i>	
Jelena Mitrović, Bastian Birkeneder and Michael Granitzer	722
<i>Pardeep at SemEval-2019 Task 6: Identifying and Categorizing Offensive Language in Social Media using Deep Learning</i>	
Pardeep Singh and Satish Chand	727

<i>SINAI at SemEval-2019 Task 6: Incorporating lexicon knowledge into SVM learning to identify and categorize offensive language in social media</i>	
Flor Miriam Plaza del Arco, M. Dolores Molina González, Maite Martin and L. Alfonso Urena Lopez	735
<i>SSN_NLP at SemEval-2019 Task 6: Offensive Language Identification in Social Media using Traditional and Deep Machine Learning Approaches</i>	
Thenmozhi D, Senthil Kumar B, Srinethe Sharavanan and Aravindan Chandrabose	739
<i>Stop PropagHate at SemEval-2019 Tasks 5 and 6: Are abusive language classification results reproducible?</i>	
Paula Fortuna, Juan Soler-Company and Sérgio Nunes	745
<i>TECHSSN at SemEval-2019 Task 6: Identifying and Categorizing Offensive Language in Tweets using Deep Neural Networks</i>	
Angel Suseelan, Rajalakshmi S, Logesh B, Harshini S, Geetika B, Dyaneswaran S, S Milton Rajendram and Mirmaline T T	753
<i>The Titans at SemEval-2019 Task 6: Offensive Language Identification, Categorization and Target Identification</i>	
Avishek Garain and Arpan Basu	759
<i>TüKaSt at SemEval-2019 Task 6: Something Old, Something Neu(ral): Traditional and Neural Approaches to Offensive Text Classification</i>	
Madeeswaran Kannan and Lukas Stein	763
<i>TUVD team at SemEval-2019 Task 6: Offense Target Identification</i>	
Elena Shushkevich, John Cardiff and Paolo Rosso	770
<i>UBC-NLP at SemEval-2019 Task 6: Ensemble Learning of Offensive Content With Enhanced Training Data</i>	
Arun Rajendran, Chiyu Zhang and Muhammad Abdul-Mageed	775
<i>UHH-LT at SemEval-2019 Task 6: Supervised vs. Unsupervised Transfer Learning for Offensive Language Detection</i>	
Gregor Wiedemann, Eugen Ruppert and Chris Biemann	782
<i>UM-IU@LING at SemEval-2019 Task 6: Identifying Offensive Tweets Using BERT and SVMs</i>	
Jian Zhu, Zuoyu Tian and Sandra Kübler	788
<i>USF at SemEval-2019 Task 6: Offensive Language Detection Using LSTM With Word Embeddings</i>	
Bharti Goel and Ravi Sharma	796
<i>UTFPR at SemEval-2019 Task 6: Relying on Compositionality to Find Offense</i>	
Gustavo Henrique Paetzold	801
<i>UVA Wahoos at SemEval-2019 Task 6: Hate Speech Identification using Ensemble Machine Learning</i>	
Murugesan Ramakrishnan, Wlodek Zadrozny and Narges Tabari	806
<i>YNU-HPCC at SemEval-2019 Task 6: Identifying and Categorising Offensive Language on Twitter</i>	
Chengjin Zhou, Jin Wang and Xuejie Zhang	812
<i>YNUWB at SemEval-2019 Task 6: K-max pooling CNN with average meta-embedding for identifying offensive language</i>	
Bin Wang, Xiaobing Zhou and Xuejie Zhang	818

<i>Zeyad at SemEval-2019 Task 6: That’s Offensive! An All-Out Search For An Ensemble To Identify And Categorize Offense in Tweets.</i>	
Zeyad El-Zanaty	823
<i>SemEval-2019 Task 4: Hyperpartisan News Detection</i>	
Johannes Kiesel, Maria Mestre, Rishabh Shukla, Emmanuel Vincent, Payam Adineh, David Corney, Benno Stein and Martin Potthast	829
<i>Team Bertha von Suttner at SemEval-2019 Task 4: Hyperpartisan News Detection using ELMo Sentence Representation Convolutional Network</i>	
Ye Jiang, Johann Petrak, Xingyi Song, Kalina Bontcheva and Diana Maynard	840
<i>SemEval-2019 Task 7: RumourEval, Determining Rumour Veracity and Support for Rumours</i>	
Genevieve Gorrell, Ahmet Aker, Kalina Bontcheva, Leon Derczynski, Elena Kochkina, Maria Liakata and Arkaitz Zubiaga	845
<i>eventAI at SemEval-2019 Task 7: Rumor Detection on Social Media by Exploiting Content, User Credibility and Propagation Information</i>	
Quanzhi Li, Qiong Zhang and Luo Si	855
<i>SemEval-2019 Task 8: Fact Checking in Community Question Answering Forums</i>	
Tsvetomila Mihaylova, Georgi Karadzhov, Pepa Atanasova, Ramy Baly, Mitra Mohtarami and Preslav Nakov	860
<i>AUTOHOME-ORCA at SemEval-2019 Task 8: Application of BERT for Fact-Checking in Community Forums</i>	
Zhengwei Lv, Duoxing Liu, Haifeng Sun, Xiao Liang, Tao Lei, Zhizhong Shi, Feng Zhu and Lei Yang	870
<i>SemEval-2019 Task 9: Suggestion Mining from Online Reviews and Forums</i>	
Sapna Negi, Tobias Daudert and Paul Buitelaar	877
<i>m_y at SemEval-2019 Task 9: Exploring BERT for Suggestion Mining</i>	
Masahiro Yamamoto and Toshiyuki Sekiya	888
<i>SemEval-2019 Task 10: Math Question Answering</i>	
Mark Hopkins, Ronan Le Bras, Cristian Petrescu-Prahova, Gabriel Stanovsky, Hannaneh Hajishirzi and Rik Koncel-Kedziorski	893
<i>AiFu at SemEval-2019 Task 10: A Symbolic and Sub-symbolic Integrated System for SAT Math Question Answering</i>	
Yifan Liu, Keyu Ding and Yi Zhou	900
<i>SemEval-2019 Task 12: Toponym Resolution in Scientific Papers</i>	
Davy Weissenbacher, Arjun Magge, Karen O’Connor, Matthew Scotch and Graciela Gonzalez-Hernandez	907
<i>DM_NLP at SemEval-2018 Task 12: A Pipeline System for Toponym Resolution</i>	
Xiaobin Wang, Chunping Ma, Huafei Zheng, Chu Liu, Pengjun Xie, Linlin Li and Luo Si	917
<i>Brenda Starr at SemEval-2019 Task 4: Hyperpartisan News Detection</i>	
Olga Papadopoulou, Giorgos Kordopatis-Zilos, Markos Zampoglou, Symeon Papadopoulos and Yiannis Kompatsiaris	924

<i>Cardiff University at SemEval-2019 Task 4: Linguistic Features for Hyperpartisan News Detection</i> Carla Perez Almendros, Luis Espinosa Anke and Steven Schockaert	929
<i>Clark Kent at SemEval-2019 Task 4: Stylometric Insights into Hyperpartisan News Detection</i> Viresh Gupta, Baani Leen Kaur Jolly, Ramneek Kaur and Tanmoy Chakraborty	934
<i>Dick-Preston and Morbo at SemEval-2019 Task 4: Transfer Learning for Hyperpartisan News Detection</i> Tim Isbister and Fredrik Johansson	939
<i>Doris Martin at SemEval-2019 Task 4: Hyperpartisan News Detection with Generic Semi-supervised Features</i> Rodrigo Agerri	944
<i>Duluth at SemEval-2019 Task 4: The Pioquinto Manterola Hyperpartisan News Detector</i> Saptarshi Sengupta and Ted Pedersen	949
<i>Fermi at SemEval-2019 Task 4: The sarah-jane-smith Hyperpartisan News Detector</i> Nikhil Chakravartula, Vijayasaradhi Indurthi and Bakhtiyar Syed	954
<i>Harvey Mudd College at SemEval-2019 Task 4: The Carl Kolchak Hyperpartisan News Detector</i> Celena Chen, Celine Park, Jason Dwyer and Julie Medero	957
<i>Harvey Mudd College at SemEval-2019 Task 4: The Clint Buchanan Hyperpartisan News Detector</i> Mehdi Drissi, Pedro Sandoval Segura, Vivaswat Ojha and Julie Medero	962
<i>Harvey Mudd College at SemEval-2019 Task 4: The D.X. Beaumont Hyperpartisan News Detector</i> Evan Amason, Jake Palanker, Mary Clare Shen and Julie Medero	967
<i>NLP@UIT at SemEval-2019 Task 4: The Paparazzo Hyperpartisan News Detector</i> Duc-Vu Nguyen, Thin Dang and Ngan Nguyen	971
<i>Orwellian-times at SemEval-2019 Task 4: A Stylistic and Content-based Classifier</i> Jürgen Knauth	976
<i>Rouletabille at SemEval-2019 Task 4: Neural Network Baseline for Identification of Hyperpartisan Publishers</i> Jose G. Moreno, Yoann Pitarch, Karen Pinel-Sauvagnat and Gilles Hubert	981
<i>Spider-Jerusalem at SemEval-2019 Task 4: Hyperpartisan News Detection</i> Amal Alabdulkarim and Tariq Alhindi	985
<i>Steve Martin at SemEval-2019 Task 4: Ensemble Learning Model for Detecting Hyperpartisan News</i> Youngjun Joo and Inchon Hwang	990
<i>TakeLab at SemEval-2019 Task 4: Hyperpartisan News Detection</i> Niko Palić, Juraj Vladika, Dominik Čubelić, Ivan Lovrencic, Maja Buljan and Jan Šnajder	995
<i>Team Fernando-Pessa at SemEval-2019 Task 4: Back to Basics in Hyperpartisan News Detection</i> André Cruz, Gil Rocha, Rui Sousa-Silva and Henrique Lopes Cardoso	999
<i>Team Harry Friberg at SemEval-2019 Task 4: Identifying Hyperpartisan News through Editorially Defined Metatopics</i> Nazanin Afsarmanesh, Jussi Karlgren, Peter Sumbler and Nina Viereckel	1004
<i>Team Howard Beale at SemEval-2019 Task 4: Hyperpartisan News Detection with BERT</i> Osman Mutlu, Ozan Arkan Can and Erenay Dayanik	1007

<i>Team Jack Ryder at SemEval-2019 Task 4: Using BERT Representations for Detecting Hyperpartisan News</i>	
Daniel Shaprin, Giovanni Da San Martino, Alberto Barrón-Cedeño and Preslav Nakov	1012
<i>Team Kermit-the-frog at SemEval-2019 Task 4: Bias Detection Through Sentiment Analysis and Simple Linguistic Features</i>	
Talita Anthonio and Lennart Kloppenburg	1016
<i>Team Kit Kittredge at SemEval-2019 Task 4: LSTM Voting System</i>	
Rebekah Cramerus and Tatjana Scheffler	1021
<i>Team Ned Leeds at SemEval-2019 Task 4: Exploring Language Indicators of Hyperpartisan Reporting</i>	
Bozhidar Stevanoski and Sonja Gievska	1026
<i>Team Peter Brinkmann at SemEval-2019 Task 4: Detecting Biased News Articles Using Convolutional Neural Networks</i>	
Michael Färber, Agon Qurdina and Lule Ahmedi	1032
<i>Team Peter-Parker at SemEval-2019 Task 4: BERT-Based Method in Hyperpartisan News Detection</i>	
Zhiyuan Ning, Yuanzhen Lin and Ruichao Zhong	1037
<i>Team QCRI-MIT at SemEval-2019 Task 4: Propaganda Analysis Meets Hyperpartisan News Detection</i>	
Abdelrhman Saleh, Ramy Baly, Alberto Barrón-Cedeño, Giovanni Da San Martino, Mitra Mοhtarami, Preslav Nakov and James Glass	1041
<i>Team Xenophilius Lovegood at SemEval-2019 Task 4: Hyperpartisanship Classification using Convolutional Neural Networks</i>	
Albin Zehe, Lena Hettinger, Stefan Ernst, Christian Hauptmann and Andreas Hotho	1047
<i>Team yeon-zi at SemEval-2019 Task 4: Hyperpartisan News Detection by De-noising Weakly-labeled Data</i>	
Nayeon Lee, Zihan Liu and Pascale Fung	1052
<i>The Sally Smedley Hyperpartisan News Detector at SemEval-2019 Task 4</i>	
Kazuaki Hanawa, Shota Sasaki, Hiroki Ouchi, Jun Suzuki and Kentaro Inui	1057
<i>Tintin at SemEval-2019 Task 4: Detecting Hyperpartisan News Article with only Simple Tokens</i>	
Yves Bestgen	1062
<i>Tom Jumbo-Grumbo at SemEval-2019 Task 4: Hyperpartisan News Detection with GloVe vectors and SVM</i>	
Chia-Lun Yeh, Babak Loni and Anne Schuth	1067
<i>UBC-NLP at SemEval-2019 Task 4: Hyperpartisan News Detection With Attention-Based Bi-LSTMs</i>	
Chiyu Zhang, Arun Rajendran and Muhammad Abdul-Mageed	1072
<i>Vernon-fenwick at SemEval-2019 Task 4: Hyperpartisan News Detection using Lexical and Semantic Features</i>	
Vertika Srivastava, Ankita Gupta, Divya Prakash, Sudeep Kumar Sahoo, Rohit R.R and Yeon Hyang Kim	1078
<i>AndrejJan at SemEval-2019 Task 7: A Fusion Approach for Exploring the Key Factors pertaining to Rumour Analysis</i>	
Andrej Janchevski and Sonja Gievska	1083

<i>BLCU_NLP at SemEval-2019 Task 7: An Inference Chain-based GPT Model for Rumour Evaluation</i> Ruoyao Yang, Wanying Xie, Chunhua Liu and Dong Yu	1090
<i>BUT-FIT at SemEval-2019 Task 7: Determining the Rumour Stance with Pre-Trained Deep Bidirectional Transformers</i> Martin Fajcik, Pavel Smrz and Lukas Burget	1097
<i>CLEARumor at SemEval-2019 Task 7: ConvoLving ELMo Against Rumors</i> Ipek Baris, Lukas Schmelzeisen and Steffen Staab	1105
<i>Columbia at SemEval-2019 Task 7: Multi-task Learning for Stance Classification and Rumour Verification</i> Zhuoran Liu, Shivali Goel, Mukund Yelahanka Raghuprasad and Smaranda Muresan	1110
<i>GWU NLP at SemEval-2019 Task 7: Hybrid Pipeline for Rumour Veracity and Stance Classification on Social Media</i> Sardar Hamidian and Mona Diab	1115
<i>SINAI-DL at SemEval-2019 Task 7: Data Augmentation and Temporal Expressions</i> Miguel A. García-Cumbreras, Salud María Jiménez-Zafra, Arturo Montejo-Ráez, Manuel Carlos Díaz-Galiano and Estela Saquete	1120
<i>UPV-28-UNITO at SemEval-2019 Task 7: Exploiting Post’s Nesting and Syntax Information for Rumor Stance Classification</i> Bilal Ghanem, Alessandra Teresa Cignarella, Cristina Bosco, Paolo Rosso and Francisco Manuel Rangel Pardo	1125
<i>BLCU_NLP at SemEval-2019 Task 8: A Contextual Knowledge-enhanced GPT Model for Fact Checking</i> Wanying Xie, Mengxi Que, Ruoyao Yang, Chunhua Liu and Dong Yu	1132
<i>CodeForTheChange at SemEval-2019 Task 8: Skip-Thoughts for Fact Checking in Community Question Answering</i> Adithya Avvaru and Anupam Pandey	1138
<i>ColumbiaNLP at SemEval-2019 Task 8: The Answer is Language Model Fine-tuning</i> Tuhin Chakrabarty and Smaranda Muresan	1144
<i>DOMLIN at SemEval-2019 Task 8: Automated Fact Checking exploiting Ratings in Community Question Answering Forums</i> Dominik Stammbach, Stalin Varanasi and Guenter Neumann	1149
<i>DUTH at SemEval-2019 Task 8: Part-Of-Speech Features for Question Classification</i> Anastasios Bairaktaris, Symeon Symeonidis and Avi Arampatzis	1155
<i>Fermi at SemEval-2019 Task 8: An elementary but effective approach to Question Discernment in Community QA Forums</i> Bakhtiyar Syed, Vijayasaradhi Indurthi, Manish Shrivastava, Manish Gupta and Vasudeva Varma	1160
<i>SolomonLab at SemEval-2019 Task 8: Question Factuality and Answer Veracity Prediction in Community Forums</i> Ankita Gupta, Sudeep Kumar Sahoo, Divya Prakash, Rohit R.R, Vertika Srivastava and Yeon Hyang Kim	1165

<i>TMLab SRPOL at SemEval-2019 Task 8: Fact Checking in Community Question Answering Forums</i> Piotr Niewiński, Aleksander Wawer, Maria Pszona and Maria Janicka	1172
<i>TueFact at SemEval 2019 Task 8: Fact checking in community question answering forums: context matters</i> Reka Juhasz, Franziska-Barbara Linnenschmidt and Teslin Roys	1176
<i>YNU-HPCC at SemEval-2019 Task 8: Using A LSTM-Attention Model for Fact-Checking in Community Forums</i> Peng Liu, Jin Wang and Xuejie Zhang	1180
<i>DBMS-KU at SemEval-2019 Task 9: Exploring Machine Learning Approaches in Classifying Text as Suggestion or Non-Suggestion</i> Tirana Fatyanosa, Al Hafiz Akbar Maulana Siagian and Masayoshi Aritsugi	1185
<i>DS at SemEval-2019 Task 9: From Suggestion Mining with neural networks to adversarial cross-domain classification</i> Tobias Cabanski	1192
<i>Hybrid RNN at SemEval-2019 Task 9: Blending Information Sources for Domain-Independent Suggestion Mining</i> Aysu Ezen-Can and Ethem F. Can	1199
<i>INRIA at SemEval-2019 Task 9: Suggestion Mining Using SVM with Handcrafted Features</i> Iliia Markov and Eric Villemonte De la Clergerie	1204
<i>Lijunyi at SemEval-2019 Task 9: An attention-based LSTM and ensemble of different models for suggestion mining from online reviews and forums</i> Junyi Li	1208
<i>MIDAS at SemEval-2019 Task 9: Suggestion Mining from Online Reviews using ULMFit</i> Sarthak Anand, Debanjan Mahata, Kartik Aggarwal, Laiba Mehnaz, Simra Shahid, Haimin Zhang, Yaman Kumar, Rajiv Shah and Karan Uppal	1213
<i>NL-FIIT at SemEval-2019 Task 9: Neural Model Ensemble for Suggestion Mining</i> Samuel Pecar, Marian Simko and Maria Bielikova	1218
<i>NTUA-ISLab at SemEval-2019 Task 9: Mining Suggestions in the wild</i> Rolandos Alexandros Potamias, Alexandros Neofytou and Gergios Siolas	1224
<i>OleNet at SemEval-2019 Task 9: BERT based Multi-Perspective Models for Suggestion Mining</i> Jiaxiang Liu, Shuohuan Wang and Yu Sun	1231
<i>SSN-SPARKS at SemEval-2019 Task 9: Mining Suggestions from Online Reviews using Deep Learning Techniques on Augmented Data</i> Rajalakshmi S, Angel Suseelan, S Milton Rajendram and Mirnalinee T T	1237
<i>Suggestion Miner at SemEval-2019 Task 9: Suggestion Detection in Online Forum using Word Graph</i> Usman Ahmed, Humera Liaquat, Luqman Ahmed and Syed Jawad Hussain	1242
<i>Team Taurus at SemEval-2019 Task 9: Expert-informed pattern recognition for suggestion mining</i> Nelleke Oostdijk and Hans van Halteren	1247

<i>ThisIsCompetition at SemEval-2019 Task 9: BERT is unstable for out-of-domain samples</i>	
Cheoneum Park, Juae Kim, Hyeon-gu Lee, Reinald Kim Amplayo, Harksoo Kim, Jungyun Seo and Changki Lee	1254
<i>WUT at SemEval-2019 Task 9: Domain-Adversarial Neural Networks for Domain Adaptation in Suggestion Mining</i>	
Mateusz Klimaszewski and Piotr Andruszkiewicz	1262
<i>Yimmon at SemEval-2019 Task 9: Suggestion Mining with Hybrid Augmented Approaches</i>	
Yimeng Zhuang	1267
<i>YNU_DYX at SemEval-2019 Task 9: A Stacked BiLSTM for Suggestion Mining Classification</i>	
Yunxia Ding, Xiaobing Zhou and Xuejie Zhang	1272
<i>YNU-HPCC at SemEval-2019 Task 9: Using a BERT and CNN-BiLSTM-GRU Model for Suggestion Mining</i>	
Ping Yue, Jin Wang and Xuejie Zhang	1277
<i>Zoho at SemEval-2019 Task 9: Semi-supervised Domain Adaptation using Tri-training for Suggestion Mining</i>	
Sai Prasanna and Sri Ananda Seelan	1282
<i>ZQM at SemEval-2019 Task9: A Single Layer CNN Based on Pre-trained Model for Suggestion Mining</i>	
Qimin Zhou, Zhengxin Zhang, Hao Wu and Linmao Wang	1287
<i>ProblemSolver at SemEval-2019 Task 10: Sequence-to-Sequence Learning and Expression Trees</i>	
Xuefeng Luo, Alina Baranova and Jonas Biegert	1292
<i>RGCL-WLV at SemEval-2019 Task 12: Toponym Detection</i>	
Alistair Plum, Tharindu Ranasinghe, Pablo Calleja, Constantin Orasan and Ruslan Mitkov ...	1297
<i>THU_NGN at SemEval-2019 Task 12: Toponym Detection and Disambiguation on Scientific Papers</i>	
Tao Qi, Suyu Ge, Chuhan Wu, Yubo Chen and Yongfeng Huang	1302
<i>UNH at SemEval-2019 Task 12: Toponym Resolution in Scientific Papers</i>	
Matthew Magnusson and Laura Dietz	1308
<i>UniMelb at SemEval-2019 Task 12: Multi-model combination for toponym resolution</i>	
Haonan Li, Minghan Wang, Timothy Baldwin, Martin Tomko and Maria Vasardani	1313
<i>University of Arizona at SemEval-2019 Task 12: Deep-Affix Named Entity Recognition of Geolocation Entities</i>	
Vikas Yadav, Egoitz Laparra, Ti-Tai Wang, Mihai Surdeanu and Steven Bethard	1319