

2019 IEEE 11th International Memory Workshop (IMW 2019)

**Monterey, California, USA
12-15 May 2019**



**IEEE Catalog Number: CFP19NOV-POD
ISBN: 978-1-7281-0982-4**

**Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP19NOV-POD
ISBN (Print-On-Demand):	978-1-7281-0982-4
ISBN (Online):	978-1-7281-0981-7
ISSN:	2330-7978

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

IMW 2019 TABLE OF CONTENTS

Committees	vii
Summary of Events	ix
Schedule	x
Technical Program	xi
Sponsors	xiii
Poster Sessions	
[P1] Physical Origin of Excellent Data Retention over 10years at Sub-μA Operation in AgW-Alloy Ionic Memory	1
<i>Marina Yamaguchi, Shosuke Fujii, Yoko Yoshimura, Riki Nagasawa, Yoshihiro Asayama, Hiroki Shirakawa, Masaaki Araidai, Kenji Shiraishi, Takashi Nakayama, and Masumi Saitoh</i>	
[P2] Novel Logic Non-Volatile Memory with Highly Reliable Performances for Autotronic Application	4
<i>Chun Hsiao Li, Hsueh Wei Chen, Hung Yi Liao, Wei Ren Chen, Wein Town Sun, Te Hsun Hsu, and CY Lin</i>	
[P3] Principles and Challenges for Binary Oxide Based Ferroelectric Memory FeFET	8
<i>T. Ali, P. Polakowski, T. Büttner, T. Kämpfe, M. Rudolph, B. Pätzold, R. Hoffmann, M. Czernohorsky, K. Kühnel, P. Steinke, L. M. Eng, and K. Seidel</i>	
[P4] Read Disturb Evaluations of 3D NAND Flash for Highly Read-Intensive Edge-Computing Inference Device for Artificial Intelligence Applications	12
<i>Pei-Ying Du, Hang-Ting Lue, Tzu-Hsuan Hsu, Chih-Chang Hsieh, Wei-Chen Chen, Kuo-Ping Chang, Keh-Chung Wang, and Chih-Yuan Lu</i>	
[P5] 2T-SONOS Cell using Novel Process Integration on HV-CMOS Platform for Versatile Application	16
<i>Sung-Kun Park, Young-Jun Kwon, Tae-Ho Lee, Woo Young Choi, Gyuhun Yoon, Jun-Ho Lee, Seung-Duk Kim, Young-Dong Joo, Bok-Nam Song, and In-Wook Cho</i>	
[P6] Uniting the Trinity of Ferroelectric HfO₂ Memory Devices in a Single Memory Cell	20
<i>Stefan Slesazeck, Viktor Havel, Evelyn Breyer, Halid Mulaosmanovic, Michael Hoffmann, Benjamin Max, Stefan Duenkel, and Thomas Mikolajick</i>	
[P7] Superb Endurance and Appropriate V_{th} of PCM Pillar Cell using Buffer Layer for 3D Cross-Point Memory	24
<i>N. Gong, W.C. Chien, A. Ray, L.M. Gignac, C.W. Yeh, C.H. Yang, R.L. Bruce, H.Y. Cheng, W. Kim, I T. Kuo, C.W. Cheng, F. Carta, J.M. Papalia, E.K. Lai, H.L. Lung, and M. BrightSky</i>	
[P8] Scaling Split-Gate Flash Memory Technology for Advanced MCU and Emerging Applications	28
<i>N. Do, J. Kim, S. Lemke, L. Tee, Y. Tkachev, X. Liu, P. Ghazavi, F. Zhou, B. Villard, S. Jourba, C. Decobert, S. Hong, T. Vu, S. Trinh, A. Ly, H. Tran, V. Tiwari, and M. Reiten</i>	

[P9] Co-Design of DNN Model Optimization for Binary ReRAM Array In-Memory Processing	32
<i>Yue GUA and Takashi OHSAWA</i>	
[P10] The Method of Predicting Retention Threshold Voltage Distribution for NAND Flash Memory Based on Back-Propagation Neural Network	36
<i>Kunliang Wang, Gang Du, Zhiyuan Lun, and Xiaoyan Liu</i>	
[P11] Retention Characteristics of Hf_{0.5}Zr_{0.5}O₂-Based Ferroelectric Tunnel Junctions	40
<i>Benjamin Max, Thomas Mikolajick, Michael Hoffmann, Stefan Slesazeck, and Thomas Mikolajick</i>	
[P12] Switching Speed Analysis and Controlled Oscillatory Behavior of a Cr-Doped V₂O₃ Threshold Switching Device for Memory Selector and Neuromorphic Computing Application	44
<i>T. Hennen, D. Bedau, J. A. J. Rupp, C. Funck, S. Menzel, M. Grobis, R. Waser, and D. J. Wouters</i>	
[P13] Quantification of Compositional Runaway during Electroformation in TaO_x Resistive Switching Devices	48
<i>Yuanzhi Ma, Jonathan Goodwill, and Marek Skowronski</i>	

Session #1 Invited Keynotes

[1-1] Retention and Endurance of FeFET Memory Cells <i>Invited</i>	52
<i>T.P.Ma and Nanbo Gong</i>	
[1-2] Neuromorphic Computing Based on Analog ReRAM as Low Power Solution for Edge Application <i>Invited</i>	56
<i>Takumi Mikawa, Ryutaro Yasuhara, Koji Katayama, Kazuyuki Kouno, Takashi Ono, Reiji Mochida, Yuriko Hayata, Masayoshi Nakayama, Hitoshi Suwa, Yasushi Gohou, and Toru Kakiage</i>	
[1-3] High Speed, Low Power, and Ultra-Small Operating Platform with Three-Dimensional Integration (3DI) by Bumpless Interconnects <i>Invited</i>	60
<i>Koji Sakui and Takayuki Ohba</i>	
[1-4] High Temperature Challenge for PCM as Enabler for a Wide Applications Spectrum <i>Invited</i>	64
<i>P. ZULIANI, F. DISEGNI, L. CROCE, and R. ANNUNZIATA</i>	

Session #2 PCM and Selectors

[2-1] Single-Element Phase Change Memory <i>Invited</i>	68
<i>Martin Salinga</i>	
[2-2] Outstanding Improvement in 4Kb Phase-Change Memory of Programming and Retention Performances by Enhanced Thermal Confinement	71
<i>A. L. Serra, O. Cueto, N. Castellani, J. Sandrini, G. Bourgeois, N. Bernier, M. C. Cyrille, J. Garrione, M. Bernard, V. Beugin, A. André, J. Guerrero, G. Navarro, and E. Nowak</i>	
[2-3] Solution for PCM and OTS Intermixing on Cross-Point Phase Change Memory	75
<i>W.C. Chien, L.M. Gignac, N. Gong, C.W. Yeh, C.H. Yang, R.L. Bruce, H.Y. Cheng, J.M. Papalia, H. Miyazoe, C.W. Cheng, W. Kim, I. T. Kuo, F. Carta, A. Ray, E.K. Lai, M. BrightSky, and H.L. Lung</i>	
[2-4] Tunable Performances in OTS Selectors Thanks to Ge₃Se₇As₂Te₃	79
<i>A. Verdy, M. Bernard, N. Castellani, P. Noé, J. Garrione, G. Bourgeois, M. C. Cyrille, G. Navarro, and E. Nowak</i>	

Session #3 Embedded and Late News

[3-1] Embedded Resistive Switching Non-Volatile Memory Technology for 28nm and Beyond High-k Metal-Gate Generations <i>Invited</i>	83
<i>Steve S. Chung</i>	

[3-2] First Demonstration of In_{1-x}Ga_xAs Macaroni Channel for Future 3-D NAND <i>Later News</i>	87
<i>S. Ramesh, S. Vadakupudhu Palayam, E. Rosseel, A. Arreghini, B. Kunert, M. Baryshnikova, L. Zhang, P. Ong, L. Teugels, M. Pak, N. Jossart, T. Raymaekers, J. Stiers, G. Van den bosch, and A. Furnemont</i>	
[3-3] Highly Sb-Rich Ge-Sb-Te Engineering in 4Kb Phase-Change Memory for High Speed and High Material Stability Under Cycling <i>Later News</i>	91
<i>G. Navarro, C. Sabbione, M. Bernard, G. Bourgeois, J. Sandrini, N. Castellani, O. Cueto, J. Garrione, M. C. Cyrille, M. Frej, L. Nistor, N. Bernier, F. Fillot, E. Nolot, C. Socquet-Clerc, T. Magis, F. Laulagnet, M. Pakala, and E. Nowak</i>	

Session #4 FRAM and MRAM

[4-1] Selector-Free Cross-Point Memory Architecture Based on Ferroelectric MFM Capacitors <i>Invited</i>	95
<i>W. Chen</i>	
[4-2] Ferroelectric HfO₂ for Memory Applications: Impact of Si Doping Technique and Bias Pulse Engineering on Switching Performance	97
<i>T. Francois, J. Coignus, L. Grenouillet, J.P. Barnes, N. Vaxelaire, J. Ferrand, I. Bottala-Gambetta, M. Gros-Jean, S. Jeannot, P. Boivin, P. Chiquet, M. Bocquet, E. Nowak, and F. Gaillard</i>	
[4-3] Spin-Orbit Torque MRAM for Ultrafast Embedded Memories: From Fundamentals to Large Scale Technology Integration <i>Invited</i>	101
<i>Kevin Garello, Farrukh Yasin, and Gouri Sankar Kar</i>	
[4-4] Enabling STT-MRAM in High Volume Manufacturing for LLC Applications	105
<i>R. Whig, C. Ching, X. Wang, P. Agrawal, D. Kim, R. Wang, J. Lei, R. Zheng, L. Xue, J. Ahn, H Tseng, S. Kumar, W. Zhou, E. Budiarto, T. Egan, S. Venkatanarayanan, N. Khasgiwale, W. Chen, C. Zhou, M. Pakala,, K. Moraes, and X. Tang</i>	
[4-5] Performance Enhancement of Edge-AI-Inference using Commodity MRAM: IoT Case Study	108
<i>Manan Suri, Abhishek Gupta, Vivek Parmar, and Kang Ho Lee</i>	

Session #5 RRAM and Neuromorphic

[5-1] Intelligent Computing with RRAM <i>Invited</i>	112
<i>Peng Yao, Wenqiang Zhang, Meiran Zhao, Yudeng Lin, Wei Wu, Bin Gao, He Qian, and Huaqiang Wu</i>	
[5-2] Nanoscale Filaments in Ta-O Resistive RAM Bit Array: Microscopy Analysis and Switching Property	116
<i>M. Arita, A. Tsurumaki-Fukuchi, Y. Takahashi, S. Muraoka, S. Ito, and S. Yoneda</i>	
[5-3] Training Neural Networks using Memristive Devices with Nonlinear Accumulative Behavior	120
<i>Christophe Piveteau, Manuel Le Gallo, Riduan Khaddam-Aljameh, and Abu Sebastian</i>	
[5-4] Building Next-Generation AI Systems: Co-Optimization of Algorithms, Architectures, and Nanoscale Memristive Devices <i>Invited</i>	124
<i>Bipin Rajendran, Abu Sebastian, and Evangelos Eleftheriou</i>	
[5-5] Experimental Determination of the Driving Force for Switching in TiN/a-Si/TiO_x/TiN RRAM Devices	128
<i>Subhali Subhechha, Robin Degraeve, Philippe Roussel, Ludovic Goux, Kristin De Meyer, Jan Van Houdt, and Gouri Sankar Kar</i>	
[5-6] Integration of OTS Based Back-End Selector with HfO₂ OxRAM for Crossbar Arrays	132
<i>D. Alfaro Robayo, G. Sassine, L. Grenouillet, C. Carabasse, T. Martin, N. Castellani, A. Verdy, G. Navarro, L. Ciampolini, B. Giraud, M. Bernard, T. Magis, V. Beugin, E. Vianello, G. Ghibaudo, G. Molas, and E. Nowak</i>	

