

# **2019 IEEE International Symposium on Inertial Sensors and Systems (INERTIAL 2019)**

**Naples, Florida, USA  
1-5 April 2019**



**IEEE Catalog Number: CFP19YAL-POD  
ISBN: 978-1-5386-7829-9**

**Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP19YAL-POD
ISBN (Print-On-Demand):	978-1-5386-7829-9
ISBN (Online):	978-1-5386-7828-2

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# TABLE OF CONTENTS

<b>QUATERNION-BASED COMPLEMENTARY FILTER FOR AIDING IN THE SELF-ALIGNMENT OF THE MEMS IMU</b> .....	1
<i>H. Xing, Z. Chen, C. Wang, M. Guo, R. Zhang</i>	
<b>ANGLE RANDOM WALK MINIMIZATION FOR FREQUENCY MODULATED GYROSCOPES</b> .....	5
<i>A. Sabater, K. Moran</i>	
<b>IMPACTS OF INERTIAL SENSOR ERRORS ON BOTH DATA FUSION AND ATTITUDE-BASED BICYCLE RIDER ASSISTANCE SYSTEMS IN ORDER TO DERIVE SENSOR REQUIREMENTS</b> .....	9
<i>D. Felix, D. Gorges, A. Wiens</i>	
<b>EVALUATION METHOD FOR THE ABSOLUTE ORIENTATION FROM THE ROTATION VECTOR ON MOBILE DEVICES</b> .....	13
<i>N. Buscher, M. Stieringer, C. Haubelt</i>	
<b>MICRO ACCELERATION MEASUREMENT SYSTEM BASED ON HIGHLY-SENSITIVE TUNNEL MAGNETO-RESISTANCE SENSOR</b> .....	17
<i>L. Gao, S. Li, Y. Yao</i>	
<b>IMPACT OF PARASITICS ON THE SETTLING TIME OF A READOUT CIRCUIT FOR HIGH PERFORMANCE MEMS ACCELEROMETERS</b> .....	21
<i>A. Lanniel, T. Boeser, L. Aichholz, T. Alpert, M. Ortmanns</i>	
<b>THE STUDY OF A NOVEL SECOND-ORDER STRESS ISOLATION FOR SILICON RESONATOR APPLIED ON MEMS SENSOR</b> .....	25
<i>J. Zhang, Y. Wang, Y. Liu, C. Lin, Z. Yao, Y. Su, P. Xu</i>	
<b>DESIGN AND PERFORMANCE OF WHEEL-MOUNTED MEMS IMU FOR VEHICULAR NAVIGATION</b> .....	28
<i>O. Mezentssev, J. Collin</i>	
<b>FREQUENCY STAGGERED ACCELEROMETER ARRAY FOR IMPROVED RINGDOWN BEHAVIOR</b> .....	34
<i>M. Guney, V. Chung, X. Li, J. Paramesh, T. Mukherjee, G. Fedder</i>	
<b>DIGITAL CLOSED-LOOP FIBER OPTIC GYROSCOPES - A CHOICE FOR MICRO/NANO-SATELLITES APPLICATION</b> .....	38
<i>J. Jin, J. He, K. Ma, L. Kong</i>	
<b>MODULATION METHODS IN TIME DIVISION MULTIPLEXING INTERFEROMETRIC FIBER OPTIC GYROSCOPES</b> .....	42
<i>J. He, R. Gan, N. Song</i>	
<b>MEMS RATE INTEGRATING GYROSCOPE WITH TEMPERATURE CORRECTED VIRTUAL ROTATION</b> .....	47
<i>T. Tskukamoto, S. Tanaka</i>	
<b>DEMONSTRATION OF A ROBUST HYBRID CLASSICAL/QUANTUM ACCELEROMETER</b> .....	51
<i>P. Cheiney, B. Barrett, S. Templier, O. Jolly, B. Battelier, P. Bouyer, H. Porte, F. Napolitano</i>	
<b>A NOVEL RESONANT ACCELEROMETER BASED ON QUARTZ ON SILICON (QOS)</b> .....	55
<i>C. Han, Y. Zhao, C. Li</i>	
<b>NONLINEAR DYNAMICAL SYSTEM MODEL FOR DRIVE MODE AMPLITUDE INSTABILITIES IN MEMS GYROSCOPES</b> .....	59
<i>U. Nabholz, M. Curcic, J. Mehner, P. Degenfeld-Schonburg</i>	
<b>GEOMETRICAL AND PROCESS EFFECTS ON MEMS DIMENSIONAL LOSS: A FREQUENCY BASED CHARACTERIZATION</b> .....	63
<i>G. Gattere, F. Rizzini, L. Corso, A. Alessandri, F. Tripodi, S. Paleari</i>	
<b>NEAR-NAVIGATION GRADE TUNING FORK MEMS GYROSCOPE</b> .....	67
<i>D. Endeian, K. Christ, P. Duffy, E. Freeman, M. Glenn, M. Gnerlich, B. Johnson, J. Weinmann</i>	
<b>ACOUSTO-OPTIC GYROSCOPE WITH IMPROVED SENSITIVITY AND 100 SECOND STABILITY IN A SMALL FORM FACTOR</b> .....	71
<i>A. Mahmoud, L. Cai, J. Bain, T. Mukherjee, G. Piazza</i>	
<b>3040 DEVELOPMENT OF A HIGH-G SHOCK SENSOR BASED ON MEMS TECHNOLOGY FOR MASS-MARKET APPLICATIONS</b> .....	75
<i>J. Darmanin, A. Tocchio, G. Tripoli, P. Pesenti, A. Donadel, A. Granata, M. Quartiroli, P. Rosingana, S. Facchinetti</i>	

<b>HOURGLASS-BEAM NANOGRAM-PROOF-MASS ARRAY: TOWARD A HIGH DYNAMIC RANGE ACCELEROMETER</b> .....	79
<i>V. Chung, X. Li, M. Guney, J. Paramesh, T. Mukherjee, G. Fedder</i>	
<b>IDENTIFICATION-BASED APPROACH FOR ELECTRICAL COUPLING COMPENSATION IN A MEMS GYROSCOPE</b> .....	83
<i>K. Colin, F. Saggin, C. Le Blanc, X. Bombois, A. Korniienko, G. Scorletti</i>	
<b>REDUCING NOISE IN A RING-LASER GYRO BASED ON STIMULATED BRILLOUIN SCATTERING</b> .....	87
<i>K. Nelson, M. Puckett, J. Wu, D. Bose, S. Gundavarapu, D. Blumenthal</i>	
<b>SELF-INDUCED PARAMETRIC AMPLIFICATION IN THE DISK RESONANT GYROSCOPE</b> .....	90
<i>K. Moran, K. Stanzione, A. Sabater, T. Lewis, V. Badescu, A. Wang</i>	
<b>LASER SELF-MIXING INTERFEROMETRY FOR PRECISION DISPLACEMENT MEASUREMENT IN RESONANT GYROSCOPES</b> .....	93
<i>G. He, R. Gordenker, J.-K. Woo, J.A. Nees, B. Shiari, T. Nagourney, J.-Y. Cho, K. Najafi</i>	
<b>STUDY ON MOUNTING POSITION OF IMU FOR BETTER ACCURACY OF ZUPT-AIDED PEDESTRIAN INERTIAL NAVIGATION</b> .....	97
<i>Y. Wang, S. Askari, A. Shkel</i>	
<b>ICE-SURFACE PROFILOMETRY WITH MILLIMETER VERTICAL RESOLUTION OVER 10'S OF METERS USING A MEMS INCLINOMETER</b> .....	101
<i>M. Bremer, T. Richardson, K.-H. Mertins</i>	
<b>MICRO-TORR VACUUM PACKAGING OF GETTERED CERAMIC CHIP CARRIERS</b> .....	104
<i>R. Knight, R. Polcawich, D. Devoe, J. Pulskamp, B. Power</i>	
<b>IMPROVED SCALE-FACTOR AND BIAS STABILITY OF OVENIZED INERTIAL SENSORS IN AN ENVIRONMENTALLY-STABILIZED INERTIAL MEASUREMENT UNIT (EIMU)</b> .....	108
<i>D. Lemmerhirt, O. Srivannavit, S. Chen, T. Litow, J. Mitchell, P. Cooksey, R. Sturdevant, J. Bingham, O. Padilla, M. Trevino</i>	
<b>FREQUENCY STABILIZATION IN A MEMS OSCILLATOR WITH 1:2 INTERNAL RESONANCE</b> .....	112
<i>J. Yu, K. Asadi, H. Brahmi, H. Cho, S. Nezmi, S. Lee</i>	
<b>TEMPERATURE STABILIZED MEMS CAPACITOR FOR INERTIAL SENSING APPLICATION</b> .....	116
<i>J. Puder, I. Kierzewski, V. Tseng, R. Knight, J. Pulskamp, J. Martin</i>	
<b>PSEUDO-EXTENSIONAL MODE MEMS RING GYROSCOPE</b> .....	120
<i>I. Prikhodko, J. Gregory, D. Shin, R. Kwon, T. Kenny, M. Judy</i>	
<b>LOW-POWER FREQUENCY-TO-DIGITAL-CONVERTER FOR A 6-AXIS MEMS FREQUENCY-MODULATED INERTIAL MEASUREMENT UNIT</b> .....	124
<i>M. Bestetti, M. Leoncini, P. Minotti, C. Rocco Marra, G. Langfelder, A. Tocchio, S. Facchinetti</i>	
<b>LOW POWER HIGH BANDWIDTH ACCELERATION SENSOR FOR INDUSTRIAL APPLICATIONS</b> .....	128
<i>R. Forke, K. Hiller, S. Hahn, S. Weidlich, S. Konietzka, T. Motl, A. Praedicow, T. Otto</i>	
<b>STUDY ON MEMS GLASSBLOWN CELLS FOR NMR SENSORS</b> .....	132
<i>R. Noor, N. Kulachenkov, M. Asadian, A. Shkel</i>	
<b>IMPROVING THE STABILITY OF 1.5 MM<sup>2</sup> GYROSCOPES DOWN TO 2<sup>o</sup>/HR AT 1000 S WITH NEMS BASED SENSING</b> .....	136
<i>M. Gadola, M. Malvicini, G. Langfelder, M. Colin, P. Robert</i>	
<b>AMPLITUDE AMPLIFIED DUAL-MASS GYROSCOPE: DESIGN ARCHITECTURE AND NOISE MITIGATION STRATEGIES</b> .....	140
<i>D. Wang, A. Efimovskaya, A. Shkel</i>	
<b>EFFECT OF ELECTRODE DESIGN ON FREQUENCY TUNING IN SHELL RESONATORS</b> .....	144
<i>A. Darvishian, C. Boyd, S. Singh, J.-Y. Cho, J.-K. Woo, G. He, K. Najafi</i>	
<b>ANALYSIS AND DESIGN OF SUPER-SENSITIVE STACKED (S<sup>3</sup>) RESONATORS FOR LOW-NOISE PITCH/ROLL GYROSCOPES</b> .....	148
<i>A. Darvishian, K. Najafi</i>	
<b>RETROSPECTIVE CORRECTION OF ANGULAR GAIN BY VIRTUAL CAROUSELING IN MEMS GYROSCOPES</b> .....	152
<i>S. Askari, M. Asadian, A. Shkel</i>	
<b>FUSED QUARTZ DUAL SHELL RESONATOR</b> .....	156
<i>M. Asadian, A. Shkel</i>	
<b>MODELING OF NONLINEAR OSCILLATIONS OF DOPED LAMÉ-MODE MEMS SILICON RESONATOR</b> .....	160
<i>P. Rajai, N. Khan, M. Ahamed</i>	

<b>TACKLING SDM FEEDBACK COEFFICIENT MODULATION IN AREA OPTIMIZED FRONTEND READOUT CIRCUIT FOR HIGH PERFORMANCE MEMS ACCELEROMETERS .....</b>	<b>163</b>
<i>A. Lanniel, T. Boeser, T. Alpert, M. Ortmanns</i>	
<b>DESIGN SPACE EXPLORATION OF HEMI-TOROIDAL FUSED QUARTZ SHELL RESONATORS.....</b>	<b>167</b>
<i>M. Asadian, Y. Wang, R. Noor, A. Shkel</i>	
<b>CHARACTERIZATION OF SCALE FACTOR NONLINEARITIES IN CORIOLIS VIBRATORY GYROSCOPES.....</b>	<b>171</b>
<i>D. Watanparvar, M. Asadian, S. Askari, A. Shkel</i>	
<b>QUAD MASS GYROSCOPE WITH 16 PPM FREQUENCY MMISMATCH TRIMMED BY FOCUS ION BEAM.....</b>	<b>175</b>
<i>J. Chen, T. Tsukamoto, S. Tanaka</i>	
<b>ANNEALING EXPERIMENTS ON THE QUALITY FACTOR OF FUSED SILICA CYLINDRICAL SHELL RESONATOR.....</b>	<b>179</b>
<i>Y. Luo, Y. Pan, G. Zhou, T. Qu, H. Luo, B. Zhang</i>	
<b>DIRECTIONAL RANGING FOR ENHANCED PERFORMANCE OF AIDED PEDESTRIAL INERTIAL NAVIGATION .....</b>	<b>181</b>
<i>Y. Wang, S. Askari, C.-S. Jao, A. Shkel</i>	
<b>A LABORATORY TESTBED FOR SELF-CONTAINED NAVIGATION.....</b>	<b>183</b>
<i>S. Askari, C.-S. Jao, Y. Wang, A. Shkel</i>	
<b>CHARACTERIZATION OF ENERGY DISSIPATION MECHANISMS IN DUAL FOUCAULT PENDULUM GYROSCOPES.....</b>	<b>185</b>
<i>M. Asadian, S. Askari, Y. Wang, A. Shkel</i>	
<b>LOW-COST, HIGH-END TACTICAL-GRADE FIBER OPTIC GYROSCOPE BASED ON PHOTONIC INTEGRATED CIRCUIT.....</b>	<b>187</b>
<i>L. Wang, D. Halstead, T. Monte, J. Khan, J. Brunner, M. Van Heyningen</i>	
<b>INVESTIGATION OF SCALE FACTOR VERSUS FREQUENCY FOR A BULK WAVE DIFFRACTION GYROSCOPE.....</b>	<b>189</b>
<i>V. Pinrod, B. Davaji, A. Lal</i>	
<b>INTEGRATED TEMPERATURE SENSOR FOR TEMPERATURE COMPENSATION OF INERTIAL SENSORS .....</b>	<b>191</b>
<i>O. Kaya, T. Kose, K. Azgin</i>	
<b>SENSOR FUSION FOR LAND VEHICLE LOCALIZATION USING INERTIAL MEMS AND ODOMETRY .....</b>	<b>193</b>
<i>A. Mikov, A. Panyov, V. Kosyanchuk, I. Prikhodko</i>	
<b>A CHIP-SCALE NANOPHOTONIC OPTICAL GYROSCOPE.....</b>	<b>195</b>
<i>P. Khial, A. White, A. Hajimiri</i>	
<b>Author Index</b>	