

2019 15th Conference on Ph.D Research in Microelectronics and Electronics (PRIME 2019)

**Lausanne, Switzerland
15 – 18 July 2019**



IEEE Catalog Number: CFP19622-POD
ISBN: 978-1-7281-3550-2

**Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP19622-POD
ISBN (Print-On-Demand):	978-1-7281-3550-2
ISBN (Online):	978-1-7281-3549-6

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

Table of Contents

Welcome	xii
Committees	xiii
Company Fair	xvii
Social Events	xxi
Tutorials	xxiii
Plenaries	xxvii
Regular Papers	
Analog Circuits and Sub-Systems I	
Implementation of a Fully-Differential Operational Amplifier with Wide-Input Range, High-Impedance Common-Mode Feedback	
<i>Y. Wenger, B. Meinerzhagen</i>	
TU Braunschweig, Germany	1
A 150-MHz TIA with Unconventional Feed-Forward Opamp Stabilization Technique	
<i>M. Salehi, D. Manstretta, R. Castello</i>	
University of Pavia, Italy	5
A Sub-1V CMOS Switched Capacitor Voltage Reference with High Output Current Capability	
<i>A. Ria, A. Catania, M. Cicalini, L. Benvenuti, M. Piotto, P. Bruschi</i>	
University of Pisa, Italy	9
Modified Current-Reuse OTA to Achieve High CMRR by Utilizing Cross-Coupled Load	
<i>E. Tonekabony Shad, M. Molinas, T. Ytterdal</i>	
Norwegian University of Science and Technology, Norway	13
A Generic Procedural Generator for Sizing of Analog Integrated Circuits	
<i>M. Schweikardt¹, Y. Uhlmann¹, F. Leber¹, H. Habal², J. Scheible¹</i>	
¹ Reutlingen University, Germany, ² Infineon Technologies, Germany	17
Digital Circuits and Sub-Systems I	
A 5-ps Resolution, 8.6-ns Delay Range Digital Delay Line Using Combinatorial Redundancy	
<i>T. Van den Dries, H. Ingelberts, S. Boulanger, M. Kuijk</i>	
Vrije Universiteit Brussel, Belgium	21
Impact of Adiabatic Logic Families on the Power-Clock Generator Energy Efficiency	
<i>S. Maheshwari, I. Kale</i>	
University of Westminster, United Kingdom	25

Selector-Memory Device Voltage Compatibility Considerations in 1S1R Crosspoint Arrays	
Y. Belay, A. Cabrini, G. Torelli	
University of Pavia, Italy	29
A Novel Delay Generator for the Triggering of Particle Detectors at the CERN LHC	
J. Gauci ¹ , E. Gatt ¹ , O. Casha ¹ , G. De Cataldo ² , I. Grech ¹ , J. Micallef ¹	
¹ University of Malta, Malta, ² INFN, Italy	33
New ASICs for the Very Front-End Card Upgrade of the CMS ECAL Barrel at the HL-LHC	
S. Cometti ¹ , ² G. Mazza ²	
¹ Politecnico di Torino, Italy, ² INFN, Italy	37
Power Circuits and Harvesting	
AC/DC Buck Boost Converter for Wind-Powered Wireless Sensors	
M. Haidar ¹ , H. Chible ² , R. Morasso ¹ , D. Caviglia ¹	
¹ University of Genova, Italy, ² Lebanese International University, Lebanon	41
Hysteretic Buck-Boost Converter for Wearable Applications	
K. Ozanoglu ¹ , P. Cavallini ² , M. Yelten ³ , G. Dundar ¹	
¹ Bogazici University, Turkey, ² Dialog Semiconductor, United Kingdom, ³ Istanbul Technical University, Turkey	45
A Fully-Integrated 6:1 Cascaded Switched-Capacitor DC-DC Converter Achieving 74% Efficiency at 0.1 W/mm²	
T. Van Daele, E. De Pelecijn, T. Thielemans, M. Steyaert, F. Tavernier	
Katholieke Universiteit Leuven, Belgium	49
Startup Behaviour of Power Management Unit for an Integrated Gate Driver	
L. Rolff, E. Schulte Bocholt, R. Wunderlich, S. Heinen	
RWTH Aachen University, Germany	53
A Novel Method for Dynamic Battery Model Identification Based on CFSO	
V. Lucaferri, G. Lozito, F. Riganti Fulginei, A. Salvini	
University of Roma Tre, Italy	57
Fast Transient Thermomechanical Stress to Set a Pressure-Assisted Sintering Process	
M. Santopà ¹ , S. Russo ¹ , M. Torrisi ¹ , M. Renna ¹ , A. Sitta ² , M. Calabretta ¹	
¹ STMicroelectronics, Italy, ² University of Catania, Italy	61
Digital Circuits and Sub-Systems II	
Efficient FPGA Implementation of PCA Algorithm for Large Data using High Level Synthesis	
M. Mansoori, M. Casu	
Politecnico di Torino, Italy	65
FPGA Implementation of Novel Routing Algorithm for Butterfly-Fat-Tree Topology Based NoC Design	
P. Veda Bhanu, S. Jagadheesh, V. Bhat, G. Agarwal, J. Soumya	
BITS-Pilani, Hyderabad Campus, India	69
A High Performance Full-Word Barrett Multiplier Designed for FPGAs with DSP Resources	
E. Ozcan, S. Erdem	
Gebze Technical University, Turkey	73
A High-Level Implementation Framework for Non-Recurrent Artificial Neural Networks on FPGA	
L. Prono ¹ , A. Marchionni ² , M. Mangia ² , F. Pareschi ¹ , R. Rovatti ² , G. Setti ¹	
¹ Politecnico di Torino, Italy, ² University of Bologna, Italy	77

Self-Synchronized Encryption Using an FPE Block Cipher for Gigabit Ethernet	
<i>A. Perez-Resa, M. Garcia-Bosque, C. Sanchez-Azqueta, S. Celma</i>	
University of Zaragoza, Spain	81
The Navigation of Robotic Fiber Positioners in SDSS-V Project: Design and Implementation	
<i>M. Macktoobian, D. Gillet, J. Kneib</i>	
Ecole Polytechnique Fédérale de Lausanne, Switzerland	85
Radio Frequency Circuits and Systems I	
Fully digital-IF based RF-DAC Transmitter	
<i>E. Bayram, O. Hanay, M. Saeed, R. Negra</i>	
RWTH Aachen University, Germany	89
A 6-15-GHz Ultra-Wideband Signal Generator with 82% Continuous Tuning Range for FMCW Radar	
<i>T. Drechsel, N. Joram, F. Ellinger</i>	
TU Dresden, Germany	93
Design and Comparison of Low Power Pulse Combining IR-UWB Transmitters in 180-nm CMOS	
<i>O. Batur¹, S. Ramazanoglu², G. Dundar²</i>	
¹ Istanbul Bilgi University, Turkey, ² Bogaziçi University, Turkey	97
JESD204B Compliant 12.5-Gb/s LVDS and SST Transmitters in 28-nm FD-SOI CMOS	
<i>F. Celik¹, A. Akkaya¹, A. Tajalli², A. Burg¹, Y. Leblebici¹</i>	
¹ Ecole Polytechnique Fédérale de Lausanne, Switzerland, ² University of Utah, United States	101
Sensing and Biomedical Circuits I	
On Chip Counting and Localisation of Magnetite Pollution Nanoparticles	
<i>S. Zuo¹, J. Chen¹, H. Fan², R. Ghannam¹, H. Heidari¹</i>	
¹ University of Glasgow, United Kingdom, ² University of Science and Technology of China, China	105
Post-CMOS 3D-Integration of a Nanopellistor	
<i>F. Münchenberger¹, S. Dreiner¹, H. Kappert¹, H. Vogt^{2, 1}</i>	
¹ Fraunhofer Institute for Microelectronic Circuits and Systems IMS, Germany, ² University Duisburg-Essen, Germany	109
An Integrated Nanoplasmonic Biosensor for Monitoring Single-Cell Cytokine Secretion	
<i>X. Li¹, M. Soler², C. Szydzik³, K. Khoshmanesh³, J. Schmidt⁴, F. Yesilkoy¹, A. Belushkin¹, G. Coukos⁴, A. Mitchell³, H. Altug¹</i>	
¹ Ecole Polytechnique Fédérale de Lausanne, Switzerland, ² Catalan Institute of Nanoscience and Nanotechnology, Spain, ³ RMIT University, Australia, ⁴ University of Lausanne, Switzerland	113
Comparison of Direct Digitization Current Sensing Circuits for EIS	
<i>M. Rajabzadeh, M. Haeberle, M. Ortmanns</i>	
University of Ulm, Germany	117
Data Converters	
A 0.3-V 15-nW 69-dB SNDR Inverter-Based Delta-Sigma Modulator in 0.18-μm CMOS	
<i>L. Benvenuti, A. Catania, M. Ciccalini, A. Ria, M. Piotto, P. Bruschi</i>	
University of Pisa, Italy	121
Design of a 12-Bit SAR ADC with Digital Self-Calibration for Radiation Detectors Front-Ends	
<i>A. Di Salvo</i>	
Politecnico di Torino and INFN, Italy	125

A 1-1 MASH Using Two Noise-Shaping Switched-Capacitor Dual-Slope Converters	
<i>C. Rogi¹, R. Garvi², E. Prefasi²</i>	
¹ Infineon Technologies, Austria, ² Universidad Carlos III de Madrid, Spain	129
A Practical Architecture for SAR-based ADCs with Embedded Compressed Sensing Capabilities	
<i>C. Paolini¹, F. Pareschi¹, M. Mangia², R. Rovatti², G. Setti¹</i>	
¹ Polytechnic di Torino, Italy, ² University of Bologna, Italy	133
Sensing and Optical Circuits	
Design of a Capacitive Humidity Sensor Frontend with an Adaptive Resolution for Energy Autonomous Applications	
<i>M. Wiener, B. Saft</i>	
IMMS, Germany	137
A Versatile Mixed-Signal Large Dynamic Range Front-End ASIC for High Capacitance Detectors	
<i>W. Cheng</i>	
Politecnico di Torino and INFN, Italy	141
Low-Cost and High-Integration Optical Time Domain Reflectometer Using CMOS Technology	
<i>J. Yeom, K. Park, J. Choi, M. Song, S. Kim</i>	
Dongguk University, South Korea	145
Wide Range AWG-Based FBG Interrogation System With Improved Sensitivity	
<i>V. Marrazzo, M. Riccio, L. Maresca, A. Irace, G. Breglio</i>	
University of Napoli Federico II, Italy	149
Conceptual Study for Ultra Miniaturized High-Precision Optical CMOS Sensors Unaffected by Gradients in Illumination	
<i>A. Feiler, J. Oehm, D. Veit, L. Straczek</i>	
Ruhr-University Bochum (AG AIS), Germany	153
Radio Frequency Circuits and Systems II	
Design Approach for a Broadband Class-D Power Amplifier for Low Power Application in a 28-nm Digital CMOS Technology	
<i>M. Sakalas, J. Wagner, N. Joram, F. Ellinger</i>	
TU Dresden, Germany	157
A Ka-Band Low-Noise Amplifier for Space Applications in a 100-nm GaN on Si Technology	
<i>L. Pace¹, W. Ciccognani¹, S. Colangeli¹, P. Longhi¹, E. Limiti¹, R. Leblanc²</i>	
¹ University of Roma Tor Vergata, Italy, ² OMMIC SAS, France	161
A Ka-band Doherty Power Amplifier Using an Innovative Stacked-FET Cell	
<i>F. Costanzo¹, R. Giofrè¹, V. Camarchia², P. Colantonio¹, E. Limiti¹</i>	
¹ University of Roma Tor Vergata, Italy, ² Polytechnic di Torino, Italy	165
Band Specific Suppression of Harmonics and its Effects on Power Efficiency	
<i>R. Nadgouda, B. Deutschmann</i>	
Graz University of Technology, Austria	169
A Dual-Band Impedance Transformer for Matching Frequency Dependent Complex Source and Load Impedances	
<i>A. Saxena¹, D. Banerjee¹, M. Hashmi², M. Auyenur^{1, 2}</i>	
¹ Indraprastha Institute of Information Technology Delhi, India, ² Nazarbayev University, Kazakhstan	173

Circuits for Reliability and Resiliency

Quality Aware Approximate Memory in RISC-V Linux Kernel

G. Stazi, A. Mastrandrea, M. Olivier, F. Menichelli

University of Roma La Sapienza, Italy

177

Circuit Design and Verification Method of Integrated Sensor-Front-End Elements for Space-borne Fluxgate Magnetometers

M. Scherzer¹, M. Auer¹, A. Valavanoglou², S. Leitner², W. Magnes²

¹Technische Universität Graz, Austria, ²Austrian Academy of Sciences, Austria

181

Analysis of FTB Stress Propagation in an Integrated Circuit

L. Quazzo¹, Y. Bacher¹, N. Froidevaux¹, H. Braquet², G. Jacquemod²

¹STMicroelectronics, France, ²Polytech'Lab, France

185

Analysis of a Circuit Primitive for the Reliable Design of Digital Nonlinear Oscillators

T. Addabbo, A. Fort, R. Moretti, M. Mugnaini, V. Vignoli

University of Siena, Italy

189

Effect of SSN on Signal and Power Integrity on 32-Bit Microcontroller: Modeling and Correlation

M. Moign¹, J. Pierre Leca², N. Froidevaux², G. Jacquemod¹, Y. Leduc¹

¹Polytech'Lab, France, ²STMicroelectronics, France

193

Analog Circuits and Sub-Systems II

A 0.3-nV/ $\sqrt{\text{Hz}}$ Input-Referred-Noise Analog-Front-End for Weakly-Interacting-Massive-Particles (WIMPs) Acoustic Sensing in Bubbles-Chamber Detectors

E. Vallicelli¹, L. Gelmi¹, R. Bertoni², W. Fulgione², M. Tambaro¹, A. Baschirotto¹, M. De Matteis¹

¹University of Milano-Bicocca, Italy, ²INFN, Italy

197

4-Channel Front-End Integrated Circuit for Readout of Large Area of SiPM under Liquid Argon

A. Martinez Rojas

Politecnico di Torino and INFN, Italy

201

A Timing Pixel Front-End Design for HEP Experiments in 28-nm CMOS Technology

L. Piccolo

INFN, Italy

205

Exploring 3D Pixel Circuits for Small Pitch and High Brightness GaN Microdisplays

Y. Seauve, M. Vigier, T. Pilloix, G. Sicard

CEA LETI, France

209

Digital Circuits and Emerging Technologies

A 48-mW 18-Gb/s Delay-Line Based 1:4 Demultiplexer in 45-nm RFSOI CMOS

S. Rehman, M. Khafaji, C. Carta, F. Ellinger

TU Dresden, Germany

213

A Fully Adaptive Lattice-Based Notch filter for Mitigation of Interference in GPS

S. Waqas Arif, A. Coskun, I. Kale

University of Westminster, United Kingdom

217

A New Lightweight CSPRNG Implemented in a 0.18- μm CMOS Technology

M. Garcia-Bosque, G. Diez-Senorans, A. Perez-Resa, C. Sanchez-Azqueta, C. Aldea, S. Celma

University of Zaragoza, Spain

221

Bistable Propagation of Monostable Molecules in Molecular Field-Coupled Nanocomputing

Y. Ardesi, L. Gnoli, M. Graziano, G. Piccinini

Politecnico di Torino, Italy

225

Image and Data Processing

Efficient Architecture for Integral Image Computation on Heterogeneous FPGAs

F. Spagnolo, P. Corsonello, S. Perri

University of Calabria, Italy

229

Real-Time Neural Spikes Imaging by a 9375-Sample/(s Pixel) 32x32 Pixels Electrolyte-Oxide-Semiconductor Biosensor

M. Tambaro¹, E. Vallicelli¹, D. Tomasella¹, A. Baschirotto¹, S. Vassanelli², M. Maschietto², M. De Matteis¹

¹University of Milano-Bicocca, Italy, ²University of Padova, Italy

233

DCNN for Tactile Sensory Data Classification Based on Transfer Learning

M. Alameh, M. Valle, A. Ibrahim, G. Moser

University of Genova, Italy

237

Data Oriented Approximate K-Nearest Neighbor Classifier for Touch Modality Recognition

H. Younes¹, A. Ibrahim², M. Rizk¹, M. Valle²

¹Lebanese International University, Lebanon, ²University of Genova, Italy

241

Smart Imagers Modeling and Optimization Framework for Embedded AI Applications

L. Cubero Montealegre, A. Peizerat, D. Morche, G. Sicard

Université Grenoble Alpes and CEA, France

245

Sensing and Biomedical Circuits II

Multi-Target Electrolyte Sensing Front-End for Wearable Physical Monitoring

I. Hanitra, F. Criscuolo, S. Carrara, G. De Michelis

Ecole Polytechnique Fédérale de Lausanne, Switzerland

249

Modelling of Implantable Photovoltaic Cell based on Human Skin Types

J. Zhao, K. Htet, R. Ghannam, M. Imran, H. Heidari

University of Glasgow, United Kingdom

253

RF Energy Harvested Sensory Headwear for Quadriplegic People

A. Leoni¹, G. Piscitelli², I. Ulisse¹, M. Ricci², V. Errico²

¹University of L'Aquila, Italy, ²University of Roma Tor Vergata, Italy

257

A CMOS Analog Front-End for Implantable Pulmonary Artery Pressure Monitoring System

M. Besirli, K. Ture, D. Barretti, M. Mattavelli, C. Dehollain

Ecole Polytechnique Fédérale de Lausanne, Switzerland

261

Quasi-Digital Biosensor-Interface for a Portable Pen to Monitor Anaesthetics Delivery

S. Aiassa¹, F. Stradolini², A. Tuoheti¹, S. Carrara², D. Demarchi¹

¹Politecnico di Torino, Italy, ²Ecole Polytechnique Fédérale de Lausanne, Switzerland

265

Modeling, Optimization, and Characterization

Performance Parameters Modeling and Simulation of Single-Photon Avalanche Diodes for Space LIDAR Applications

A. Panglosse¹, P. Martin-Gonthier¹, O. Marcelot¹, C. Virmontois², O. Saint-Pé³, P. Magnan¹

¹ISAE-SUPAERO, France, ²CNES, France, ³AIRBUS Defense & Space, France

269

Equivalent Circuit Extraction Procedure From Nyquist Plots for Graphene-Silicon Solar Cells

I. Matacena

University of Napoli Federico II, Italy

273

Visualizations for Understanding SoC Behaviour

D. McEwan¹, M. Hlond², J. Nunez-Yanez¹

¹University of Bristol, United Kingdom, ²UltraSoC Technologies, United Kingdom

277

System-Level Assessment of Dynamic Effects in GaN-Based Power Converters	
<i>A. Minetto¹, B. Deutschmann², O. Haeberlen¹, G. Curatola¹</i>	
¹ Infineon Technologies, Austria, ² Graz University of Technology, Austria	281
Minimum Energy Point in Constant Frequency Designs under Adaptive Supply Voltage and Body Bias Adjustment in 55-nm DDC	
<i>C. Mueller^{1, 2}, M. Pons², D. Ruffieux², J. Nagel², S. Emery², A. Burg¹, S. Tanahashi³, Y. Tanaka³, A. Takeuchi³</i>	
¹ Ecole Polytechnique Fédérale de Lausanne, Switzerland, ² CSEM, Switzerland, ³ Mie Fujitsu Semiconductor, Japan	285
MEMS and Piezoelectrical Sensors	
Perforated Paper-Based Piezoresistive Force Sensor	
<i>Y. Gokdel, K. Erdil, T. Ayrac, G. Akcan</i>	
Istanbul Bilgi University, Turkey	289
A Feasibility Study of AlN Ultrasonic Transducers Fabrication Using the Multi-User PiezoMUMPs Process for Fingerprint Scanning at GHz Range	
<i>J. Yanez, F. Torres, A. Uranga, N. Barniol</i>	
Universitat Autònoma de Barcelona, Spain	293
Design Considerations for a Digital Input MEMS Speaker Audio Amplifier with Energy Recovery	
<i>M. Haensler, M. Auer</i>	
Graz University of Technology, Austria	297
Mechanical Test Structures for the Determination of Normal Stress in Multilayer Freestanding MEMS-Membranes	
<i>M. Michel¹, H. Vogt²</i>	
¹ Fraunhofer Institute for Microelectronic Circuits and Systems IMS, Germany, ² University Duisburg-Essen, Germany	301
Servo-Assisted Position-Feedback MEMS Inclinometer with Tunable Sensitivity	
<i>A. Nastro, M. Ferrari, V. Ferrari</i>	
University of Brescia, Italy	305
Author Index	309